


802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1476G	44.83	54.00	-9.17	2.74	3	Vertical	300	1.59	-
AV	5.1824G	102.10	Inf	-Inf	2.78	3	Vertical	300	1.59	-
PK	5.148G	56.99	74.00	-17.01	2.74	3	Vertical	300	1.59	-
PK	5.183G	111.33	Inf	-Inf	2.78	3	Vertical	300	1.59	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	46.33	54.00	-7.67	2.74	3	Horizontal	166	1.53	-
AV	5.179G	102.71	Inf	-Inf	2.77	3	Horizontal	166	1.53	-
PK	5.1492G	59.86	74.00	-14.14	2.74	3	Horizontal	166	1.53	-
PK	5.1792G	111.73	Inf	-Inf	2.78	3	Horizontal	166	1.53	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36546G	41.01	54.00	-12.99	12.65	3	Vertical	167	1.50	-
PK	10.37128G	53.90	74.00	-20.10	12.66	3	Vertical	167	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36876G	40.97	54.00	-13.03	12.65	3	Horizontal	161	1.97	-
PK	10.36432G	54.87	74.00	-19.13	12.64	3	Horizontal	161	1.97	-

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.142G	43.59	54.00	-10.41	2.74	3	Vertical	216	1.50	-
AV	5.2008G	102.61	Inf	-Inf	2.80	3	Vertical	216	1.50	-
PK	5.138G	56.29	74.00	-17.71	2.73	3	Vertical	216	1.50	-
PK	5.2012G	112.78	Inf	-Inf	2.80	3	Vertical	216	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	44.31	54.00	-9.69	2.74	3	Horizontal	176	1.86	-
AV	5.2032G	104.05	Inf	-Inf	2.80	3	Horizontal	176	1.86	-
PK	5.148G	57.18	74.00	-16.82	2.74	3	Horizontal	176	1.86	-
PK	5.198G	113.87	Inf	-Inf	2.80	3	Horizontal	176	1.86	-

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40456G	41.39	54.00	-12.61	12.73	3	Vertical	229	1.50	-
PK	10.4G	55.51	74.00	-18.49	12.72	3	Vertical	229	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40132G	41.56	54.00	-12.44	12.72	3	Horizontal	148	1.01	-
PK	10.4144G	54.53	74.00	-19.47	12.75	3	Horizontal	156	1.01	-

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1446G	43.21	54.00	-10.79	2.74	3	Vertical	216	1.50	-
AV	5.2412G	102.61	Inf	-Inf	2.85	3	Vertical	216	1.50	-
AV	5.3792G	42.66	54.00	-11.34	3.01	3	Vertical	216	1.50	-
PK	5.1314G	55.74	74.00	-18.26	2.72	3	Vertical	216	1.50	-
PK	5.2364G	111.47	Inf	-Inf	2.84	3	Vertical	216	1.50	-
PK	5.3816G	55.34	74.00	-18.66	3.01	3	Vertical	216	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.138G	43.46	54.00	-10.54	2.73	3	Horizontal	177	1.60	-
AV	5.2436G	103.92	Inf	-Inf	2.85	3	Horizontal	177	1.60	-
AV	5.39G	42.96	54.00	-11.04	3.01	3	Horizontal	177	1.60	-
PK	5.1482G	56.25	74.00	-17.75	2.74	3	Horizontal	177	1.60	-
PK	5.2382G	113.62	Inf	-Inf	2.84	3	Horizontal	177	1.60	-
PK	5.350005G	56.21	74.00	-17.79	2.97	3	Horizontal	177	1.60	-

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48966G	41.38	54.00	-12.62	12.92	3	Vertical	230	2.32	-
PK	10.48408G	53.97	74.00	-20.03	12.91	3	Vertical	230	2.32	-

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.4881G	41.40	54.00	-12.60	12.91	3	Horizontal	105	1.50	-
PK	10.46878G	54.50	74.00	-19.50	12.87	3	Horizontal	105	1.50	-

802.11a_Nss1,(54Mbps)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1482G	46.51	54.00	-7.49	2.74	3	Vertical	298	1.59	-
AV	5.1826G	99.58	Inf	-Inf	2.78	3	Vertical	298	1.59	-
PK	5.1476G	62.61	74.00	-11.39	2.74	3	Vertical	298	1.59	-
PK	5.1828G	109.47	Inf	-Inf	2.78	3	Vertical	298	1.59	-

802.11a_Nss1,(54Mbps)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	50.02	54.00	-3.98	2.74	3	Horizontal	165	1.54	-
AV	5.1846G	99.34	Inf	-Inf	2.78	3	Horizontal	165	1.54	-
PK	5.1496G	68.34	74.00	-5.66	2.74	3	Horizontal	165	1.54	-
PK	5.1842G	109.83	Inf	-Inf	2.78	3	Horizontal	165	1.54	-

802.11a_Nss1,(54Mbps)_2TX

5200MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1424G	45.48	54.00	-8.52	2.74	3	Vertical	257	1.46	-
AV	5.2024G	101.93	Inf	-Inf	2.80	3	Vertical	257	1.46	-
PK	5.1332G	57.26	74.00	-16.74	2.72	3	Vertical	257	1.46	-
PK	5.2028G	111.35	Inf	-Inf	2.80	3	Vertical	257	1.46	-

802.11a_Nss1,(54Mbps)_2TX

5200MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1484G	45.44	54.00	-8.56	2.74	3	Horizontal	139	2.23	-
AV	5.2036G	101.58	Inf	-Inf	2.80	3	Horizontal	139	2.23	-
PK	5.1472G	57.50	74.00	-16.50	2.74	3	Horizontal	139	2.23	-
PK	5.2044G	110.98	Inf	-Inf	2.80	3	Horizontal	139	2.23	-

802.11a_Nss1,(54Mbps)_2TX

5240MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1464G	43.45	54.00	-10.55	2.74	3	Vertical	280	1.48	-
AV	5.2436G	102.42	Inf	-Inf	2.85	3	Vertical	280	1.48	-
AV	5.3888G	43.11	54.00	-10.89	3.01	3	Vertical	280	1.48	-
PK	5.1218G	55.64	74.00	-18.36	2.71	3	Vertical	280	1.48	-
PK	5.243G	112.07	Inf	-Inf	2.85	3	Vertical	280	1.48	-
PK	5.3768G	55.55	74.00	-18.45	3.00	3	Vertical	280	1.48	-

802.11a_Nss1,(54Mbps)_2TX

5240MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.144G	43.61	54.00	-10.39	2.74	3	Horizontal	166	1.58	-
AV	5.243G	103.67	Inf	-Inf	2.85	3	Horizontal	166	1.58	-
AV	5.39G	43.25	54.00	-10.75	3.01	3	Horizontal	166	1.58	-
PK	5.0942G	56.02	74.00	-17.98	2.68	3	Horizontal	166	1.58	-
PK	5.243G	113.62	Inf	-Inf	2.85	3	Horizontal	166	1.58	-
PK	5.378G	55.12	74.00	-18.88	3.00	3	Horizontal	166	1.58	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.146G	43.28	54.00	-10.72	2.74	3	Vertical	288	1.49	-
AV	5.2588G	102.45	Inf	-Inf	2.86	3	Vertical	288	1.49	-
AV	5.3554G	43.22	54.00	-10.78	2.97	3	Vertical	288	1.49	-
PK	5.128G	55.55	74.00	-18.45	2.72	3	Vertical	288	1.49	-
PK	5.2582G	111.24	Inf	-Inf	2.86	3	Vertical	288	1.49	-
PK	5.4082G	55.35	74.00	-18.65	3.04	3	Vertical	288	1.49	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1472G	43.28	54.00	-10.72	2.74	3	Horizontal	175	1.89	-
AV	5.2576G	103.43	Inf	-Inf	2.86	3	Horizontal	175	1.89	-
AV	5.356G	43.07	54.00	-10.93	2.97	3	Horizontal	175	1.89	-
PK	5.137G	55.94	74.00	-18.06	2.73	3	Horizontal	175	1.89	-
PK	5.2582G	113.12	Inf	-Inf	2.86	3	Horizontal	175	1.89	-
PK	5.3836G	55.29	74.00	-18.71	3.01	3	Horizontal	175	1.89	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.51748G	41.30	54.00	-12.70	12.98	3	Vertical	80	1.50	-
PK	10.52018G	53.90	74.00	-20.10	12.98	3	Vertical	80	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX

01/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	10.51784G	41.59	54.00	-12.41	12.98	3	Horizontal	146	1.43	-
PK	10.52504G	54.49	74.00	-19.51	12.99	3	Horizontal	146	1.43	-

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3012G	101.72	Inf	-Inf	2.91	3	Vertical	214	1.36	-
AV	5.3504G	44.29	54.00	-9.71	2.97	3	Vertical	214	1.36	-
PK	5.3012G	110.69	Inf	-Inf	2.91	3	Vertical	214	1.36	-
PK	5.3512G	56.70	74.00	-17.30	2.97	3	Vertical	214	1.36	-

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2988G	104.08	Inf	-Inf	2.91	3	Horizontal	177	1.51	-
AV	5.350005G	45.31	54.00	-8.69	2.97	3	Horizontal	177	1.51	-
PK	5.3036G	113.80	Inf	-Inf	2.91	3	Horizontal	177	1.51	-
PK	5.3536G	57.19	74.00	-16.81	2.97	3	Horizontal	177	1.51	-

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59568G	41.85	54.00	-12.15	13.15	3	Vertical	208	1.48	-
PK	10.60672G	54.55	74.00	-19.45	13.17	3	Vertical	208	1.48	-

802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6024G	42.38	54.00	-11.62	13.16	3	Horizontal	161	1.50	-
PK	10.60738G	54.87	74.00	-19.13	13.17	3	Horizontal	161	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3184G	101.05	Inf	-Inf	2.93	3	Vertical	297	1.65	-
AV	5.350005G	44.43	54.00	-9.57	2.97	3	Vertical	297	1.65	-
PK	5.3184G	110.72	Inf	-Inf	2.93	3	Vertical	297	1.65	-
PK	5.3504G	56.32	74.00	-17.68	2.97	3	Vertical	297	1.65	-

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3188G	102.13	Inf	-Inf	2.93	3	Horizontal	181	1.47	-
AV	5.350005G	46.17	54.00	-7.83	2.97	3	Horizontal	181	1.47	-
PK	5.3184G	111.47	Inf	-Inf	2.93	3	Horizontal	181	1.47	-
PK	5.3532G	58.12	74.00	-15.88	2.97	3	Horizontal	181	1.47	-

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64216G	41.51	54.00	-12.49	13.25	3	Vertical	344	1.43	-
PK	10.63472G	54.59	74.00	-19.41	13.23	3	Vertical	344	1.43	-

802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.63568G	41.09	54.00	-12.91	13.24	3	Horizontal	273	1.17	-
PK	10.62992G	53.93	74.00	-20.07	13.22	3	Horizontal	273	1.17	-

802.11a_Nss1,(54Mbps)_2TX

5260MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	43.52	54.00	-10.48	2.74	3	Vertical	278	1.48	-
AV	5.2636G	101.41	Inf	-Inf	2.87	3	Vertical	278	1.48	-
AV	5.3548G	43.44	54.00	-10.56	2.97	3	Vertical	278	1.48	-
PK	5.1454G	55.93	74.00	-18.07	2.74	3	Vertical	278	1.48	-
PK	5.2582G	110.61	Inf	-Inf	2.86	3	Vertical	278	1.48	-
PK	5.350005G	56.07	74.00	-17.93	2.97	3	Vertical	278	1.48	-

802.11a_Nss1,(54Mbps)_2TX

5260MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1406G	43.54	54.00	-10.46	2.73	3	Horizontal	166	1.96	-
AV	5.2582G	102.43	Inf	-Inf	2.86	3	Horizontal	166	1.96	-
AV	5.4076G	43.13	54.00	-10.87	3.04	3	Horizontal	166	1.96	-
PK	5.1196G	55.78	74.00	-18.22	2.70	3	Horizontal	166	1.96	-
PK	5.2624G	111.93	Inf	-Inf	2.87	3	Horizontal	166	1.96	-
PK	5.3758G	54.98	74.00	-19.02	3.00	3	Horizontal	166	1.96	-

802.11a_Nss1,(54Mbps)_2TX

5300MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2952G	101.50	Inf	-Inf	2.90	3	Vertical	218	1.00	-
AV	5.3504G	45.00	54.00	-9.00	2.97	3	Vertical	218	1.00	-
PK	5.2948G	111.39	Inf	-Inf	2.90	3	Vertical	218	1.00	-
PK	5.3512G	57.62	74.00	-16.38	2.97	3	Vertical	218	1.00	-

802.11a_Nss1,(54Mbps)_2TX

5300MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2984G	103.99	Inf	-Inf	2.91	3	Horizontal	164	1.51	-
AV	5.350005G	45.45	54.00	-8.55	2.97	3	Horizontal	164	1.51	-
PK	5.3028G	113.72	Inf	-Inf	2.91	3	Horizontal	164	1.51	-
PK	5.3592G	57.54	74.00	-16.46	2.98	3	Horizontal	164	1.51	-

802.11a_Nss1,(54Mbps)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3182G	101.21	Inf	-Inf	2.93	3	Vertical	295	1.63	-
AV	5.350005G	48.44	54.00	-5.56	2.97	3	Vertical	295	1.63	-
PK	5.3228G	111.22	Inf	-Inf	2.94	3	Vertical	295	1.63	-
PK	5.3528G	63.19	74.00	-10.81	2.97	3	Vertical	295	1.63	-

802.11a_Nss1,(54Mbps)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3234G	101.58	Inf	-Inf	2.94	3	Horizontal	178	1.47	-
AV	5.350005G	50.21	54.00	-3.79	2.97	3	Horizontal	178	1.47	-
PK	5.3228G	111.50	Inf	-Inf	2.94	3	Horizontal	178	1.47	-
PK	5.354G	64.55	74.00	-9.45	2.97	3	Horizontal	178	1.47	-

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4594G	43.04	54.00	-10.96	3.10	3	Vertical	294	1.34	-
AV	5.4988G	100.66	Inf	-Inf	3.14	3	Vertical	294	1.34	-
PK	5.4564G	55.82	74.00	-18.18	3.09	3	Vertical	294	1.34	-
PK	5.468G	57.30	68.20	-10.90	3.11	3	Vertical	294	1.34	-
PK	5.4982G	110.14	Inf	-Inf	3.14	3	Vertical	294	1.34	-

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4564G	43.36	54.00	-10.64	3.09	3	Horizontal	181	1.48	-
AV	5.4992G	100.65	Inf	-Inf	3.14	3	Horizontal	181	1.48	-
PK	5.4576G	55.54	74.00	-18.46	3.09	3	Horizontal	181	1.48	-
PK	5.4698G	56.69	68.20	-11.51	3.11	3	Horizontal	181	1.48	-
PK	5.4992G	110.13	Inf	-Inf	3.14	3	Horizontal	181	1.48	-

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.9976G	42.05	54.00	-11.95	14.02	3	Vertical	189	1.61	-
PK	11.01044G	54.99	74.00	-19.01	14.02	3	Vertical	189	1.61	-

802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.98902G	42.16	54.00	-11.84	14.01	3	Horizontal	79	1.14	-
PK	10.99862G	54.95	74.00	-19.05	14.03	3	Horizontal	79	1.14	-

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4528G	43.91	54.00	-10.09	3.09	3	Vertical	282	1.52	-
AV	5.5812G	101.71	Inf	-Inf	3.30	3	Vertical	282	1.52	-
PK	5.445G	56.27	74.00	-17.73	3.08	3	Vertical	282	1.52	-
PK	5.4696G	56.23	68.20	-11.97	3.11	3	Vertical	282	1.52	-
PK	5.5806G	110.44	Inf	-Inf	3.30	3	Vertical	282	1.52	-
PK	5.73G	55.98	68.20	-12.22	3.59	3	Vertical	282	1.52	-

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4522G	43.88	54.00	-10.12	3.09	3	Horizontal	237	1.71	-
AV	5.5788G	102.26	Inf	-Inf	3.30	3	Horizontal	237	1.71	-
PK	5.4474G	56.28	74.00	-17.72	3.08	3	Horizontal	237	1.71	-
PK	5.4672G	56.26	68.20	-11.94	3.11	3	Horizontal	237	1.71	-
PK	5.5794G	111.48	Inf	-Inf	3.30	3	Horizontal	237	1.71	-
PK	5.7276G	56.26	68.20	-11.94	3.59	3	Horizontal	237	1.71	-

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16054G	42.63	54.00	-11.37	13.88	3	Vertical	121	2.32	-
PK	11.15964G	55.06	74.00	-18.94	13.88	3	Vertical	121	2.32	-

802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1498G	42.11	54.00	-11.89	13.89	3	Horizontal	93	2.22	-
PK	11.14962G	54.81	74.00	-19.19	13.89	3	Horizontal	93	2.22	-

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7012G	102.70	Inf	-Inf	3.54	3	Vertical	257	1.49	-
PK	5.6964G	111.32	Inf	-Inf	3.53	3	Vertical	257	1.49	-
PK	5.7256G	65.35	68.20	-2.85	3.59	3	Vertical	257	1.49	-

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7008G	101.41	Inf	-Inf	3.54	3	Horizontal	181	1.39	-
PK	5.6996G	110.94	Inf	-Inf	3.54	3	Horizontal	181	1.39	-
PK	5.7252G	60.56	68.20	-7.64	3.59	3	Horizontal	181	1.39	-

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4016G	43.92	54.00	-10.08	13.66	3	Vertical	159	1.38	-
PK	11.4029G	56.88	74.00	-17.12	13.66	3	Vertical	159	1.38	-

802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3965G	41.34	54.00	-12.66	13.67	3	Horizontal	126	1.42	-
PK	11.4034G	53.82	74.00	-20.18	13.66	3	Horizontal	126	1.42	-

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4236G	42.34	54.00	-11.66	3.06	3	Vertical	282	1.50	-
AV	5.7212G	102.09	Inf	-Inf	3.58	3	Vertical	282	1.50	-
PK	5.4224G	54.12	74.00	-19.88	3.06	3	Vertical	282	1.50	-
PK	5.4692G	53.86	68.20	-14.34	3.11	3	Vertical	282	1.50	-
PK	5.7212G	110.54	Inf	-Inf	3.58	3	Vertical	282	1.50	-
PK	5.9624G	56.54	68.20	-11.66	4.05	3	Vertical	282	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4332G	42.41	54.00	-11.59	3.06	3	Horizontal	237	1.62	-
AV	5.7188G	101.38	Inf	-Inf	3.58	3	Horizontal	237	1.62	-
PK	5.4596G	54.04	74.00	-19.96	3.10	3	Horizontal	237	1.62	-
PK	5.4656G	54.75	68.20	-13.45	3.11	3	Horizontal	237	1.62	-
PK	5.7188G	110.68	Inf	-Inf	3.58	3	Horizontal	237	1.62	-
PK	5.8952G	55.77	68.20	-12.43	3.92	3	Horizontal	237	1.62	-

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.44012G	41.62	54.00	-12.38	13.63	3	Vertical	10	1.11	-
PK	11.44552G	54.76	74.00	-19.24	13.62	3	Vertical	10	1.11	-

802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.44228G	42.37	54.00	-11.63	13.62	3	Horizontal	125	2.01	-
PK	11.43778G	54.94	74.00	-19.06	13.63	3	Horizontal	125	2.01	-

802.11a_Nss1,(54Mbps)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	43.67	54.00	-10.33	3.10	3	Vertical	287	1.46	-
AV	5.5034G	99.69	Inf	-Inf	3.15	3	Vertical	287	1.46	-
PK	5.4592G	57.40	74.00	-16.60	3.10	3	Vertical	287	1.46	-
PK	5.4684G	61.49	68.20	-6.71	3.11	3	Vertical	287	1.46	-
PK	5.5028G	109.47	Inf	-Inf	3.15	3	Vertical	287	1.46	-

802.11a_Nss1,(54Mbps)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	44.40	54.00	-9.60	3.10	3	Horizontal	173	1.50	-
AV	5.5046G	100.70	Inf	-Inf	3.15	3	Horizontal	173	1.50	-
PK	5.459995G	56.90	74.00	-17.10	3.10	3	Horizontal	173	1.50	-
PK	5.4692G	60.87	68.20	-7.33	3.11	3	Horizontal	173	1.50	-
PK	5.5044G	110.80	Inf	-Inf	3.15	3	Horizontal	173	1.50	-

802.11a_Nss1,(54Mbps)_2TX

5580MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4546G	43.97	54.00	-10.03	3.09	3	Vertical	239	1.50	-
AV	5.5824G	100.68	Inf	-Inf	3.30	3	Vertical	239	1.50	-
PK	5.433G	56.07	74.00	-17.93	3.06	3	Vertical	239	1.50	-
PK	5.4696G	56.14	68.20	-12.06	3.11	3	Vertical	239	1.50	-
PK	5.5866G	110.46	Inf	-Inf	3.31	3	Vertical	239	1.50	-
PK	5.73G	55.65	68.20	-12.55	3.59	3	Vertical	239	1.50	-

802.11a_Nss1,(54Mbps)_2TX

5580MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4594G	43.88	54.00	-10.12	3.10	3	Horizontal	170	1.42	-
AV	5.5854G	101.18	Inf	-Inf	3.31	3	Horizontal	170	1.42	-
PK	5.433G	56.27	74.00	-17.73	3.06	3	Horizontal	170	1.42	-
PK	5.4636G	55.99	68.20	-12.21	3.10	3	Horizontal	170	1.42	-
PK	5.5812G	110.63	Inf	-Inf	3.30	3	Horizontal	170	1.42	-
PK	5.73G	55.28	68.20	-12.92	3.59	3	Horizontal	170	1.42	-

802.11a_Nss1,(54Mbps)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.702G	101.16	Inf	-Inf	3.54	3	Vertical	253	1.68	-
PK	5.6964G	110.59	Inf	-Inf	3.53	3	Vertical	253	1.68	-
PK	5.726G	66.29	68.20	-1.91	3.59	3	Vertical	253	1.68	-

802.11a_Nss1,(54Mbps)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7048G	99.84	Inf	-Inf	3.55	3	Horizontal	174	1.30	-
PK	5.6948G	109.55	Inf	-Inf	3.53	3	Horizontal	174	1.30	-
PK	5.7252G	62.12	68.20	-6.08	3.59	3	Horizontal	174	1.30	-

802.11a_Nss1,(54Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4332G	42.28	54.00	-11.72	3.06	3	Vertical	280	1.48	-
AV	5.7212G	98.52	Inf	-Inf	3.58	3	Vertical	280	1.48	-
PK	5.4416G	54.21	74.00	-19.79	3.07	3	Vertical	280	1.48	-
PK	5.4608G	54.32	68.20	-13.88	3.10	3	Vertical	280	1.48	-
PK	5.7164G	108.02	Inf	-Inf	3.57	3	Vertical	280	1.48	-
PK	5.8832G	56.18	68.20	-12.02	3.90	3	Vertical	280	1.48	-

802.11a_Nss1,(54Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4488G	42.36	54.00	-11.64	3.08	3	Horizontal	177	1.22	-
AV	5.7248G	98.49	Inf	-Inf	3.59	3	Horizontal	177	1.22	-
PK	5.4284G	54.15	74.00	-19.85	3.06	3	Horizontal	177	1.22	-
PK	5.4656G	54.53	68.20	-13.67	3.11	3	Horizontal	177	1.22	-
PK	5.7152G	108.62	Inf	-Inf	3.57	3	Horizontal	177	1.22	-
PK	5.8796G	56.46	68.20	-11.74	3.89	3	Horizontal	177	1.22	-

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7462G	101.69	Inf	-Inf	3.63	3	Vertical	252	1.54	-
PK	5.6274G	55.43	68.20	-12.77	3.40	3	Vertical	252	1.54	-
PK	5.7414G	110.42	Inf	-Inf	3.62	3	Vertical	252	1.54	-
PK	5.9454G	55.38	68.20	-12.82	4.02	3	Vertical	252	1.54	-

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7438G	101.84	Inf	-Inf	3.62	3	Horizontal	173	1.28	-
PK	5.5266G	55.57	68.20	-12.63	3.20	3	Horizontal	173	1.28	-
PK	5.7438G	110.87	Inf	-Inf	3.62	3	Horizontal	173	1.28	-
PK	5.9742G	55.51	68.20	-12.69	4.07	3	Horizontal	173	1.28	-

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4921G	45.03	54.00	-8.97	13.58	3	Vertical	165	2.09	-
PK	11.4916G	57.51	74.00	-16.49	13.58	3	Vertical	165	2.09	-

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4918G	43.22	54.00	-10.78	13.58	3	Horizontal	80	1.48	-
PK	11.4878G	55.88	74.00	-18.12	13.58	3	Horizontal	80	1.48	-

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7838G	102.33	Inf	-Inf	3.70	3	Vertical	176	1.76	-
PK	5.491G	55.91	68.20	-12.29	3.12	3	Vertical	176	1.76	-
PK	5.7874G	111.92	Inf	-Inf	3.71	3	Vertical	176	1.76	-
PK	5.9278G	56.12	68.20	-12.08	3.99	3	Vertical	176	1.76	-

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7862G	102.24	Inf	-Inf	3.70	3	Horizontal	164	2.36	-
PK	5.5138G	55.84	68.20	-12.36	3.17	3	Horizontal	164	2.36	-
PK	5.7862G	111.16	Inf	-Inf	3.70	3	Horizontal	164	2.36	-
PK	5.9578G	56.98	68.20	-11.22	4.04	3	Horizontal	164	2.36	-

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5721G	45.81	54.00	-8.19	13.50	3	Vertical	122	1.25	-
PK	11.57168G	59.24	74.00	-14.76	13.50	3	Vertical	122	1.25	-

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.57216G	44.85	54.00	-9.15	13.50	3	Horizontal	64	1.50	-
PK	11.57726G	57.48	74.00	-16.52	13.50	3	Horizontal	64	1.50	-

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	100.74	Inf	-Inf	3.78	3	Vertical	252	1.60	-
PK	5.6234G	55.13	68.20	-13.07	3.39	3	Vertical	252	1.60	-
PK	5.8238G	109.57	Inf	-Inf	3.78	3	Vertical	252	1.60	-
PK	5.9606G	54.85	68.20	-13.35	4.04	3	Vertical	252	1.60	-

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8262G	101.21	Inf	-Inf	3.78	3	Horizontal	229	1.73	-
PK	5.5718G	54.87	68.20	-13.33	3.28	3	Horizontal	229	1.73	-
PK	5.8214G	110.32	Inf	-Inf	3.77	3	Horizontal	229	1.73	-
PK	5.9282G	55.23	68.20	-12.97	3.99	3	Horizontal	229	1.73	-

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6519G	45.71	54.00	-8.29	13.43	3	Vertical	130	1.33	-
PK	11.6525G	58.23	74.00	-15.77	13.43	3	Vertical	130	1.33	-

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX

23/06/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6518G	44.87	54.00	-9.13	13.43	3	Horizontal	75	1.44	-
PK	11.6426G	57.78	74.00	-16.22	13.44	3	Horizontal	75	1.44	-

802.11a_Nss1,(54Mbps)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7462G	101.36	Inf	-Inf	3.63	3	Vertical	249	1.53	-
PK	5.6466G	54.91	68.20	-13.29	3.44	3	Vertical	249	1.53	-
PK	5.7462G	110.76	Inf	-Inf	3.63	3	Vertical	249	1.53	-
PK	5.9334G	54.88	68.20	-13.32	4.00	3	Vertical	249	1.53	-

802.11a_Nss1,(54Mbps)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7402G	100.96	Inf	-Inf	3.62	3	Horizontal	170	1.36	-
PK	5.649G	56.13	68.20	-12.07	3.44	3	Horizontal	170	1.36	-
PK	5.7402G	111.25	Inf	-Inf	3.62	3	Horizontal	170	1.36	-
PK	5.9826G	55.07	68.20	-13.13	4.10	3	Horizontal	170	1.36	-

802.11a_Nss1,(54Mbps)_2TX

5785MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7862G	102.29	Inf	-Inf	3.70	3	Vertical	166	1.70	-
PK	5.491G	56.11	68.20	-12.09	3.12	3	Vertical	166	1.70	-
PK	5.7862G	111.90	Inf	-Inf	3.70	3	Vertical	166	1.70	-
PK	5.9398G	56.48	68.20	-11.72	4.02	3	Vertical	166	1.70	-

802.11a_Nss1,(54Mbps)_2TX

5785MHz_TX

31/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7898G	101.23	Inf	-Inf	3.71	3	Horizontal	143	1.98	-
PK	5.5006G	56.83	68.20	-11.37	3.14	3	Horizontal	143	1.98	-
PK	5.7898G	111.23	Inf	-Inf	3.71	3	Horizontal	143	1.98	-
PK	5.9254G	56.27	68.20	-11.93	3.99	3	Horizontal	143	1.98	-

802.11a_Nss1,(54Mbps)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	99.53	Inf	-Inf	3.78	3	Vertical	246	1.50	-
PK	5.5322G	54.69	68.20	-13.51	3.21	3	Vertical	246	1.50	-
PK	5.8298G	109.85	Inf	-Inf	3.79	3	Vertical	246	1.50	-
PK	5.9594G	55.45	68.20	-12.75	4.04	3	Vertical	246	1.50	-

802.11a_Nss1,(54Mbps)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8262G	100.67	Inf	-Inf	3.78	3	Horizontal	225	1.78	-
PK	5.6114G	54.39	68.20	-13.81	3.37	3	Horizontal	225	1.78	-
PK	5.8214G	110.05	Inf	-Inf	3.77	3	Horizontal	225	1.78	-
PK	5.9246G	55.57	68.50	-12.93	3.98	3	Horizontal	225	1.78	-

802.11n HT20_Nss1,(MCS0)_2TX

5180MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36222G	41.49	54.00	-12.51	12.64	3	Vertical	165	1.31	-
PK	10.35758G	54.22	74.00	-19.78	12.63	3	Vertical	165	1.31	-

802.11n HT20_Nss1,(MCS0)_2TX

5180MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36048G	41.59	54.00	-12.41	12.64	3	Horizontal	24	1.09	-
PK	10.35852G	54.39	74.00	-19.61	12.63	3	Horizontal	24	1.09	-

802.11n HT20_Nss1,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40374G	41.47	54.00	-12.53	12.73	3	Vertical	195	2.38	-
PK	10.39734G	54.44	74.00	-19.56	12.72	3	Vertical	195	2.38	-

802.11n HT20_Nss1,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.397G	41.53	54.00	-12.47	12.72	3	Horizontal	272	1.85	-
PK	10.3964G	54.35	74.00	-19.65	12.71	3	Horizontal	272	1.85	-

802.11n HT20_Nss1,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48042G	41.63	54.00	-12.37	12.90	3	Vertical	47	1.44	-
PK	10.47946G	54.42	74.00	-19.58	12.90	3	Vertical	47	1.44	-

802.11n HT20_Nss1,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48056G	41.56	54.00	-12.44	12.90	3	Horizontal	83	1.77	-
PK	10.48208G	53.96	74.00	-20.04	12.90	3	Horizontal	83	1.77	-

802.11n HT20_Nss1,(MCS8)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1498G	45.34	54.00	-8.66	2.74	3	Vertical	247	1.50	-
AV	5.179G	100.08	Inf	-Inf	2.77	3	Vertical	247	1.50	-
PK	5.1478G	57.60	74.00	-16.40	2.74	3	Vertical	247	1.50	-
PK	5.1776G	109.90	Inf	-Inf	2.77	3	Vertical	247	1.50	-

802.11n HT20_Nss1,(MCS8)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1498G	45.23	54.00	-8.77	2.74	3	Horizontal	143	1.42	-
AV	5.179G	99.42	Inf	-Inf	2.77	3	Horizontal	143	1.42	-
PK	5.1488G	58.41	74.00	-15.59	2.74	3	Horizontal	143	1.42	-
PK	5.1788G	111.01	Inf	-Inf	2.77	3	Horizontal	143	1.42	-

802.11n HT20_Nss1,(MCS8)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1424G	44.46	54.00	-9.54	2.74	3	Vertical	231	1.64	-
AV	5.1988G	102.34	Inf	-Inf	2.80	3	Vertical	231	1.64	-
PK	5.1268G	58.13	74.00	-15.87	2.72	3	Vertical	231	1.64	-
PK	5.1988G	112.79	Inf	-Inf	2.80	3	Vertical	231	1.64	-

802.11n HT20_Nss1,(MCS8)_2TX

5200MHz_TX

01/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	5.1496G	44.62	54.00	-9.38	2.74	3	Horizontal	140	1.63	-
AV	5.2012G	102.85	Inf	-Inf	2.80	3	Horizontal	140	1.63	-
PK	5.126G	57.12	74.00	-16.88	2.72	3	Horizontal	140	1.63	-
PK	5.2036G	113.23	Inf	-Inf	2.80	3	Horizontal	140	1.63	-

802.11n HT20_Nss1,(MCS8)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1224G	43.93	54.00	-10.07	2.71	3	Vertical	232	1.47	-
AV	5.2412G	101.79	Inf	-Inf	2.85	3	Vertical	232	1.47	-
AV	5.384G	43.40	54.00	-10.60	3.01	3	Vertical	232	1.47	-
PK	5.1008G	55.89	74.00	-18.11	2.68	3	Vertical	232	1.47	-
PK	5.2376G	111.84	Inf	-Inf	2.84	3	Vertical	232	1.47	-
PK	5.3792G	55.82	74.00	-18.18	3.01	3	Vertical	232	1.47	-

802.11n HT20_Nss1,(MCS8)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.126G	43.80	54.00	-10.20	2.72	3	Horizontal	137	1.50	-
AV	5.2388G	102.37	Inf	-Inf	2.84	3	Horizontal	137	1.50	-
AV	5.3786G	43.60	54.00	-10.40	3.01	3	Horizontal	137	1.50	-
PK	5.1374G	56.71	74.00	-17.29	2.73	3	Horizontal	137	1.50	-
PK	5.2388G	113.70	Inf	-Inf	2.84	3	Horizontal	137	1.50	-
PK	5.357G	56.10	74.00	-17.90	2.97	3	Horizontal	137	1.50	-

802.11n HT20_Nss1,(MCS15)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1498G	49.45	54.00	-4.55	2.74	3	Vertical	245	1.52	-
AV	5.1874G	99.37	Inf	-Inf	2.78	3	Vertical	245	1.52	-
PK	5.1478G	64.37	74.00	-9.63	2.74	3	Vertical	245	1.52	-
PK	5.1836G	110.25	Inf	-Inf	2.78	3	Vertical	245	1.52	-

802.11n HT20_Nss1,(MCS15)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	50.82	54.00	-3.18	2.74	3	Horizontal	144	1.50	-
AV	5.1722G	98.66	Inf	-Inf	2.77	3	Horizontal	144	1.50	-
PK	5.1488G	64.81	74.00	-9.19	2.74	3	Horizontal	144	1.50	-
PK	5.1878G	109.40	Inf	-Inf	2.79	3	Horizontal	144	1.50	-

802.11n HT20_Nss1,(MCS15)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1424G	45.91	54.00	-8.09	2.74	3	Vertical	225	1.53	-
AV	5.2072G	101.36	Inf	-Inf	2.81	3	Vertical	225	1.53	-
PK	5.1432G	58.26	74.00	-15.74	2.74	3	Vertical	225	1.53	-
PK	5.2076G	111.76	Inf	-Inf	2.81	3	Vertical	225	1.53	-

802.11n HT20_Nss1,(MCS15)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	46.30	54.00	-7.70	2.74	3	Horizontal	131	1.64	-
AV	5.1984G	101.66	Inf	-Inf	2.80	3	Horizontal	131	1.64	-
PK	5.1336G	58.59	74.00	-15.41	2.72	3	Horizontal	131	1.64	-
PK	5.2064G	112.24	Inf	-Inf	2.81	3	Horizontal	131	1.64	-

802.11n HT20_Nss1,(MCS15)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	43.85	54.00	-10.15	2.74	3	Vertical	224	1.59	-
AV	5.2418G	101.43	Inf	-Inf	2.85	3	Vertical	224	1.59	-
AV	5.39G	43.38	54.00	-10.62	3.01	3	Vertical	224	1.59	-
PK	5.1302G	56.69	74.00	-17.31	2.72	3	Vertical	224	1.59	-
PK	5.2436G	112.02	Inf	-Inf	2.85	3	Vertical	224	1.59	-
PK	5.3876G	55.73	74.00	-18.27	3.01	3	Vertical	224	1.59	-

802.11n HT20_Nss1,(MCS15)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1494G	43.92	54.00	-10.08	2.74	3	Horizontal	132	1.67	-
AV	5.2322G	101.87	Inf	-Inf	2.84	3	Horizontal	132	1.67	-
AV	5.3564G	43.66	54.00	-10.34	2.97	3	Horizontal	132	1.67	-
PK	5.1266G	55.43	74.00	-18.57	2.72	3	Horizontal	132	1.67	-
PK	5.2436G	112.45	Inf	-Inf	2.85	3	Horizontal	132	1.67	-
PK	5.3726G	55.60	74.00	-18.40	2.99	3	Horizontal	132	1.67	-

802.11n HT20_Nss1,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52242G	41.22	54.00	-12.78	12.99	3	Vertical	324	2.22	-
PK	10.51888G	54.77	74.00	-19.23	12.98	3	Vertical	324	2.22	-

802.11n HT20_Nss1,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.51802G	41.45	54.00	-12.55	12.98	3	Horizontal	201	2.30	-
PK	10.52322G	54.15	74.00	-19.85	12.99	3	Horizontal	201	2.30	-

802.11n HT20_Nss1,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60122G	41.59	54.00	-12.41	13.16	3	Vertical	42	1.52	-
PK	10.59878G	54.55	74.00	-19.45	13.16	3	Vertical	42	1.52	-

802.11n HT20_Nss1,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60202G	41.49	54.00	-12.51	13.16	3	Horizontal	34	1.72	-
PK	10.60198G	54.82	74.00	-19.18	13.16	3	Horizontal	34	1.72	-

802.11n HT20_Nss1,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6392G	41.81	54.00	-12.19	13.24	3	Vertical	318	1.33	-
PK	10.64046G	54.57	74.00	-19.43	13.25	3	Vertical	318	1.33	-

802.11n HT20_Nss1,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6426G	41.72	54.00	-12.28	13.25	3	Horizontal	133	1.72	-
PK	10.63778G	54.60	74.00	-19.40	13.24	3	Horizontal	133	1.72	-

802.11n HT20_Nss1,(MCS8)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1394G	43.89	54.00	-10.11	2.73	3	Vertical	228	1.57	-
AV	5.2588G	101.63	Inf	-Inf	2.86	3	Vertical	228	1.57	-
AV	5.3518G	43.73	54.00	-10.27	2.97	3	Vertical	228	1.57	-
PK	5.1292G	55.96	74.00	-18.04	2.72	3	Vertical	228	1.57	-
PK	5.2576G	111.20	Inf	-Inf	2.86	3	Vertical	228	1.57	-
PK	5.350005G	56.67	74.00	-17.33	2.97	3	Vertical	228	1.57	-

802.11n HT20_Nss1,(MCS8)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1472G	43.85	54.00	-10.15	2.74	3	Horizontal	137	1.69	-
AV	5.2612G	103.19	Inf	-Inf	2.87	3	Horizontal	137	1.69	-
AV	5.3584G	44.04	54.00	-9.96	2.98	3	Horizontal	137	1.69	-
PK	5.1202G	56.00	74.00	-18.00	2.70	3	Horizontal	137	1.69	-
PK	5.2594G	113.26	Inf	-Inf	2.87	3	Horizontal	137	1.69	-
PK	5.374G	55.98	74.00	-18.02	2.99	3	Horizontal	137	1.69	-

802.11n HT20_Nss1,(MCS8)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3012G	100.25	Inf	-Inf	2.91	3	Vertical	225	1.46	-
AV	5.350005G	45.35	54.00	-8.65	2.97	3	Vertical	225	1.46	-
PK	5.2976G	110.48	Inf	-Inf	2.91	3	Vertical	225	1.46	-
PK	5.3512G	57.62	74.00	-16.38	2.97	3	Vertical	225	1.46	-

802.11n HT20_Nss1,(MCS8)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2992G	102.25	Inf	-Inf	2.91	3	Horizontal	133	1.49	-
AV	5.354G	45.96	54.00	-8.04	2.97	3	Horizontal	133	1.49	-
PK	5.2988G	113.81	Inf	-Inf	2.91	3	Horizontal	133	1.49	-
PK	5.3544G	57.66	74.00	-16.34	2.97	3	Horizontal	133	1.49	-

802.11n HT20_Nss1,(MCS8)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.319G	98.89	Inf	-Inf	2.93	3	Vertical	266	1.57	-
AV	5.3514G	44.48	54.00	-9.52	2.97	3	Vertical	266	1.57	-
PK	5.3188G	109.86	Inf	-Inf	2.93	3	Vertical	266	1.57	-
PK	5.3516G	56.66	74.00	-17.34	2.97	3	Vertical	266	1.57	-

802.11n HT20_Nss1,(MCS8)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.319G	99.77	Inf	-Inf	2.93	3	Horizontal	162	1.47	-
AV	5.3512G	45.81	54.00	-8.19	2.97	3	Horizontal	162	1.47	-
PK	5.3188G	111.27	Inf	-Inf	2.93	3	Horizontal	162	1.47	-
PK	5.3522G	57.98	74.00	-16.02	2.97	3	Horizontal	162	1.47	-

802.11n HT20_Nss1,(MCS15)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1466G	43.79	54.00	-10.21	2.74	3	Vertical	223	1.56	-
AV	5.2588G	100.58	Inf	-Inf	2.86	3	Vertical	223	1.56	-
AV	5.3572G	43.91	54.00	-10.09	2.97	3	Vertical	223	1.56	-
PK	5.137G	55.91	74.00	-18.09	2.73	3	Vertical	223	1.56	-
PK	5.2636G	111.15	Inf	-Inf	2.87	3	Vertical	223	1.56	-
PK	5.3734G	55.85	74.00	-18.15	2.99	3	Vertical	223	1.56	-

802.11n HT20_Nss1,(MCS15)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1382G	43.64	54.00	-10.36	2.73	3	Horizontal	130	1.51	-
AV	5.2522G	101.67	Inf	-Inf	2.86	3	Horizontal	130	1.51	-
AV	5.350005G	43.91	54.00	-10.09	2.97	3	Horizontal	130	1.51	-
PK	5.1472G	56.14	74.00	-17.86	2.74	3	Horizontal	130	1.51	-
PK	5.2672G	111.97	Inf	-Inf	2.87	3	Horizontal	130	1.51	-
PK	5.3686G	56.47	74.00	-17.53	2.99	3	Horizontal	130	1.51	-

802.11n HT20_Nss1,(MCS15)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.302G	100.16	Inf	-Inf	2.91	3	Vertical	222	1.59	-
AV	5.3528G	45.37	54.00	-8.63	2.97	3	Vertical	222	1.59	-
PK	5.3036G	111.12	Inf	-Inf	2.91	3	Vertical	222	1.59	-
PK	5.350005G	57.53	74.00	-16.47	2.97	3	Vertical	222	1.59	-

802.11n HT20_Nss1,(MCS15)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.292G	102.17	Inf	-Inf	2.90	3	Horizontal	130	1.57	-
AV	5.350005G	46.24	54.00	-7.76	2.97	3	Horizontal	130	1.57	-
PK	5.292G	112.51	Inf	-Inf	2.90	3	Horizontal	130	1.57	-
PK	5.352G	58.56	74.00	-15.44	2.97	3	Horizontal	130	1.57	-

802.11n HT20_Nss1,(MCS15)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.312G	98.60	Inf	-Inf	2.92	3	Vertical	275	1.62	-
AV	5.350005G	49.88	54.00	-4.12	2.97	3	Vertical	275	1.62	-
PK	5.3236G	110.01	Inf	-Inf	2.94	3	Vertical	275	1.62	-
PK	5.350005G	66.97	74.00	-7.03	2.97	3	Vertical	275	1.62	-

802.11n HT20_Nss1,(MCS15)_2TX

5320MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.312G	99.00	Inf	-Inf	2.92	3	Horizontal	163	1.49	-
AV	5.350005G	50.70	54.00	-3.30	2.97	3	Horizontal	163	1.49	-
PK	5.3262G	109.49	Inf	-Inf	2.94	3	Horizontal	163	1.49	-
PK	5.350005G	66.98	74.00	-7.02	2.97	3	Horizontal	163	1.49	-

802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99934G	42.35	54.00	-11.65	14.03	3	Vertical	20	1.09	-
PK	10.99828G	54.92	74.00	-19.08	14.03	3	Vertical	20	1.09	-

802.11n HT20_Nss1,(MCS0)_2TX

5500MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.997G	42.27	54.00	-11.73	14.02	3	Horizontal	333	2.13	-
PK	10.9986G	55.55	74.00	-18.45	14.03	3	Horizontal	333	2.13	-

802.11n HT20_Nss1,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1551G	42.17	54.00	-11.83	13.89	3	Vertical	155	1.68	-
PK	11.16012G	55.29	74.00	-18.71	13.88	3	Vertical	155	1.68	-

802.11n HT20_Nss1,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16272G	42.19	54.00	-11.81	13.88	3	Horizontal	327	1.45	-
PK	11.16118G	56.29	74.00	-17.71	13.88	3	Horizontal	327	1.45	-

802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40024G	42.02	54.00	-11.98	13.66	3	Vertical	159	1.85	-
PK	11.39984G	54.56	74.00	-19.44	13.66	3	Vertical	159	1.85	-

802.11n HT20_Nss1,(MCS0)_2TX

5700MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39942G	41.99	54.00	-12.01	13.66	3	Horizontal	164	1.52	-
PK	11.40486G	54.83	74.00	-19.17	13.66	3	Horizontal	164	1.52	-

802.11n HT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX


03/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4484G	42.23	54.00	-11.77	13.62	3	Vertical	171	1.50	-
PK	11.4424G	55.79	74.00	-18.21	13.62	3	Vertical	171	1.50	-

802.11n HT20_Nss1,(MCS0)_2TX 5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.43604G	41.68	54.00	-12.32	13.63	3	Horizontal	30	1.50	-
PK	11.44258G	54.13	74.00	-19.87	13.62	3	Horizontal	30	1.50	-

802.11n HT20_Nss1,(MCS8)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4592G	43.66	54.00	-10.34	3.10	3	Vertical	238	1.59	-
AV	5.4988G	99.23	Inf	-Inf	3.14	3	Vertical	238	1.59	-
PK	5.452G	55.66	74.00	-18.34	3.09	3	Vertical	238	1.59	-
PK	5.4676G	57.56	68.20	-10.64	3.11	3	Vertical	238	1.59	-
PK	5.4988G	109.96	Inf	-Inf	3.14	3	Vertical	238	1.59	-

802.11n HT20_Nss1,(MCS8)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	43.51	54.00	-10.49	3.10	3	Horizontal	163	1.48	-
AV	5.499G	98.85	Inf	-Inf	3.14	3	Horizontal	163	1.48	-
PK	5.454G	55.53	74.00	-18.47	3.09	3	Horizontal	163	1.48	-
PK	5.4676G	56.60	68.20	-11.60	3.11	3	Horizontal	163	1.48	-
PK	5.5056G	110.21	Inf	-Inf	3.15	3	Horizontal	163	1.48	-

802.11n HT20_Nss1,(MCS8)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4528G	44.07	54.00	-9.93	3.09	3	Vertical	207	1.53	-
AV	5.5806G	101.24	Inf	-Inf	3.30	3	Vertical	207	1.53	-
PK	5.454G	56.38	74.00	-17.62	3.09	3	Vertical	207	1.53	-
PK	5.4624G	56.10	68.20	-12.10	3.10	3	Vertical	207	1.53	-
PK	5.5824G	111.43	Inf	-Inf	3.30	3	Vertical	207	1.53	-
PK	5.7288G	55.48	68.20	-12.72	3.59	3	Vertical	207	1.53	-

802.11n HT20_Nss1,(MCS8)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4444G	44.06	54.00	-9.94	3.08	3	Horizontal	140	1.44	-
AV	5.5806G	100.54	Inf	-Inf	3.30	3	Horizontal	140	1.44	-
PK	5.4468G	56.39	74.00	-17.61	3.08	3	Horizontal	140	1.44	-
PK	5.463G	55.90	68.20	-12.30	3.10	3	Horizontal	140	1.44	-
PK	5.5818G	110.70	Inf	-Inf	3.30	3	Horizontal	140	1.44	-
PK	5.7252G	56.36	68.20	-11.84	3.59	3	Horizontal	140	1.44	-

802.11n HT20_Nss1,(MCS8)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7008G	100.05	Inf	-Inf	3.54	3	Vertical	243	1.37	-
PK	5.6976G	109.26	Inf	-Inf	3.54	3	Vertical	243	1.37	-
PK	5.7252G	65.75	68.20	-2.45	3.59	3	Vertical	243	1.37	-

802.11n HT20_Nss1,(MCS8)_2TX

5700MHz_TX


18/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7008G	98.12	Inf	-Inf	3.54	3	Horizontal	164	1.37	-
PK	5.7024G	108.30	Inf	-Inf	3.54	3	Horizontal	164	1.37	-
PK	5.7252G	58.66	68.20	-9.54	3.59	3	Horizontal	164	1.37	-

802.11n HT20_Nss1,(MCS8)_2TX 5720MHz Straddle 5.47-5.725GHz_TX


02/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4272G	42.39	54.00	-11.61	3.06	3	Vertical	21	1.13	-
AV	5.7212G	91.46	Inf	-Inf	3.58	3	Vertical	21	1.13	-
PK	5.4248G	54.04	74.00	-19.96	3.06	3	Vertical	21	1.13	-
PK	5.468G	53.90	68.20	-14.30	3.11	3	Vertical	21	1.13	-
PK	5.7224G	101.64	Inf	-Inf	3.58	3	Vertical	21	1.13	-
PK	5.8712G	55.75	68.20	-12.45	3.87	3	Vertical	21	1.13	-

802.11n HT20_Nss1,(MCS8)_2TX 5720MHz Straddle 5.47-5.725GHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4536G	42.38	54.00	-11.62	3.09	3	Horizontal	174	1.44	-
AV	5.7188G	99.13	Inf	-Inf	3.58	3	Horizontal	174	1.44	-
PK	5.4368G	54.34	74.00	-19.66	3.07	3	Horizontal	174	1.44	-
PK	5.468G	53.92	68.20	-14.28	3.11	3	Horizontal	174	1.44	-
PK	5.7164G	109.17	Inf	-Inf	3.57	3	Horizontal	174	1.44	-
PK	5.966G	55.99	68.20	-12.21	4.06	3	Horizontal	174	1.44	-

802.11n HT20_Nss1,(MCS15)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	44.36	54.00	-9.64	3.10	3	Vertical	238	1.50	-
AV	5.5016G	98.53	Inf	-Inf	3.14	3	Vertical	238	1.50	-
PK	5.4546G	57.70	74.00	-16.30	3.09	3	Vertical	238	1.50	-
PK	5.4676G	61.81	68.20	-6.39	3.11	3	Vertical	238	1.50	-
PK	5.5034G	108.88	Inf	-Inf	3.15	3	Vertical	238	1.50	-

802.11n HT20_Nss1,(MCS15)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	44.16	54.00	-9.84	3.10	3	Horizontal	162	1.46	-
AV	5.5072G	98.05	Inf	-Inf	3.15	3	Horizontal	162	1.46	-
PK	5.4544G	56.26	74.00	-17.74	3.09	3	Horizontal	162	1.46	-
PK	5.4644G	60.75	68.20	-7.45	3.11	3	Horizontal	162	1.46	-
PK	5.5018G	108.82	Inf	-Inf	3.14	3	Horizontal	162	1.46	-

802.11n HT20_Nss1,(MCS15)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.448G	44.13	54.00	-9.87	3.08	3	Vertical	218	1.57	-
AV	5.5872G	101.31	Inf	-Inf	3.31	3	Vertical	218	1.57	-
PK	5.4366G	57.09	74.00	-16.91	3.07	3	Vertical	218	1.57	-
PK	5.4618G	56.51	68.20	-11.69	3.10	3	Vertical	218	1.57	-
PK	5.5872G	111.73	Inf	-Inf	3.31	3	Vertical	218	1.57	-
PK	5.7288G	55.25	68.20	-12.95	3.59	3	Vertical	218	1.57	-

802.11n HT20_Nss1,(MCS15)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4486G	44.30	54.00	-9.70	3.08	3	Horizontal	135	1.56	-
AV	5.5722G	100.27	Inf	-Inf	3.28	3	Horizontal	135	1.56	-
PK	5.4498G	56.38	74.00	-17.62	3.08	3	Horizontal	135	1.56	-
PK	5.4678G	55.85	68.20	-12.35	3.11	3	Horizontal	135	1.56	-
PK	5.5734G	110.36	Inf	-Inf	3.29	3	Horizontal	135	1.56	-
PK	5.727G	55.85	68.20	-12.35	3.59	3	Horizontal	135	1.56	-

802.11n HT20_Nss1,(MCS15)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6984G	97.07	Inf	-Inf	3.54	3	Vertical	243	1.43	-
PK	5.7012G	107.22	Inf	-Inf	3.54	3	Vertical	243	1.43	-
PK	5.7252G	66.13	68.20	-2.07	3.59	3	Vertical	243	1.43	-

802.11n HT20_Nss1,(MCS15)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7064G	95.66	Inf	-Inf	3.55	3	Horizontal	165	1.38	-
PK	5.7016G	106.18	Inf	-Inf	3.54	3	Horizontal	165	1.38	-
PK	5.7252G	61.61	68.20	-6.59	3.59	3	Horizontal	165	1.38	-

802.11n HT20_Nss1,(MCS15)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4524G	42.22	54.00	-11.78	3.09	3	Vertical	27	2.35	-
AV	5.7164G	92.52	Inf	-Inf	3.57	3	Vertical	27	2.35	-
PK	5.42G	54.55	74.00	-19.45	3.05	3	Vertical	27	2.35	-
PK	5.460005G	53.48	68.20	-14.72	3.10	3	Vertical	27	2.35	-
PK	5.7212G	102.15	Inf	-Inf	3.58	3	Vertical	27	2.35	-
PK	5.8556G	56.09	68.20	-12.11	3.84	3	Vertical	27	2.35	-

802.11n HT20_Nss1,(MCS15)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4452G	42.34	54.00	-11.66	3.08	3	Horizontal	172	1.20	-
AV	5.726G	95.80	Inf	-Inf	3.59	3	Horizontal	172	1.20	-
PK	5.4548G	54.22	74.00	-19.78	3.09	3	Horizontal	172	1.20	-
PK	5.468G	54.26	68.20	-13.94	3.11	3	Horizontal	172	1.20	-
PK	5.7272G	106.21	Inf	-Inf	3.59	3	Horizontal	172	1.20	-
PK	5.864G	56.14	68.20	-12.06	3.85	3	Horizontal	172	1.20	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.48974G	42.17	54.00	-11.83	13.58	3	Vertical	171	2.22	-
PK	11.48898G	54.83	74.00	-19.17	13.58	3	Vertical	171	2.22	-

802.11n HT20_Nss1,(MCS0)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4912G	42.16	54.00	-11.84	13.58	3	Horizontal	184	1.09	-
PK	11.48998G	55.88	74.00	-18.12	13.58	3	Horizontal	184	1.09	-

802.11n HT20_Nss1,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5755G	43.80	54.00	-10.20	13.50	3	Vertical	144	1.15	-
PK	11.5752G	57.60	74.00	-16.40	13.50	3	Vertical	144	1.15	-

802.11n HT20_Nss1,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.57408G	42.62	54.00	-11.38	13.50	3	Horizontal	75	2.00	-
PK	11.55794G	54.46	74.00	-19.54	13.52	3	Horizontal	75	2.00	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.65096G	41.67	54.00	-12.33	13.43	3	Vertical	3	1.61	-
PK	11.64776G	54.07	74.00	-19.93	13.43	3	Vertical	3	1.61	-

802.11n HT20_Nss1,(MCS0)_2TX

5825MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.64614G	41.74	54.00	-12.26	13.44	3	Horizontal	290	2.17	-
PK	11.6454G	54.35	74.00	-19.65	13.44	3	Horizontal	290	2.17	-

802.11n HT20_Nss1,(MCS8)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7462G	100.18	Inf	-Inf	3.63	3	Vertical	244	1.46	-
PK	5.5578G	55.05	68.20	-13.15	3.25	3	Vertical	244	1.46	-
PK	5.7438G	110.56	Inf	-Inf	3.62	3	Vertical	244	1.46	-
PK	5.9766G	55.41	68.20	-12.79	4.08	3	Vertical	244	1.46	-

802.11n HT20_Nss1,(MCS8)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7438G	99.21	Inf	-Inf	3.62	3	Horizontal	165	1.37	-
PK	5.6046G	55.21	68.20	-12.99	3.35	3	Horizontal	165	1.37	-
PK	5.7426G	109.61	Inf	-Inf	3.62	3	Horizontal	165	1.37	-
PK	5.9646G	54.93	68.20	-13.27	4.06	3	Horizontal	165	1.37	-

802.11n HT20_Nss1,(MCS8)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7838G	102.37	Inf	-Inf	3.70	3	Vertical	134	1.68	-
PK	5.491G	56.70	68.20	-11.50	3.12	3	Vertical	134	1.68	-
PK	5.7826G	112.52	Inf	-Inf	3.70	3	Vertical	134	1.68	-
PK	5.9278G	56.64	68.20	-11.56	3.99	3	Vertical	134	1.68	-

802.11n HT20_Nss1,(MCS8)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7838G	100.51	Inf	-Inf	3.70	3	Horizontal	138	1.17	-
PK	5.4874G	56.24	68.20	-11.96	3.12	3	Horizontal	138	1.17	-
PK	5.7862G	111.04	Inf	-Inf	3.70	3	Horizontal	138	1.17	-
PK	5.9338G	56.61	68.20	-11.59	4.00	3	Horizontal	138	1.17	-

802.11n HT20_Nss1,(MCS8)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	98.29	Inf	-Inf	3.78	3	Vertical	246	1.50	-
PK	5.573G	55.01	68.20	-13.19	3.28	3	Vertical	246	1.50	-
PK	5.8274G	106.97	Inf	-Inf	3.78	3	Vertical	246	1.50	-
PK	5.927G	55.39	68.20	-12.81	3.99	3	Vertical	246	1.50	-

802.11n HT20_Nss1,(MCS8)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	98.89	Inf	-Inf	3.78	3	Horizontal	220	1.79	-
PK	5.5922G	54.58	68.20	-13.62	3.32	3	Horizontal	220	1.79	-
PK	5.8262G	109.07	Inf	-Inf	3.78	3	Horizontal	220	1.79	-
PK	5.963G	55.97	68.20	-12.23	4.05	3	Horizontal	220	1.79	-

802.11n HT20_Nss1,(MCS15)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7426G	100.01	Inf	-Inf	3.62	3	Vertical	241	1.46	-
PK	5.4846G	54.90	68.20	-13.30	3.12	3	Vertical	241	1.46	-
PK	5.7486G	110.91	Inf	-Inf	3.63	3	Vertical	241	1.46	-
PK	5.937G	54.89	68.20	-13.31	4.01	3	Vertical	241	1.46	-

802.11n HT20_Nss1,(MCS15)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7414G	99.47	Inf	-Inf	3.62	3	Horizontal	163	1.45	-
PK	5.6202G	54.75	68.20	-13.45	3.38	3	Horizontal	163	1.45	-
PK	5.7378G	109.78	Inf	-Inf	3.61	3	Horizontal	163	1.45	-
PK	5.9874G	54.73	68.20	-13.47	4.10	3	Horizontal	163	1.45	-

802.11n HT20_Nss1,(MCS15)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7922G	101.83	Inf	-Inf	3.72	3	Vertical	133	1.69	-
PK	5.4922G	56.47	68.20	-11.73	3.13	3	Vertical	133	1.69	-
PK	5.7778G	111.94	Inf	-Inf	3.69	3	Vertical	133	1.69	-
PK	5.9374G	56.86	68.20	-11.34	4.01	3	Vertical	133	1.69	-

802.11n HT20_Nss1,(MCS15)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7874G	100.90	Inf	-Inf	3.71	3	Horizontal	188	2.49	-
PK	5.5138G	56.14	68.20	-12.06	3.17	3	Horizontal	188	2.49	-
PK	5.7802G	111.23	Inf	-Inf	3.69	3	Horizontal	188	2.49	-
PK	5.9506G	58.22	68.20	-9.98	4.03	3	Horizontal	188	2.49	-

802.11n HT20_Nss1,(MCS15)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8166G	98.35	Inf	-Inf	3.76	3	Vertical	242	1.50	-
PK	5.6378G	55.25	68.20	-12.95	3.42	3	Vertical	242	1.50	-
PK	5.8178G	108.76	Inf	-Inf	3.77	3	Vertical	242	1.50	-
PK	5.9858G	55.05	68.20	-13.15	4.10	3	Vertical	242	1.50	-

802.11n HT20_Nss1,(MCS15)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8214G	97.63	Inf	-Inf	3.77	3	Horizontal	165	1.43	-
PK	5.6042G	54.43	68.20	-13.77	3.35	3	Horizontal	165	1.43	-
PK	5.8178G	108.27	Inf	-Inf	3.77	3	Horizontal	165	1.43	-
PK	5.9726G	55.71	68.20	-12.49	4.07	3	Horizontal	165	1.43	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36092G	41.08	54.00	-12.92	12.64	3	Vertical	178	1.31	-
PK	10.35664G	54.34	74.00	-19.66	12.63	3	Vertical	178	1.31	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.36416G	41.14	54.00	-12.86	12.64	3	Horizontal	167	2.01	-
PK	10.36498G	54.25	74.00	-19.75	12.65	3	Horizontal	167	2.01	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40152G	41.16	54.00	-12.84	12.73	3	Vertical	154	1.45	-
PK	10.39998G	54.74	74.00	-19.26	12.72	3	Vertical	154	1.45	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.40096G	41.13	54.00	-12.87	12.72	3	Horizontal	72	1.69	-
PK	10.40242G	53.31	74.00	-20.69	12.73	3	Horizontal	72	1.69	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.48008G	41.04	54.00	-12.96	12.90	3	Vertical	183	2.37	-
PK	10.47864G	54.32	74.00	-19.68	12.89	3	Vertical	183	2.37	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.47746G	41.26	54.00	-12.74	12.89	3	Horizontal	315	2.43	-
PK	10.47874G	53.83	74.00	-20.17	12.89	3	Horizontal	315	2.43	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	46.73	54.00	-7.27	2.74	3	Vertical	229	1.51	-
AV	5.181G	100.92	Inf	-Inf	2.78	3	Vertical	229	1.51	-
PK	5.1474G	58.94	74.00	-15.06	2.74	3	Vertical	229	1.51	-
PK	5.179G	110.35	Inf	-Inf	2.77	3	Vertical	229	1.51	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1498G	46.66	54.00	-7.34	2.74	3	Horizontal	128	1.50	-
AV	5.1822G	100.64	Inf	-Inf	2.78	3	Horizontal	128	1.50	-
PK	5.1498G	58.73	74.00	-15.27	2.74	3	Horizontal	128	1.50	-
PK	5.177G	110.55	Inf	-Inf	2.77	3	Horizontal	128	1.50	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	44.04	54.00	-9.96	2.74	3	Vertical	254	1.76	-
AV	5.1988G	101.37	Inf	-Inf	2.80	3	Vertical	254	1.76	-
PK	5.1496G	56.95	74.00	-17.05	2.74	3	Vertical	254	1.76	-
PK	5.2012G	111.48	Inf	-Inf	2.80	3	Vertical	254	1.76	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1456G	43.89	54.00	-10.11	2.74	3	Horizontal	162	1.63	-
AV	5.202G	102.24	Inf	-Inf	2.80	3	Horizontal	162	1.63	-
PK	5.1388G	56.15	74.00	-17.85	2.73	3	Horizontal	162	1.63	-
PK	5.2012G	112.60	Inf	-Inf	2.80	3	Horizontal	162	1.63	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1464G	43.49	54.00	-10.51	2.74	3	Vertical	253	1.60	-
AV	5.2388G	101.53	Inf	-Inf	2.84	3	Vertical	253	1.60	-
AV	5.3858G	42.97	54.00	-11.03	3.01	3	Vertical	253	1.60	-
PK	5.138G	56.29	74.00	-17.71	2.73	3	Vertical	253	1.60	-
PK	5.2424G	110.86	Inf	-Inf	2.85	3	Vertical	253	1.60	-
PK	5.354G	54.92	74.00	-19.08	2.97	3	Vertical	253	1.60	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1476G	43.49	54.00	-10.51	2.74	3	Horizontal	181	2.18	-
AV	5.2394G	99.93	Inf	-Inf	2.84	3	Horizontal	181	2.18	-
AV	5.350005G	42.96	54.00	-11.04	2.97	3	Horizontal	181	2.18	-
PK	5.0966G	55.60	74.00	-18.40	2.68	3	Horizontal	181	2.18	-
PK	5.237G	110.24	Inf	-Inf	2.84	3	Horizontal	181	2.18	-
PK	5.351G	55.19	74.00	-18.81	2.97	3	Horizontal	181	2.18	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	51.69	54.00	-2.31	2.74	3	Vertical	229	1.50	-
AV	5.188G	101.07	Inf	-Inf	2.79	3	Vertical	229	1.50	-
PK	5.1494G	65.84	74.00	-8.16	2.74	3	Vertical	229	1.50	-
PK	5.178G	110.65	Inf	-Inf	2.77	3	Vertical	229	1.50	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5180MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.22	54.00	-1.78	2.74	3	Horizontal	128	1.53	-
AV	5.1816G	99.87	Inf	-Inf	2.78	3	Horizontal	128	1.53	-
PK	5.1492G	66.41	74.00	-7.59	2.74	3	Horizontal	128	1.53	-
PK	5.1778G	108.98	Inf	-Inf	2.77	3	Horizontal	128	1.53	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	45.14	54.00	-8.86	2.74	3	Vertical	240	1.62	-
AV	5.1976G	101.14	Inf	-Inf	2.80	3	Vertical	240	1.62	-
PK	5.1472G	56.99	74.00	-17.01	2.74	3	Vertical	240	1.62	-
PK	5.198G	111.33	Inf	-Inf	2.80	3	Vertical	240	1.62	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5200MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	44.89	54.00	-9.11	2.74	3	Horizontal	146	1.50	-
AV	5.2064G	101.78	Inf	-Inf	2.81	3	Horizontal	146	1.50	-
PK	5.138G	56.44	74.00	-17.56	2.73	3	Horizontal	146	1.50	-
PK	5.206G	111.01	Inf	-Inf	2.81	3	Horizontal	146	1.50	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1452G	44.54	54.00	-9.46	2.74	3	Vertical	238	1.50	-
AV	5.2418G	101.32	Inf	-Inf	2.85	3	Vertical	238	1.50	-
AV	5.3618G	43.61	54.00	-10.39	2.98	3	Vertical	238	1.50	-
PK	5.1434G	55.77	74.00	-18.23	2.74	3	Vertical	238	1.50	-
PK	5.2376G	111.11	Inf	-Inf	2.84	3	Vertical	238	1.50	-
PK	5.3894G	55.03	74.00	-18.97	3.01	3	Vertical	238	1.50	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5240MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1494G	44.33	54.00	-9.67	2.74	3	Horizontal	145	1.60	-
AV	5.2466G	102.70	Inf	-Inf	2.85	3	Horizontal	145	1.60	-
AV	5.387G	43.83	54.00	-10.17	3.01	3	Horizontal	145	1.60	-
PK	5.1368G	56.10	74.00	-17.90	2.73	3	Horizontal	145	1.60	-
PK	5.246G	112.06	Inf	-Inf	2.85	3	Horizontal	145	1.60	-
PK	5.3726G	55.24	74.00	-18.76	2.99	3	Horizontal	145	1.60	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5202G	41.10	54.00	-12.90	12.98	3	Vertical	32	1.34	-
PK	10.52122G	54.02	74.00	-19.98	12.99	3	Vertical	32	1.34	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.52G	40.89	54.00	-13.11	12.98	3	Horizontal	202	1.86	-
PK	10.51994G	53.79	74.00	-20.21	12.98	3	Horizontal	202	1.86	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6029G	41.32	54.00	-12.68	13.16	3	Vertical	3	1.27	-
PK	10.60254G	54.00	74.00	-20.00	13.16	3	Vertical	3	1.27	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.59574G	41.11	54.00	-12.89	13.15	3	Horizontal	283	2.28	-
PK	10.6028G	53.87	74.00	-20.13	13.16	3	Horizontal	283	2.28	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64354G	41.48	54.00	-12.52	13.25	3	Vertical	208	1.64	-
PK	10.63974G	54.91	74.00	-19.09	13.24	3	Vertical	208	1.64	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.63782G	41.46	54.00	-12.54	13.24	3	Horizontal	212	2.47	-
PK	10.6372G	55.04	74.00	-18.96	13.24	3	Horizontal	212	2.47	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1406G	43.70	54.00	-10.30	2.73	3	Vertical	251	1.56	-
AV	5.2606G	100.49	Inf	-Inf	2.87	3	Vertical	251	1.56	-
AV	5.3512G	43.39	54.00	-10.61	2.97	3	Vertical	251	1.56	-
PK	5.1412G	56.26	74.00	-17.74	2.73	3	Vertical	251	1.56	-
PK	5.2588G	110.14	Inf	-Inf	2.86	3	Vertical	251	1.56	-
PK	5.3938G	55.44	74.00	-18.56	3.03	3	Vertical	251	1.56	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1478G	43.51	54.00	-10.49	2.74	3	Horizontal	159	1.59	-
AV	5.2588G	102.37	Inf	-Inf	2.86	3	Horizontal	159	1.59	-
AV	5.3548G	43.62	54.00	-10.38	2.97	3	Horizontal	159	1.59	-
PK	5.149G	56.71	74.00	-17.29	2.74	3	Horizontal	159	1.59	-
PK	5.2612G	112.81	Inf	-Inf	2.87	3	Horizontal	159	1.59	-
PK	5.3998G	55.84	74.00	-18.16	3.03	3	Horizontal	159	1.59	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2988G	99.99	Inf	-Inf	2.91	3	Vertical	249	1.59	-
AV	5.352G	44.67	54.00	-9.33	2.97	3	Vertical	249	1.59	-
PK	5.302G	109.83	Inf	-Inf	2.91	3	Vertical	249	1.59	-
PK	5.3516G	56.56	74.00	-17.44	2.97	3	Vertical	249	1.59	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.302G	100.45	Inf	-Inf	2.91	3	Horizontal	111	2.28	-
AV	5.3548G	44.75	54.00	-9.25	2.97	3	Horizontal	111	2.28	-
PK	5.2992G	110.37	Inf	-Inf	2.91	3	Horizontal	111	2.28	-
PK	5.3872G	57.77	74.00	-16.23	3.01	3	Horizontal	111	2.28	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.322G	99.85	Inf	-Inf	2.94	3	Vertical	249	1.57	-
AV	5.350005G	45.33	54.00	-8.67	2.97	3	Vertical	249	1.57	-
PK	5.3194G	109.94	Inf	-Inf	2.93	3	Vertical	249	1.57	-
PK	5.3502G	57.32	74.00	-16.68	2.97	3	Vertical	249	1.57	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3222G	100.32	Inf	-Inf	2.94	3	Horizontal	146	1.58	-
AV	5.3502G	46.17	54.00	-7.83	2.97	3	Horizontal	146	1.58	-
PK	5.3212G	110.49	Inf	-Inf	2.94	3	Horizontal	146	1.58	-
PK	5.350005G	58.58	74.00	-15.42	2.97	3	Horizontal	146	1.58	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1346G	44.32	54.00	-9.68	2.72	3	Vertical	237	1.58	-
AV	5.2534G	100.93	Inf	-Inf	2.86	3	Vertical	237	1.58	-
AV	5.3662G	44.27	54.00	-9.73	2.99	3	Vertical	237	1.58	-
PK	5.1448G	56.04	74.00	-17.96	2.74	3	Vertical	237	1.58	-
PK	5.2582G	110.97	Inf	-Inf	2.86	3	Vertical	237	1.58	-
PK	5.3566G	55.71	74.00	-18.29	2.97	3	Vertical	237	1.58	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5260MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1436G	44.24	54.00	-9.76	2.74	3	Horizontal	143	1.59	-
AV	5.2666G	103.06	Inf	-Inf	2.87	3	Horizontal	143	1.59	-
AV	5.350005G	44.43	54.00	-9.57	2.97	3	Horizontal	143	1.59	-
PK	5.1388G	55.52	74.00	-18.48	2.73	3	Horizontal	143	1.59	-
PK	5.266G	112.18	Inf	-Inf	2.87	3	Horizontal	143	1.59	-
PK	5.3566G	56.51	74.00	-17.49	2.97	3	Horizontal	143	1.59	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2936G	100.71	Inf	-Inf	2.90	3	Vertical	235	1.59	-
AV	5.3508G	46.28	54.00	-7.72	2.97	3	Vertical	235	1.59	-
PK	5.298G	110.65	Inf	-Inf	2.91	3	Vertical	235	1.59	-
PK	5.3516G	57.63	74.00	-16.37	2.97	3	Vertical	235	1.59	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5300MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3064G	103.57	Inf	-Inf	2.92	3	Horizontal	143	1.68	-
AV	5.3572G	46.78	54.00	-7.22	2.97	3	Horizontal	143	1.68	-
PK	5.3036G	112.60	Inf	-Inf	2.91	3	Horizontal	143	1.68	-
PK	5.3504G	58.11	74.00	-15.89	2.97	3	Horizontal	143	1.68	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3264G	100.03	Inf	-Inf	2.94	3	Vertical	258	1.50	-
AV	5.3502G	51.20	54.00	-2.80	2.97	3	Vertical	258	1.50	-
PK	5.3256G	109.38	Inf	-Inf	2.94	3	Vertical	258	1.50	-
PK	5.350005G	65.42	74.00	-8.58	2.97	3	Vertical	258	1.50	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5320MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3264G	100.55	Inf	-Inf	2.94	3	Horizontal	140	1.48	-
AV	5.3502G	52.67	54.00	-1.33	2.97	3	Horizontal	140	1.48	-
PK	5.3236G	109.57	Inf	-Inf	2.94	3	Horizontal	140	1.48	-
PK	5.3516G	65.61	74.00	-8.39	2.97	3	Horizontal	140	1.48	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.00352G	42.17	54.00	-11.83	14.03	3	Vertical	79	1.57	-
PK	10.99658G	55.24	74.00	-18.76	14.02	3	Vertical	79	1.57	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.00012G	42.10	54.00	-11.90	14.03	3	Horizontal	354	1.70	-
PK	10.99996G	54.71	74.00	-19.29	14.03	3	Horizontal	354	1.70	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15758G	41.81	54.00	-12.19	13.89	3	Vertical	104	1.81	-
PK	11.15788G	54.77	74.00	-19.23	13.88	3	Vertical	104	1.81	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15754G	41.83	54.00	-12.17	13.89	3	Horizontal	347	1.34	-
PK	11.15582G	54.93	74.00	-19.07	13.89	3	Horizontal	347	1.34	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4004G	41.71	54.00	-12.29	13.66	3	Vertical	268	2.27	-
PK	11.40132G	54.67	74.00	-19.33	13.66	3	Vertical	268	2.27	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5700MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.40038G	41.65	54.00	-12.35	13.66	3	Horizontal	119	1.93	-
PK	11.40322G	54.42	74.00	-19.58	13.66	3	Horizontal	119	1.93	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.44762G	41.42	54.00	-12.58	13.62	3	Vertical	155	1.37	-
PK	11.4364G	54.73	74.00	-19.27	13.63	3	Vertical	155	1.37	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.44642G	41.96	54.00	-12.04	13.62	3	Horizontal	2	2.42	-
PK	11.43004G	55.03	74.00	-18.97	13.63	3	Horizontal	2	2.42	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	43.68	54.00	-10.32	3.10	3	Vertical	215	1.66	-
AV	5.501G	99.84	Inf	-Inf	3.14	3	Vertical	215	1.66	-
PK	5.4524G	56.17	74.00	-17.83	3.09	3	Vertical	215	1.66	-
PK	5.467G	57.80	68.20	-10.40	3.11	3	Vertical	215	1.66	-
PK	5.5012G	109.94	Inf	-Inf	3.14	3	Vertical	215	1.66	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5500MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	44.19	54.00	-9.81	3.10	3	Horizontal	148	1.54	-
AV	5.502G	99.80	Inf	-Inf	3.14	3	Horizontal	148	1.54	-
PK	5.4556G	56.56	74.00	-17.44	3.09	3	Horizontal	148	1.54	-
PK	5.4692G	57.29	68.20	-10.91	3.11	3	Horizontal	148	1.54	-
PK	5.497G	110.09	Inf	-Inf	3.14	3	Horizontal	148	1.54	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4396G	43.80	54.00	-10.20	3.07	3	Vertical	241	1.67	-
AV	5.5812G	101.37	Inf	-Inf	3.30	3	Vertical	241	1.67	-
PK	5.4552G	56.95	74.00	-17.05	3.09	3	Vertical	241	1.67	-
PK	5.4672G	55.99	68.20	-12.21	3.11	3	Vertical	241	1.67	-
PK	5.5824G	110.71	Inf	-Inf	3.30	3	Vertical	241	1.67	-
PK	5.7264G	55.51	68.20	-12.69	3.59	3	Vertical	241	1.67	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4564G	43.79	54.00	-10.21	3.09	3	Horizontal	162	1.43	-
AV	5.5776G	100.18	Inf	-Inf	3.30	3	Horizontal	162	1.43	-
PK	5.4558G	55.54	74.00	-18.46	3.09	3	Horizontal	162	1.43	-
PK	5.4648G	56.28	68.20	-11.92	3.11	3	Horizontal	162	1.43	-
PK	5.5806G	110.17	Inf	-Inf	3.30	3	Horizontal	162	1.43	-
PK	5.7288G	55.12	68.20	-13.08	3.59	3	Horizontal	162	1.43	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7008G	100.63	Inf	-Inf	3.54	3	Vertical	229	1.50	-
PK	5.7012G	110.80	Inf	-Inf	3.54	3	Vertical	229	1.50	-
PK	5.7252G	67.15	68.20	-1.05	3.59	3	Vertical	229	1.50	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5700MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7024G	99.34	Inf	-Inf	3.54	3	Horizontal	151	1.38	-
PK	5.702G	109.91	Inf	-Inf	3.54	3	Horizontal	151	1.38	-
PK	5.7252G	60.27	68.20	-7.93	3.59	3	Horizontal	151	1.38	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4488G	42.19	54.00	-11.81	3.08	3	Vertical	49	2.19	-
AV	5.7224G	96.93	Inf	-Inf	3.58	3	Vertical	49	2.19	-
PK	5.4284G	54.34	74.00	-19.66	3.06	3	Vertical	49	2.19	-
PK	5.4692G	53.09	68.20	-15.11	3.11	3	Vertical	49	2.19	-
PK	5.7224G	105.94	Inf	-Inf	3.58	3	Vertical	49	2.19	-
PK	5.984G	55.70	68.20	-12.50	4.10	3	Vertical	49	2.19	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4464G	42.23	54.00	-11.77	3.08	3	Horizontal	167	1.46	-
AV	5.7188G	99.82	Inf	-Inf	3.58	3	Horizontal	167	1.46	-
PK	5.4524G	55.44	74.00	-18.56	3.09	3	Horizontal	167	1.46	-
PK	5.4644G	53.39	68.20	-14.81	3.11	3	Horizontal	167	1.46	-
PK	5.7212G	110.02	Inf	-Inf	3.58	3	Horizontal	167	1.46	-
PK	5.9144G	55.96	68.20	-12.24	3.96	3	Horizontal	167	1.46	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5500MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	46.06	54.00	-7.94	3.10	3	Vertical	212	1.53	-
AV	5.5078G	100.39	Inf	-Inf	3.16	3	Vertical	212	1.53	-
PK	5.459995G	59.54	74.00	-14.46	3.10	3	Vertical	212	1.53	-
PK	5.4696G	63.88	68.20	-4.32	3.11	3	Vertical	212	1.53	-
PK	5.498G	110.23	Inf	-Inf	3.14	3	Vertical	212	1.53	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5500MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	45.70	54.00	-8.30	3.10	3	Horizontal	144	1.47	-
AV	5.502G	100.24	Inf	-Inf	3.14	3	Horizontal	144	1.47	-
PK	5.4558G	56.65	74.00	-17.35	3.09	3	Horizontal	144	1.47	-
PK	5.4698G	63.10	68.20	-5.10	3.11	3	Horizontal	144	1.47	-
PK	5.4958G	109.24	Inf	-Inf	3.14	3	Horizontal	144	1.47	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4582G	44.84	54.00	-9.16	3.09	3	Vertical	218	1.63	-
AV	5.5878G	102.37	Inf	-Inf	3.32	3	Vertical	218	1.63	-
PK	5.448G	56.32	74.00	-17.68	3.08	3	Vertical	218	1.63	-
PK	5.4696G	56.85	68.20	-11.35	3.11	3	Vertical	218	1.63	-
PK	5.5854G	111.66	Inf	-Inf	3.31	3	Vertical	218	1.63	-
PK	5.7282G	55.30	68.20	-12.90	3.59	3	Vertical	218	1.63	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5580MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	45.10	54.00	-8.90	3.10	3	Horizontal	150	1.43	-
AV	5.5776G	101.35	Inf	-Inf	3.30	3	Horizontal	150	1.43	-
PK	5.4516G	57.00	74.00	-17.00	3.09	3	Horizontal	150	1.43	-
PK	5.4678G	56.90	68.20	-11.30	3.11	3	Horizontal	150	1.43	-
PK	5.5758G	110.54	Inf	-Inf	3.29	3	Horizontal	150	1.43	-
PK	5.7252G	55.88	68.20	-12.32	3.59	3	Horizontal	150	1.43	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5700MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7076G	98.33	Inf	-Inf	3.55	3	Vertical	224	1.55	-
PK	5.698G	109.62	Inf	-Inf	3.54	3	Vertical	224	1.55	-
PK	5.7252G	67.17	68.20	-1.03	3.59	3	Vertical	224	1.55	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5700MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.702G	97.75	Inf	-Inf	3.54	3	Horizontal	145	1.37	-
PK	5.6984G	106.95	Inf	-Inf	3.54	3	Horizontal	145	1.37	-
PK	5.7252G	62.94	68.20	-5.26	3.59	3	Horizontal	145	1.37	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	42.31	54.00	-11.69	3.10	3	Vertical	19	2.32	-
AV	5.7284G	92.71	Inf	-Inf	3.59	3	Vertical	19	2.32	-
PK	5.456G	54.33	74.00	-19.67	3.09	3	Vertical	19	2.32	-
PK	5.4608G	54.11	68.20	-14.09	3.10	3	Vertical	19	2.32	-
PK	5.726G	104.79	Inf	-Inf	3.59	3	Vertical	19	2.32	-
PK	5.8832G	55.29	68.20	-12.91	3.90	3	Vertical	19	2.32	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4524G	42.41	54.00	-11.59	3.09	3	Horizontal	166	1.47	-
AV	5.7176G	96.32	Inf	-Inf	3.57	3	Horizontal	166	1.47	-
PK	5.4368G	54.11	74.00	-19.89	3.07	3	Horizontal	166	1.47	-
PK	5.4668G	53.71	68.20	-14.49	3.11	3	Horizontal	166	1.47	-
PK	5.7236G	108.52	Inf	-Inf	3.58	3	Horizontal	166	1.47	-
PK	5.87G	56.13	68.20	-12.07	3.87	3	Horizontal	166	1.47	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.48924G	41.90	54.00	-12.10	13.58	3	Vertical	292	1.25	-
PK	11.48608G	54.90	74.00	-19.10	13.58	3	Vertical	292	1.25	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.49396G	41.78	54.00	-12.22	13.58	3	Horizontal	245	1.46	-
PK	11.48618G	54.36	74.00	-19.64	13.58	3	Horizontal	245	1.46	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5732G	43.63	54.00	-10.37	13.50	3	Vertical	269	1.40	-
PK	11.5757G	56.98	74.00	-17.02	13.50	3	Vertical	269	1.40	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5716G	43.83	54.00	-10.17	13.50	3	Horizontal	152	1.14	-
PK	11.5578G	54.72	74.00	-19.28	13.52	3	Horizontal	152	1.14	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.645G	41.52	54.00	-12.48	13.44	3	Vertical	159	1.65	-
PK	11.64982G	54.20	74.00	-19.80	13.43	3	Vertical	159	1.65	-

802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.64912G	41.65	54.00	-12.35	13.43	3	Horizontal	65	2.19	-
PK	11.64896G	54.31	74.00	-19.69	13.43	3	Horizontal	65	2.19	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7438G	101.18	Inf	-Inf	3.62	3	Vertical	229	1.53	-
PK	5.6334G	55.63	68.20	-12.57	3.41	3	Vertical	229	1.53	-
PK	5.7474G	110.68	Inf	-Inf	3.63	3	Vertical	229	1.53	-
PK	5.9382G	54.93	68.20	-13.27	4.01	3	Vertical	229	1.53	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5745MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7474G	100.67	Inf	-Inf	3.63	3	Horizontal	149	1.21	-
PK	5.649G	54.67	68.20	-13.53	3.44	3	Horizontal	149	1.21	-
PK	5.7414G	110.68	Inf	-Inf	3.62	3	Horizontal	149	1.21	-
PK	5.9454G	55.33	68.20	-12.87	4.02	3	Horizontal	149	1.21	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7862G	102.20	Inf	-Inf	3.70	3	Vertical	158	1.70	-
PK	5.5774G	55.83	68.20	-12.37	3.29	3	Vertical	158	1.70	-
PK	5.7886G	112.53	Inf	-Inf	3.71	3	Vertical	158	1.70	-
PK	5.9494G	55.88	68.20	-12.32	4.03	3	Vertical	158	1.70	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7862G	99.21	Inf	-Inf	3.70	3	Horizontal	160	1.01	-
PK	5.4934G	55.42	68.20	-12.78	3.14	3	Horizontal	160	1.01	-
PK	5.7814G	109.57	Inf	-Inf	3.69	3	Horizontal	160	1.01	-
PK	5.9614G	55.78	68.20	-12.42	4.05	3	Horizontal	160	1.01	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8274G	99.70	Inf	-Inf	3.78	3	Vertical	230	1.45	-
PK	5.5754G	55.16	68.20	-13.04	3.29	3	Vertical	230	1.45	-
PK	5.8238G	108.59	Inf	-Inf	3.78	3	Vertical	230	1.45	-
PK	5.9486G	55.41	68.20	-12.79	4.03	3	Vertical	230	1.45	-

802.11ac VHT20_Nss2,(MCS0)_2TX

5825MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8238G	99.58	Inf	-Inf	3.78	3	Horizontal	208	1.77	-
PK	5.6042G	54.84	68.20	-13.36	3.35	3	Horizontal	208	1.77	-
PK	5.8274G	109.75	Inf	-Inf	3.78	3	Horizontal	208	1.77	-
PK	5.939G	55.12	68.20	-13.08	4.01	3	Horizontal	208	1.77	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5745MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.751G	101.21	Inf	-Inf	3.64	3	Vertical	224	1.43	-
PK	5.4726G	55.27	68.20	-12.93	3.11	3	Vertical	224	1.43	-
PK	5.7474G	110.58	Inf	-Inf	3.63	3	Vertical	224	1.43	-
PK	5.9298G	55.58	68.20	-12.62	3.99	3	Vertical	224	1.43	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5745MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7378G	101.25	Inf	-Inf	3.61	3	Horizontal	144	1.39	-
PK	5.5746G	55.82	68.20	-12.38	3.28	3	Horizontal	144	1.39	-
PK	5.7378G	110.09	Inf	-Inf	3.61	3	Horizontal	144	1.39	-
PK	5.9286G	55.45	68.20	-12.75	3.99	3	Horizontal	144	1.39	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7886G	102.95	Inf	-Inf	3.71	3	Vertical	146	1.68	-
PK	5.4982G	56.45	68.20	-11.75	3.14	3	Vertical	146	1.68	-
PK	5.791G	112.18	Inf	-Inf	3.71	3	Vertical	146	1.68	-
PK	5.9398G	57.38	68.20	-10.82	4.02	3	Vertical	146	1.68	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5785MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.791G	100.83	Inf	-Inf	3.71	3	Horizontal	148	1.35	-
PK	5.5678G	56.57	68.20	-11.63	3.27	3	Horizontal	148	1.35	-
PK	5.791G	109.99	Inf	-Inf	3.71	3	Horizontal	148	1.35	-
PK	5.971G	56.37	68.20	-11.83	4.07	3	Horizontal	148	1.35	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5825MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8274G	99.43	Inf	-Inf	3.78	3	Vertical	224	1.44	-
PK	5.6282G	54.59	68.20	-13.61	3.40	3	Vertical	224	1.44	-
PK	5.8226G	108.87	Inf	-Inf	3.78	3	Vertical	224	1.44	-
PK	5.9522G	54.86	68.20	-13.34	4.03	3	Vertical	224	1.44	-

802.11ac VHT20_Nss2,(MCS8)_2TX

5825MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8226G	100.53	Inf	-Inf	3.78	3	Horizontal	199	1.65	-
PK	5.543G	55.01	68.20	-13.19	3.23	3	Horizontal	199	1.65	-
PK	5.819G	109.70	Inf	-Inf	3.77	3	Horizontal	199	1.65	-
PK	5.9618G	55.25	68.20	-12.95	4.05	3	Horizontal	199	1.65	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.38286G	41.04	54.00	-12.96	12.68	3	Vertical	100	2.44	-
PK	10.38404G	53.95	74.00	-20.05	12.69	3	Vertical	100	2.44	-

802.11n HT40_Nss1,(MCS0)_2TX

5190MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.38204G	40.94	54.00	-13.06	12.68	3	Horizontal	49	2.00	-
PK	10.37878G	53.76	74.00	-20.24	12.68	3	Horizontal	49	2.00	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.46264G	41.17	54.00	-12.83	12.86	3	Vertical	223	1.11	-
PK	10.4613G	54.08	74.00	-19.92	12.86	3	Vertical	223	1.11	-

802.11n HT40_Nss1,(MCS0)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.45982G	41.34	54.00	-12.66	12.85	3	Horizontal	7	2.21	-
PK	10.46122G	54.75	74.00	-19.25	12.86	3	Horizontal	7	2.21	-

802.11n HT40_Nss1,(MCS8)_2TX

5190MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	51.92	54.00	-2.08	2.74	3	Vertical	240	1.43	-
AV	5.1916G	95.76	Inf	-Inf	2.79	3	Vertical	240	1.43	-
PK	5.1476G	65.64	74.00	-8.36	2.74	3	Vertical	240	1.43	-
PK	5.194G	104.87	Inf	-Inf	2.79	3	Vertical	240	1.43	-

802.11n HT40_Nss1,(MCS8)_2TX

5190MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.92	54.00	-1.08	2.74	3	Horizontal	138	1.49	-
AV	5.1928G	95.12	Inf	-Inf	2.79	3	Horizontal	138	1.49	-
PK	5.149995G	66.05	74.00	-7.95	2.74	3	Horizontal	138	1.49	-
PK	5.1928G	105.35	Inf	-Inf	2.79	3	Horizontal	138	1.49	-

802.11n HT40_Nss1,(MCS8)_2TX

5230MHz_TX

01/08/2018





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1432G	44.52	54.00	-9.48	2.74	3	Vertical	62	1.39	-
AV	5.2316G	91.94	Inf	-Inf	2.83	3	Vertical	62	1.39	-
PK	5.1332G	56.16	74.00	-17.84	2.72	3	Vertical	62	1.39	-
PK	5.2332G	101.50	Inf	-Inf	2.84	3	Vertical	62	1.39	-

802.11n HT40_Nss1,(MCS8)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1472G	45.66	54.00	-8.34	2.74	3	Horizontal	189	1.63	-
AV	5.228G	99.47	Inf	-Inf	2.83	3	Horizontal	189	1.63	-
PK	5.1452G	57.18	74.00	-16.82	2.74	3	Horizontal	189	1.63	-
PK	5.2312G	109.57	Inf	-Inf	2.83	3	Horizontal	189	1.63	-

802.11n HT40_Nss1,(MCS15)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1492G	52.71	54.00	-1.29	2.74	3	Vertical	202	1.50	-
AV	5.2064G	95.24	Inf	-Inf	2.81	3	Vertical	202	1.50	-
PK	5.148G	67.74	74.00	-6.26	2.74	3	Vertical	202	1.50	-
PK	5.186G	104.69	Inf	-Inf	2.78	3	Vertical	202	1.50	-

802.11n HT40_Nss1,(MCS15)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	53.15	54.00	-0.85	2.74	3	Horizontal	116	1.50	-
AV	5.2064G	94.72	Inf	-Inf	2.81	3	Horizontal	116	1.50	-
PK	5.1492G	65.70	74.00	-8.30	2.74	3	Horizontal	116	1.50	-
PK	5.2072G	103.95	Inf	-Inf	2.81	3	Horizontal	116	1.50	-

802.11n HT40_Nss1,(MCS15)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.144G	44.77	54.00	-9.23	2.74	3	Vertical	278	1.48	-
AV	5.2436G	96.10	Inf	-Inf	2.85	3	Vertical	278	1.48	-
PK	5.14G	56.18	74.00	-17.82	2.73	3	Vertical	278	1.48	-
PK	5.2372G	105.99	Inf	-Inf	2.84	3	Vertical	278	1.48	-

802.11n HT40_Nss1,(MCS15)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1456G	44.82	54.00	-9.18	2.74	3	Horizontal	187	1.61	-
AV	5.246G	97.06	Inf	-Inf	2.85	3	Horizontal	187	1.61	-
PK	5.146G	56.60	74.00	-17.40	2.74	3	Horizontal	187	1.61	-
PK	5.242G	107.18	Inf	-Inf	2.85	3	Horizontal	187	1.61	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.54038G	41.13	54.00	-12.87	13.03	3	Vertical	28	1.10	-
PK	10.53848G	53.64	74.00	-20.36	13.02	3	Vertical	28	1.10	-

802.11n HT40_Nss1,(MCS0)_2TX

5270MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.53856G	40.97	54.00	-13.03	13.02	3	Horizontal	266	1.62	-
PK	10.54184G	53.69	74.00	-20.31	13.03	3	Horizontal	266	1.62	-

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61928G	41.19	54.00	-12.81	13.20	3	Vertical	281	1.63	-
PK	10.61836G	53.85	74.00	-20.15	13.20	3	Vertical	281	1.63	-

802.11n HT40_Nss1,(MCS0)_2TX

5310MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62328G	41.47	54.00	-12.53	13.21	3	Horizontal	104	1.55	-
PK	10.61702G	53.88	74.00	-20.12	13.20	3	Horizontal	104	1.55	-

802.11n HT40_Nss1,(MCS8)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2716G	96.89	Inf	-Inf	2.88	3	Vertical	283	1.43	-
AV	5.3532G	44.88	54.00	-9.12	2.97	3	Vertical	283	1.43	-
PK	5.2664G	105.69	Inf	-Inf	2.87	3	Vertical	283	1.43	-
PK	5.3524G	56.70	74.00	-17.30	2.97	3	Vertical	283	1.43	-

802.11n HT40_Nss1,(MCS8)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.268G	99.08	Inf	-Inf	2.87	3	Horizontal	188	1.54	-
AV	5.350005G	45.54	54.00	-8.46	2.97	3	Horizontal	188	1.54	-
PK	5.2712G	109.12	Inf	-Inf	2.88	3	Horizontal	188	1.54	-
PK	5.3544G	56.50	74.00	-17.50	2.97	3	Horizontal	188	1.54	-

802.11n HT40_Nss1,(MCS8)_2TX

5310MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3068G	93.33	Inf	-Inf	2.92	3	Vertical	267	1.61	-
AV	5.350005G	48.33	54.00	-5.67	2.97	3	Vertical	267	1.61	-
PK	5.3072G	102.92	Inf	-Inf	2.92	3	Vertical	267	1.61	-
PK	5.3504G	60.29	74.00	-13.71	2.97	3	Vertical	267	1.61	-

802.11n HT40_Nss1,(MCS8)_2TX

5310MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.308G	93.75	Inf	-Inf	2.92	3	Horizontal	154	1.77	-
AV	5.350005G	51.90	54.00	-2.10	2.97	3	Horizontal	154	1.77	-
PK	5.3112G	104.07	Inf	-Inf	2.92	3	Horizontal	154	1.77	-
PK	5.3556G	62.75	74.00	-11.25	2.97	3	Horizontal	154	1.77	-

802.11n HT40_Nss1,(MCS15)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2724G	95.17	Inf	-Inf	2.88	3	Vertical	275	1.56	-
AV	5.352G	44.57	54.00	-9.43	2.97	3	Vertical	275	1.56	-
PK	5.266G	105.19	Inf	-Inf	2.87	3	Vertical	275	1.56	-
PK	5.3588G	56.26	74.00	-17.74	2.98	3	Vertical	275	1.56	-

802.11n HT40_Nss1,(MCS15)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2864G	96.19	Inf	-Inf	2.90	3	Horizontal	182	1.58	-
AV	5.3632G	44.47	54.00	-9.53	2.98	3	Horizontal	182	1.58	-
PK	5.266G	106.77	Inf	-Inf	2.87	3	Horizontal	182	1.58	-
PK	5.358G	56.53	74.00	-17.47	2.97	3	Horizontal	182	1.58	-

802.11n HT40_Nss1,(MCS15)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3264G	93.48	Inf	-Inf	2.94	3	Vertical	233	1.50	-
AV	5.3504G	51.59	54.00	-2.41	2.97	3	Vertical	233	1.50	-
PK	5.326G	103.41	Inf	-Inf	2.94	3	Vertical	233	1.50	-
PK	5.3516G	67.45	74.00	-6.55	2.97	3	Vertical	233	1.50	-

802.11n HT40_Nss1,(MCS15)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3064G	94.06	Inf	-Inf	2.92	3	Horizontal	117	1.55	-
AV	5.350005G	53.18	54.00	-0.82	2.97	3	Horizontal	117	1.55	-
PK	5.326G	103.84	Inf	-Inf	2.94	3	Horizontal	117	1.55	-
PK	5.3516G	68.75	74.00	-5.25	2.97	3	Horizontal	117	1.55	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02098G	41.84	54.00	-12.16	14.01	3	Vertical	96	1.45	-
PK	11.01926G	55.10	74.00	-18.90	14.01	3	Vertical	96	1.45	-

802.11n HT40_Nss1,(MCS0)_2TX

5510MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0198G	41.72	54.00	-12.28	14.01	3	Horizontal	215	1.54	-
PK	11.02128G	54.92	74.00	-19.08	14.01	3	Horizontal	215	1.54	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1012G	41.88	54.00	-12.12	13.94	3	Vertical	8	1.62	-
PK	11.09964G	55.06	74.00	-18.94	13.94	3	Vertical	8	1.62	-

802.11n HT40_Nss1,(MCS0)_2TX

5550MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.09702G	41.78	54.00	-12.22	13.94	3	Horizontal	55	1.29	-
PK	11.10014G	54.75	74.00	-19.25	13.94	3	Horizontal	55	1.29	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.33722G	41.81	54.00	-12.19	13.72	3	Vertical	3	2.21	-
PK	11.33858G	54.95	74.00	-19.05	13.72	3	Vertical	3	2.21	-

802.11n HT40_Nss1,(MCS0)_2TX

5670MHz_TX


02/08/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.34406G	41.57	54.00	-12.43	13.71	3	Horizontal	181	2.27	-
PK	11.33836G	54.35	74.00	-19.65	13.72	3	Horizontal	181	2.27	-

802.11n HT40_Nss1,(MCS0)_2TX 5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4319G	42.05	54.00	-11.95	13.63	3	Vertical	188	1.76	-
PK	11.44468G	54.89	74.00	-19.11	13.62	3	Vertical	188	1.76	-

802.11n HT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.42836G	41.65	54.00	-12.35	13.64	3	Horizontal	202	2.09	-
PK	11.44684G	54.09	74.00	-19.91	13.62	3	Horizontal	202	2.09	-

802.11n HT40_Nss1,(MCS8)_2TX

5510MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	48.07	54.00	-5.93	3.10	3	Vertical	229	1.57	-
AV	5.5116G	95.66	Inf	-Inf	3.16	3	Vertical	229	1.57	-
PK	5.4592G	60.42	74.00	-13.58	3.10	3	Vertical	229	1.57	-
PK	5.468G	67.26	68.20	-0.94	3.11	3	Vertical	229	1.57	-
PK	5.5136G	105.20	Inf	-Inf	3.17	3	Vertical	229	1.57	-

802.11n HT40_Nss1,(MCS8)_2TX

5510MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	47.15	54.00	-6.85	3.10	3	Horizontal	153	1.47	-
AV	5.5128G	95.48	Inf	-Inf	3.17	3	Horizontal	153	1.47	-
PK	5.4576G	58.85	74.00	-15.15	3.09	3	Horizontal	153	1.47	-
PK	5.4676G	65.81	68.20	-2.39	3.11	3	Horizontal	153	1.47	-
PK	5.518G	105.98	Inf	-Inf	3.18	3	Horizontal	153	1.47	-

802.11n HT40_Nss1,(MCS8)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	46.07	54.00	-7.93	3.10	3	Vertical	276	1.58	-
AV	5.5512G	99.37	Inf	-Inf	3.24	3	Vertical	276	1.58	-
PK	5.4568G	57.49	74.00	-16.51	3.09	3	Vertical	276	1.58	-
PK	5.4688G	59.33	68.20	-8.87	3.11	3	Vertical	276	1.58	-
PK	5.5516G	107.87	Inf	-Inf	3.24	3	Vertical	276	1.58	-

802.11n HT40_Nss1,(MCS8)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4572G	46.15	54.00	-7.85	3.09	3	Horizontal	191	1.55	-
AV	5.458G	99.51	Inf	-Inf	3.24	3	Horizontal	191	1.55	-
PK	5.458G	57.78	74.00	-16.22	3.09	3	Horizontal	191	1.55	-
PK	5.4684G	58.60	68.20	-9.60	3.11	3	Horizontal	191	1.55	-
PK	5.5516G	109.31	Inf	-Inf	3.24	3	Horizontal	191	1.55	-

802.11n HT40_Nss1,(MCS8)_2TX

5670MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6718G	98.96	Inf	-Inf	3.48	3	Vertical	232	1.50	-
PK	5.6736G	108.09	Inf	-Inf	3.49	3	Vertical	232	1.50	-
PK	5.7264G	62.74	68.20	-5.46	3.59	3	Vertical	232	1.50	-

802.11n HT40_Nss1,(MCS8)_2TX

5670MHz_TX


18/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6736G	96.64	Inf	-Inf	3.49	3	Horizontal	154	1.40	-
PK	5.6778G	106.82	Inf	-Inf	3.50	3	Horizontal	154	1.40	-
PK	5.7276G	60.03	68.20	-8.17	3.59	3	Horizontal	154	1.40	-

802.11n HT40_Nss1,(MCS8)_2TX 5710MHz Straddle 5.47-5.725GHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4244G	42.14	54.00	-11.86	3.06	3	Vertical	20	2.17	-
AV	5.7136G	92.63	Inf	-Inf	3.57	3	Vertical	20	2.17	-
PK	5.452G	53.83	74.00	-20.17	3.09	3	Vertical	20	2.17	-
PK	5.460005G	53.50	68.20	-14.70	3.10	3	Vertical	20	2.17	-
PK	5.7124G	102.88	Inf	-Inf	3.56	3	Vertical	20	2.17	-
PK	5.9368G	55.74	68.20	-12.46	4.01	3	Vertical	20	2.17	-

802.11n HT40_Nss1,(MCS8)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4532G	42.45	54.00	-11.55	3.09	3	Horizontal	170	1.20	-
AV	5.7076G	96.29	Inf	-Inf	3.55	3	Horizontal	170	1.20	-
PK	5.4508G	54.27	74.00	-19.73	3.09	3	Horizontal	170	1.20	-
PK	5.4688G	53.32	68.20	-14.88	3.11	3	Horizontal	170	1.20	-
PK	5.7172G	106.32	Inf	-Inf	3.57	3	Horizontal	170	1.20	-
PK	5.9428G	55.76	68.20	-12.44	4.02	3	Horizontal	170	1.20	-

802.11n HT40_Nss1,(MCS15)_2TX

5510MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	45.39	54.00	-8.61	3.10	3	Vertical	226	1.57	-
AV	5.5256G	92.66	Inf	-Inf	3.19	3	Vertical	226	1.57	-
PK	5.459995G	61.08	74.00	-12.92	3.10	3	Vertical	226	1.57	-
PK	5.4696G	65.79	68.20	-2.41	3.11	3	Vertical	226	1.57	-
PK	5.5256G	103.41	Inf	-Inf	3.19	3	Vertical	226	1.57	-

802.11n HT40_Nss1,(MCS15)_2TX

5510MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	44.59	54.00	-9.41	3.10	3	Horizontal	153	1.49	-
AV	5.5268G	92.53	Inf	-Inf	3.19	3	Horizontal	153	1.49	-
PK	5.4496G	59.02	74.00	-14.98	3.08	3	Horizontal	153	1.49	-
PK	5.4692G	66.97	68.20	-1.23	3.11	3	Horizontal	153	1.49	-
PK	5.5068G	103.99	Inf	-Inf	3.15	3	Horizontal	153	1.49	-

802.11n HT40_Nss1,(MCS15)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	45.60	54.00	-8.40	3.10	3	Vertical	272	1.57	-
AV	5.5636G	98.04	Inf	-Inf	3.27	3	Vertical	272	1.57	-
PK	5.4592G	57.07	74.00	-16.93	3.10	3	Vertical	272	1.57	-
PK	5.4684G	58.96	68.20	-9.24	3.11	3	Vertical	272	1.57	-
PK	5.5572G	107.37	Inf	-Inf	3.25	3	Vertical	272	1.57	-

802.11n HT40_Nss1,(MCS15)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	45.41	54.00	-8.59	3.09	3	Horizontal	188	1.44	-
AV	5.568G	97.14	Inf	-Inf	3.27	3	Horizontal	188	1.44	-
PK	5.4592G	56.93	74.00	-17.07	3.10	3	Horizontal	188	1.44	-
PK	5.4696G	59.18	68.20	-9.02	3.11	3	Horizontal	188	1.44	-
PK	5.568G	106.99	Inf	-Inf	3.27	3	Horizontal	188	1.44	-

802.11n HT40_Nss1,(MCS15)_2TX

5670MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6856G	94.71	Inf	-Inf	3.51	3	Vertical	230	1.57	-
PK	5.6874G	105.74	Inf	-Inf	3.51	3	Vertical	230	1.57	-
PK	5.7258G	67.25	68.20	-0.95	3.59	3	Vertical	230	1.57	-

802.11n HT40_Nss1,(MCS15)_2TX

5670MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.679G	92.66	Inf	-Inf	3.50	3	Horizontal	154	1.48	-
PK	5.6844G	104.45	Inf	-Inf	3.51	3	Horizontal	154	1.48	-
PK	5.7258G	63.51	68.20	-4.69	3.59	3	Horizontal	154	1.48	-

802.11n HT40_Nss1,(MCS15)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	42.31	54.00	-11.69	3.10	3	Vertical	20	2.18	-
AV	5.716G	88.60	Inf	-Inf	3.57	3	Vertical	20	2.18	-
PK	5.4256G	55.34	74.00	-18.66	3.06	3	Vertical	20	2.18	-
PK	5.4664G	53.37	68.20	-14.83	3.11	3	Vertical	20	2.18	-
PK	5.7124G	100.18	Inf	-Inf	3.56	3	Vertical	20	2.18	-
PK	5.902G	56.51	68.20	-11.69	3.93	3	Vertical	20	2.18	-

802.11n HT40_Nss1,(MCS15)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4448G	42.41	54.00	-11.59	3.08	3	Horizontal	167	1.38	-
AV	5.7244G	92.41	Inf	-Inf	3.59	3	Horizontal	167	1.38	-
PK	5.422G	54.59	74.00	-19.41	3.06	3	Horizontal	167	1.38	-
PK	5.460005G	53.67	68.20	-14.53	3.10	3	Horizontal	167	1.38	-
PK	5.7064G	103.56	Inf	-Inf	3.55	3	Horizontal	167	1.38	-
PK	5.9296G	56.67	68.20	-11.53	3.99	3	Horizontal	167	1.38	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.51082G	41.67	54.00	-12.33	13.56	3	Vertical	141	1.75	-
PK	11.5062G	54.09	74.00	-19.91	13.56	3	Vertical	141	1.75	-

802.11n HT40_Nss1,(MCS0)_2TX

5755MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.50584G	41.84	54.00	-12.16	13.56	3	Horizontal	134	1.94	-
PK	11.51028G	54.19	74.00	-19.81	13.56	3	Horizontal	134	1.94	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5974G	44.32	54.00	-9.68	13.48	3	Vertical	30	1.61	-
PK	11.6038G	57.35	74.00	-16.65	13.47	3	Vertical	30	1.61	-

802.11n HT40_Nss1,(MCS0)_2TX

5795MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.601G	43.51	54.00	-10.49	13.48	3	Horizontal	334	1.20	-
PK	11.6024G	55.82	74.00	-18.18	13.48	3	Horizontal	334	1.20	-

802.11n HT40_Nss1,(MCS8)_2TX

5755MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7562G	98.20	Inf	-Inf	3.65	3	Vertical	230	1.30	-
PK	5.6302G	54.96	68.20	-13.24	3.40	3	Vertical	230	1.30	-
PK	5.7514G	107.25	Inf	-Inf	3.64	3	Vertical	230	1.30	-
PK	5.9782G	55.19	68.20	-13.01	4.08	3	Vertical	230	1.30	-

802.11n HT40_Nss1,(MCS8)_2TX

5755MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7574G	96.47	Inf	-Inf	3.65	3	Horizontal	149	1.23	-
PK	5.6482G	55.04	68.20	-13.16	3.44	3	Horizontal	149	1.23	-
PK	5.7562G	106.90	Inf	-Inf	3.65	3	Horizontal	149	1.23	-
PK	5.9302G	54.88	68.20	-13.32	3.99	3	Horizontal	149	1.23	-

802.11n HT40_Nss1,(MCS8)_2TX

5795MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7926G	96.45	Inf	-Inf	3.72	3	Vertical	229	1.28	-
PK	5.5046G	54.93	68.20	-13.27	3.15	3	Vertical	229	1.28	-
PK	5.7914G	105.70	Inf	-Inf	3.71	3	Vertical	229	1.28	-
PK	5.9714G	54.94	68.20	-13.26	4.07	3	Vertical	229	1.28	-

802.11n HT40_Nss1,(MCS8)_2TX

5795MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7974G	97.08	Inf	-Inf	3.73	3	Horizontal	149	1.43	-
PK	5.6162G	55.17	68.20	-13.03	3.37	3	Horizontal	149	1.43	-
PK	5.7962G	107.55	Inf	-Inf	3.72	3	Horizontal	149	1.43	-
PK	5.9798G	55.42	68.20	-12.78	4.09	3	Horizontal	149	1.43	-

802.11n HT40_Nss1,(MCS15)_2TX

5755MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.743G	95.58	Inf	-Inf	3.62	3	Vertical	230	1.45	-
PK	5.5306G	54.86	68.20	-13.34	3.20	3	Vertical	230	1.45	-
PK	5.7382G	106.68	Inf	-Inf	3.61	3	Vertical	230	1.45	-
PK	5.9554G	55.88	68.20	-12.32	4.04	3	Vertical	230	1.45	-

802.11n HT40_Nss1,(MCS15)_2TX

5755MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.749G	94.57	Inf	-Inf	3.63	3	Horizontal	151	1.38	-
PK	5.6326G	54.88	68.20	-13.32	3.41	3	Horizontal	151	1.38	-
PK	5.7442G	106.08	Inf	-Inf	3.62	3	Horizontal	151	1.38	-
PK	5.965G	54.80	68.20	-13.40	4.06	3	Horizontal	151	1.38	-

802.11n HT40_Nss1,(MCS15)_2TX

5795MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8094G	94.70	Inf	-Inf	3.75	3	Vertical	228	1.50	-
PK	5.5202G	54.91	68.20	-13.29	3.18	3	Vertical	228	1.50	-
PK	5.7806G	106.14	Inf	-Inf	3.69	3	Vertical	228	1.50	-
PK	5.969G	55.03	68.20	-13.17	4.07	3	Vertical	228	1.50	-

802.11n HT40_Nss1,(MCS15)_2TX

5795MHz_TX

18/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7926G	94.42	Inf	-Inf	3.72	3	Horizontal	150	1.40	-
PK	5.6234G	54.92	68.20	-13.28	3.39	3	Horizontal	150	1.40	-
PK	5.801G	105.69	Inf	-Inf	3.73	3	Horizontal	150	1.40	-
PK	5.981G	55.34	68.20	-12.86	4.09	3	Horizontal	150	1.40	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.38096G	41.02	54.00	-12.98	12.68	3	Vertical	173	1.85	-
PK	10.37752G	53.91	74.00	-20.09	12.67	3	Vertical	173	1.85	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.38436G	40.89	54.00	-13.11	12.69	3	Horizontal	324	1.12	-
PK	10.38068G	54.09	74.00	-19.91	12.68	3	Horizontal	324	1.12	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.4594G	40.90	54.00	-13.10	12.85	3	Vertical	257	1.68	-
PK	10.45948G	53.95	74.00	-20.05	12.85	3	Vertical	257	1.68	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.46348G	40.97	54.00	-13.03	12.86	3	Horizontal	191	1.86	-
PK	10.45726G	53.77	74.00	-20.23	12.85	3	Horizontal	191	1.86	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	50.68	54.00	-3.32	2.74	3	Vertical	223	1.50	-
AV	5.1928G	96.08	Inf	-Inf	2.79	3	Vertical	223	1.50	-
PK	5.149995G	64.30	74.00	-9.70	2.74	3	Vertical	223	1.50	-
PK	5.1864G	105.20	Inf	-Inf	2.78	3	Vertical	223	1.50	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	53.00	54.00	-1.00	2.74	3	Horizontal	190	1.65	-
AV	5.1864G	96.14	Inf	-Inf	2.78	3	Horizontal	190	1.65	-
PK	5.149995G	65.87	74.00	-8.13	2.74	3	Horizontal	190	1.65	-
PK	5.1912G	106.51	Inf	-Inf	2.79	3	Horizontal	190	1.65	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1468G	43.72	54.00	-10.28	2.74	3	Vertical	248	1.49	-
AV	5.2332G	96.57	Inf	-Inf	2.84	3	Vertical	248	1.49	-
PK	5.1396G	56.08	74.00	-17.92	2.73	3	Vertical	248	1.49	-
PK	5.2324G	105.65	Inf	-Inf	2.84	3	Vertical	248	1.49	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1488G	44.18	54.00	-9.82	2.74	3	Horizontal	153	1.62	-
AV	5.2264G	97.77	Inf	-Inf	2.83	3	Horizontal	153	1.62	-
PK	5.1484G	56.67	74.00	-17.33	2.74	3	Horizontal	153	1.62	-
PK	5.2312G	108.02	Inf	-Inf	2.83	3	Horizontal	153	1.62	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	51.65	54.00	-2.35	2.74	3	Vertical	210	1.52	-
AV	5.2064G	95.02	Inf	-Inf	2.81	3	Vertical	210	1.52	-
PK	5.149995G	67.76	74.00	-6.24	2.74	3	Vertical	210	1.52	-
PK	5.1976G	104.83	Inf	-Inf	2.80	3	Vertical	210	1.52	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5190MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.83	54.00	-1.17	2.74	3	Horizontal	111	1.52	-
AV	5.182G	94.43	Inf	-Inf	2.78	3	Horizontal	111	1.52	-
PK	5.149995G	69.60	74.00	-4.40	2.74	3	Horizontal	111	1.52	-
PK	5.1992G	104.53	Inf	-Inf	2.80	3	Horizontal	111	1.52	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	44.89	54.00	-9.11	2.74	3	Vertical	234	1.49	-
AV	5.2452G	95.75	Inf	-Inf	2.85	3	Vertical	234	1.49	-
PK	5.1488G	57.00	74.00	-17.00	2.74	3	Vertical	234	1.49	-
PK	5.2376G	105.82	Inf	-Inf	2.84	3	Vertical	234	1.49	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5230MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1472G	44.71	54.00	-9.29	2.74	3	Horizontal	138	1.49	-
AV	5.2464G	96.38	Inf	-Inf	2.85	3	Horizontal	138	1.49	-
PK	5.1372G	55.90	74.00	-18.10	2.73	3	Horizontal	138	1.49	-
PK	5.2464G	105.60	Inf	-Inf	2.85	3	Horizontal	138	1.49	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.54404G	40.90	54.00	-13.10	13.04	3	Vertical	81	2.31	-
PK	10.54152G	53.91	74.00	-20.09	13.03	3	Vertical	81	2.31	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.5406G	41.27	54.00	-12.73	13.03	3	Horizontal	254	1.63	-
PK	10.54386G	54.03	74.00	-19.97	13.04	3	Horizontal	254	1.63	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62036G	41.20	54.00	-12.80	13.20	3	Vertical	164	2.13	-
PK	10.6193G	53.99	74.00	-20.01	13.20	3	Vertical	164	2.13	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5310MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62374G	41.23	54.00	-12.77	13.21	3	Horizontal	73	2.23	-
PK	10.61954G	53.80	74.00	-20.20	13.20	3	Horizontal	73	2.23	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2732G	95.07	Inf	-Inf	2.88	3	Vertical	242	1.50	-
AV	5.3524G	43.74	54.00	-10.26	2.97	3	Vertical	242	1.50	-
PK	5.2664G	104.59	Inf	-Inf	2.87	3	Vertical	242	1.50	-
PK	5.356G	56.48	74.00	-17.52	2.97	3	Vertical	242	1.50	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2664G	97.46	Inf	-Inf	2.87	3	Horizontal	152	1.58	-
AV	5.350005G	44.24	54.00	-9.76	2.97	3	Horizontal	152	1.58	-
PK	5.2716G	107.52	Inf	-Inf	2.88	3	Horizontal	152	1.58	-
PK	5.3644G	56.67	74.00	-17.33	2.99	3	Horizontal	152	1.58	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3068G	94.82	Inf	-Inf	2.92	3	Vertical	251	1.63	-
AV	5.350005G	48.73	54.00	-5.27	2.97	3	Vertical	251	1.63	-
PK	5.3116G	103.75	Inf	-Inf	2.92	3	Vertical	251	1.63	-
PK	5.3532G	60.72	74.00	-13.28	2.97	3	Vertical	251	1.63	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3064G	95.52	Inf	-Inf	2.92	3	Horizontal	136	1.52	-
AV	5.350005G	52.65	54.00	-1.35	2.97	3	Horizontal	136	1.52	-
PK	5.3076G	105.56	Inf	-Inf	2.92	3	Horizontal	136	1.52	-
PK	5.354G	64.24	74.00	-9.76	2.97	3	Horizontal	136	1.52	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2664G	94.72	Inf	-Inf	2.87	3	Vertical	231	1.68	-
AV	5.350005G	44.51	54.00	-9.49	2.97	3	Vertical	231	1.68	-
PK	5.2776G	105.45	Inf	-Inf	2.89	3	Vertical	231	1.68	-
PK	5.3528G	59.57	74.00	-14.43	2.97	3	Vertical	231	1.68	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5270MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2864G	96.60	Inf	-Inf	2.90	3	Horizontal	142	1.54	-
AV	5.3524G	45.45	54.00	-8.55	2.97	3	Horizontal	142	1.54	-
PK	5.2528G	105.68	Inf	-Inf	2.86	3	Horizontal	142	1.54	-
PK	5.352G	56.38	74.00	-17.62	2.97	3	Horizontal	142	1.54	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3268G	93.98	Inf	-Inf	2.94	3	Vertical	243	1.59	-
AV	5.3504G	50.54	54.00	-3.46	2.97	3	Vertical	243	1.59	-
PK	5.3268G	104.08	Inf	-Inf	2.94	3	Vertical	243	1.59	-
PK	5.3516G	67.20	74.00	-6.80	2.97	3	Vertical	243	1.59	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5310MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3268G	93.95	Inf	-Inf	2.94	3	Horizontal	123	1.55	-
AV	5.350005G	52.83	54.00	-1.17	2.97	3	Horizontal	123	1.55	-
PK	5.3084G	103.33	Inf	-Inf	2.92	3	Horizontal	123	1.55	-
PK	5.352G	69.16	74.00	-4.84	2.97	3	Horizontal	123	1.55	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02304G	41.71	54.00	-12.29	14.01	3	Vertical	173	2.00	-
PK	11.01754G	54.13	74.00	-19.87	14.01	3	Vertical	173	2.00	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.02228G	41.78	54.00	-12.22	14.01	3	Horizontal	70	1.61	-
PK	11.02222G	54.46	74.00	-19.54	14.01	3	Horizontal	70	1.61	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0978G	41.78	54.00	-12.22	13.94	3	Vertical	217	2.10	-
PK	11.09698G	54.46	74.00	-19.54	13.94	3	Vertical	217	2.10	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.10238G	41.80	54.00	-12.20	13.94	3	Horizontal	8	2.36	-
PK	11.10456G	54.65	74.00	-19.35	13.93	3	Horizontal	8	2.36	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.34064G	41.43	54.00	-12.57	13.72	3	Vertical	93	2.14	-
PK	11.34226G	54.40	74.00	-19.60	13.72	3	Vertical	93	2.14	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3404G	41.63	54.00	-12.37	13.72	3	Horizontal	13	1.64	-
PK	11.34192G	54.21	74.00	-19.79	13.72	3	Horizontal	13	1.64	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.42758G	41.19	54.00	-12.81	13.64	3	Vertical	163	1.50	-
PK	11.44252G	54.76	74.00	-19.24	13.62	3	Vertical	163	1.50	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.43446G	41.71	54.00	-12.29	13.63	3	Horizontal	40	1.25	-
PK	11.41562G	54.61	74.00	-19.39	13.65	3	Horizontal	40	1.25	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5510MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	47.20	54.00	-6.80	3.10	3	Vertical	206	1.54	-
AV	5.5136G	96.53	Inf	-Inf	3.17	3	Vertical	206	1.54	-
PK	5.4596G	59.75	74.00	-14.25	3.10	3	Vertical	206	1.54	-
PK	5.4676G	66.45	68.20	-1.75	3.11	3	Vertical	206	1.54	-
PK	5.5128G	106.12	Inf	-Inf	3.17	3	Vertical	206	1.54	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5510MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	48.72	54.00	-5.28	3.10	3	Horizontal	190	1.65	-
AV	5.5072G	97.75	Inf	-Inf	3.15	3	Horizontal	190	1.65	-
PK	5.4584G	60.92	74.00	-13.08	3.10	3	Horizontal	190	1.65	-
PK	5.4684G	67.35	68.20	-0.85	3.11	3	Horizontal	190	1.65	-
PK	5.5112G	107.90	Inf	-Inf	3.16	3	Horizontal	190	1.65	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	44.84	54.00	-9.16	3.10	3	Vertical	224	1.76	-
AV	5.5536G	98.21	Inf	-Inf	3.25	3	Vertical	224	1.76	-
PK	5.4548G	56.43	74.00	-17.57	3.09	3	Vertical	224	1.76	-
PK	5.4684G	57.38	68.20	-10.82	3.11	3	Vertical	224	1.76	-
PK	5.546G	107.67	Inf	-Inf	3.23	3	Vertical	224	1.76	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4576G	44.52	54.00	-9.48	3.09	3	Horizontal	155	1.54	-
AV	5.548G	97.56	Inf	-Inf	3.24	3	Horizontal	155	1.54	-
PK	5.4584G	56.89	74.00	-17.11	3.10	3	Horizontal	155	1.54	-
PK	5.4636G	58.39	68.20	-9.81	3.10	3	Horizontal	155	1.54	-
PK	5.558G	107.94	Inf	-Inf	3.26	3	Horizontal	155	1.54	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5670MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6718G	100.05	Inf	-Inf	3.48	3	Vertical	218	1.58	-
PK	5.6664G	109.30	Inf	-Inf	3.47	3	Vertical	218	1.58	-
PK	5.727G	63.80	68.20	-4.40	3.59	3	Vertical	218	1.58	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5670MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6724G	96.43	Inf	-Inf	3.48	3	Horizontal	139	1.40	-
PK	5.6778G	106.80	Inf	-Inf	3.50	3	Horizontal	139	1.40	-
PK	5.7252G	59.17	68.20	-9.03	3.59	3	Horizontal	139	1.40	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4592G	42.21	54.00	-11.79	3.10	3	Vertical	20	2.36	-
AV	5.7136G	95.30	Inf	-Inf	3.57	3	Vertical	20	2.36	-
PK	5.4472G	54.50	74.00	-19.50	3.08	3	Vertical	20	2.36	-
PK	5.4688G	54.22	68.20	-13.98	3.11	3	Vertical	20	2.36	-
PK	5.7148G	104.88	Inf	-Inf	3.57	3	Vertical	20	2.36	-
PK	5.8588G	55.56	68.20	-12.64	3.84	3	Vertical	20	2.36	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4544G	42.58	54.00	-11.42	3.09	3	Horizontal	166	1.46	-
AV	5.7124G	98.34	Inf	-Inf	3.56	3	Horizontal	166	1.46	-
PK	5.4388G	54.05	74.00	-19.95	3.07	3	Horizontal	166	1.46	-
PK	5.4616G	53.82	68.20	-14.38	3.10	3	Horizontal	166	1.46	-
PK	5.7172G	108.47	Inf	-Inf	3.57	3	Horizontal	166	1.46	-
PK	5.9356G	56.51	68.20	-11.69	4.00	3	Horizontal	166	1.46	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5510MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	46.59	54.00	-7.41	3.10	3	Vertical	204	1.55	-
AV	5.5252G	94.46	Inf	-Inf	3.19	3	Vertical	204	1.55	-
PK	5.4588G	63.44	74.00	-10.56	3.10	3	Vertical	204	1.55	-
PK	5.468G	66.96	68.20	-1.24	3.11	3	Vertical	204	1.55	-
PK	5.5176G	105.45	Inf	-Inf	3.18	3	Vertical	204	1.55	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5510MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	46.80	54.00	-7.20	3.10	3	Horizontal	129	1.50	-
AV	5.5044G	94.43	Inf	-Inf	3.15	3	Horizontal	129	1.50	-
PK	5.4588G	62.87	74.00	-11.13	3.10	3	Horizontal	129	1.50	-
PK	5.4696G	67.27	68.20	-0.93	3.11	3	Horizontal	129	1.50	-
PK	5.5192G	104.99	Inf	-Inf	3.18	3	Horizontal	129	1.50	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	45.50	54.00	-8.50	3.10	3	Vertical	232	1.58	-
AV	5.566G	98.00	Inf	-Inf	3.27	3	Vertical	232	1.58	-
PK	5.4556G	57.02	74.00	-16.98	3.09	3	Vertical	232	1.58	-
PK	5.4652G	58.04	68.20	-10.16	3.11	3	Vertical	232	1.58	-
PK	5.558G	107.84	Inf	-Inf	3.26	3	Vertical	232	1.58	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5550MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4564G	45.03	54.00	-8.97	3.09	3	Horizontal	150	1.43	-
AV	5.558G	96.26	Inf	-Inf	3.26	3	Horizontal	150	1.43	-
PK	5.4544G	56.58	74.00	-17.42	3.09	3	Horizontal	150	1.43	-
PK	5.4668G	57.46	68.20	-10.74	3.11	3	Horizontal	150	1.43	-
PK	5.5592G	106.28	Inf	-Inf	3.26	3	Horizontal	150	1.43	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5670MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6718G	97.78	Inf	-Inf	3.48	3	Vertical	209	1.51	-
PK	5.6778G	108.28	Inf	-Inf	3.50	3	Vertical	209	1.51	-
PK	5.7276G	67.34	68.20	-0.86	3.59	3	Vertical	209	1.51	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5670MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6778G	95.60	Inf	-Inf	3.50	3	Horizontal	130	1.49	-
PK	5.679G	105.42	Inf	-Inf	3.50	3	Horizontal	130	1.49	-
PK	5.7252G	62.73	68.20	-5.47	3.59	3	Horizontal	130	1.49	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4532G	42.34	54.00	-11.66	3.09	3	Vertical	33	1.46	-
AV	5.7268G	89.95	Inf	-Inf	3.59	3	Vertical	33	1.46	-
PK	5.4412G	54.40	74.00	-19.60	3.07	3	Vertical	33	1.46	-
PK	5.4616G	54.13	68.20	-14.07	3.10	3	Vertical	33	1.46	-
PK	5.7268G	100.96	Inf	-Inf	3.59	3	Vertical	33	1.46	-
PK	5.9536G	56.79	68.20	-11.41	4.04	3	Vertical	33	1.46	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5710MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4532G	42.46	54.00	-11.54	3.09	3	Horizontal	167	1.21	-
AV	5.7016G	95.15	Inf	-Inf	3.54	3	Horizontal	167	1.21	-
PK	5.4316G	54.57	74.00	-19.43	3.06	3	Horizontal	167	1.21	-
PK	5.464G	53.99	68.20	-14.21	3.10	3	Horizontal	167	1.21	-
PK	5.7196G	106.70	Inf	-Inf	3.58	3	Horizontal	167	1.21	-
PK	5.9332G	55.94	68.20	-12.26	4.00	3	Horizontal	167	1.21	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4983G	41.78	54.00	-12.22	13.57	3	Vertical	76	1.05	-
PK	11.5006G	54.34	74.00	-19.66	13.57	3	Vertical	76	1.05	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5056G	41.82	54.00	-12.18	13.56	3	Horizontal	251	1.35	-
PK	11.5075G	55.08	74.00	-18.92	13.56	3	Horizontal	251	1.35	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.5981G	43.83	54.00	-10.17	13.48	3	Vertical	251	1.12	-
PK	11.5998G	55.74	74.00	-18.26	13.48	3	Vertical	251	1.12	-

802.11ac VHT40_Nss1,(MCS0)_2TX

5795MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.6025G	41.91	54.00	-12.09	13.48	3	Horizontal	348	1.48	-
PK	11.6016G	54.80	74.00	-19.20	13.48	3	Horizontal	348	1.48	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5755MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7562G	97.52	Inf	-Inf	3.65	3	Vertical	214	1.35	-
PK	5.5978G	55.37	68.20	-12.83	3.34	3	Vertical	214	1.35	-
PK	5.7562G	106.71	Inf	-Inf	3.65	3	Vertical	214	1.35	-
PK	5.977G	55.43	68.20	-12.77	4.08	3	Vertical	214	1.35	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5755MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7586G	98.16	Inf	-Inf	3.65	3	Horizontal	193	1.65	-
PK	5.6374G	55.48	68.20	-12.72	3.42	3	Horizontal	193	1.65	-
PK	5.7574G	107.25	Inf	-Inf	3.65	3	Horizontal	193	1.65	-
PK	5.9698G	55.52	68.20	-12.68	4.07	3	Horizontal	193	1.65	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5795MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7914G	97.19	Inf	-Inf	3.71	3	Vertical	212	1.51	-
PK	5.567G	54.89	68.20	-13.31	3.27	3	Vertical	212	1.51	-
PK	5.7914G	106.66	Inf	-Inf	3.71	3	Vertical	212	1.51	-
PK	5.9474G	55.42	68.20	-12.78	4.03	3	Vertical	212	1.51	-

802.11ac VHT40_Nss2,(MCS0)_2TX

5795MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7986G	97.93	Inf	-Inf	3.73	3	Horizontal	189	1.68	-
PK	5.549G	54.61	68.20	-13.59	3.24	3	Horizontal	189	1.68	-
PK	5.7998G	107.89	Inf	-Inf	3.73	3	Horizontal	189	1.68	-
PK	5.969G	55.79	68.20	-12.41	4.07	3	Horizontal	189	1.68	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5755MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7478G	98.59	Inf	-Inf	3.63	3	Vertical	209	1.52	-
PK	5.6434G	56.60	68.20	-11.60	3.43	3	Vertical	209	1.52	-
PK	5.7466G	108.10	Inf	-Inf	3.63	3	Vertical	209	1.52	-
PK	5.9782G	56.00	68.20	-12.20	4.08	3	Vertical	209	1.52	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5755MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7382G	97.78	Inf	-Inf	3.61	3	Horizontal	127	1.26	-
PK	5.6458G	55.35	68.20	-12.85	3.43	3	Horizontal	127	1.26	-
PK	5.7538G	107.52	Inf	-Inf	3.64	3	Horizontal	127	1.26	-
PK	5.9566G	55.27	68.20	-12.93	4.04	3	Horizontal	127	1.26	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5795MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7866G	97.96	Inf	-Inf	3.70	3	Vertical	209	1.50	-
PK	5.5718G	55.61	68.20	-12.59	3.28	3	Vertical	209	1.50	-
PK	5.8022G	107.91	Inf	-Inf	3.73	3	Vertical	209	1.50	-
PK	5.963G	55.61	68.20	-12.59	4.05	3	Vertical	209	1.50	-

802.11ac VHT40_Nss2,(MCS9)_2TX

5795MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7986G	98.86	Inf	-Inf	3.73	3	Horizontal	187	1.66	-
PK	5.7986G	55.57	68.20	-12.63	3.28	3	Horizontal	187	1.66	-
PK	5.7938G	108.91	Inf	-Inf	3.72	3	Horizontal	187	1.66	-
PK	5.945G	56.38	68.20	-11.82	4.02	3	Horizontal	187	1.66	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.42398G	41.04	54.00	-12.96	12.77	3	Vertical	56	1.73	-
PK	10.42086G	53.90	74.00	-20.10	12.77	3	Vertical	56	1.73	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.42322G	41.18	54.00	-12.82	12.77	3	Horizontal	89	2.01	-
PK	10.41656G	54.02	74.00	-19.98	12.76	3	Horizontal	89	2.01	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5210MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149G	52.98	54.00	-1.02	2.74	3	Vertical	208	1.53	-
AV	5.204G	93.33	Inf	-Inf	2.80	3	Vertical	208	1.53	-
AV	5.384G	42.12	54.00	-11.88	3.01	3	Vertical	208	1.53	-
PK	5.147G	64.82	74.00	-9.18	2.74	3	Vertical	208	1.53	-
PK	5.203G	104.23	Inf	-Inf	2.80	3	Vertical	208	1.53	-
PK	5.407G	54.76	74.00	-19.24	3.03	3	Vertical	208	1.53	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5210MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.88	54.00	-1.12	2.74	3	Horizontal	109	1.50	-
AV	5.222G	93.24	Inf	-Inf	2.82	3	Horizontal	109	1.50	-
AV	5.367G	42.73	54.00	-11.27	2.99	3	Horizontal	109	1.50	-
PK	5.144G	64.46	74.00	-9.54	2.74	3	Horizontal	109	1.50	-
PK	5.216G	104.82	Inf	-Inf	2.82	3	Horizontal	109	1.50	-
PK	5.372G	54.88	74.00	-19.12	2.99	3	Horizontal	109	1.50	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5210MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	52.32	54.00	-1.68	2.74	3	Vertical	204	1.46	-
AV	5.235G	92.49	Inf	-Inf	2.84	3	Vertical	204	1.46	-
AV	5.415G	44.49	54.00	-9.51	3.05	3	Vertical	204	1.46	-
PK	5.149995G	65.25	74.00	-8.75	2.74	3	Vertical	204	1.46	-
PK	5.236G	101.58	Inf	-Inf	2.84	3	Vertical	204	1.46	-
PK	5.429G	54.44	74.00	-19.56	3.06	3	Vertical	204	1.46	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5210MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.149995G	53.11	54.00	-0.89	2.74	3	Horizontal	120	1.52	-
AV	5.242G	93.10	Inf	-Inf	2.85	3	Horizontal	120	1.52	-
AV	5.361G	44.62	54.00	-9.38	2.98	3	Horizontal	120	1.52	-
PK	5.147G	67.72	74.00	-6.28	2.74	3	Horizontal	120	1.52	-
PK	5.246G	102.02	Inf	-Inf	2.85	3	Horizontal	120	1.52	-
PK	5.363G	56.13	74.00	-17.87	2.98	3	Horizontal	120	1.52	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57836G	41.09	54.00	-12.91	13.11	3	Vertical	114	1.10	-
PK	10.58326G	53.65	74.00	-20.35	13.12	3	Vertical	114	1.10	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58122G	41.05	54.00	-12.95	13.12	3	Horizontal	320	1.94	-
PK	10.58106G	54.33	74.00	-19.67	13.12	3	Horizontal	320	1.94	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.57836G	41.09	54.00	-12.91	13.11	3	Vertical	114	1.10	-
PK	10.58326G	53.65	74.00	-20.35	13.12	3	Vertical	114	1.10	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.58122G	41.05	54.00	-12.95	13.12	3	Horizontal	320	1.94	-
PK	10.58106G	54.33	74.00	-19.67	13.12	3	Horizontal	320	1.94	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5290MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.096G	45.29	54.00	-8.71	2.68	3	Vertical	195	1.53	-
AV	5.259G	89.68	Inf	-Inf	2.86	3	Vertical	195	1.53	-
AV	5.355G	49.38	54.00	-4.62	2.97	3	Vertical	195	1.53	-
PK	5.104G	55.01	74.00	-18.99	2.68	3	Vertical	195	1.53	-
PK	5.263G	98.29	Inf	-Inf	2.87	3	Vertical	195	1.53	-
PK	5.381G	59.95	74.00	-14.05	3.01	3	Vertical	195	1.53	-
PK	5.508G	55.14	68.20	-13.06	3.16	3	Vertical	195	1.53	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5290MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.111G	45.61	54.00	-8.39	2.70	3	Horizontal	190	1.65	-
AV	5.322G	90.76	Inf	-Inf	2.94	3	Horizontal	190	1.65	-
AV	5.355G	53.10	54.00	-0.90	2.97	3	Horizontal	190	1.65	-
PK	5.136G	55.82	74.00	-18.18	2.73	3	Horizontal	190	1.65	-
PK	5.279G	100.25	Inf	-Inf	2.89	3	Horizontal	190	1.65	-
PK	5.363G	65.15	74.00	-8.85	2.98	3	Horizontal	190	1.65	-
PK	5.483G	55.92	68.20	-12.28	3.12	3	Horizontal	190	1.65	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05542G	41.80	54.00	-12.20	13.98	3	Vertical	256	1.08	-
PK	11.05924G	54.52	74.00	-19.48	13.98	3	Vertical	256	1.08	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.05628G	41.60	54.00	-12.40	13.98	3	Horizontal	25	1.26	-
PK	11.0563G	54.26	74.00	-19.74	13.98	3	Horizontal	25	1.26	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.21874G	41.69	54.00	-12.31	13.83	3	Vertical	227	2.40	-
PK	11.21838G	54.03	74.00	-19.97	13.83	3	Vertical	227	2.40	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5610MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.2163G	41.77	54.00	-12.23	13.83	3	Horizontal	239	2.43	-
PK	11.2243G	54.98	74.00	-19.02	13.82	3	Horizontal	239	2.43	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.36752G	41.78	54.00	-12.22	13.69	3	Vertical	161	1.43	-
PK	11.3827G	54.07	74.00	-19.93	13.68	3	Vertical	161	1.43	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX


03/08/2018



802.11ac VHT80_Nss2,(MCS0)_2TX

5530MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	52.81	54.00	-1.19	3.10	3	Vertical	192	1.50	-
AV	5.534G	93.74	Inf	-Inf	3.21	3	Vertical	192	1.50	-
PK	5.327G	55.09	68.20	-13.11	2.95	3	Vertical	192	1.50	-
PK	5.459995G	65.97	74.00	-8.03	3.10	3	Vertical	192	1.50	-
PK	5.468G	66.65	68.20	-1.55	3.11	3	Vertical	192	1.50	-
PK	5.526G	103.94	Inf	-Inf	3.19	3	Vertical	192	1.50	-
PK	5.759G	56.18	68.20	-12.02	3.65	3	Vertical	192	1.50	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5530MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.456G	51.50	54.00	-2.50	3.09	3	Horizontal	126	1.46	-
AV	5.538G	92.93	Inf	-Inf	3.22	3	Horizontal	126	1.46	-
PK	5.338G	54.89	68.20	-13.31	2.96	3	Horizontal	126	1.46	-
PK	5.459995G	62.65	74.00	-11.35	3.10	3	Horizontal	126	1.46	-
PK	5.467G	64.37	68.20	-3.83	3.11	3	Horizontal	126	1.46	-
PK	5.536G	104.64	Inf	-Inf	3.21	3	Horizontal	126	1.46	-
PK	5.747G	55.73	68.20	-12.47	3.63	3	Horizontal	126	1.46	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5610MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.457G	44.33	54.00	-9.67	3.09	3	Vertical	234	1.59	-
AV	5.606G	94.37	Inf	-Inf	3.35	3	Vertical	234	1.59	-
PK	5.456G	56.85	74.00	-17.15	3.09	3	Vertical	234	1.59	-
PK	5.464G	56.50	68.20	-11.70	3.10	3	Vertical	234	1.59	-
PK	5.603G	104.33	Inf	-Inf	3.35	3	Vertical	234	1.59	-
PK	5.726G	58.38	68.20	-9.82	3.59	3	Vertical	234	1.59	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5610MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459G	43.92	54.00	-10.08	3.10	3	Horizontal	153	1.41	-
AV	5.618G	92.50	Inf	-Inf	3.38	3	Horizontal	153	1.41	-
PK	5.449G	57.16	74.00	-16.84	3.08	3	Horizontal	153	1.41	-
PK	5.466G	55.82	68.20	-12.38	3.11	3	Horizontal	153	1.41	-
PK	5.616G	103.68	Inf	-Inf	3.37	3	Horizontal	153	1.41	-
PK	5.736G	57.55	68.20	-10.65	3.61	3	Horizontal	153	1.41	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.444G	42.40	54.00	-11.60	3.08	3	Vertical	264	1.24	-
AV	5.6936G	94.87	Inf	-Inf	3.53	3	Vertical	264	1.24	-
PK	5.4572G	55.82	74.00	-18.18	3.09	3	Vertical	264	1.24	-
PK	5.4644G	54.30	68.20	-13.90	3.11	3	Vertical	264	1.24	-
PK	5.6828G	104.65	Inf	-Inf	3.51	3	Vertical	264	1.24	-
PK	5.9204G	55.67	68.20	-12.53	3.97	3	Vertical	264	1.24	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4572G	42.17	54.00	-11.83	3.09	3	Horizontal	165	1.39	-
AV	5.6972G	93.72	Inf	-Inf	3.53	3	Horizontal	165	1.39	-
PK	5.4152G	54.33	74.00	-19.67	3.05	3	Horizontal	165	1.39	-
PK	5.4644G	54.22	68.20	-13.98	3.11	3	Horizontal	165	1.39	-
PK	5.696G	105.20	Inf	-Inf	3.53	3	Horizontal	165	1.39	-
PK	5.8604G	55.63	68.20	-12.57	3.84	3	Horizontal	165	1.39	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5530MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.459995G	53.06	54.00	-0.94	3.10	3	Vertical	194	1.61	-
AV	5.559G	93.85	Inf	-Inf	3.26	3	Vertical	194	1.61	-
PK	5.348G	54.11	68.20	-14.09	2.97	3	Vertical	194	1.61	-
PK	5.457G	66.21	74.00	-7.79	3.09	3	Vertical	194	1.61	-
PK	5.468G	66.75	68.20	-1.45	3.11	3	Vertical	194	1.61	-
PK	5.563G	102.23	Inf	-Inf	3.27	3	Vertical	194	1.61	-
PK	5.741G	56.53	68.20	-11.67	3.62	3	Vertical	194	1.61	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5530MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.458G	52.20	54.00	-1.80	3.09	3	Horizontal	123	1.49	-
AV	5.542G	93.64	Inf	-Inf	3.22	3	Horizontal	123	1.49	-
PK	5.299G	54.32	68.20	-13.88	2.91	3	Horizontal	123	1.49	-
PK	5.459995G	65.52	74.00	-8.48	3.10	3	Horizontal	123	1.49	-
PK	5.465G	65.39	68.20	-2.81	3.11	3	Horizontal	123	1.49	-
PK	5.563G	103.65	Inf	-Inf	3.27	3	Horizontal	123	1.49	-
PK	5.748G	56.21	68.20	-11.99	3.63	3	Horizontal	123	1.49	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5610MHz_TX

01/08/2018




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
AV	5.458G	46.57	54.00	-7.43	3.09	3	Vertical	233	1.57	-
AV	5.637G	94.87	Inf	-Inf	3.41	3	Vertical	233	1.57	-
PK	5.404G	56.61	74.00	-17.39	3.03	3	Vertical	233	1.57	-
PK	5.461G	56.19	68.20	-12.01	3.10	3	Vertical	233	1.57	-
PK	5.636G	104.22	Inf	-Inf	3.41	3	Vertical	233	1.57	-
PK	5.731G	59.32	68.20	-8.88	3.59	3	Vertical	233	1.57	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5610MHz_TX

01/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.453G	46.36	54.00	-7.64	3.09	3	Horizontal	150	1.46	-
AV	5.589G	93.91	Inf	-Inf	3.32	3	Horizontal	150	1.46	-
PK	5.455G	56.54	74.00	-17.46	3.09	3	Horizontal	150	1.46	-
PK	5.467G	56.34	68.20	-11.86	3.11	3	Horizontal	150	1.46	-
PK	5.593G	102.96	Inf	-Inf	3.33	3	Horizontal	150	1.46	-
PK	5.726G	57.03	68.20	-11.17	3.59	3	Horizontal	150	1.46	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4284G	42.20	54.00	-11.80	3.06	3	Vertical	37	2.45	-
AV	5.7176G	82.94	Inf	-Inf	3.57	3	Vertical	37	2.45	-
PK	5.4224G	54.82	74.00	-19.18	3.06	3	Vertical	37	2.45	-
PK	5.468G	53.93	68.20	-14.27	3.11	3	Vertical	37	2.45	-
PK	5.7188G	99.47	Inf	-Inf	3.58	3	Vertical	37	2.45	-
PK	5.9576G	56.00	68.20	-12.20	4.04	3	Vertical	37	2.45	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5690MHz Straddle 5.47-5.725GHz_TX

03/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4572G	42.12	54.00	-11.88	3.09	3	Horizontal	164	1.49	-
AV	5.7212G	86.26	Inf	-Inf	3.58	3	Horizontal	164	1.49	-
PK	5.4512G	54.04	74.00	-19.96	3.09	3	Horizontal	164	1.49	-
PK	5.4644G	53.89	68.20	-14.31	3.11	3	Horizontal	164	1.49	-
PK	5.7248G	103.29	Inf	-Inf	3.59	3	Horizontal	164	1.49	-
PK	5.9648G	55.63	68.20	-12.57	4.06	3	Horizontal	164	1.49	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.58G	42.62	54.00	-11.38	13.50	3	Vertical	145	1.32	-
PK	11.5424G	55.32	74.00	-18.68	13.53	3	Vertical	145	1.32	-

802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX

02/08/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.55342G	41.71	54.00	-12.29	13.52	3	Horizontal	355	1.97	-
PK	11.545G	54.48	74.00	-19.52	13.53	3	Horizontal	355	1.97	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5775MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7822G	94.86	Inf	-Inf	3.70	3	Vertical	206	1.30	-
PK	5.6502G	58.07	68.35	-10.28	3.44	3	Vertical	206	1.30	-
PK	5.7798G	104.62	Inf	-Inf	3.69	3	Vertical	206	1.30	-
PK	5.9286G	55.70	68.20	-12.50	3.99	3	Vertical	206	1.30	-

802.11ac VHT80_Nss2,(MCS0)_2TX

5775MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7786G	95.69	Inf	-Inf	3.69	3	Horizontal	182	1.69	-
PK	5.643G	56.84	68.20	-11.36	3.43	3	Horizontal	182	1.69	-
PK	5.7714G	106.70	Inf	-Inf	3.68	3	Horizontal	182	1.69	-
PK	5.9262G	55.86	68.20	-12.34	3.99	3	Horizontal	182	1.69	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5775MHz_TX

19/07/2018




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.8074G	96.76	Inf	-Inf	3.74	3	Vertical	202	1.50	-
PK	5.6502G	63.56	68.35	-4.79	3.44	3	Vertical	202	1.50	-
PK	5.8074G	105.05	Inf	-Inf	3.74	3	Vertical	202	1.50	-
PK	5.9286G	60.31	68.20	-7.89	3.99	3	Vertical	202	1.50	-

802.11ac VHT80_Nss2,(MCS9)_2TX

5775MHz_TX

19/07/2018



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7414G	96.70	Inf	-Inf	3.62	3	Horizontal	124	1.39	-
PK	5.643G	59.36	68.20	-8.84	3.43	3	Horizontal	124	1.39	-
PK	5.7474G	105.18	Inf	-Inf	3.63	3	Horizontal	124	1.39	-
PK	5.9262G	58.18	68.20	-10.02	3.99	3	Horizontal	124	1.39	-



RSE above 1GHz Result

Appendix F

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
1	Pass	AV	4.824G	48.02	54.00	-5.98	2.13	3	Vertical	244	1.50	-
2	Pass	AV	4.824G	47.25	54.00	-6.75	2.13	3	Vertical	244	1.50	-



Radiation-above 1GHz_1

08/08/2018

17:25



Lim.PK

PK

Lim.AV

AV

03CH01-HY

P1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
AV	4.80478G	29.77	54.00	-24.23	2.08	3	Vertical	75	1.67	-	27.69	31.19	5.19	34.30		
AV	4.824G	48.02	54.00	-5.98	2.13	3	Vertical	244	1.50	-	45.89	31.22	5.20	34.29		
PK	4.80478G	43.76	74.00	-30.24	2.08	3	Vertical	75	1.67	-	41.68	31.19	5.19	34.30		
PK	4.82406G	52.29	74.00	-21.71	2.13	3	Vertical	244	1.50	-	50.16	31.22	5.20	34.29		



Radiation-above 1GHz_1

08/08/2018

17:26



Lim.PK

PK

Lim.AV


AV

03CH01-HV

P2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
AV	4.80634G	28.76	54.00	-25.24	2.08	3	Horizontal	336	1.50	-	26.68	31.19	5.19	34.30		
AV	4.824G	46.08	54.00	-7.92	2.13	3	Horizontal	224	1.66	-	43.95	31.22	5.20	34.29		
PK	4.80634G	42.96	74.00	-31.04	2.08	3	Horizontal	336	1.50	-	40.88	31.19	5.19	34.30		
PK	4.82406G	51.94	74.00	-22.06	2.13	3	Horizontal	224	1.66	-	49.81	31.22	5.20	34.29		

Radiation-above 1GHz_2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Asimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.80478G	47.20	54.00	-6.80	2.08	3	Vertical	244	1.50	-	45.12	31.19	5.19	34.30
AV	10.36882G	40.80	54.00	-13.20	12.66	3	Vertical	167	1.50	-	28.14	39.42	8.00	34.76
PK	4.80478G	53.30	74.00	-20.70	2.08	3	Vertical	244	1.50	-	51.22	31.19	5.19	34.30
PK	10.37046G	53.23	74.00	-20.77	12.66	3	Vertical	167	1.50	-	40.57	39.42	8.00	34.76



Radiation-above 1GHz_2

08/08/2018

17:38



Lim.PK

PK

Lim.AV

AV

03CH01-HV

P2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
AV	4.80634G	27.85	54.00	-26.15	2.08	3	Horizontal	336	1.50	-	25.77	31.19	5.19	34.30		
AV	10.36876G	41.40	54.00	-12.60	12.66	3	Horizontal	161	1.97	-	28.74	39.42	8.00	34.76		
PK	4.80634G	42.27	74.00	-31.73	2.08	3	Horizontal	336	1.50	-	40.19	31.19	5.19	34.30		
PK	10.36432G	54.29	74.00	-19.71	12.64	3	Horizontal	161	1.97	-	41.65	39.41	8.00	34.77		