






DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference







2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500







2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500





A.8 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-48.51	≤-41.20	46.69	≤54	PASS
				AV	2353.970	-48.01	≤-41.20	47.19	≤54	PASS
				AV	2390.000	-48.19	≤-41.20	47.01	≤54	PASS
				Peak	2310.000	-40.76	≤-21.20	54.44	≤74	PASS
				Peak	2350.610	-36.92	≤-21.20	58.28	≤74	PASS
				Peak	2390.000	-39.06	≤-21.20	56.14	≤74	PASS
		High	2480	AV	2483.500	-45.41	≤-41.20	49.79	≤54	PASS
				AV	2484.000	-45.38	≤-41.20	49.82	≤54	PASS
				AV	2500.000	-47.62	≤-41.20	47.58	≤54	PASS
				Peak	2483.500	-39.76	≤-21.20	55.44	≤74	PASS
				Peak	2483.600	-38.86	≤-21.20	56.34	≤74	PASS
				Peak	2500.000	-42.49	≤-21.20	52.71	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-40.73	≤-21.20	54.47	≤74	PASS
				Peak	2362.790	-37.81	≤-21.20	57.39	≤74	PASS
				Peak	2390.000	-40.75	≤-21.20	54.45	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-39.97	≤-21.20	55.23	≤74	PASS
				Peak	2489.040	-37.45	≤-21.20	57.75	≤74	PASS
				Peak	2500.000	-37.57	≤-21.20	57.63	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-48.56	≤-41.20	46.64	≤54	PASS
				AV	2377.700	-48.05	≤-41.20	47.15	≤54	PASS
				AV	2390.000	-48.23	≤-41.20	46.97	≤54	PASS
				Peak	2310.000	-43.43	≤-21.20	51.77	≤74	PASS
				Peak	2344.730	-38.82	≤-21.20	56.38	≤74	PASS
				Peak	2390.000	-42.61	≤-21.20	52.59	≤74	PASS
		High	2480	AV	2483.500	-46.34	≤-41.20	48.86	≤54	PASS
				AV	2483.680	-46.29	≤-41.20	48.91	≤54	PASS
				AV	2500.000	-47.61	≤-41.20	47.59	≤54	PASS
				Peak	2483.500	-41.44	≤-21.20	53.76	≤74	PASS
				Peak	2484.240	-38.85	≤-21.20	56.35	≤74	PASS
				Peak	2500.000	-42.24	≤-21.20	52.96	≤74	PASS
		Low	Hop_24 02	Peak	2310.000	-39.83	≤-21.20	55.37	≤74	PASS
				Peak	2336.645	-37.18	≤-21.20	58.02	≤74	PASS
				Peak	2390.000	-40.26	≤-21.20	54.94	≤74	PASS
		High	Hop_24 80	Peak	2483.500	-39.43	≤-21.20	55.77	≤74	PASS
				Peak	2491.840	-37.26	≤-21.20	57.94	≤74	PASS
				Peak	2500.000	-39.47	≤-21.20	55.73	≤74	PASS




Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV



DH5_Ant1_High_2480_Peak




DH5_Ant1_Low_Hop_2402_Peak







DH5_Ant1_High_Hop_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak





2DH5_Ant1_Low_Hop_2402_Peak



2DH5_Ant1_High_Hop_2480_Peak

