



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1261.594	46.66	25.07	2.40	38.35	35.78	68.20	-32.42	VERTICAL	Peak
2	1827.606	46.47	25.98	2.97	37.80	37.62	68.20	-30.58	VERTICAL	Peak
3	3286.725	48.19	28.74	4.05	37.04	43.94	68.20	-24.26	VERTICAL	Peak
4	5328.045	45.23	31.77	6.07	36.88	46.19	68.20	-22.01	VERTICAL	Peak
5	10360.000	41.62	39.28	7.29	37.37	50.82	68.20	-17.38	VERTICAL	Peak
6	15540.000	37.93	39.05	9.88	35.39	51.47	74.00	-22.53	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1669.691	43.93	25.66	2.80	37.91	34.48	74.00	-39.52	HORIZONTAL	Peak
2	2315.584	45.00	27.17	3.33	37.62	37.88	74.00	-36.12	HORIZONTAL	Peak
3	4130.067	45.51	30.01	4.60	36.80	43.32	74.00	-30.68	HORIZONTAL	Peak
4	5144.137	45.44	31.72	5.62	36.86	45.92	74.00	-28.08	HORIZONTAL	Peak
5	10440.000	40.21	39.42	7.37	37.36	49.64	68.20	-18.56	HORIZONTAL	Peak
6	15660.000	37.89	38.86	9.87	35.39	51.23	74.00	-22.77	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1169.752	46.66	24.55	2.39	38.40	35.20	74.00	-38.80	VERTICAL	Peak
2	2070.083	45.03	26.23	3.13	37.68	36.71	68.20	-31.49	VERTICAL	Peak
3	4063.827	46.60	29.88	4.60	36.80	44.28	74.00	-29.72	VERTICAL	Peak
4	5787.815	44.61	32.16	6.10	36.89	45.98	68.20	-22.22	VERTICAL	Peak
5	10440.000	40.90	39.42	7.37	37.36	50.33	68.20	-17.87	VERTICAL	Peak
6	15660.000	38.50	38.86	9.87	35.39	51.84	74.00	-22.16	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1157.785	46.75	24.52	2.40	38.42	35.25	74.00	-38.75	HORIZONTAL Peak
2	2221.874	45.19	26.72	3.22	37.64	37.49	74.00	-36.51	HORIZONTAL Peak
3	3416.263	47.31	28.85	4.13	36.97	43.32	68.20	-24.88	HORIZONTAL Peak
4	5682.379	45.09	31.99	6.38	36.89	46.57	68.20	-21.63	HORIZONTAL Peak
5	10480.000	40.86	39.46	7.40	37.36	50.36	68.20	-17.84	HORIZONTAL Peak
6	15720.000	38.28	38.78	9.87	35.39	51.54	74.00	-22.46	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1302.761	45.46	25.21	2.60	38.31	34.96	74.00	-39.04	VERTICAL Peak
2	2282.387	44.56	27.06	3.29	37.63	37.28	74.00	-36.72	VERTICAL Peak
3	4485.163	44.61	30.78	4.99	36.81	43.57	68.20	-24.63	VERTICAL Peak
4	5727.420	44.71	32.07	6.25	36.89	46.14	68.20	-22.06	VERTICAL Peak
5	10480.000	42.15	39.46	7.40	37.36	51.65	68.20	-16.55	VERTICAL Peak
6	15720.000	37.55	38.78	9.87	35.39	50.81	74.00	-23.19	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1598.929	43.65	25.58	2.80	37.98	34.05	74.00	-39.95	HORIZONTAL	Peak
2	1789.694	46.04	25.92	2.98	37.81	37.13	68.20	-31.07	HORIZONTAL	Peak
3	4268.971	45.24	30.38	4.63	36.81	43.44	74.00	-30.56	HORIZONTAL	Peak
4	5350.407	45.09	31.77	6.05	36.88	46.03	74.00	-27.97	HORIZONTAL	Peak
5	10380.000	42.83	39.33	7.32	37.37	52.11	68.20	-16.09	HORIZONTAL	Peak
6	15570.000	38.47	38.99	9.88	35.39	51.95	74.00	-22.05	HORIZONTAL	Peak


Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1369.926	45.72	25.35	2.60	38.25	35.42	74.00	-38.58	VERTICAL Peak
2	2188.450	45.98	26.56	3.20	37.65	38.09	68.20	-30.11	VERTICAL Peak
3	3555.752	48.17	28.98	4.44	36.92	44.67	68.20	-23.53	VERTICAL Peak
4	5958.239	44.23	32.36	6.05	36.90	45.74	68.20	-22.46	VERTICAL Peak
5	10380.000	40.55	39.33	7.32	37.37	49.83	68.20	-18.37	VERTICAL Peak
6	15570.000	38.69	38.99	9.88	35.39	52.17	74.00	-21.83	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1558.693	44.18	25.54	2.80	38.03	34.49	74.00	-39.51	HORIZONTAL Peak
2	2104.234	46.84	26.30	3.15	37.68	38.61	68.20	-29.59	HORIZONTAL Peak
3	3689.094	46.88	29.22	4.55	36.88	43.77	74.00	-30.23	HORIZONTAL Peak
4	5102.131	46.17	31.72	5.65	36.86	46.68	74.00	-27.32	HORIZONTAL Peak
5	10460.000	40.53	39.42	7.37	37.36	49.96	68.20	-18.24	HORIZONTAL Peak
6	15690.000	37.82	38.86	9.87	35.39	51.16	74.00	-22.84	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1587.644	44.49	25.57	2.80	37.98	34.88	74.00	-39.12	VERTICAL Peak
2	2322.072	44.55	27.17	3.33	37.62	37.43	74.00	-36.57	VERTICAL Peak
3	3357.927	47.43	28.81	4.09	37.01	43.32	74.00	-30.68	VERTICAL Peak
4	5191.453	45.57	31.73	5.60	36.87	46.03	68.20	-22.17	VERTICAL Peak
5	10460.000	41.03	39.42	7.37	37.36	50.46	68.20	-17.74	VERTICAL Peak
6	15690.000	37.57	38.86	9.87	35.39	50.91	74.00	-23.09	VERTICAL Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.504	45.83	25.05	2.38	38.35	34.91	68.20	-33.29	HORIZONTAL	Peak
2	2216.851	46.05	26.68	3.21	37.64	38.30	74.00	-35.70	HORIZONTAL	Peak
3	3595.861	46.43	29.04	4.50	36.91	43.06	68.20	-25.14	HORIZONTAL	Peak
4	6383.945	43.02	33.68	5.91	36.98	45.63	68.20	-22.57	HORIZONTAL	Peak
5	10360.000	41.37	39.28	7.29	37.37	50.57	68.20	-17.63	HORIZONTAL	Peak
6	15540.000	37.37	39.05	9.88	35.39	50.91	74.00	-23.09	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1417.537	44.80	25.42	2.63	38.20	34.65	74.00	-39.35	VERTICAL Peak
2	1851.105	45.94	26.00	2.94	37.78	37.10	68.20	-31.10	VERTICAL Peak
3	3818.774	46.01	29.57	4.60	36.84	43.34	74.00	-30.66	VERTICAL Peak
4	5673.206	45.86	31.99	6.38	36.89	47.34	68.20	-20.86	VERTICAL Peak
5	10360.000	41.76	39.28	7.29	37.37	50.96	68.20	-17.24	VERTICAL Peak
6	15540.000	37.58	39.05	9.88	35.39	51.12	74.00	-22.88	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1646.654	43.97	25.63	2.80	37.93	34.47	68.20	-33.73	HORIZONTAL Peak
2	2056.652	45.43	26.19	3.12	37.69	37.05	68.20	-31.15	HORIZONTAL Peak
3	4168.702	45.55	30.09	4.60	36.80	43.44	74.00	-30.56	HORIZONTAL Peak
4	5605.947	44.90	31.89	6.30	36.89	46.20	68.20	-22.00	HORIZONTAL Peak
5	10440.000	40.84	39.42	7.37	37.36	50.27	68.20	-17.93	HORIZONTAL Peak
6	15660.000	37.66	38.86	9.87	35.39	51.00	74.00	-23.00	HORIZONTAL Peak


Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1126.036	46.29	24.42	2.21	38.43	34.49	74.00	-39.51	VERTICAL Peak
2	2216.352	45.85	26.68	3.21	37.64	38.10	74.00	-35.90	VERTICAL Peak
3	4385.436	44.76	30.64	4.69	36.81	43.28	74.00	-30.72	VERTICAL Peak
4	6148.185	43.71	32.77	6.12	36.93	45.67	68.20	-22.53	VERTICAL Peak
5	10440.000	40.50	39.42	7.37	37.36	49.93	68.20	-18.27	VERTICAL Peak
6	15660.000	37.73	38.86	9.87	35.39	51.07	74.00	-22.93	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1559.854	44.27	25.54	2.80	38.03	34.58	74.00	-39.42	HORIZONTAL Peak
2	2009.496	45.94	26.11	3.10	37.70	37.45	68.20	-30.75	HORIZONTAL Peak
3	4376.139	44.64	30.64	4.69	36.81	43.16	74.00	-30.84	HORIZONTAL Peak
4	6590.692	43.05	34.13	5.84	37.04	45.98	68.20	-22.22	HORIZONTAL Peak
5	10480.000	40.49	39.46	7.40	37.36	49.99	68.20	-18.21	HORIZONTAL Peak
6	15720.000	37.68	38.78	9.87	35.39	50.94	74.00	-23.06	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1521.838	43.93	25.51	2.80	38.07	34.17	74.00	-39.83	VERTICAL Peak
2	2274.903	45.16	27.01	3.28	37.63	37.82	74.00	-36.18	VERTICAL Peak
3	4199.936	45.11	30.15	4.60	36.81	43.05	74.00	-30.95	VERTICAL Peak
4	5085.371	45.21	31.71	5.66	36.86	45.72	74.00	-28.28	VERTICAL Peak
5	10480.000	41.16	39.46	7.40	37.36	50.66	68.20	-17.54	VERTICAL Peak
6	15720.000	38.36	38.78	9.87	35.39	51.62	74.00	-22.38	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: Low




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1636.073	44.05	25.62	2.80	37.95	34.52	68.20	-33.68	HORIZONTAL Peak
2	1823.847	46.21	25.97	2.98	37.80	37.36	68.20	-30.84	HORIZONTAL Peak
3	3575.033	46.30	29.00	4.47	36.92	42.85	68.20	-25.35	HORIZONTAL Peak
4	5713.801	44.23	32.04	6.33	36.89	45.71	68.20	-22.49	HORIZONTAL Peak
5	10380.000	40.07	39.33	7.32	37.37	49.35	68.20	-18.85	HORIZONTAL Peak
6	15570.000	37.21	38.99	9.88	35.39	50.69	74.00	-23.31	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1697.184	44.14	25.71	2.80	37.89	34.76	74.00	-39.24	VERTICAL	Peak
2	2281.537	44.17	27.03	3.28	37.63	36.85	74.00	-37.15	VERTICAL	Peak
3	3436.791	48.05	28.87	4.16	36.97	44.11	68.20	-24.09	VERTICAL	Peak
4	5260.319	45.39	31.75	5.77	36.87	46.04	68.20	-22.16	VERTICAL	Peak
5	10380.000	41.51	39.33	7.32	37.37	50.79	68.20	-17.41	VERTICAL	Peak
6	15570.000	37.42	38.99	9.88	35.39	50.90	74.00	-23.10	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



race: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1378.904	44.92	25.36	2.60	38.25	34.63	74.00	-39.37	HORIZONTAL	Peak
2	2372.028	45.06	27.30	3.45	37.60	38.21	74.00	-35.79	HORIZONTAL	Peak
3	4325.511	44.73	30.54	4.67	36.81	43.13	74.00	-30.87	HORIZONTAL	Peak
4	6979.830	42.74	34.97	5.81	37.23	46.29	68.20	-21.91	HORIZONTAL	Peak
5	10460.000	40.60	39.42	7.37	37.36	50.03	68.20	-18.17	HORIZONTAL	Peak
6	15690.000	37.14	38.86	9.87	35.39	50.48	74.00	-23.52	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1536.208	44.18	25.53	2.80	38.07	34.44	74.00	-39.56	VERTICAL Peak
2	2011.427	45.04	26.12	3.10	37.70	36.56	68.20	-31.64	VERTICAL Peak
3	4079.753	47.01	29.90	4.60	36.80	44.71	74.00	-29.29	VERTICAL Peak
4	6525.223	42.78	34.03	5.84	37.02	45.63	68.20	-22.57	VERTICAL Peak
5	10460.000	40.96	39.42	7.37	37.36	50.39	68.20	-17.81	VERTICAL Peak
6	15690.000	37.29	38.86	9.87	35.39	50.63	74.00	-23.37	VERTICAL Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



race: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1446.009	44.77	25.45	2.70	38.17	34.75	74.00	-39.25	HORIZONTAL Peak
2	1972.542	46.65	26.09	3.05	37.71	38.08	68.20	-30.12	HORIZONTAL Peak
3	3189.902	47.94	28.57	3.99	37.09	43.41	68.20	-24.79	HORIZONTAL Peak
4	6829.360	44.22	34.74	5.82	37.13	47.65	68.20	-20.55	HORIZONTAL Peak
5	10420.000	39.98	39.38	7.35	37.36	49.35	68.20	-18.85	HORIZONTAL Peak
6	15630.000	38.36	38.92	9.87	35.39	51.76	74.00	-22.24	HORIZONTAL Peak


Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1654.708	44.28	25.64	2.80	37.93	34.79	68.20	-33.41	VERTICAL Peak
2	1853.427	46.55	26.00	2.94	37.78	37.71	68.20	-30.49	VERTICAL Peak
3	4386.537	44.73	30.66	4.70	36.81	43.28	74.00	-30.72	VERTICAL Peak
4	6434.920	42.58	33.83	5.88	36.99	45.30	68.20	-22.90	VERTICAL Peak
5	10420.000	41.30	39.38	7.35	37.36	50.67	68.20	-17.53	VERTICAL Peak
6	15630.000	38.79	38.92	9.87	35.39	52.19	74.00	-21.81	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ax; Bandwidth: 20MHz; Channel: Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1424.241	44.84	25.42	2.64	38.20	34.70	74.00	-39.30	HORIZONTAL	Peak
2	2362.597	44.61	27.27	3.42	37.60	37.70	74.00	-36.30	HORIZONTAL	Peak
3	3263.314	47.72	28.70	4.03	37.04	43.41	74.00	-30.59	HORIZONTAL	Peak
4	5502.895	44.46	31.80	6.40	36.88	45.78	68.20	-22.42	HORIZONTAL	Peak
5	10360.000	42.51	39.28	7.29	37.37	51.71	68.20	-16.49	HORIZONTAL	Peak
6	15540.000	37.70	39.05	9.88	35.39	51.24	74.00	-22.76	HORIZONTAL	Peak


Test Mode: 02; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1493.108	44.04	25.50	2.79	38.10	34.23	74.00	-39.77	VERTICAL Peak
2	2382.730	44.18	27.31	3.46	37.60	37.35	74.00	-36.65	VERTICAL Peak
3	3734.722	46.22	29.35	4.57	36.87	43.27	74.00	-30.73	VERTICAL Peak
4	6307.585	43.43	33.44	5.97	36.96	45.88	68.20	-22.32	VERTICAL Peak
5	10360.000	41.57	39.28	7.29	37.37	50.77	68.20	-17.43	VERTICAL Peak
6	15540.000	37.91	39.05	9.88	35.39	51.45	74.00	-22.55	VERTICAL Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1258.003	46.29	25.05	2.38	38.35	35.37	68.20	-32.83	HORIZONTAL	Peak
2	1955.509	46.86	26.08	3.01	37.73	38.22	68.20	-29.98	HORIZONTAL	Peak
3	4178.513	44.37	30.12	4.60	36.80	42.29	74.00	-31.71	HORIZONTAL	Peak
4	5917.193	44.11	32.33	5.95	36.90	45.49	68.20	-22.71	HORIZONTAL	Peak
5	10440.000	41.14	39.42	7.37	37.36	50.57	68.20	-17.63	HORIZONTAL	Peak
6	15660.000	37.56	38.86	9.87	35.39	50.90	74.00	-23.10	HORIZONTAL	Peak


Test Mode: 02; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1609.933	44.02	25.59	2.80	37.98	34.43	74.00	-39.57	VERTICAL	Peak
2	1784.402	46.29	25.92	2.97	37.83	37.35	68.20	-30.85	VERTICAL	Peak
3	3314.350	47.47	28.77	4.07	37.02	43.29	68.20	-24.91	VERTICAL	Peak
4	5165.104	45.55	31.73	5.61	36.87	46.02	68.20	-22.18	VERTICAL	Peak
5	10440.000	40.77	39.42	7.37	37.36	50.20	68.20	-18.00	VERTICAL	Peak
6	15660.000	37.56	38.86	9.87	35.39	50.90	74.00	-23.10	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
		Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1202.911	45.78	24.70	2.34	38.39	34.43	74.00	-39.57	HORIZONTAL	Peak
2	2120.516	45.46	26.34	3.17	37.67	37.30	68.20	-30.90	HORIZONTAL	Peak
3	3965.428	45.62	29.77	4.60	36.81	43.18	74.00	-30.82	HORIZONTAL	Peak
4	5574.450	44.43	31.86	6.33	36.89	45.73	68.20	-22.47	HORIZONTAL	Peak
5	10480.000	40.69	39.46	7.40	37.36	50.19	68.20	-18.01	HORIZONTAL	Peak
6	15720.000	37.84	38.78	9.87	35.39	51.10	74.00	-22.90	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1290.642	44.73	25.17	2.55	38.31	34.14	68.20	-34.06	VERTICAL	Peak
2	2180.573	44.59	26.54	3.19	37.66	36.66	68.20	-31.54	VERTICAL	Peak
3	3521.434	46.93	28.94	4.38	36.93	43.32	68.20	-24.88	VERTICAL	Peak
4	5361.922	45.00	31.78	6.03	36.88	45.93	74.00	-28.07	VERTICAL	Peak
5	10480.000	40.91	39.46	7.40	37.36	50.41	68.20	-17.79	VERTICAL	Peak
6	15720.000	37.58	38.78	9.87	35.39	50.84	74.00	-23.16	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ax; Bandwidth: 40MHz; Channel: Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1272.312	45.37	25.11	2.46	38.33	34.61	68.20	-33.59	HORIZONTAL	Peak
2	1740.335	46.49	25.83	2.87	37.85	37.34	68.20	-30.86	HORIZONTAL	Peak
3	3600.892	46.36	29.04	4.50	36.91	42.99	74.00	-31.01	HORIZONTAL	Peak
4	5050.393	45.81	31.71	5.68	36.86	46.34	74.00	-27.66	HORIZONTAL	Peak
5	10380.000	40.89	39.33	7.32	37.37	50.17	68.20	-18.03	HORIZONTAL	Peak
6	15570.000	37.34	38.99	9.88	35.39	50.82	74.00	-23.18	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1275.336	45.10	25.12	2.48	38.33	34.37	68.20	-33.83	VERTICAL	Peak
2	1971.588	46.57	26.09	3.05	37.71	38.00	68.20	-30.20	VERTICAL	Peak
3	3706.122	47.32	29.25	4.56	36.88	44.25	74.00	-29.75	VERTICAL	Peak
4	5826.889	45.47	32.23	6.04	36.90	46.84	68.20	-21.36	VERTICAL	Peak
5	10380.000	43.04	39.33	7.32	37.37	52.32	68.20	-15.88	VERTICAL	Peak
6	15570.000	37.25	38.99	9.88	35.39	50.73	74.00	-23.27	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1191.517	46.01	24.65	2.36	38.39	34.63	74.00	-39.37	HORIZONTAL	Peak
2	2258.065	46.64	26.95	3.27	37.64	39.22	74.00	-34.78	HORIZONTAL	Peak
3	4437.152	44.49	30.73	4.83	36.81	43.24	68.20	-24.96	HORIZONTAL	Peak
4	5638.228	44.97	31.93	6.33	36.89	46.34	68.20	-21.86	HORIZONTAL	Peak
5	10460.000	41.14	39.42	7.37	37.36	50.57	68.20	-17.63	HORIZONTAL	Peak
6	15690.000	38.03	38.86	9.87	35.39	51.37	74.00	-22.63	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ax; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1158.169	46.31	24.52	2.40	38.42	34.81	74.00	-39.19	VERTICAL	Peak
2	2111.728	45.66	26.32	3.16	37.68	37.46	68.20	-30.74	VERTICAL	Peak
3	3867.802	45.26	29.64	4.60	36.83	42.67	74.00	-31.33	VERTICAL	Peak
4	5595.516	44.56	31.89	6.30	36.89	45.86	68.20	-22.34	VERTICAL	Peak
5	10460.000	40.27	39.42	7.37	37.36	49.70	68.20	-18.50	VERTICAL	Peak
6	15690.000	38.25	38.86	9.87	35.39	51.59	74.00	-22.41	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:80MHz; Channel:middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1535.099	44.78	25.52	2.80	38.07	35.03	74.00	-38.97	HORIZONTAL	Peak
2	2176.758	45.22	26.51	3.19	37.66	37.26	68.20	-30.94	HORIZONTAL	Peak
3	3383.735	47.47	28.83	4.10	36.99	43.41	68.20	-24.79	HORIZONTAL	Peak
4	6629.172	43.47	34.20	5.83	37.05	46.45	68.20	-21.75	HORIZONTAL	Peak
5	10420.000	41.61	39.38	7.35	37.36	50.98	68.20	-17.22	HORIZONTAL	Peak
6	15630.000	37.32	38.92	9.87	35.39	50.72	74.00	-23.28	HORIZONTAL	Peak


Test Mode: 02; Polarity: Vertical; Modulation: 802.11ax; Bandwidth: 80MHz; Channel: middle



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1330.776	45.04	25.28	2.60	38.29	34.63	74.00	-39.37	VERTICAL	Peak
2	1732.438	47.10	25.80	2.85	37.87	37.88	68.20	-30.32	VERTICAL	Peak
3	4107.607	46.69	29.96	4.60	36.80	44.45	74.00	-29.55	VERTICAL	Peak
4	5034.599	45.07	31.70	5.69	36.85	45.61	74.00	-28.39	VERTICAL	Peak
5	10420.000	41.07	39.38	7.35	37.36	50.44	68.20	-17.76	VERTICAL	Peak
6	15630.000	38.17	38.92	9.87	35.39	51.57	74.00	-22.43	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1395.978	44.17	25.38	2.60	38.22	33.93	74.00	-40.07	HORIZONTAL	Peak
2	2211.921	44.74	26.68	3.21	37.65	36.98	74.00	-37.02	HORIZONTAL	Peak
3	4317.332	44.81	30.51	4.66	36.81	43.17	74.00	-30.83	HORIZONTAL	Peak
4	5189.368	45.00	31.73	5.60	36.87	45.46	68.20	-22.74	HORIZONTAL	Peak
5	10520.000	41.28	39.50	7.42	37.35	50.85	68.20	-17.35	HORIZONTAL	Peak
6	15780.000	38.27	38.70	9.86	35.39	51.44	74.00	-22.56	HORIZONTAL	Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1654.017	44.23	25.64	2.80	37.93	34.74	68.20	-33.46	VERTICAL Peak
2	2274.014	44.77	27.01	3.28	37.63	37.43	74.00	-36.57	VERTICAL Peak
3	3763.143	45.84	29.45	4.59	36.86	43.02	74.00	-30.98	VERTICAL Peak
4	5636.179	44.74	31.93	6.33	36.89	46.11	68.20	-22.09	VERTICAL Peak
5	10520.000	41.29	39.50	7.42	37.35	50.86	68.20	-17.34	VERTICAL Peak
6	15780.000	37.77	38.70	9.86	35.39	50.94	74.00	-23.06	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1660.901	44.02	25.65	2.80	37.93	34.54	74.00	-39.46	HORIZONTAL	Peak
2	1832.031	46.20	25.98	2.97	37.80	37.35	68.20	-30.85	HORIZONTAL	Peak
3	3301.535	48.20	28.75	4.06	37.03	43.98	68.20	-24.22	HORIZONTAL	Peak
4	6982.959	42.87	34.97	5.81	37.23	46.42	68.20	-21.78	HORIZONTAL	Peak
5	10600.000	41.36	39.59	7.46	37.34	51.07	68.20	-17.13	HORIZONTAL	Peak
6	15900.000	38.86	38.44	9.86	35.40	51.76	74.00	-22.24	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1425.215	45.19	25.43	2.65	38.20	35.07	74.00	-38.93	VERTICAL Peak
2	2285.403	44.34	27.06	3.29	37.63	37.06	74.00	-36.94	VERTICAL Peak
3	3693.427	46.50	29.22	4.55	36.88	43.39	74.00	-30.61	VERTICAL Peak
4	6721.506	42.05	34.44	5.83	37.09	45.23	68.20	-22.97	VERTICAL Peak
5	10600.000	41.31	39.59	7.46	37.34	51.02	68.20	-17.18	VERTICAL Peak
6	15900.000	38.09	38.44	9.86	35.40	50.99	74.00	-23.01	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1669.712	44.06	25.66	2.80	37.91	34.61	74.00	-39.39	HORIZONTAL	Peak
2	2204.895	46.07	26.65	3.21	37.65	38.28	74.00	-35.72	HORIZONTAL	Peak
3	4261.392	45.25	30.38	4.63	36.81	43.45	74.00	-30.55	HORIZONTAL	Peak
4	5032.037	44.78	31.70	5.69	36.85	45.32	74.00	-28.68	HORIZONTAL	Peak
5	10640.000	41.34	39.63	7.48	37.33	51.12	74.00	-22.88	HORIZONTAL	Peak
6	15960.000	37.83	38.37	9.85	35.40	50.65	74.00	-23.35	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1623.354	44.68	25.61	2.80	37.95	35.14	74.00	-38.86	VERTICAL	Peak
2	2344.637	45.00	27.24	3.38	37.61	38.01	74.00	-35.99	VERTICAL	Peak
3	4321.187	45.31	30.51	4.66	36.81	43.67	74.00	-30.33	VERTICAL	Peak
4	5907.569	43.88	32.33	5.95	36.90	45.26	68.20	-22.94	VERTICAL	Peak
5	10640.000	41.81	39.63	7.48	37.33	51.59	74.00	-22.41	VERTICAL	Peak
6	15960.000	38.10	38.37	9.85	35.40	50.92	74.00	-23.08	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1263.266	45.60	25.08	2.42	38.33	34.77	68.20	-33.43	HORIZONTAL Peak
2	2337.106	45.03	27.22	3.37	37.62	38.00	74.00	-36.00	HORIZONTAL Peak
3	3695.945	45.93	29.22	4.55	36.88	42.82	74.00	-31.18	HORIZONTAL Peak
4	5060.792	44.79	31.71	5.67	36.86	45.31	74.00	-28.69	HORIZONTAL Peak
5	10520.000	42.14	39.50	7.42	37.35	51.71	68.20	-16.49	HORIZONTAL Peak
6	15780.000	38.72	38.70	9.86	35.39	51.89	74.00	-22.11	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1527.659	44.57	25.52	2.80	38.07	34.82	74.00	-39.18	VERTICAL	Peak
2	2333.873	45.15	27.20	3.36	37.62	38.09	74.00	-35.91	VERTICAL	Peak
3	3513.858	47.25	28.92	4.35	36.93	43.59	68.20	-24.61	VERTICAL	Peak
4	5448.936	44.54	31.79	6.26	36.88	45.71	74.00	-28.29	VERTICAL	Peak
5	10520.000	41.50	39.50	7.42	37.35	51.07	68.20	-17.13	VERTICAL	Peak
6	15780.000	37.66	38.70	9.86	35.39	50.83	74.00	-23.17	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1600.835	44.00	25.58	2.80	37.98	34.40	74.00	-39.60	HORIZONTAL	Peak
2	1841.307	46.42	25.99	2.96	37.78	37.59	68.20	-30.61	HORIZONTAL	Peak
3	3193.864	47.81	28.58	4.00	37.09	43.30	68.20	-24.90	HORIZONTAL	Peak
4	6882.681	42.31	34.82	5.82	37.16	45.79	68.20	-22.41	HORIZONTAL	Peak
5	10600.000	42.01	39.59	7.46	37.34	51.72	68.20	-16.48	HORIZONTAL	Peak
6	15900.000	37.24	38.44	9.86	35.40	50.14	74.00	-23.86	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1141.368	46.33	24.47	2.30	38.42	34.68	74.00	-39.32	VERTICAL	Peak
2	2309.730	45.67	27.15	3.32	37.62	38.52	68.20	-29.68	VERTICAL	Peak
3	4359.203	44.86	30.59	4.68	36.81	43.32	74.00	-30.68	VERTICAL	Peak
4	5741.917	44.71	32.10	6.20	36.89	46.12	68.20	-22.08	VERTICAL	Peak
5	10600.000	41.29	39.59	7.46	37.34	51.00	68.20	-17.20	VERTICAL	Peak
6	15900.000	37.89	38.44	9.86	35.40	50.79	74.00	-23.21	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1616.615	44.23	25.60	2.80	37.95	34.68	74.00	-39.32	HORIZONTAL	Peak
2	2368.750	44.92	27.28	3.43	37.60	38.03	74.00	-35.97	HORIZONTAL	Peak
3	3882.488	46.23	29.66	4.60	36.83	43.66	74.00	-30.34	HORIZONTAL	Peak
4	5950.204	45.45	32.36	6.05	36.90	46.96	68.20	-21.24	HORIZONTAL	Peak
5	10640.000	41.42	39.63	7.48	37.33	51.20	74.00	-22.80	HORIZONTAL	Peak
6	15960.000	38.70	38.37	9.85	35.40	51.52	74.00	-22.48	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1631.208	44.13	25.61	2.80	37.95	34.59	68.20	-33.61	VERTICAL Peak
2	1811.609	45.94	25.96	2.99	37.81	37.08	68.20	-31.12	VERTICAL Peak
3	3466.281	47.05	28.88	4.22	36.95	43.20	68.20	-25.00	VERTICAL Peak
4	5392.576	44.60	31.78	6.00	36.88	45.50	74.00	-28.50	VERTICAL Peak
5	10640.000	41.19	39.63	7.48	37.33	50.97	74.00	-23.03	VERTICAL Peak
6	15960.000	38.05	38.37	9.85	35.40	50.87	74.00	-23.13	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1646.953	44.21	25.63	2.80	37.93	34.71	68.20	-33.49	HORIZONTAL Peak
2	1839.711	46.06	25.99	2.96	37.78	37.23	68.20	-30.97	HORIZONTAL Peak
3	4079.664	45.03	29.90	4.60	36.80	42.73	74.00	-31.27	HORIZONTAL Peak
4	5275.151	45.40	31.75	5.80	36.87	46.08	68.20	-22.12	HORIZONTAL Peak
5	10540.000	41.72	39.53	7.43	37.35	51.33	68.20	-16.87	HORIZONTAL Peak
6	15810.000	38.50	38.61	9.86	35.39	51.58	74.00	-22.42	HORIZONTAL Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1405.454	45.55	25.40	2.61	38.22	35.34	74.00	-38.66	VERTICAL Peak
2	2304.086	44.11	27.13	3.31	37.62	36.93	68.20	-31.27	VERTICAL Peak
3	4086.165	45.98	29.92	4.60	36.80	43.70	74.00	-30.30	VERTICAL Peak
4	6383.962	42.94	33.68	5.91	36.98	45.55	68.20	-22.65	VERTICAL Peak
5	10540.000	40.83	39.53	7.43	37.35	50.44	68.20	-17.76	VERTICAL Peak
6	15810.000	38.19	38.61	9.86	35.39	51.27	74.00	-22.73	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1336.642	45.97	25.28	2.60	38.29	35.56	74.00	-38.44	HORIZONTAL	Peak
2	2348.956	43.57	27.24	3.38	37.61	36.58	74.00	-37.42	HORIZONTAL	Peak
3	3393.244	46.70	28.84	4.10	36.98	42.66	68.20	-25.54	HORIZONTAL	Peak
4	6389.648	42.76	33.74	5.90	36.98	45.42	68.20	-22.78	HORIZONTAL	Peak
5	10620.000	42.94	39.59	7.46	37.34	52.65	74.00	-21.35	HORIZONTAL	Peak
6	15930.000	38.64	38.37	9.85	35.40	51.46	74.00	-22.54	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1391.245	44.74	25.38	2.60	38.22	34.50	74.00	-39.50	VERTICAL	Peak
2	2102.282	45.85	26.30	3.15	37.68	37.62	68.20	-30.58	VERTICAL	Peak
3	4307.753	44.54	30.48	4.65	36.81	42.86	74.00	-31.14	VERTICAL	Peak
4	6473.206	43.22	33.92	5.86	37.00	46.00	68.20	-22.20	VERTICAL	Peak
5	10620.000	43.08	39.59	7.46	37.34	52.79	74.00	-21.21	VERTICAL	Peak
6	15930.000	39.49	38.37	9.85	35.40	52.31	74.00	-21.69	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1293.286	45.05	25.18	2.57	38.31	34.49	68.20	-33.71	HORIZONTAL	Peak
2	1850.468	47.12	26.00	2.94	37.78	38.28	68.20	-29.92	HORIZONTAL	Peak
3	3322.091	47.86	28.77	4.07	37.02	43.68	68.20	-24.52	HORIZONTAL	Peak
4	6188.404	42.93	32.96	6.07	36.94	45.02	68.20	-23.18	HORIZONTAL	Peak
5	10520.000	42.46	39.50	7.42	37.35	52.03	68.20	-16.17	HORIZONTAL	Peak
6	15780.000	37.84	38.70	9.86	35.39	51.01	74.00	-22.99	HORIZONTAL	Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1336.450	45.60	25.28	2.60	38.29	35.19	74.00	-38.81	VERTICAL Peak
2	2221.892	45.59	26.72	3.22	37.64	37.89	74.00	-36.11	VERTICAL Peak
3	3873.603	46.17	29.66	4.60	36.83	43.60	74.00	-30.40	VERTICAL Peak
4	6438.069	43.18	33.83	5.88	37.00	45.89	68.20	-22.31	VERTICAL Peak
5	10520.000	41.68	39.50	7.42	37.35	51.25	68.20	-16.95	VERTICAL Peak
6	15780.000	38.79	38.70	9.86	35.39	51.96	74.00	-22.04	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1500.657	44.65	25.50	2.80	38.10	34.85	74.00	-39.15	HORIZONTAL Peak
2	2255.110	45.03	26.92	3.26	37.64	37.57	74.00	-36.43	HORIZONTAL Peak
3	4478.130	44.20	30.78	4.99	36.81	43.16	68.20	-25.04	HORIZONTAL Peak
4	6464.382	43.36	33.92	5.86	37.00	46.14	68.20	-22.06	HORIZONTAL Peak
5	10600.000	41.81	39.59	7.46	37.34	51.52	68.20	-16.68	HORIZONTAL Peak
6	15900.000	37.65	38.44	9.86	35.40	50.55	74.00	-23.45	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1340.282	45.42	25.29	2.60	38.27	35.04	74.00	-38.96	VERTICAL	Peak
2	1924.446	46.20	26.06	2.94	37.74	37.46	68.20	-30.74	VERTICAL	Peak
3	3748.455	46.03	29.39	4.58	36.86	43.14	74.00	-30.86	VERTICAL	Peak
4	6408.994	42.99	33.79	5.89	36.98	45.69	68.20	-22.51	VERTICAL	Peak
5	10600.000	41.94	39.59	7.46	37.34	51.65	68.20	-16.55	VERTICAL	Peak
6	15900.000	37.73	38.44	9.86	35.40	50.63	74.00	-23.37	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1317.352	44.95	25.24	2.60	38.29	34.50	74.00	-39.50	HORIZONTAL	Peak
2	2354.327	45.07	27.25	3.40	37.61	38.11	74.00	-35.89	HORIZONTAL	Peak
3	4476.142	44.63	30.78	4.99	36.81	43.59	68.20	-24.61	HORIZONTAL	Peak
4	6205.416	44.52	33.03	6.06	36.94	46.67	68.20	-21.53	HORIZONTAL	Peak
5	10640.000	42.20	39.63	7.48	37.33	51.98	74.00	-22.02	HORIZONTAL	Peak
6	15960.000	38.51	38.37	9.85	35.40	51.33	74.00	-22.67	HORIZONTAL	Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1188.018	46.77	24.63	2.36	38.39	35.37	74.00	-38.63	VERTICAL	Peak
2	1860.335	46.36	26.01	2.93	37.78	37.52	68.20	-30.68	VERTICAL	Peak
3	3842.836	45.62	29.60	4.60	36.84	42.98	74.00	-31.02	VERTICAL	Peak
4	6354.963	43.94	33.63	5.92	36.97	46.52	68.20	-21.68	VERTICAL	Peak
5	10640.000	40.52	39.63	7.48	37.33	50.30	74.00	-23.70	VERTICAL	Peak
6	15960.000	38.56	38.37	9.85	35.40	51.38	74.00	-22.62	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1638.083	44.41	25.62	2.80	37.93	34.90	68.20	-33.30	HORIZONTAL	Peak
2	2032.340	45.78	26.15	3.11	37.69	37.35	68.20	-30.85	HORIZONTAL	Peak
3	4171.272	45.10	30.09	4.60	36.80	42.99	74.00	-31.01	HORIZONTAL	Peak
4	6628.415	43.06	34.20	5.83	37.05	46.04	68.20	-22.16	HORIZONTAL	Peak
5	10540.000	40.54	39.53	7.43	37.35	50.15	68.20	-18.05	HORIZONTAL	Peak
6	15810.000	39.37	38.61	9.86	35.39	52.45	74.00	-21.55	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1371.425	45.47	25.35	2.60	38.25	35.17	74.00	-38.83	VERTICAL	Peak
2	1880.989	46.13	26.03	2.91	37.77	37.30	68.20	-30.90	VERTICAL	Peak
3	3921.924	46.35	29.72	4.60	36.82	43.85	74.00	-30.15	VERTICAL	Peak
4	6797.072	42.60	34.66	5.82	37.12	45.96	68.20	-22.24	VERTICAL	Peak
5	10540.000	41.07	39.53	7.43	37.35	50.68	68.20	-17.52	VERTICAL	Peak
6	15810.000	38.66	38.61	9.86	35.39	51.74	74.00	-22.26	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1205.878	45.83	24.72	2.33	38.39	34.49	74.00	-39.51	HORIZONTAL	Peak
2	1962.828	46.61	26.08	3.03	37.71	38.01	68.20	-30.19	HORIZONTAL	Peak
3	3986.367	45.47	29.78	4.60	36.81	43.04	74.00	-30.96	HORIZONTAL	Peak
4	6811.290	42.73	34.70	5.82	37.12	46.13	68.20	-22.07	HORIZONTAL	Peak
5	10620.000	42.08	39.59	7.46	37.34	51.79	74.00	-22.21	HORIZONTAL	Peak
6	15930.000	38.27	38.37	9.85	35.40	51.09	74.00	-22.91	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1459.689	44.40	25.46	2.73	38.17	34.42	74.00	-39.58	VERTICAL Peak
2	1845.151	45.94	25.99	2.95	37.78	37.10	68.20	-31.10	VERTICAL Peak
3	3453.827	47.25	28.88	4.20	36.96	43.37	68.20	-24.83	VERTICAL Peak
4	6511.934	43.06	34.00	5.84	37.01	45.89	68.20	-22.31	VERTICAL Peak
5	10620.000	41.13	39.59	7.46	37.34	50.84	74.00	-23.16	VERTICAL Peak
6	15930.000	38.70	38.37	9.85	35.40	51.52	74.00	-22.48	VERTICAL Peak


Test Mode: 03; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Trace: (Discrete)


	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1601.388	43.79	25.58	2.80	37.98	34.19	74.00	-39.81	HORIZONTAL Peak
2	2254.982	45.28	26.92	3.26	37.64	37.82	74.00	-36.18	HORIZONTAL Peak
3	4289.567	45.03	30.45	4.64	36.81	43.31	74.00	-30.69	HORIZONTAL Peak
4	6805.853	41.92	34.70	5.82	37.12	45.32	68.20	-22.88	HORIZONTAL Peak
5	10580.000	40.62	39.56	7.45	37.34	50.29	68.20	-17.91	HORIZONTAL Peak
6	15870.000	37.86	38.52	9.86	35.40	50.84	74.00	-23.16	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1413.197	45.42	25.41	2.63	38.20	35.26	74.00	-38.74	VERTICAL	Peak
2	2277.275	44.90	27.03	3.28	37.63	37.58	74.00	-36.42	VERTICAL	Peak
3	3790.233	45.40	29.50	4.60	36.85	42.65	74.00	-31.35	VERTICAL	Peak
4	6226.421	41.71	33.11	6.04	36.94	43.92	68.20	-24.28	VERTICAL	Peak
5	10580.000	41.27	39.56	7.45	37.34	50.94	68.20	-17.26	VERTICAL	Peak
6	15870.000	39.13	38.52	9.86	35.40	52.11	74.00	-21.89	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:Low



	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Level	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1608.936	44.66	25.59	2.80	37.98	35.07	74.00	-38.93	HORIZONTAL Peak
2	1881.171	47.20	26.03	2.91	37.77	38.37	68.20	-29.83	HORIZONTAL Peak
3	3922.071	48.26	29.72	4.60	36.82	45.76	74.00	-28.24	HORIZONTAL Peak
4	5315.296	50.00	31.77	6.08	36.88	50.97	68.20	-17.23	HORIZONTAL Peak
5	10520.000	41.85	39.50	7.42	37.35	51.42	68.20	-16.78	HORIZONTAL Peak
6	15780.000	38.84	38.70	9.86	35.39	52.01	74.00	-21.99	HORIZONTAL Peak


Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1513.337	43.99	25.51	2.80	38.07	34.23	74.00	-39.77	VERTICAL Peak
2	1887.559	45.79	26.03	2.91	37.75	36.98	68.20	-31.22	VERTICAL Peak
3	3562.204	48.69	28.99	4.45	36.92	45.21	68.20	-22.99	VERTICAL Peak
4	5460.174	49.73	31.79	6.26	36.88	50.90	68.20	-17.30	VERTICAL Peak
5	10520.000	42.41	39.50	7.42	37.35	51.98	68.20	-16.22	VERTICAL Peak
6	15780.000	39.49	38.70	9.86	35.39	52.66	74.00	-21.34	VERTICAL Peak


Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1204.583	46.24	24.70	2.34	38.39	34.89	74.00	-39.11	HORIZONTAL	Peak
2	2254.798	44.06	26.92	3.26	37.64	36.60	74.00	-37.40	HORIZONTAL	Peak
3	3855.442	48.36	29.62	4.60	36.84	45.74	74.00	-28.26	HORIZONTAL	Peak
4	6918.142	46.91	34.89	5.81	37.19	50.42	68.20	-17.78	HORIZONTAL	Peak
5	10600.000	41.59	39.59	7.46	37.34	51.30	68.20	-16.90	HORIZONTAL	Peak
6	15900.000	38.82	38.44	9.86	35.40	51.72	74.00	-22.28	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:middle




	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dB		
1	1496.037	44.91	25.50	2.79	38.10	35.10	74.00	-38.90	VERTICAL Peak
2	1994.112	45.50	26.10	3.09	37.70	36.99	68.20	-31.21	VERTICAL Peak
3	3633.538	49.09	29.09	4.51	36.90	45.79	74.00	-28.21	VERTICAL Peak
4	6119.734	48.75	32.72	6.13	36.92	50.68	68.20	-17.52	VERTICAL Peak
5	10600.000	41.23	39.59	7.46	37.34	50.94	68.20	-17.26	VERTICAL Peak
6	15900.000	38.48	38.44	9.86	35.40	51.38	74.00	-22.62	VERTICAL Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:20MHz; Channel:High




		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1205.379	45.59	24.72	2.33	38.39	34.25	74.00	-39.75	HORIZONTAL	Peak
2	1778.917	45.91	25.91	2.96	37.83	36.95	68.20	-31.25	HORIZONTAL	Peak
3	3552.875	49.37	28.98	4.44	36.92	45.87	68.20	-22.33	HORIZONTAL	Peak
4	5725.903	49.90	32.07	6.25	36.89	51.33	68.20	-16.87	HORIZONTAL	Peak
5	10640.000	41.36	39.63	7.48	37.33	51.14	74.00	-22.86	HORIZONTAL	Peak
6	15960.000	39.50	38.37	9.85	35.40	52.32	74.00	-21.68	HORIZONTAL	Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11ax; Bandwidth:20MHz; Channel:High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1349.647	44.59	25.31	2.60	38.27	34.23	74.00	-39.77	VERTICAL	Peak
2	2221.083	45.27	26.72	3.22	37.64	37.57	74.00	-36.43	VERTICAL	Peak
3	3205.073	49.94	28.60	4.00	37.09	45.45	68.20	-22.75	VERTICAL	Peak
4	5529.285	49.22	31.83	6.37	36.89	50.53	68.20	-17.67	VERTICAL	Peak
5	10640.000	41.89	39.63	7.48	37.33	51.67	74.00	-22.33	VERTICAL	Peak
6	15960.000	39.53	38.37	9.85	35.40	52.35	74.00	-21.65	VERTICAL	Peak

Test Mode: 03; Polarity: Horizontal; Modulation:802.11ax; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

	Freq	Read	Antenna	Cable	Preamp	Limit	Over		
	MHz	Level	Factor	Loss	Factor	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1401.376	45.15	25.39	2.61	38.22	34.93	74.00	-39.07	HORIZONTAL Peak
2	1904.517	46.84	26.04	2.91	37.75	38.04	68.20	-30.16	HORIZONTAL Peak
3	3351.953	49.83	28.80	4.08	37.01	45.70	74.00	-28.30	HORIZONTAL Peak
4	5406.612	48.87	31.79	6.06	36.88	49.84	74.00	-24.16	HORIZONTAL Peak
5	10540.000	40.97	39.53	7.43	37.35	50.58	68.20	-17.62	HORIZONTAL Peak
6	15810.000	38.06	38.61	9.86	35.39	51.14	74.00	-22.86	HORIZONTAL Peak