

DS600L

User Manual

Dewalt MOBILELOCK GPS positioning and the burglar alarm system is an innovative, wireless monitoring system design of valuable mobile assets are located. It provides tracking, notification and locate mobile assets and even in most indoor environments. Mobilelock management via a secure web site and phone menu system interface to the alarm dealer provides access to recurring revenue service. Assisted GPS technology to provide even the most indoor environments the ability of the three alarm notification contact via phone or email. The user can customize the features: Built-in sensors, such as vibration sensors, door magnetic switch sensors, temperature sensors, and other features. Water-resistant, heat resistant, Impact resistant. Portable, wireless capabilities.


Band Class Information

Supported Frequency Bands	• LTE Band 4 • LTE Band 13
---------------------------	--

Name	Picture
DS600L	
Adaptor	

Second Step:

Use the mobile phone or email to open the alarm function of the DS600L .You can connect the website: www.dewaltmobilelock.com And then you login and open the alarm function of the DS600L .



Third step:

Install the DS600L on the property that you want to protect. You can use screws to fix it.



System network structure

GPS alarm is currently the most advanced security Settings. GPS alarm more expensive than ordinary burglar alarm, and need to pay the additional service fee, so the popularity is not high. And alarm is based on a 4 g LTE network communication network, combining with the intelligent linkage of mobile phone and car anti-theft, this kind of alarm alarm is not restricted by distance, overlay network is wide, but need to pay the monthly rental. Buying guide to edit GPS alarm when the choose and buy, need to pay attention to is the comparison of several common GPS performance.

Appearance and installation instructions





FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

The distance between user and device should be no less than 20cm.