


Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.5
Date April 2, 2020
Temperature / Humidity 23 deg. C / 40 % RH
Engineer Yutaka Yoshida
Mode GSM



The gate sweep function was used to measure only the full power transmission period.

UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.5
Date April 2, 2020
Temperature / Humidity 23 deg. C / 40 % RH
Engineer Yutaka Yoshida

Mode GSM



The gate sweep function was used to measure only the full power transmission period.

UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No.	13274888H	No.6
Test place	Ise EMC Lab.	January 17, 2020
Shielded Room	No.6	January 17, 2020
Date	January 16, 2020	22 deg. C / 43 % RH
Temperature / Humidity	22 deg. C / 45 % RH	Tomohisa Nakagawa
Engineer	Tomohisa Nakagawa	Tomohisa Nakagawa
Mode	W-CDMA	



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 16, 2020
Temperature / Humidity 22 deg. C / 45 % RH
Engineer Tomohisa Nakagawa
Mode W-CDMA

No.6
January 17, 2020
22 deg. C / 43 % RH
Tomohisa Nakagawa




Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE

LTE Band 2 1.4MHz QPSK Low Channel RB1-0



LTE Band 2 1.4MHz QPSK High Channel RB1-5



LTE Band 2 1.4MHz QPSK Low Channel RB6-0




LTE Band 2 1.4MHz QPSK High Channel RB6-0



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE

LTE Band 2 5MHz QPSK Low Channel RB1-0



LTE Band 2 5MHz QPSK High Channel RB1-24



LTE Band 2 5MHz QPSK Low Channel RB25-0



LTE Band 2 5MHz QPSK High Channel RB25-0



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida


Mode LTE



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida

Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE


LTE Band 5 5MHz QPSK Low Channel RB1-0




LTE Band 5 5MHz QPSK High Channel RB1-24



LTE Band 5 5MHz QPSK Low Channel RB25-0




LTE Band 5 5MHz QPSK High Channel RB25-0



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.


4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN

Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124


Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 15, 2020
Temperature / Humidity 22 deg. C / 56 % RH
Engineer Yutaka Yoshida
Mode LTE



UL Japan, Inc.

Ise EMC Lab.

4383-326 Asama-cho, Ise-shi, Mie-ken 516-0021 JAPAN


Telephone : +81 596 24 8999

Facsimile : +81 596 24 8124

Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa
Mode LTE


No.6
January 20, 2020
22 deg. C / 45 % RH
Tomohisa Nakagawa



Band Edge (Conducted)


Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa

Mode LTE



Band Edge (Conducted)


Report No.	13274888H	No.6
Test place	Ise EMC Lab.	January 20, 2020
Shielded Room	No.6	January 20, 2020
Date	January 19, 2020	22 deg. C / 45 % RH
Temperature / Humidity	22 deg. C / 46 % RH	Tomohisa Nakagawa
Engineer	Tomohisa Nakagawa	
Mode	LTE	



Band Edge (Conducted)


Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa

Mode LTE




Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa
Mode LTE




Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa
Mode LTE



Band Edge (Conducted)


Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa
Mode LTE



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa

Mode LTE



Band Edge (Conducted)

Report No. 13274888H
Test place Ise EMC Lab.
Shielded Room No.6
Date January 19, 2020
Temperature / Humidity 22 deg. C / 46 % RH
Engineer Tomohisa Nakagawa

Mode LTE

