

---

# FCC Test Report

---

Report No.: AGC01110210718FE03D

**FCC ID** : 2AOKB-A3101J

**APPLICATION PURPOSE** : Class II Permissive Change

**PRODUCT DESIGNATION** : SoundCore mini

**BRAND NAME** : ANKER

**MODEL NAME** : A3101, A3101J

**APPLICANT** : Anker Innovations Limited

**DATE OF ISSUE** : Apr. 20, 2025

**STANDARD(S)** : FCC Part 15 Subpart C §15.247

**REPORT VERSION** : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



### Report Revise Record

| Report Version | Revise Time | Issued Date   | Valid Version | Notes           |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0           | /           | Apr. 20, 2025 | Valid         | Initial Release |

Note: The original test report AGC01110210718FE03C (dated Aug. 30, 2024 and tested from Aug. 15, 2024 to Aug. 30, 2024) was modified on Apr. 20, 2025, including the following changes and additions:

-The battery parameters is updated from DC 3.7V, 1800mAh to DC 3.8V 1460mAh(2\*730mAh);

For the above described change the following tests was considered to be necessary:

| Clause         | Testing                          |
|----------------|----------------------------------|
| §15.247 (b)(1) | RF Output Power                  |
| §15.209        | Radiated Spurious Emission       |
| §15.207        | AC Power Line Conducted Emission |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

## Table of Contents

|                                                                 |           |
|-----------------------------------------------------------------|-----------|
| <b>1. General Information .....</b>                             | <b>5</b>  |
| <b>2. Product Information .....</b>                             | <b>6</b>  |
| 2.1 Product Technical Description .....                         | 6         |
| 2.2 Test Frequency List .....                                   | 6         |
| 2.3 Related Submittal(S) / Grant (S) .....                      | 7         |
| 2.4 Test Methodology .....                                      | 7         |
| 2.5 Receiver Input Bandwidth .....                              | 7         |
| 2.6 Equally Average Use of Frequencies and Behaviour. ....      | 7         |
| 2.7 Pseudorandom Frequency Hopping Sequence .....               | 8         |
| 2.8 Special Accessories .....                                   | 9         |
| 2.9 Equipment Modifications .....                               | 9         |
| 2.10 Antenna Requirement .....                                  | 9         |
| <b>3. Test Environment .....</b>                                | <b>10</b> |
| 3.1 Address of The Test Laboratory .....                        | 10        |
| 3.2 Test Facility .....                                         | 10        |
| 3.3 Environmental Conditions .....                              | 11        |
| 3.4 Measurement Uncertainty .....                               | 11        |
| 3.5 List of Equipment Used .....                                | 12        |
| <b>4. System Test Configuration .....</b>                       | <b>13</b> |
| 4.1 EUT Configuration .....                                     | 13        |
| 4.2 EUT Exercise .....                                          | 13        |
| 4.3 Configuration of Tested System .....                        | 13        |
| 4.4 Equipment Used in Tested System .....                       | 13        |
| 4.5 Summary of Test Results .....                               | 14        |
| <b>5. Description of Test Modes .....</b>                       | <b>15</b> |
| <b>6. RF Output Power Measurement .....</b>                     | <b>16</b> |
| 6.1 Provisions Applicable .....                                 | 16        |
| 6.2 Measurement Procedure .....                                 | 16        |
| 6.3 Measurement Setup (Block Diagram of Configuration) .....    | 16        |
| 6.4 Measurement Result .....                                    | 17        |
| <b>7. Radiated Spurious Emission .....</b>                      | <b>23</b> |
| 7.1 Measurement Limit .....                                     | 23        |
| 7.2 Measurement Procedure .....                                 | 23        |
| 7.3 Measurement Setup (Block Diagram of Configuration) .....    | 26        |
| 7.4 Measurement Result .....                                    | 27        |
| <b>8. AC Power Line Conducted Emission Test .....</b>           | <b>33</b> |
| 8.1 Measurement Limit .....                                     | 33        |
| 8.2 Measurement Setup (Block Diagram of Configuration) .....    | 33        |
| 8.3 Preliminary Procedure of Line Conducted Emission Test ..... | 34        |
| 8.4 Final Procedure of Line Conducted Emission Test .....       | 34        |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

|                                                   |           |
|---------------------------------------------------|-----------|
| 8.5 Measurement Result .....                      | 34        |
| <b>Appendix I: Photographs of Test Setup.....</b> | <b>37</b> |
| <b>Appendix II: Photographs of Test EUT .....</b> | <b>37</b> |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

## 1. General Information

|                              |                                                                            |
|------------------------------|----------------------------------------------------------------------------|
| Applicant                    | Anker Innovations Limited                                                  |
| Address                      | Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt Road, Hong Kong |
| Manufacturer                 | Anker Innovations Limited                                                  |
| Address                      | Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt Road, Hong Kong |
| Factory                      | N/A                                                                        |
| Address                      | N/A                                                                        |
| Product Designation          | SoundCore mini                                                             |
| Brand Name                   | ANKER                                                                      |
| Test Model                   | A3101                                                                      |
| Series Model(s)              | A3101J                                                                     |
| Difference Description       | All the same except the model name                                         |
| Date of receipt of test item | Feb. 26, 2025                                                              |
| Date of Test                 | Apr. 15, 2025~ Apr. 20, 2025                                               |
| Deviation from Standard      | No any deviation from the test method                                      |
| Condition of Test Sample     | Normal                                                                     |
| Test Result                  | Pass                                                                       |
| Test Report Form No          | AGCER-FCC-BR_EDR-V1                                                        |

Note: The test results of this report relate only to the tested sample identified in this report.

|             |                                                                                     |               |
|-------------|-------------------------------------------------------------------------------------|---------------|
| Prepared By |  |               |
|             | Bibo Zhang<br>(Project Engineer)                                                    | Apr. 20, 2025 |
| Reviewed By |  |               |
|             | Calvin Liu<br>(Reviewer)                                                            | Apr. 20, 2025 |
| Approved By |  |               |
|             | Angela Li<br>(Authorized Officer)                                                   | Apr. 20, 2025 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 2. Product Information

### 2.1 Product Technical Description

|                           |                                                                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Technology Type           | Classic Bluetooth                                                                                                                          |
| Frequency Band            | 2400M-2483.5MHz                                                                                                                            |
| Operation Frequency Range | 2402MHz-2480MHz                                                                                                                            |
| Bluetooth Version         | V5.0                                                                                                                                       |
| Modulation Type           | BR <input checked="" type="checkbox"/> GFSK, EDR <input checked="" type="checkbox"/> π /4-DQPSK, <input checked="" type="checkbox"/> 8DPSK |
| Number of channels        | 79 of Channels                                                                                                                             |
| Channel Separation        | 1 MHz                                                                                                                                      |
| Maximum Transmitter Power | 3.418dBm                                                                                                                                   |
| Hardware Version          | VerE                                                                                                                                       |
| Software Version          | V1.3                                                                                                                                       |
| Antenna Designation       | PCB Antenna                                                                                                                                |
| Antenna Gain              | 0dBi                                                                                                                                       |
| Power Supply              | DC 3.8V 1460mAh(2*730mAh) by battery or DC 5V from adapter                                                                                 |

### 2.2 Test Frequency List

| Frequency Band | Channel Number | Test Frequency |
|----------------|----------------|----------------|
| 2400~2483.5MHz | 0              | 2402 MHz       |
|                | 1              | 2403 MHz       |
|                | :              | :              |
|                | 39             | 2441MHz        |
|                | :              | :              |
|                | 77             | 2479 MHz       |
|                | 78             | 2480 MHz       |

Note:  $f = 2402 + 1 \cdot k$  MHz,  $k = 0, \dots, 78$ ; “f” is the operating frequency (MHz); “k” is the operating channel.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

## 2.3 Related Submittal(S) / Grant (S)

This submittal(s) (test report) is intended for FCC ID: **2AOKB-A3101J**, filing to comply with Part 2, Part 15 of the Federal Communication Commission rules.

## 2.4 Test Methodology

The tests were performed according to following standards:

| No. | Identity                                         | Document Title                                                                                                                                                                            |
|-----|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1   | FCC 47 CFR Part 2                                | Frequency allocations and radio treaty matters; general rules and regulations                                                                                                             |
| 2   | FCC 47 CFR Part 15                               | Radio Frequency Devices                                                                                                                                                                   |
| 3   | ANSI C63.10-2013                                 | American National Standard for Testing Unlicensed Wireless Devices                                                                                                                        |
| 4   | KDB 558074<br>D01 15.247 Meas<br>Guidance v05r02 | Guidance for compliance measurements on Digital Transmission Systems, Frequency Hopping Spread Spectrum system, and Hybrid system devices operating under Section 15.247 of the FCC rules |

## 2.5 Receiver Input Bandwidth

The input bandwidth of the receiver is 1.3MHz, in every connection one Bluetooth device is the master and the other one is slave. The master determines the hopping sequence. The slave follows this sequence. Both devices shift between RX and TX time slot according to the clock of the master. Additionally, the type of connection (e.g. single or multi slot packet) is set up at the beginning of the connection. The master adapts its hopping frequency and its TX/RX timing according to the packet type of the connection. Also, the slave of the connection will use these settings. Repeating of a packet has no influence on the hopping sequence. The hopping sequence generated by the master of the connection will be followed in any case. That means, a repeated packet will not be send on the same frequency, it is send on the next frequency of the hopping sequence.

## 2.6 Equally Average Use of Frequencies and Behaviour.

The generation of the hopping sequence in connection mode depends essentially on two input values:

1. LAP/UAP of the master of the connection.
2. Internal master clock.

The LAP (lower address part) are the 24 LSB's of the 48 BD\_ADDRESS. The BD\_ADDRESS is an unambiguous number of every Bluetooth unit. The UAP (upper address part) are the 24MSB's of the 48BD\_ADDRESS

The internal clock of a Bluetooth unit is derived from a free running clock which is never adjusted and is never turned off. For behavior action with other units only offset is used. It has no relation to the time of the day. Its resolution is at least half the RX/TX slot length of 312.5us. The clock has a cycle of about one day(23h30).

In most case it is implemented as 28 bits counter. For the deriving of the hopping sequence the entire. LAP (24 bits),4LSB's(4bits) (Input 1) and the 27MSB's of the clock (Input 2) are used. With this input values different mathematical procedures (permutations, additions, XOR-operations) are performed to generate the Sequence. This will be done at the beginning of every new transmission.

Regarding short transmissions the Bluetooth system has the following behavior:

The first connection between the two devices is established, a hopping sequence was generated. For Transmitting the wanted data the complete hopping sequence was not used. The connection ended.

The second connection will be established. A new hopping sequence is generated. Due to the fact the Bluetooth clock has a different value, because the period between the two transmission is longer (and it Cannot be shorter) than the minimum resolution of the clock(312.5us). The hopping sequence will always differ from the first one.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 2.7 Pseudorandom Frequency Hopping Sequence


The pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONES; i.e. the shift register is initialized with nine ones.

- Number of shift register stages: 9
- Length of pseudo-random sequence:  $2^9 - 1 = 511$  bits
- Longest sequence of zeros: 8 (non-inverted signal)



Linear Feedback Shift Register for Generation of The PRBS Sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Each frequency used equally on the average by each transmitter.

The system receivers have input bandwidths that match the hopping channel bandwidths of their Corresponding transmitters and shift frequencies in synchronization with the transmitted signals.

## 2.8 Special Accessories

Not available for this EUT intended for grant.

## 2.9 Equipment Modifications

Not available for this EUT intended for grant.

## 2.10 Antenna Requirement

| Standard Requirement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>15.203 requirement:</b><br/>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.</p> <p><b>15.247(b) (4) requirement:</b><br/>The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi</p> |
| EUT Antenna                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <p>The non-detachable antenna inside the device cannot be replaced by the user at will. The gain of the antenna is 0dBi.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### 3. Test Environment

#### 3.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

#### 3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

##### **CNAS-Lab Code: L5488**

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

##### **A2LA-Lab Cert. No.: 5054.02**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

##### **FCC-Registration No.: 975832**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

##### **IC-Registration No.: 24842(CAB identifier: CN0063)**

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### 3.3 Environmental Conditions

|                         | Normal Conditions |
|-------------------------|-------------------|
| Temperature range (°C)  | 15 - 35           |
| Relative humidity range | 20 % - 75 %       |
| Pressure range (kPa)    | 86 - 106          |
| Power supply            | DC 5V             |

### 3.4 Measurement Uncertainty

The reported uncertainty of measurement  $y \pm U$ , where expanded uncertainty  $U$  is based on a standard uncertainty multiplied by a coverage factor of  $k=2$ , providing a level of confidence of approximately 95%.

| Item                                          | Measurement Uncertainty    |
|-----------------------------------------------|----------------------------|
| Uncertainty of Conducted Emission for AC Port | $U_c = \pm 2.9 \text{ dB}$ |
| Uncertainty of Radiated Emission below 1GHz   | $U_c = \pm 3.9 \text{ dB}$ |
| Uncertainty of Radiated Emission above 1GHz   | $U_c = \pm 4.9 \text{ dB}$ |
| Uncertainty of total RF Power, Conducted      | $U_c = \pm 0.8 \text{ dB}$ |
| Uncertainty of RF Power Density, Conducted    | $U_c = \pm 2.6 \text{ dB}$ |
| Uncertainty of Spurious Emissions, Conducted  | $U_c = \pm 2 \%$           |
| Uncertainty of Occupied Channel Bandwidth     | $U_c = \pm 2 \%$           |
| Uncertainty of Dwell Time                     | $U_c = \pm 2 \%$           |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

### 3.5 List of Equipment Used

| ● Radiated Spurious Emission        |               |                               |              |            |            |                           |                           |
|-------------------------------------|---------------|-------------------------------|--------------|------------|------------|---------------------------|---------------------------|
| Used                                | Equipment No. | Test Equipment                | Manufacturer | Model No.  | Serial No. | Last Cal. Date (YY-MM-DD) | Next Cal. Date (YY-MM-DD) |
| <input type="checkbox"/>            | AGC-EM-E046   | EMI Test Receiver             | R&S          | ESCI       | 10096      | 2025-01-14                | 2026-01-13                |
| <input checked="" type="checkbox"/> | AGC-EM-E116   | EMI Test Receiver             | R&S          | ESCI       | 100034     | 2024-05-24                | 2025-05-23                |
| <input checked="" type="checkbox"/> | AGC-EM-E061   | Spectrum Analyzer             | Agilent      | N9010A     | MY53470504 | 2024-05-28                | 2025-05-27                |
| <input checked="" type="checkbox"/> | AGC-EM-E086   | Loop Antenna                  | ZHINAN       | ZN30900C   | 18051      | 2024-03-05                | 2026-03-04                |
| <input checked="" type="checkbox"/> | AGC-EM-E001   | Wideband Antenna              | SCHWARZBECK  | VULB9168   | D69250     | 2023-05-11                | 2025-05-10                |
| <input checked="" type="checkbox"/> | AGC-EM-E029   | Broadband Ridged Horn Antenna | ETS          | 3117       | 00034609   | 2024-03-31                | 2025-03-30                |
| <input checked="" type="checkbox"/> | AGC-EM-E082   | Horn Antenna                  | SCHWARZBECK  | BBHA 9170  | #768       | 2023-09-24                | 2025-09-23                |
| <input checked="" type="checkbox"/> | AGC-EM-E146   | Pre-amplifier                 | ETS          | 3117-PA    | 00246148   | 2024-07-24                | 2026-07-23                |
| <input checked="" type="checkbox"/> | AGC-EM-A119   | 2.4G Filter                   | SongYi       | N/A        | N/A        | 2024-05-23                | 2025-05-22                |
| <input checked="" type="checkbox"/> | AGC-EM-A138   | 6dB Attenuator                | Eeatsheep    | LM-XX-6-5W | N/A        | 2023-06-09                | 2025-06-08                |
| <input type="checkbox"/>            | AGC-EM-A139   | 6dB Attenuator                | Eeatsheep    | LM-XX-6-5W | N/A        | 2023-06-09                | 2025-06-08                |

| ● AC Power Line Conducted Emission  |               |                   |              |            |            |                           |                           |
|-------------------------------------|---------------|-------------------|--------------|------------|------------|---------------------------|---------------------------|
| Used                                | Equipment No. | Test Equipment    | Manufacturer | Model No.  | Serial No. | Last Cal. Date (YY-MM-DD) | Next Cal. Date (YY-MM-DD) |
| <input checked="" type="checkbox"/> | AGC-EM-E045   | EMI Test Receiver | R&S          | ESPI       | 101206     | 2024-05-28                | 2025-05-27                |
| <input checked="" type="checkbox"/> | AGC-EM-A130   | 6dB Attenuator    | Eeatsheep    | LM-XX-6-5W | DC-6GZ     | 2023-06-09                | 2025-06-08                |
| <input checked="" type="checkbox"/> | AGC-EM-E023   | AMN               | R&S          | 100086     | ESH2-Z5    | 2024-05-28                | 2025-05-27                |

| ● Test Software                     |               |                     |              |                      |                     |
|-------------------------------------|---------------|---------------------|--------------|----------------------|---------------------|
| Used                                | Equipment No. | Test Equipment      | Manufacturer | Model No.            | Version Information |
| <input checked="" type="checkbox"/> | AGC-EM-S001   | CE Test System      | R&S          | ES-K1                | V1.71               |
| <input type="checkbox"/>            | AGC-EM-S003   | RE Test System      | FARA         | EZ-EMC               | VRA-03A             |
| <input checked="" type="checkbox"/> | AGC-ER-S012   | BT/WIFI Test System | Tonscend     | JS1120-2             | 2.6                 |
| <input checked="" type="checkbox"/> | AGC-EM-S011   | RSE Test System     | Tonscend     | TS+-Ver2.1(JS36-RSE) | 4.0.0.0             |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 4. System Test Configuration

### 4.1 EUT Configuration


The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

### 4.2 EUT Exercise


The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

### 4.3 Configuration of Tested System

Radiated Emission Configure:



Conducted Emission Configure:



### 4.4 Equipment Used in Tested System

The following peripheral devices and interface cables were connected during the measurement:

☒ Test Accessories Come From The Laboratory

| No. | Equipment | Manufacturer | Model No.     | Specification Information                                                                                                                | Cable |
|-----|-----------|--------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 1   | Adapter   | Huawei       | HW-200440 C00 | Input(AC): 100V-240V 50/60Hz 2.4A Output(DC): USB-C(5V/3A;9V/3A;10V/4A;11V/6A;12V/3A;15V/3A;20V4.4A) USB-A(5V/2A;10V/4A;11V/6A;20V/4.4A) | --    |

☒ Test Accessories Come From The Manufacturer

| No. | Equipment | Manufacturer | Model No. | Specification Information | Cable             |
|-----|-----------|--------------|-----------|---------------------------|-------------------|
| 1   | USB Cable | --           | --        | --                        | 0.535m unshielded |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

#### 4.5 Summary of Test Results

| Item | FCC Rules      | Description of Test              | Result |
|------|----------------|----------------------------------|--------|
| 1    | §15.247 (b)(1) | RF Output Power                  | Pass   |
| 2    | §15.209        | Radiated Spurious Emission       | Pass   |
| 3    | §15.207        | AC Power Line Conducted Emission | Pass   |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


## 5. Description of Test Modes

| Summary table of Test Cases     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Item                       | Data Rate / Modulation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|                                 | Bluetooth – BR_EDR (GFSK/π /4-DQPSK/8DPSK)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Radiated & Conducted Test Cases | Mode 1: Bluetooth Tx CH00_2402 MHz_1Mbps (Battery powered or AC/DC adapter)<br>Mode 2: Bluetooth Tx CH39_2441 MHz_1Mbps (Battery powered or AC/DC adapter)<br>Mode 3: Bluetooth Tx CH78_2480 MHz_1Mbps (Battery powered or AC/DC adapter)<br>Mode 4: Bluetooth Tx CH00_2402 MHz_2Mbps (Battery powered or AC/DC adapter)<br>Mode 5: Bluetooth Tx CH39_2441 MHz_2Mbps (Battery powered or AC/DC adapter)<br>Mode 6: Bluetooth Tx CH78_2480 MHz_2Mbps (Battery powered or AC/DC adapter)<br>Mode 7: Bluetooth Tx CH00_2402 MHz_3Mbps (Battery powered or AC/DC adapter)<br>Mode 8: Bluetooth Tx CH39_2441 MHz_3Mbps (Battery powered or AC/DC adapter)<br>Mode 9: Bluetooth Tx CH78_2480 MHz_3Mbps (Battery powered or AC/DC adapter)<br>Mode10: Bluetooth Tx Hopping-1Mbps (Battery powered or AC/DC adapter)<br>Mode11: Bluetooth Tx Hopping-2Mbps (Battery powered or AC/DC adapter)<br>Mode12: Bluetooth Tx Hopping-3Mbps (Battery powered or AC/DC adapter) |
| AC Conducted Emission           | Mode 1: Bluetooth Link + Battery + USB Cable (Charging from AC Adapter)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

Note:

- Only the result of the worst case was recorded in the report, if no other cases.
- The battery is full-charged during the test.
- For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- For Conducted Test method, a temporary antenna connector is provided by the manufacture.

Software Setting Diagram



The screenshot shows the 'Actions BT FCC Tool V2.24' interface. It includes several configuration fields: SOLUTION (ATS285X), COM (COM2), 115200, BQB Mode, RF Channel (78), Hopping Mode (Normal\_F), Packet Type (3DH5), Payload Type (PRBS9), TX Gain Index (4), RX Gain Index (0), Access Code 0x (AbDdE34125888888), and AGC Mode. Below these are buttons for Continue TX, Single Tone, Stop, Packet RX, and Hopping TX. A log window at the bottom displays test results in Chinese, including channel numbers, packet types, and durations.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## 6. RF Output Power Measurement

### 6.1 Provisions Applicable

The maximum out power permissible output power is 1 Watt for all frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels.

The maximum out power permissible output power is 0.125 watts for all other frequency hopping systems in the 2400-2483.5 MHz band.

### 6.2 Measurement Procedure

☒ For Peak power test:


1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
2. Span: Approximately five times the 20 dB bandwidth, centered on a hopping channel.
3. RBW > 20 dB bandwidth of the emission being measured.
4. VBW  $\geq$  RBW.
5. Sweep: Auto.
6. Detector function: Peak.
7. Trace: Max hold.
8. Allow trace to stabilize. Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak output power, after any corrections for external attenuators and cables.

☐ For Average power test:

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since this measurement is made only during the ON time of the transmitter, no duty cycle correction is required


### 6.3 Measurement Setup (Block Diagram of Configuration)

☐ For Average power test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

☒ For peak power test setup




#### 6.4 Measurement Result


| Test Data of Conducted Output Power |                      |                  |              |              |
|-------------------------------------|----------------------|------------------|--------------|--------------|
| Test Mode                           | Test Frequency (MHz) | Peak Power (dBm) | Limits (dBm) | Pass or Fail |
| GFSK                                | 2402                 | 2.599            | $\leq 21$    | Pass         |
|                                     | 2441                 | 2.458            | $\leq 21$    | Pass         |
|                                     | 2480                 | 2.401            | $\leq 21$    | Pass         |
| $\pi/4$ -DQPSK                      | 2402                 | 3.097            | $\leq 21$    | Pass         |
|                                     | 2441                 | 3.006            | $\leq 21$    | Pass         |
|                                     | 2480                 | 2.944            | $\leq 21$    | Pass         |
| 8DPSK                               | 2402                 | <b>3.418</b>     | $\leq 21$    | Pass         |
|                                     | 2441                 | 3.335            | $\leq 21$    | Pass         |
|                                     | 2480                 | 3.269            | $\leq 21$    | Pass         |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### Test Graphs of Conducted Output Power




Test\_Graph\_BR\_ANT1\_2402\_1Mbps\_Peak Power




Test\_Graph\_BR\_ANT1\_2441\_1Mbps\_Peak Power

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Test\_Graph\_EDR\_ANT1\_2402\_3Mbps\_Peak Power



Test\_Graph\_EDR\_ANT1\_2441\_3Mbps\_Peak Power

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

## 7. Radiated Spurious Emission

### 7.1 Measurement Limit

- 15.209 Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength<br>(microvolts/meter) | Measurement Distance<br>(meters) |
|----------------------|--------------------------------------|----------------------------------|
| 0.009~0.490          | 2400/F(kHz)                          | 300                              |
| 0.490~1.705          | 24000/F(kHz)                         | 30                               |
| 1.705~30.0           | 30                                   | 30                               |
| 30~88                | 100                                  | 3                                |
| 88~216               | 150                                  | 3                                |
| 216~960              | 200                                  | 3                                |
| Above 960            | 500                                  | 3                                |

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

### 7.2 Measurement Procedure

- The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

The following table is the setting of spectrum analyzer and receiver.

| Spectrum Parameter    | Setting                                                   |
|-----------------------|-----------------------------------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP                               |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP                               |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP                            |
| Start ~Stop Frequency | 1GHz~26.5GHz<br>1MHz/3MHz for Peak, 1MHz/3MHz for Average |

| Receiver Parameter    | Setting                        |
|-----------------------|--------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RB 200Hz for QP    |
| Start ~Stop Frequency | 150KHz~30MHz/RB 9KHz for QP    |
| Start ~Stop Frequency | 30MHz~1000MHz/RB 120KHz for QP |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

- **Quasi-Peak Measurements below 1GHz**

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. Span was set greater than 1MHz
3. RBW = as shown in the table above
4. Detector = CISPR quasi-peak
5. Sweep time = auto couple
6. Trace was allowed to stabilize

- **Peak Measurements above 1GHz**


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW = 3MHz
4. Detector = peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

- **Average Measurements above 1GHz**


1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 1MHz
3. VBW  $\geq [3 \times \text{RBW}]$
4. Detector = Power averaging (rms)
5. Averaging type = power (i.e., rms)
6. Sweep time = auto
7. Perform a trace average of at least 100 traces.
8. The applicable correction factor is  $[10 \cdot \log(1 / D)]$ , where D is the duty cycle. The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

### 7.3 Measurement Setup (Block Diagram of Configuration)


Radiated Emission Test Setup 9KHz-30MHz



Radiated Emission Test Setup 30MHz-1000MHz



Radiated Emission Test Setup Above 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).


## 7.4 Measurement Result

### Radiated Emission Below 30MHz

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.

#### Radiated Emission Test Results at 30MHz-1GHz

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 8         | <b>Antenna Polarity</b>  | Horizontal         |




#### Final Data List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity   |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|------------|
| 1   | 30.6379     | 20.81          | 9.87        | 40.00          | 19.19       | 100         | 260       | Horizontal |
| 2   | 42.8998     | 19.69          | 13.70       | 40.00          | 20.31       | 100         | 310       | Horizontal |
| 3   | 112.9196    | 22.51          | 16.33       | 43.50          | 20.99       | 100         | 220       | Horizontal |
| 4   | 440.1963    | 29.67          | 25.09       | 46.00          | 16.33       | 100         | 210       | Horizontal |
| 5   | 599.3212    | 30.37          | 25.07       | 46.00          | 15.63       | 100         | 180       | Horizontal |
| 6   | 900.1474    | 35.83          | 31.78       | 46.00          | 10.17       | 100         | 90        | Horizontal |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

| Radiated Emission Test Results at 30MHz-1GHz |                |                   |                    |
|----------------------------------------------|----------------|-------------------|--------------------|
| EUT Name                                     | SoundCore mini | Model Name        | A3101              |
| Temperature                                  | 18.5℃          | Relative Humidity | 56.1 %             |
| Pressure                                     | 960hPa         | Test Voltage      | DC 5V from adapter |
| Test Mode                                    | Mode 8         | Antenna Polarity  | Vertical           |



#### Final Data List

| NO. | Freq. [MHz] | Level [dBμV/m] | Factor [dB] | Limit [dBμV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity |
|-----|-------------|----------------|-------------|----------------|-------------|-------------|-----------|----------|
| 1   | 32.2925     | 29.39          | 14.36       | 40.00          | 10.61       | 100         | 170       | Vertical |
| 2   | 67.4382     | 22.75          | 17.03       | 40.00          | 17.25       | 100         | 190       | Vertical |
| 3   | 125.4457    | 23.04          | 17.84       | 43.50          | 20.46       | 100         | 50        | Vertical |
| 4   | 441.7426    | 30.63          | 26.02       | 46.00          | 15.37       | 100         | 220       | Vertical |
| 5   | 721.7259    | 33.96          | 28.64       | 46.00          | 12.04       | 100         | 180       | Vertical |
| 6   | 942.1305    | 36.45          | 30.91       | 46.00          | 9.55        | 100         | 200       | Vertical |

#### RESULT: Pass

##### Note:

- Factor=Antenna Factor + Cable loss, Margin= Limit-Measurement.
- All test modes had been pre-tested. The mode 8 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

### Radiated Emissions Test Results Above 1GHz

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 7         | <b>Antenna Polarity</b>  | Horizontal         |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4824.000  | 50.21         | 0.08   | 50.29          | 74.00    | -23.71 | peak       |
| 4824.000  | 40.22         | 0.08   | 40.30          | 54.00    | -13.70 | AVG        |
| 7236.000  | 48.36         | 2.21   | 50.57          | 74.00    | -23.43 | peak       |
| 7236.000  | 40.25         | 2.21   | 42.46          | 54.00    | -11.54 | AVG        |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 7         | <b>Antenna Polarity</b>  | Vertical           |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4824.000  | 50.58         | 0.08   | 50.66          | 74.00    | -23.34 | peak       |
| 4824.000  | 41.33         | 0.08   | 41.41          | 54.00    | -12.59 | AVG        |
| 7236.000  | 49.89         | 2.21   | 52.10          | 74.00    | -21.90 | peak       |
| 7236.000  | 41.27         | 2.21   | 43.48          | 54.00    | -10.52 | AVG        |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Radiated Emissions Test Results for Above 1GHz

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 8         | <b>Antenna Polarity</b>  | Horizontal         |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4882.000  | 50.15         | 0.14   | 50.29          | 74.00    | -23.71 | peak       |
| 4882.000  | 40.89         | 0.14   | 41.03          | 54.00    | -12.97 | AVG        |
| 7323.000  | 46.79         | 2.36   | 49.15          | 74.00    | -24.85 | peak       |
| 7323.000  | 41.22         | 2.36   | 43.58          | 54.00    | -10.42 | AVG        |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 8         | <b>Antenna Polarity</b>  | Vertical           |

| Frequency | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-----------|---------------|--------|----------------|----------|--------|------------|
| (MHz)     | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4882.000  | 49.63         | 0.14   | 49.77          | 74.00    | -24.23 | peak       |
| 4882.000  | 41.36         | 0.14   | 41.50          | 54.00    | -12.50 | AVG        |
| 7323.000  | 48.41         | 2.36   | 50.77          | 74.00    | -23.23 | peak       |
| 7323.000  | 40.58         | 2.36   | 42.94          | 54.00    | -11.06 | AVG        |

Remark:

Factor = Antenna Factor + Cable Loss – Pre-amplifier.

### **RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### Radiated Emissions Test Results for Above 1GHz

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 9         | <b>Antenna Polarity</b>  | Horizontal         |

| Frequency                                             | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-------------------------------------------------------|---------------|--------|----------------|----------|--------|------------|
| (MHz)                                                 | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4960.000                                              | 51.07         | 0.22   | 51.29          | 74.00    | -22.71 | peak       |
| 4960.000                                              | 40.38         | 0.22   | 40.60          | 54.00    | -13.40 | AVG        |
| 7440.000                                              | 49.36         | 2.64   | 52.00          | 74.00    | -22.00 | peak       |
| 7440.000                                              | 39.11         | 2.64   | 41.75          | 54.00    | -12.25 | AVG        |
|                                                       |               |        |                |          |        |            |
|                                                       |               |        |                |          |        |            |
| Remark:                                               |               |        |                |          |        |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |               |        |                |          |        |            |

|                    |                |                          |                    |
|--------------------|----------------|--------------------------|--------------------|
| <b>EUT Name</b>    | SoundCore mini | <b>Model Name</b>        | A3101              |
| <b>Temperature</b> | 18.5℃          | <b>Relative Humidity</b> | 56.1 %             |
| <b>Pressure</b>    | 960hPa         | <b>Test Voltage</b>      | DC 5V from adapter |
| <b>Test Mode</b>   | Mode 9         | <b>Antenna Polarity</b>  | Vertical           |

| Frequency                                             | Meter Reading | Factor | Emission Level | Limits   | Margin | Value Type |
|-------------------------------------------------------|---------------|--------|----------------|----------|--------|------------|
| (MHz)                                                 | (dBμV)        | (dB)   | (dBμV/m)       | (dBμV/m) | (dB)   |            |
| 4960.000                                              | 50.33         | 0.22   | 50.55          | 74.00    | -23.45 | peak       |
| 4960.000                                              | 41.26         | 0.22   | 41.48          | 54.00    | -12.52 | AVG        |
| 7440.000                                              | 48.74         | 2.64   | 51.38          | 74.00    | -22.62 | peak       |
| 7440.000                                              | 38.53         | 2.64   | 41.17          | 54.00    | -12.83 | AVG        |
|                                                       |               |        |                |          |        |            |
|                                                       |               |        |                |          |        |            |
| Remark:                                               |               |        |                |          |        |            |
| Factor = Antenna Factor + Cable Loss – Pre-amplifier. |               |        |                |          |        |            |

### RESULT: PASS

#### Note:

- The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2. Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin =Emission Level-Limit.
3. The “Factor” value can be calculated automatically by software of measurement system.
4. All test modes had been tested. The 8DPSK modulation is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: [agc@agccert.com](mailto:agc@agccert.com) Web: <http://www.agccert.com/>

## 8. AC Power Line Conducted Emission Test


## 8.1 Measurement Limit

| Frequency     | Maximum RF Line Voltage |                |
|---------------|-------------------------|----------------|
|               | Q.P. (dBμV)             | Average (dBμV) |
| 150kHz~500kHz | 66-56                   | 56-46          |
| 500kHz~5MHz   | 56                      | 46             |
| 5MHz~30MHz    | 60                      | 50             |

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

## 8.2 Measurement Setup (Block Diagram of Configuration)



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

### 8.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 5V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side).
7. Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
8. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
9. During the above scans, the emissions were maximized by cable manipulation.
10. The test mode(s) were scanned during the preliminary test.
11. Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

### 8.4 Final Procedure of Line Conducted Emission Test


1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit.
3. If EUT emission level was less -2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
4. The test data of the worst case condition(s) was reported on the Summary Data page.
5. A conducted emission is calculated by the following equation:
  - Measurement Level (dB $\mu$ V) = Receiver reading (dB $\mu$ V) + Transd (dB)
  - Transd (dB)= AMN Factor(dB)+Cable Loss(dB)+Attenuation(dB)
  - Margin= Limit-Level

### 8.5 Measurement Result

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

## AC Power Line Conducted Emission Test

|           |        |           |          |
|-----------|--------|-----------|----------|
| Test Mode | Mode 1 | LISN Line | Hot Side |
|-----------|--------|-----------|----------|

**MEASUREMENT RESULT: "agc\_fin"**

2025/3/1 1:04

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.398000         | 40.00         | 6.1          | 58            | 17.9         | QP       | L1   |
| 1.190000         | 38.10         | 6.2          | 56            | 17.9         | QP       | L1   |
| 1.982000         | 34.40         | 6.2          | 56            | 21.6         | QP       | L1   |
| 5.146000         | 33.80         | 6.4          | 60            | 26.2         | QP       | L1   |
| 5.938000         | 32.70         | 6.4          | 60            | 27.3         | QP       | L1   |
| 6.730000         | 33.20         | 6.5          | 60            | 26.8         | QP       | L1   |

**MEASUREMENT RESULT: "agc\_fin2"**

2025/3/1 1:04

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.398000         | 33.90         | 6.1          | 48            | 14.0         | AV       | L1   |
| 1.190000         | 32.10         | 6.2          | 46            | 13.9         | AV       | L1   |
| 1.978000         | 32.20         | 6.2          | 46            | 13.8         | AV       | L1   |
| 5.146000         | 28.70         | 6.4          | 50            | 21.3         | AV       | L1   |
| 5.938000         | 26.90         | 6.4          | 50            | 23.1         | AV       | L1   |
| 6.730000         | 25.80         | 6.5          | 50            | 24.2         | AV       | L1   |

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std &amp; Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### AC Power Line Conducted Emission Test

|           |        |           |              |
|-----------|--------|-----------|--------------|
| Test Mode | Mode 1 | LISN Line | Neutral Side |
|-----------|--------|-----------|--------------|



#### MEASUREMENT RESULT: "agc\_fin"

2025/3/1 1:00

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.398000         | 40.40         | 6.1          | 58            | 17.5         | QP       | N    |
| 1.186000         | 39.80         | 6.2          | 56            | 16.2         | QP       | N    |
| 1.982000         | 37.60         | 6.2          | 56            | 18.4         | QP       | N    |
| 2.778000         | 26.20         | 6.3          | 56            | 29.8         | QP       | N    |
| 4.354000         | 36.10         | 6.3          | 56            | 19.9         | QP       | N    |
| 5.150000         | 34.30         | 6.4          | 60            | 25.7         | QP       | N    |

#### MEASUREMENT RESULT: "agc\_fin2"

2025/3/1 1:00

| Frequency<br>MHz | Level<br>dBμV | Transd<br>dB | Limit<br>dBμV | Margin<br>dB | Detector | Line |
|------------------|---------------|--------------|---------------|--------------|----------|------|
| 0.398000         | 34.50         | 6.1          | 48            | 13.4         | AV       | N    |
| 1.190000         | 34.10         | 6.2          | 46            | 11.9         | AV       | N    |
| 1.982000         | 31.00         | 6.2          | 46            | 15.0         | AV       | N    |
| 4.358000         | 26.20         | 6.3          | 46            | 19.8         | AV       | N    |
| 5.150000         | 28.80         | 6.4          | 50            | 21.2         | AV       | N    |
| 5.942000         | 29.30         | 6.4          | 50            | 20.7         | AV       | N    |

**RESULT: PASS**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

### **Appendix I: Photographs of Test Setup**

Refer to the Report No.: AGC01110210718AP02D

### **Appendix II: Photographs of Test EUT**

Refer to the Report No.: AGC01110210718AP03D

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).

Attestation of Global Compliance(Shenzhen)Co., Ltd  
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd  
Tel: +86-755 2523 4088 E-mail: [agc@agccert.com](mailto:agc@agccert.com) Web: <http://www.agccert.com/>

## Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the “Company”) solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the “Clients”).
2. Any report issued by Company as a result of this application for testing services (the “Report”) shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

**-----End of Report-----**

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by [agc01@agccert.com](mailto:agc01@agccert.com).