

## Appendix Test Data

Report No.:	18220WC10109301	Test Date:	2021.7.7
Test Engineer:	<i>Jomy He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	24.3°C	Relative Humidity:	56.3%
Pressure:	1012 hPa		



### 1. Bandwidth

#### 1.1 OBW


##### 1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Ant	99% Occupied Bandwidth (MHz)	Limit	Verdict
GFSK	SISO	2402	DH5	1	0.85	/	Pass
		2441	DH5	1	0.85	/	Pass
		2480	DH5	1	0.85	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.19	/	Pass
		2441	2DH5	1	1.19	/	Pass
		2480	2DH5	1	1.20	/	Pass
8DPSK	SISO	2402	3DH5	1	1.19	/	Pass
		2441	3DH5	1	1.19	/	Pass
		2480	3DH5	1	1.19	/	Pass


1.1.2 Test Graph



GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV



PI/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV





## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com

## 1.2 20dB BW


### 1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Ant	20dB Bandwidth (MHz)	Limit	Verdict
GFSK	SISO	2402	DH5	1	0.93	/	Pass
		2441	DH5	1	0.94	/	Pass
		2480	DH5	1	0.93	/	Pass
Pi/4DQPSK	SISO	2402	2DH5	1	1.34	/	Pass
		2441	2DH5	1	1.35	/	Pass
		2480	2DH5	1	1.35	/	Pass
8DPSK	SISO	2402	3DH5	1	1.31	/	Pass
		2441	3DH5	1	1.31	/	Pass
		2480	3DH5	1	1.31	/	Pass


## 1.2.2 Test Graph




### GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




### PI/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

## 2. Maximum Conducted Output Power



### 2.1 Power

#### 2.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	Measured Peak Output Power (dBm)		Verdict
				Ant1	Limit	
GFSK	SISO	2402	DH5	4.62	<=30	Pass
		2441	DH5	7.11	<=30	Pass
		2480	DH5	7.73	<=30	Pass
Pi/4DQPSK	SISO	2402	2DH5	4.70	<=20.97	Pass
		2441	2DH5	6.91	<=20.97	Pass
		2480	2DH5	7.62	<=20.97	Pass
8DPSK	SISO	2402	3DH5	5.06	<=20.97	Pass
		2441	3DH5	5.68	<=20.97	Pass
		2480	3DH5	6.20	<=20.97	Pass

Note1: Antenna Gain: Ant1: 1.59dBi;


2.1.2 Test Graph




GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




PI/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

### 3. Unwanted Emissions In Non-restricted Frequency Bands


#### 3.1 Ref

##### 3.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	Ant	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	4.01
		2441	DH5	1	6.23
		2480	DH5	1	7.20
Pi/4DQPSK	SISO	2402	2DH5	1	6.72
		2441	2DH5	1	7.99
		2480	2DH5	1	7.75
8DPSK	SISO	2402	3DH5	1	6.90
		2441	3DH5	1	2.31
		2480	3DH5	1	3.03

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


### 3.1.2 Test Graph




GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




PI/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV





Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV






**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline  
400-003-0500  
www.anbotek.com



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



## 4.2 CSE

### 4.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Packet Type	Ant	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	7.20	-12.80	Pass
		2441	DH5	1	7.20	-12.80	Pass
		2480	DH5	1	7.20	-12.80	Pass
		HOPP	DH5	1	7.20	-12.80	Pass
Pi/4QPSK	SISO	2402	2DH5	1	7.99	-12.01	Pass
		2441	2DH5	1	7.99	-12.01	Pass
		2480	2DH5	1	7.99	-12.01	Pass
		HOPP	2DH5	1	7.99	-12.01	Pass
8DPSK	SISO	2402	3DH5	1	6.90	-13.10	Pass
		2441	3DH5	1	6.90	-13.10	Pass
		2480	3DH5	1	6.90	-13.10	Pass
		HOPP	3DH5	1	6.90	-13.10	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.


### 4.2.2 Test Graph



GFSK\_DH5\_MCH\_2441MHz\_Ant1\_NTNV



GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com


GFSK\_DH5\_HCH\_2480MHz\_Ant1\_NTNV




GFSK\_DH5\_HOPP\_2410MHz\_Ant1\_NTNV




### GFSK\_DH5\_HOPP\_Ant1\_NTNV




### PI/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV




Pi/4DQPSK\_2DH5\_LCH\_2402MHz\_Ant1\_NTNV




Pi/4DQPSK\_2DH5\_MCH\_2441MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HCH\_2480MHz\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

Pi/4DQPSK\_2DH5\_HOPP\_Ant1\_NTNV



Pi/4DQPSK\_2DH5\_HOPP\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV



8DPSK\_3DH5\_LCH\_2402MHz\_Ant1\_NTNV




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_MCH\_2441MHz\_Ant1\_NTNV



8DPSK\_3DH5\_HCH\_2480MHz\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline  
400-003-0500  
www.anbotek.com

8DPSK\_3DH5\_HCH\_2480MHz\_Ant1\_NTNV



8DPSK\_3DH5\_HOPP\_Ant1\_NTNV





### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

 Hotline  
400-003-0500  
[www.anbotek.com](http://www.anbotek.com)

## 6. Frequency Error

### 5.1 Ant1

#### 5.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Ant1				Verdict	
				Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit		
GFSK	SISO	2402	DH5	20	102	2402.018	2401.6 to 2402.4	Pass	
					120	2402.019	2401.6 to 2402.4	Pass	
					138	2402.020	2401.6 to 2402.4	Pass	
				-20	120	2402.019	2401.6 to 2402.4	Pass	
					50	120	2402.017	2401.6 to 2402.4	Pass
						120	2402.017	2401.6 to 2402.4	Pass
		2441	DH5	20	102	2441.011	2440.6 to 2441.4	Pass	
					120	2441.012	2440.6 to 2441.4	Pass	
					138	2441.012	2440.6 to 2441.4	Pass	
				-20	120	2441.011	2440.6 to 2441.4	Pass	
					50	120	2441.013	2440.6 to 2441.4	Pass
						120	2441.013	2440.6 to 2441.4	Pass
2480	DH5	20	102	2480.006	2479.6 to 2480.4	Pass			
			120	2480.006	2479.6 to 2480.4	Pass			
			138	2480.018	2479.6 to 2480.4	Pass			
		-20	120	2480.004	2479.6 to 2480.4	Pass			
			50	120	2480.007	2479.6 to 2480.4	Pass		
				120	2480.007	2479.6 to 2480.4	Pass		
Pi/4DQPSK	SISO	2402	2DH5	20	102	2402.019	2401.52 to 2402.48	Pass	
					120	2402.015	2401.52 to 2402.48	Pass	
					138	2402.018	2401.52 to 2402.48	Pass	
				-20	120	2402.018	2401.52 to 2402.48	Pass	
					50	120	2402.017	2401.52 to 2402.48	Pass
						120	2402.017	2401.52 to 2402.48	Pass
		2441	2DH5	20	102	2441.010	2440.52 to 2441.48	Pass	
					120	2441.010	2440.52 to 2441.48	Pass	
					138	2441.008	2440.52 to 2441.48	Pass	
				-20	120	2441.012	2440.52 to 2441.48	Pass	
					50	120	2441.010	2440.52 to 2441.48	Pass
						120	2441.010	2440.52 to 2441.48	Pass
2480	2DH5	20	102	2480.003	2479.52 to 2480.48	Pass			
			120	2480.001	2479.52 to 2480.48	Pass			
			138	2480.003	2479.52 to 2480.48	Pass			
		-20	120	2480.003	2479.52 to 2480.48	Pass			
			50	120	2480.006	2479.52 to 2480.48	Pass		
				120	2480.006	2479.52 to 2480.48	Pass		
8DPSK	SISO	2402	3DH5	20	102	2402.017	2401.52 to 2402.48	Pass	
					120	2402.015	2401.52 to 2402.48	Pass	
					138	2402.016	2401.52 to 2402.48	Pass	
				-20	120	2402.016	2401.52 to 2402.48	Pass	
					50	120	2402.017	2401.52 to 2402.48	Pass
						120	2402.017	2401.52 to 2402.48	Pass
		2441	3DH5	20	102	2441.008	2440.52 to 2441.48	Pass	
					120	2441.008	2440.52 to 2441.48	Pass	
					138	2441.008	2440.52 to 2441.48	Pass	
				-20	120	2441.008	2440.52 to 2441.48	Pass	
					50	120	2441.006	2440.52 to 2441.48	Pass
						120	2441.006	2440.52 to 2441.48	Pass
2480	3DH5	20	102	2480.002	2479.52 to 2480.48	Pass			
			120	2480.003	2479.52 to 2480.48	Pass			
			138	2480.003	2479.52 to 2480.48	Pass			
		-20	120	2480.005	2479.52 to 2480.48	Pass			
			50	120	2480.005	2479.52 to 2480.48	Pass		
				120	2480.003	2479.52 to 2480.48	Pass		

## 7. Carrier Frequency Separation

### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com


## 6.1 Ant1

### 6.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.01	0.93	$\geq 0.934$	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	1.01	1.34	$\geq 0.895$	Pass
8DPSK	SISO	HOPP	3DH5	1.00	1.31	$\geq 0.872$	Pass

6.1.2 Test Graph





**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



## 8. Number of Hopping Frequencies


### 7.1 HopNum

#### 7.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				Ant1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass

7.1.2 Test Graph





**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com



## 9. Time of Occupancy (Dwell Time)

### 8.1 Ant1


#### 8.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.37	31.60	319	118.03	<=400	Pass
			DH3	1.63	31.60	167	271.54	<=400	Pass
			DH5	2.87	31.60	113	324.76	<=400	Pass
Pi/4DQPSK	SISO	HOPP	2DH1	0.38	31.60	318	119.57	<=400	Pass
			2DH3	1.63	31.60	155	252.34	<=400	Pass
			2DH5	2.88	31.60	99	284.72	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.38	31.60	319	119.94	<=400	Pass
			3DH3	1.63	31.60	162	263.41	<=400	Pass
			3DH5	2.88	31.60	111	319.24	<=400	Pass


### 8.1.2 Test Graph




GFSK\_DH3\_HOPP\_Ant1\_NTNV




GFSK\_DH3\_HOPP\_Ant1\_NTNV




GFSK\_DH5\_HOPP\_Ant1\_NTNV




GFSK\_DH5\_HOPP\_Ant1\_NTNV




Pi/4DQPSK\_2DH1\_HOPP\_Ant1\_NTNV




Pi/4DQPSK\_2DH1\_HOPP\_Ant1\_NTNV



Pi/4DQPSK\_2DH3\_HOPP\_Ant1\_NTNV



Pi/4DQPSK\_2DH3\_HOPP\_Ant1\_NTNV




### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com


Pi/4DQPSK\_2DH5\_HOPP\_Ant1\_NTNV




Pi/4DQPSK\_2DH5\_HOPP\_Ant1\_NTNV




8DPSK\_3DH1\_HOPP\_Ant1\_NTNV




8DPSK\_3DH1\_HOPP\_Ant1\_NTNV




8DPSK\_3DH3\_HOPP\_Ant1\_NTNV




8DPSK\_3DH3\_HOPP\_Ant1\_NTNV



8DPSK\_3DH5\_HOPP\_Ant1\_NTNV



8DPSK\_3DH5\_HOPP\_Ant1\_NTNV



---End---