


3DH5_Ant1_Hop




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com

Appendix F: Number of hopping channels

Test Result

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Test Graphs




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
400-003-0500
www.anbotek.com


Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	5.10	-56.75	≤-14.9	PASS
		High	2480	6.90	-57.16	≤-13.1	PASS
		Low	Hop	5.08	-59.88	≤-14.92	PASS
		High	Hop	6.19	-62.2	≤-13.81	PASS
2DH5	Ant1	Low	2402	4.04	-51.45	≤-15.96	PASS
		High	2480	5.57	-57.75	≤-14.43	PASS
		Low	Hop	0.85	-59.42	≤-19.15	PASS
		High	Hop	2.56	-61.48	≤-17.44	PASS
3DH5	Ant1	Low	2402	4.37	-52.09	≤-15.63	PASS
		High	2480	5.80	-57.65	≤-14.2	PASS
		Low	Hop	3.97	-59.97	≤-16.03	PASS
		High	Hop	3.91	-60.92	≤-16.09	PASS

Test Graphs






DH5_Ant1_High_Hop




2DH5_Ant1_Low_2402



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com




Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com


Hotline
 400-003-0500
 www.anbotek.com



3DH5_Ant1_Low_2402



3DH5_Ant1_High_2480



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
 Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline 400-003-0500
 www.anbotek.com



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com

Hotline
 400-003-0500
 www.anbotek.com

Appendix H: Conducted Spurious Emission

Test Result

TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	5.36	5.36	---	PASS
			30~1000	5.36	-70.33	≤-14.64	PASS
			1000~26500	5.36	-55	≤-14.64	PASS
		2441	Reference	5.62	5.62	---	PASS
			30~1000	5.62	-70.71	≤-14.38	PASS
			1000~26500	5.62	-55.47	≤-14.38	PASS
		2480	Reference	6.89	6.89	---	PASS
			30~1000	6.89	-70.19	≤-13.11	PASS
			1000~26500	6.89	-54.65	≤-13.11	PASS
2DH5	Ant1	2402	Reference	4.16	4.16	---	PASS
			30~1000	4.16	-71.06	≤-15.84	PASS
			1000~26500	4.16	-54.91	≤-15.84	PASS
		2441	Reference	4.91	4.91	---	PASS
			30~1000	4.91	-69.99	≤-15.09	PASS
			1000~26500	4.91	-54.29	≤-15.09	PASS
		2480	Reference	5.55	5.55	---	PASS
			30~1000	5.55	-70.23	≤-14.46	PASS
			1000~26500	5.55	-55.45	≤-14.46	PASS
3DH5	Ant1	2402	Reference	4.39	4.39	---	PASS
			30~1000	4.39	-70.32	≤-15.61	PASS
			1000~26500	4.39	-54.94	≤-15.61	PASS
		2441	Reference	4.99	4.99	---	PASS
			30~1000	4.99	-70.02	≤-15.01	PASS
			1000~26500	4.99	-55.24	≤-15.01	PASS
		2480	Reference	5.72	5.72	---	PASS
			30~1000	5.72	-70.22	≤-14.28	PASS
			1000~26500	5.72	-55.53	≤-14.28	PASS