




Anker Innovations Limited. All rights reserved. **eufy Pet** and **eufy Pet Logo** are trademarks of Anker Innovations Limited, registered in the United States and other countries. All other trademarks are the property of their respective owners.

eufy


PET

QUICK START GUIDE

Dog Camera D605




PRODUCT OVERVIEW



- 1 Treat Container Lid
- 2 Camera
- 3 Speaker
- 4 Microphone
- 5 Treat Launching Port
- 6 Residue Lid
- 7 Status LED
 - Blue: Connected.
 - Flashing red: Disconnected.
 - Flashing blue: Connecting / Someone is watching live video / Recording a video.
 - Green: Starting or restarting the system.
 - Green for 10 seconds: Launching treats.
- 8 Treat Container: Suits dog treats less than 20 mm.
- 9 SYNC Button
- 10 Release Button: Press and hold to take out the treat container.

2 / POWERING DOG CAMERA D605

Connect Dog Camera D605 to power with the power port on the bottom.



3 / ADDING TO EUFY PET APP




1. Download and install the eufy Pet app, then sign up for an account.



Download on the
App Store


GET IT ON
Google Play

2. Scan the QR Code on the bottom using the eufy Pet app and follow on-screen instructions to complete the setup.



4 / REGULAR MAINTENANCE

- Clean treat container regularly.
- Remove residue regularly: remove the lid and pour out residue.



5 / NOTICE

The adapter shall be installed near the equipment and shall be easily accessible. Do not use the Device in the environment at too high or too low temperature, never expose the Device under strong sunshine or too wet environment. The suitable temperature for the product and accessories is 0°C to 40°C (32°F to 104°F).

When supplying, please place the device in an environment that has a normal room temperature and good ventilation.

It is recommended to supply the device in an environment with a temperature that ranges from 5°C~25°C (41°F to 77°F).

Please ensure to use only the adapter offered by the manufacturer. Using unauthorized adapter may cause danger and violate the authorization of the projector and the guarantee article.

This adapter is for indoor use only. The rated output voltage/current of the adapter is 12VDC/2A. The plug of adapter considered as disconnect device.



Your product is designed and manufactured with high quality materials and components, which can be recycled and reused.

FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: (1) Reorient or relocate the receiving antenna. (2) Increase the separation between the

equipment and receiver. (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. (4) Consult the dealer or an experienced radio / TV technician for help.

FCC Radio Frequency Exposure Statement

The device has been evaluated to meet general RF exposure requirements. The device can be used in fixed / mobile exposure condition. The min separation distance is 20 Cm.

Notice: Shielded cables

All connections to other computing devices must be made using shielded cables to maintain compliance with FCC regulations.

The following importer is the responsible party.

Company Name: POWER MOBILE LIFE, LLC

Address: 10900 NE 8TH ST, STE 501, BELLEVUE, WA 98004

Telephone: 1-800-988-7973

Customer Service

Warranty

12-month limited warranty

Call Us

United States

+1 (800) 988 7973 Mon-Fri 9AM-5PM (PT)

United Kingdom

+44 (0) 1604 936 200 Mon-Fri 6AM-11AM (GMT)

Germany

+49 (0) 69 9579 7960 Mon-Fri 6:00-11:00

Email Us

Customer Support: support@eufylife.com

Anker Innovations Limited

Room 1318-19, Hollywood Plaza, 610 Nathan Road, Mongkok, Kowloon, Hong Kong

 @EufyOfficial

 @EufyOfficial

 @EufyOfficial