






















Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



Appendix C: Maximum Conducted Output Power

Test Result Channel Power

Test Mode	Antenna	Frequency [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	7.14	12.18	9.14	16.28	≤23.98	4.33	20.61	---	PASS
11A	Ant1	5220	7.18	12.17	9.15	16.33	≤23.98	4.33	20.66	---	PASS
11A	Ant1	5240	6.92	12.17	9.15	16.07	≤23.98	4.33	20.40	---	PASS
11A	Ant1	5260	7.39	12.26	9.12	16.51	≤23.98	3.96	20.47	---	PASS
11A	Ant1	5300	7.27	12.26	9.12	16.39	≤23.98	3.96	20.35	---	PASS
11A	Ant1	5320	7.09	9.86	10.06	17.15	≤23.98	3.96	21.11	---	PASS
11A	Ant1	5500	7.83	12.26	9.12	16.95	≤23.98	3.72	20.67	---	PASS
11A	Ant1	5580	8.12	12.26	9.12	17.24	≤23.98	3.72	20.96	---	PASS
11A	Ant1	5700	7.41	12.26	9.12	16.53	≤23.98	3.72	20.25	---	PASS
11A	Ant1	5745	7.14	12.26	9.12	16.26	≤30.00	3.25	19.51	---	PASS
11A	Ant1	5785	7.12	12.18	9.14	16.26	≤30.00	3.25	19.51	---	PASS
11A	Ant1	5825	7.06	12.17	9.15	16.21	≤30.00	3.25	19.46	---	PASS
11N20SISO	Ant1	5180	11.67	33.25	4.78	16.45	≤23.98	4.33	20.78	---	PASS
11N20SISO	Ant1	5220	12.31	33.42	4.76	17.07	≤23.98	4.33	21.40	---	PASS
11N20SISO	Ant1	5240	11.93	33.69	4.72	16.65	≤23.98	4.33	20.98	---	PASS
11N20SISO	Ant1	5260	11.88	33.69	4.72	16.60	≤23.98	3.96	20.56	---	PASS
11N20SISO	Ant1	5300	12.19	33.69	4.72	16.91	≤23.98	3.96	20.87	---	PASS
11N20SISO	Ant1	5320	12.45	33.64	4.73	17.18	≤23.98	3.96	21.14	---	PASS
11N20SISO	Ant1	5500	12.54	33.64	4.73	17.27	≤23.98	3.72	20.99	---	PASS
11N20SISO	Ant1	5580	12.12	33.69	4.72	16.84	≤23.98	3.72	20.56	---	PASS
11N20SISO	Ant1	5700	11.34	33.64	4.73	16.07	≤23.98	3.72	19.79	---	PASS
11N20SISO	Ant1	5745	11.47	33.62	4.73	16.20	≤30.00	3.25	19.45	---	PASS
11N20SISO	Ant1	5785	11.61	33.69	4.72	16.33	≤30.00	3.25	19.58	---	PASS
11N20SISO	Ant1	5825	11.74	33.69	4.72	16.46	≤30.00	3.25	19.71	---	PASS
11N40SISO	Ant1	5190	11.63	32.82	4.84	16.47	≤23.98	4.33	20.80	---	PASS
11N40SISO	Ant1	5230	11.76	32.80	4.84	16.60	≤23.98	4.33	20.93	---	PASS
11N40SISO	Ant1	5270	10.23	25.87	5.87	16.10	≤23.98	3.96	20.06	---	PASS
11N40SISO	Ant1	5310	11.75	32.80	4.84	16.59	≤23.98	3.96	20.55	---	PASS
11N40SISO	Ant1	5510	12.36	32.84	4.84	17.20	≤23.98	3.72	20.92	---	PASS
11N40SISO	Ant1	5550	11.92	32.80	4.84	16.76	≤23.98	3.72	20.48	---	PASS
11N40SISO	Ant1	5670	11.20	32.80	4.84	16.04	≤23.98	3.72	19.76	---	PASS
11N40SISO	Ant1	5755	11.56	32.80	4.84	16.40	≤30.00	3.25	19.65	---	PASS
11N40SISO	Ant1	5795	12.23	32.77	4.85	17.08	≤30.00	3.25	20.33	---	PASS
11AC20SISO	Ant1	5180	11.72	33.71	4.72	16.44	≤23.98	4.33	20.77	---	PASS
11AC20SISO	Ant1	5220	11.87	33.73	4.72	16.59	≤23.98	4.33	20.92	---	PASS
11AC20SISO	Ant1	5240	11.93	33.73	4.72	16.65	≤23.98	4.33	20.98	---	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com



11AC20SISO	Ant1	5260	11.95	33.73	4.72	16.67	≤23.98	3.96	20.63	---	PASS
11AC20SISO	Ant1	5300	12.27	33.69	4.72	16.99	≤23.98	3.96	20.95	---	PASS
11AC20SISO	Ant1	5320	11.49	33.73	4.72	16.21	≤23.98	3.96	20.17	---	PASS
11AC20SISO	Ant1	5500	12.57	33.71	4.72	17.29	≤23.98	3.72	21.01	---	PASS
11AC20SISO	Ant1	5580	12.06	33.69	4.72	16.78	≤23.98	3.72	20.50	---	PASS
11AC20SISO	Ant1	5700	11.39	33.73	4.72	16.11	≤23.98	3.72	19.83	---	PASS
11AC20SISO	Ant1	5745	11.40	33.66	4.73	16.13	≤30.00	3.25	19.38	---	PASS
11AC20SISO	Ant1	5785	11.68	33.73	4.72	16.40	≤30.00	3.25	19.65	---	PASS
11AC20SISO	Ant1	5825	11.63	33.73	4.72	16.35	≤30.00	3.25	19.60	---	PASS
11AC40SISO	Ant1	5190	11.48	32.84	4.84	16.32	≤23.98	4.33	20.65	---	PASS
11AC40SISO	Ant1	5230	11.45	32.84	4.84	16.29	≤23.98	4.33	20.62	---	PASS
11AC40SISO	Ant1	5270	11.23	32.84	4.84	16.07	≤23.98	3.96	20.03	---	PASS
11AC40SISO	Ant1	5310	11.45	32.84	4.84	16.29	≤23.98	3.96	20.25	---	PASS
11AC40SISO	Ant1	5510	12.41	32.84	4.84	17.25	≤23.98	3.72	20.97	---	PASS
11AC40SISO	Ant1	5550	11.85	32.84	4.84	16.69	≤23.98	3.72	20.41	---	PASS
11AC40SISO	Ant1	5670	11.25	32.82	4.84	16.09	≤23.98	3.72	19.81	---	PASS
11AC40SISO	Ant1	5755	11.39	32.84	4.84	16.23	≤30.00	3.25	19.48	---	PASS
11AC40SISO	Ant1	5795	11.82	32.84	4.84	16.66	≤30.00	3.25	19.91	---	PASS
11AX20SISO	Ant1	5180	11.25	27.91	5.54	16.79	≤23.98	4.33	21.12	---	PASS
11AX20SISO	Ant1	5220	11.42	27.86	5.55	16.97	≤23.98	4.33	21.30	---	PASS
11AX20SISO	Ant1	5240	11.45	27.84	5.55	17.00	≤23.98	4.33	21.33	---	PASS
11AX20SISO	Ant1	5260	11.27	27.86	5.55	16.82	≤23.98	3.96	20.78	---	PASS
11AX20SISO	Ant1	5300	10.91	27.84	5.55	16.46	≤23.98	3.96	20.42	---	PASS
11AX20SISO	Ant1	5320	11.03	27.84	5.55	16.58	≤23.98	3.96	20.54	---	PASS
11AX20SISO	Ant1	5500	12.06	27.84	5.55	17.61	≤23.98	3.72	21.33	---	PASS
11AX20SISO	Ant1	5580	10.95	27.91	5.54	16.49	≤23.98	3.72	20.21	---	PASS
11AX20SISO	Ant1	5700	10.76	27.91	5.54	16.30	≤23.98	3.72	20.02	---	PASS
11AX20SISO	Ant1	5745	10.76	27.86	5.55	16.31	≤30.00	3.25	19.56	---	PASS
11AX20SISO	Ant1	5785	10.57	27.91	5.54	16.11	≤30.00	3.25	19.36	---	PASS
11AX20SISO	Ant1	5825	11.39	27.91	5.54	16.93	≤30.00	3.25	20.18	---	PASS
11AX40SISO	Ant1	5190	10.75	27.86	5.55	16.30	≤23.98	4.33	20.63	---	PASS
11AX40SISO	Ant1	5230	10.78	27.88	5.55	16.33	≤23.98	4.33	20.66	---	PASS
11AX40SISO	Ant1	5270	10.72	27.86	5.55	16.27	≤23.98	3.96	20.23	---	PASS
11AX40SISO	Ant1	5310	11.07	27.93	5.54	16.61	≤23.98	3.96	20.57	---	PASS
11AX40SISO	Ant1	5510	11.85	27.86	5.55	17.40	≤23.98	3.72	21.12	---	PASS
11AX40SISO	Ant1	5550	11.45	27.79	5.56	17.01	≤23.98	3.72	20.73	---	PASS
11AX40SISO	Ant1	5670	10.62	27.86	5.55	16.17	≤23.98	3.72	19.89	---	PASS
11AX40SISO	Ant1	5755	11.02	27.70	5.58	16.60	≤30.00	3.25	19.85	---	PASS
11AX40SISO	Ant1	5795	10.87	27.84	5.55	16.42	≤30.00	3.25	19.67	---	PASS

Note: 1.The Duty Cycle Factor and cable loss are compensated in the graph.

Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com



Test Graphs Channel Power





Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotech.com


Hotline
400-003-0500
www.anbotech.com














































































































Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86) 0755-26066440 Email: service@anbotek.com

Hotline
400-003-0500
www.anbotek.com



Appendix D: Maximum Power Spectral Density

Test Result-B1/B2/B3

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-8.10	≤11.00	PASS
11A	Ant1	5220	-8.95	≤11.00	PASS
11A	Ant1	5240	-9.95	≤11.00	PASS
11A	Ant1	5260	-7.16	≤11.00	PASS
11A	Ant1	5300	-7.09	≤11.00	PASS
11A	Ant1	5320	-7.94	≤11.00	PASS
11A	Ant1	5500	-7.43	≤11.00	PASS
11A	Ant1	5580	-8.01	≤11.00	PASS
11A	Ant1	5700	-7.38	≤11.00	PASS
11N20SISO	Ant1	5180	-4.73	≤11.00	PASS
11N20SISO	Ant1	5220	-4.46	≤11.00	PASS
11N20SISO	Ant1	5240	-3.80	≤11.00	PASS
11N20SISO	Ant1	5260	-3.98	≤11.00	PASS
11N20SISO	Ant1	5300	-3.11	≤11.00	PASS
11N20SISO	Ant1	5320	-2.77	≤11.00	PASS
11N20SISO	Ant1	5500	-4.14	≤11.00	PASS
11N20SISO	Ant1	5580	-4.86	≤11.00	PASS
11N20SISO	Ant1	5700	-5.64	≤11.00	PASS
11N40SISO	Ant1	5190	-7.17	≤11.00	PASS
11N40SISO	Ant1	5230	-7.01	≤11.00	PASS
11N40SISO	Ant1	5270	-7.41	≤11.00	PASS
11N40SISO	Ant1	5310	-5.53	≤11.00	PASS
11N40SISO	Ant1	5510	-7.00	≤11.00	PASS
11N40SISO	Ant1	5550	-7.35	≤11.00	PASS
11N40SISO	Ant1	5670	-8.73	≤11.00	PASS
11AC20SISO	Ant1	5180	-4.74	≤11.00	PASS
11AC20SISO	Ant1	5220	-4.23	≤11.00	PASS
11AC20SISO	Ant1	5240	-3.89	≤11.00	PASS
11AC20SISO	Ant1	5260	-3.48	≤11.00	PASS
11AC20SISO	Ant1	5300	-3.33	≤11.00	PASS
11AC20SISO	Ant1	5320	-2.77	≤11.00	PASS
11AC20SISO	Ant1	5500	-4.09	≤11.00	PASS
11AC20SISO	Ant1	5580	-4.87	≤11.00	PASS
11AC20SISO	Ant1	5700	-4.12	≤11.00	PASS
11AC40SISO	Ant1	5190	-7.35	≤11.00	PASS
11AC40SISO	Ant1	5230	-7.24	≤11.00	PASS
11AC40SISO	Ant1	5270	-6.93	≤11.00	PASS



11AC40SISO	Ant1	5310	-6.60	≤11.00	PASS
11AC40SISO	Ant1	5510	-6.75	≤11.00	PASS
11AC40SISO	Ant1	5550	-7.25	≤11.00	PASS
11AC40SISO	Ant1	5670	-9.01	≤11.00	PASS
11AX20SISO	Ant1	5180	-5.61	≤11.00	PASS
11AX20SISO	Ant1	5220	-7.17	≤11.00	PASS
11AX20SISO	Ant1	5240	-5.96	≤11.00	PASS
11AX20SISO	Ant1	5260	-6.07	≤11.00	PASS
11AX20SISO	Ant1	5300	-5.28	≤11.00	PASS
11AX20SISO	Ant1	5320	-4.79	≤11.00	PASS
11AX20SISO	Ant1	5500	-5.84	≤11.00	PASS
11AX20SISO	Ant1	5580	-6.35	≤11.00	PASS
11AX20SISO	Ant1	5700	-8.97	≤11.00	PASS
11AX40SISO	Ant1	5190	-9.81	≤11.00	PASS
11AX40SISO	Ant1	5230	-8.79	≤11.00	PASS
11AX40SISO	Ant1	5270	-9.43	≤11.00	PASS
11AX40SISO	Ant1	5310	-9.31	≤11.00	PASS
11AX40SISO	Ant1	5510	-9.23	≤11.00	PASS
11AX40SISO	Ant1	5550	-9.36	≤11.00	PASS
11AX40SISO	Ant1	5670	-10.40	≤11.00	PASS

Note: 1.The Duty Cycle Factor and cable loss are compensated in the graph.

