





U-NII-3











5.5 Appendix F: FREQUENCY STABILITY

5.5.1 Test Result

Voltage								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-24000	-4.633205	20	PASS
			LV	NT	-12000	-2.316602	20	PASS
			HV	NT	-15000	-2.895753	20	PASS

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	0	-15000	-2.895753	20	PASS
			NV	10	-15000	-2.895753	20	PASS
			NV	20	-15000	-2.895753	20	PASS
			NV	30	-15000	-2.895753	20	PASS
			NV	40	-15000	-2.895753	20	PASS
			NV	50	-15000	-2.895753	20	PASS
			NV	60	-15000	-2.895753	20	PASS
			NV	70	-15000	-2.895753	20	PASS



Important

- (1) The test report is valid with the official seal of the laboratory and the signatures of Test engineer, Author and Reviewer simultaneously.
- (2) The test report is invalid if altered.
- (3) Any photocopies or part photocopies in the test report are forbidden without the written permission from the laboratory.
- (4) Objections to the test report must be submitted to the laboratory within 15 days.
- (5) Generally, commission test is responsible for the tested samples only.

Address of the laboratory:

CVC Testing Technology Co., Ltd.

Address: No.3, Tiantaiyi Road, Kaitai Avenue, Science City, Guangzhou, China

Post Code: 510663 Tel: 020-32293888

FAX: 020-32293889 E-mail: office@cvc.org.cn