







NTNV-11AC40MIMO-Ant1-5310




NTNV-11AC40MIMO-Ant2-5310




NTNV-11AC40MIMO-Ant1-5510




NTNV-11AC40MIMO-Ant2-5510




NTNV-11AC40MIMO-Ant1-5550




NTNV-11AC40MIMO-Ant2-5550




NTNV-11AC40MIMO-Ant1-5670




NTNV-11AC40MIMO-Ant2-5670




NTNV-11AC40MIMO-Ant1-5755




NTNV-11AC40MIMO-Ant2-5755




NTNV-11AC40MIMO-Ant1-5795




NTNV-11AC40MIMO-Ant2-5795




NTNV-11AC80MIMO-Ant1-5210




NTNV-11AC80MIMO-Ant2-5210




NTNV-11AC80MIMO-Ant1-5290




NTNV-11AC80MIMO-Ant2-5290




NTNV-11AC80MIMO-Ant1-5530




NTNV-11AC80MIMO-Ant2-5530



NTNV-11AC80MIMO-Ant1-5610




NTNV-11AC80MIMO-Ant2-5610



NTNV-11AC80MIMO-Ant1-5775





NTNV-11AC80MIMO-Ant2-5775



## Maximum conducted output power

### Test Result Channel Power

| Test Mode | Antenna | Frequency [MHz] | Channel Power [dBm] | DC Factor [dBm] | Result [dBm] | Limit [dBm] | EIRP [dBm] | EIRP Limit [dBm] | Verdict |
|-----------|---------|-----------------|---------------------|-----------------|--------------|-------------|------------|------------------|---------|
| 11A       | Ant1    | 5180            | 13.79               | 1.38            | 15.17        | ≤23.98      | 20.36      | ≤23.00           | PASS    |
| 11A       | Ant2    | 5180            | 14.35               | 1.38            | 15.73        | ≤23.98      | 19.41      | ≤23.00           | PASS    |
| 11A       | Ant1    | 5200            | 14.23               | 1.38            | 15.61        | ≤23.98      | 20.80      | ≤23.00           | PASS    |
| 11A       | Ant2    | 5200            | 14.44               | 1.38            | 15.82        | ≤23.98      | 19.50      | ≤23.00           | PASS    |
| 11A       | Ant1    | 5240            | 14.13               | 1.36            | 15.49        | ≤23.98      | 20.68      | ≤23.00           | PASS    |
| 11A       | Ant2    | 5240            | 14.19               | 1.38            | 15.57        | ≤23.98      | 19.25      | ≤23.00           | PASS    |
| 11A       | Ant1    | 5260            | 14.47               | 1.38            | 15.85        | ≤23.62      | 21.04      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5260            | 14.32               | 1.38            | 15.70        | ≤23.66      | 19.38      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5280            | 14.99               | 1.38            | 16.37        | ≤23.64      | 21.56      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5280            | 14.67               | 1.38            | 16.05        | ≤23.59      | 19.73      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5320            | 15.65               | 1.36            | 17.01        | ≤23.62      | 22.20      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5320            | 14.74               | 1.38            | 16.12        | ≤23.62      | 19.80      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5500            | 16.84               | 1.36            | 16.57        | ≤23.98      | 21.76      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5500            | 16.61               | 1.38            | 17.99        | ≤23.59      | 21.67      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5580            | 16.62               | 1.38            | 16.77        | ≤23.70      | 21.96      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5580            | 17.62               | 1.36            | 18.98        | ≤23.63      | 22.66      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5700            | 16.53               | 1.38            | 16.28        | ≤23.60      | 21.47      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5700            | 17.22               | 1.36            | 18.58        | ≤23.60      | 22.26      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5745            | 17.20               | 1.38            | 18.58        | ≤30.00      | 23.77      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5745            | 17.33               | 1.38            | 18.71        | ≤30.00      | 22.39      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5785            | 17.70               | 1.38            | 19.08        | ≤30.00      | 24.27      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5785            | 17.42               | 1.36            | 18.78        | ≤30.00      | 22.46      | ≤30.00           | PASS    |
| 11A       | Ant1    | 5825            | 17.58               | 1.38            | 18.96        | ≤30.00      | 24.15      | ≤30.00           | PASS    |
| 11A       | Ant2    | 5825            | 17.39               | 1.36            | 18.75        | ≤30.00      | 22.43      | ≤30.00           | PASS    |
| 11N20MIMO | Ant1    | 5180            | 10.41               | 1.44            | 11.85        | ≤23.98      | 17.04      | ≤23.00           | PASS    |
| 11N20MIMO | Ant2    | 5180            | 11.31               | 1.44            | 12.75        | ≤23.98      | 16.43      | ≤23.00           | PASS    |
| 11N20MIMO | total   | 5180            | ---                 | ---             | 15.33        | ≤23.98      | 20.52      | ≤23.00           | PASS    |
| 11N20MIMO | Ant1    | 5200            | 10.81               | 1.47            | 12.28        | ≤23.98      | 17.47      | ≤23.00           | PASS    |
| 11N20MIMO | Ant2    | 5200            | 11.61               | 1.47            | 13.08        | ≤23.98      | 16.76      | ≤23.00           | PASS    |
| 11N20MIMO | total   | 5200            | ---                 | ---             | 15.71        | ≤23.98      | 20.90      | ≤23.00           | PASS    |
| 11N20MIMO | Ant1    | 5240            | 10.65               | 1.44            | 12.09        | ≤23.98      | 17.28      | ≤23.00           | PASS    |
| 11N20MIMO | Ant2    | 5240            | 12.28               | 1.47            | 13.75        | ≤23.98      | 17.43      | ≤23.00           | PASS    |
| 11N20MIMO | total   | 5240            | ---                 | ---             | 16.01        | ≤23.98      | 21.20      | ≤23.00           | PASS    |
| 11N20MIMO | Ant1    | 5260            | 11.10               | 1.47            | 12.57        | ≤23.98      | 17.76      | ≤30.00           | PASS    |
| 11N20MIMO | Ant2    | 5260            | 11.94               | 1.47            | 13.41        | ≤23.87      | 17.09      | ≤30.00           | PASS    |
| 11N20MIMO | total   | 5260            | ---                 | ---             | 16.02        | ≤23.98      | 21.21      | ≤30.00           | PASS    |

## Total Quality. Assured.

|           |       |      |       |      |       |        |       |        |      |
|-----------|-------|------|-------|------|-------|--------|-------|--------|------|
| 11N20MIMO | Ant1  | 5280 | 11.15 | 1.44 | 12.59 | ≤23.86 | 17.78 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5280 | 12.57 | 1.47 | 14.04 | ≤23.98 | 17.72 | ≤30.00 | PASS |
| 11N20MIMO | total | 5280 | ---   | ---  | 16.39 | ≤23.98 | 21.58 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5320 | 11.90 | 1.47 | 13.37 | ≤23.83 | 18.56 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5320 | 12.58 | 1.47 | 14.05 | ≤23.88 | 17.73 | ≤30.00 | PASS |
| 11N20MIMO | total | 5320 | ---   | ---  | 16.73 | ≤23.98 | 21.92 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5500 | 13.67 | 1.47 | 14.62 | ≤23.85 | 19.81 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5500 | 14.16 | 1.47 | 14.90 | ≤23.84 | 18.58 | ≤30.00 | PASS |
| 11N20MIMO | total | 5500 | ---   | ---  | 17.77 | ≤23.98 | 22.96 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5580 | 12.84 | 1.47 | 14.35 | ≤23.81 | 19.54 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5580 | 14.76 | 1.47 | 14.84 | ≤23.84 | 18.52 | ≤30.00 | PASS |
| 11N20MIMO | total | 5580 | ---   | ---  | 17.61 | ≤23.98 | 22.8  | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5700 | 12.97 | 1.47 | 13.95 | ≤23.83 | 19.14 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5700 | 14.24 | 1.47 | 15.32 | ≤23.85 | 19.00 | ≤30.00 | PASS |
| 11N20MIMO | total | 5700 | ---   | ---  | 17.70 | ≤23.98 | 22.89 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5745 | 14.42 | 1.47 | 15.89 | ≤30.00 | 21.08 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5745 | 14.72 | 1.44 | 16.16 | ≤30.00 | 19.84 | ≤30.00 | PASS |
| 11N20MIMO | total | 5745 | ---   | ---  | 19.04 | ≤30.00 | 24.23 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5785 | 13.52 | 1.47 | 14.99 | ≤30.00 | 20.18 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5785 | 14.10 | 1.47 | 15.57 | ≤30.00 | 19.25 | ≤30.00 | PASS |
| 11N20MIMO | total | 5785 | ---   | ---  | 18.30 | ≤30.00 | 23.49 | ≤30.00 | PASS |
| 11N20MIMO | Ant1  | 5825 | 13.63 | 1.44 | 15.07 | ≤30.00 | 20.26 | ≤30.00 | PASS |
| 11N20MIMO | Ant2  | 5825 | 14.08 | 1.47 | 15.55 | ≤30.00 | 19.23 | ≤30.00 | PASS |
| 11N20MIMO | total | 5825 | ---   | ---  | 18.33 | ≤30.00 | 23.52 | ≤30.00 | PASS |
| 11N40MIMO | Ant1  | 5190 | 9.54  | 2.58 | 12.12 | ≤23.98 | 17.31 | ≤23.00 | PASS |
| 11N40MIMO | Ant2  | 5190 | 10.72 | 2.58 | 13.30 | ≤23.98 | 16.98 | ≤23.00 | PASS |
| 11N40MIMO | total | 5190 | ---   | ---  | 15.76 | ≤23.98 | 20.95 | ≤23.00 | PASS |
| 11N40MIMO | Ant1  | 5230 | 9.72  | 2.58 | 12.30 | ≤23.98 | 17.49 | ≤23.00 | PASS |
| 11N40MIMO | Ant2  | 5230 | 12.13 | 2.58 | 14.71 | ≤23.98 | 18.39 | ≤23.00 | PASS |
| 11N40MIMO | total | 5230 | ---   | ---  | 16.68 | ≤23.98 | 21.87 | ≤23.00 | PASS |
| 11N40MIMO | Ant1  | 5270 | 10.31 | 2.58 | 12.89 | ≤23.98 | 18.08 | ≤30.00 | PASS |
| 11N40MIMO | Ant2  | 5270 | 11.02 | 2.58 | 13.60 | ≤23.98 | 17.28 | ≤30.00 | PASS |
| 11N40MIMO | total | 5270 | ---   | ---  | 16.27 | ≤23.98 | 21.46 | ≤30.00 | PASS |
| 11N40MIMO | Ant1  | 5310 | 10.43 | 2.58 | 13.01 | ≤23.98 | 18.20 | ≤30.00 | PASS |
| 11N40MIMO | Ant2  | 5310 | 10.56 | 2.58 | 13.14 | ≤23.98 | 16.82 | ≤30.00 | PASS |
| 11N40MIMO | total | 5310 | ---   | ---  | 16.09 | ≤23.98 | 21.28 | ≤30.00 | PASS |
| 11N40MIMO | Ant1  | 5510 | 9.12  | 2.58 | 11.70 | ≤23.98 | 16.89 | ≤30.00 | PASS |
| 11N40MIMO | Ant2  | 5510 | 9.52  | 2.58 | 12.10 | ≤23.98 | 15.78 | ≤30.00 | PASS |
| 11N40MIMO | total | 5510 | ---   | ---  | 14.91 | ≤23.98 | 20.10 | ≤30.00 | PASS |
| 11N40MIMO | Ant1  | 5550 | 12.15 | 2.58 | 14.73 | ≤23.98 | 19.92 | ≤30.00 | PASS |
| 11N40MIMO | Ant2  | 5550 | 11.69 | 2.58 | 14.27 | ≤23.98 | 17.95 | ≤30.00 | PASS |
| 11N40MIMO | total | 5550 | ---   | ---  | 17.52 | ≤23.98 | 22.71 | ≤30.00 | PASS |
| 11N40MIMO | Ant1  | 5670 | 11.50 | 2.58 | 14.08 | ≤23.98 | 19.27 | ≤30.00 | PASS |


## Total Quality. Assured.

|            |       |      |       |      |       |        |       |        |      |
|------------|-------|------|-------|------|-------|--------|-------|--------|------|
| 11N40MIMO  | Ant2  | 5670 | 12.68 | 2.58 | 15.26 | ≤23.98 | 18.94 | ≤30.00 | PASS |
| 11N40MIMO  | total | 5670 | ---   | ---  | 17.72 | ≤23.98 | 22.91 | ≤30.00 | PASS |
| 11N40MIMO  | Ant1  | 5755 | 12.42 | 2.58 | 15.00 | ≤30.00 | 20.19 | ≤30.00 | PASS |
| 11N40MIMO  | Ant2  | 5755 | 12.72 | 2.58 | 15.30 | ≤30.00 | 18.98 | ≤30.00 | PASS |
| 11N40MIMO  | total | 5755 | ---   | ---  | 18.16 | ≤30.00 | 23.35 | ≤30.00 | PASS |
| 11N40MIMO  | Ant1  | 5795 | 12.49 | 2.58 | 15.07 | ≤30.00 | 20.26 | ≤30.00 | PASS |
| 11N40MIMO  | Ant2  | 5795 | 12.03 | 2.58 | 14.61 | ≤30.00 | 18.29 | ≤30.00 | PASS |
| 11N40MIMO  | total | 5795 | ---   | ---  | 17.86 | ≤30.00 | 23.05 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5180 | 10.78 | 1.43 | 12.21 | ≤23.98 | 17.40 | ≤23.00 | PASS |
| 11AC20MIMO | Ant2  | 5180 | 11.75 | 1.47 | 13.22 | ≤23.98 | 16.90 | ≤23.00 | PASS |
| 11AC20MIMO | total | 5180 | ---   | ---  | 15.75 | ≤23.98 | 20.94 | ≤23.00 | PASS |
| 11AC20MIMO | Ant1  | 5200 | 11.02 | 1.44 | 12.46 | ≤23.98 | 17.65 | ≤23.00 | PASS |
| 11AC20MIMO | Ant2  | 5200 | 11.76 | 1.47 | 13.23 | ≤23.98 | 16.91 | ≤23.00 | PASS |
| 11AC20MIMO | total | 5200 | ---   | ---  | 15.87 | ≤23.98 | 21.06 | ≤23.00 | PASS |
| 11AC20MIMO | Ant1  | 5240 | 10.86 | 1.47 | 12.33 | ≤23.98 | 17.52 | ≤23.00 | PASS |
| 11AC20MIMO | Ant2  | 5240 | 12.27 | 1.47 | 13.74 | ≤23.98 | 17.42 | ≤23.00 | PASS |
| 11AC20MIMO | total | 5240 | ---   | ---  | 16.10 | ≤23.98 | 21.29 | ≤23.00 | PASS |
| 11AC20MIMO | Ant1  | 5260 | 10.53 | 1.47 | 12.00 | ≤23.86 | 17.19 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5260 | 11.94 | 1.47 | 13.41 | ≤23.83 | 17.09 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5260 | ---   | ---  | 15.77 | ≤23.98 | 20.96 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5280 | 11.23 | 1.47 | 12.70 | ≤23.85 | 17.89 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5280 | 12.54 | 1.47 | 14.01 | ≤23.98 | 17.69 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5280 | ---   | ---  | 16.41 | ≤23.98 | 21.60 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5320 | 11.15 | 1.47 | 12.62 | ≤23.81 | 17.81 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5320 | 11.91 | 1.47 | 13.38 | ≤23.86 | 17.06 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5320 | ---   | ---  | 16.03 | ≤23.98 | 21.22 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5500 | 13.33 | 1.47 | 14.80 | ≤23.85 | 19.99 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5500 | 13.14 | 1.47 | 14.61 | ≤23.85 | 18.29 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5500 | ---   | ---  | 17.72 | ≤23.98 | 22.91 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5580 | 13.61 | 1.47 | 14.96 | ≤23.84 | 20.15 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5580 | 14.06 | 1.44 | 14.42 | ≤23.86 | 18.10 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5580 | ---   | ---  | 17.71 | ≤23.98 | 22.90 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5700 | 12.62 | 1.47 | 14.09 | ≤23.98 | 19.28 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5700 | 12.49 | 1.47 | 13.96 | ≤23.85 | 17.64 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5700 | ---   | ---  | 17.04 | ≤23.98 | 22.23 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5745 | 13.98 | 1.47 | 15.45 | ≤30.00 | 20.64 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5745 | 14.93 | 1.47 | 16.40 | ≤30.00 | 20.08 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5745 | ---   | ---  | 18.96 | ≤30.00 | 24.15 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5785 | 14.13 | 1.47 | 15.60 | ≤30.00 | 20.79 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5785 | 14.71 | 1.47 | 16.18 | ≤30.00 | 19.86 | ≤30.00 | PASS |
| 11AC20MIMO | total | 5785 | ---   | ---  | 18.91 | ≤30.00 | 24.10 | ≤30.00 | PASS |
| 11AC20MIMO | Ant1  | 5825 | 13.50 | 1.47 | 14.97 | ≤30.00 | 20.16 | ≤30.00 | PASS |
| 11AC20MIMO | Ant2  | 5825 | 14.17 | 1.47 | 15.64 | ≤30.00 | 19.32 | ≤30.00 | PASS |


## Total Quality. Assured.

|            |       |      |       |      |       |        |       |        |      |
|------------|-------|------|-------|------|-------|--------|-------|--------|------|
| 11AC20MIMO | total | 5825 | ---   | ---  | 18.33 | ≤30.00 | 23.52 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5190 | 9.90  | 2.58 | 12.48 | ≤23.98 | 17.67 | ≤23.00 | PASS |
| 11AC40MIMO | Ant2  | 5190 | 10.80 | 2.58 | 13.38 | ≤23.98 | 17.06 | ≤23.00 | PASS |
| 11AC40MIMO | total | 5190 | ---   | ---  | 15.96 | ≤23.98 | 21.15 | ≤23.00 | PASS |
| 11AC40MIMO | Ant1  | 5230 | 9.21  | 2.58 | 11.79 | ≤23.98 | 16.98 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5230 | 11.36 | 2.58 | 13.94 | ≤23.98 | 17.62 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5230 | ---   | ---  | 16.01 | ≤23.98 | 21.20 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5270 | 10.09 | 2.58 | 12.67 | ≤23.98 | 17.86 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5270 | 10.45 | 2.58 | 13.03 | ≤23.98 | 16.71 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5270 | ---   | ---  | 15.86 | ≤23.98 | 21.05 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5310 | 10.46 | 2.58 | 13.04 | ≤23.98 | 18.23 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5310 | 11.26 | 2.58 | 13.84 | ≤23.98 | 17.52 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5310 | ---   | ---  | 16.47 | ≤23.98 | 21.66 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5510 | 9.25  | 2.58 | 11.83 | ≤23.98 | 17.02 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5510 | 9.07  | 2.58 | 11.65 | ≤23.98 | 15.33 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5510 | ---   | ---  | 14.75 | ≤23.98 | 19.94 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5550 | 12.31 | 2.58 | 14.89 | ≤23.98 | 20.08 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5550 | 11.96 | 2.58 | 14.54 | ≤23.98 | 18.22 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5550 | ---   | ---  | 17.73 | ≤23.98 | 22.92 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5670 | 11.28 | 2.58 | 13.86 | ≤23.98 | 19.05 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5670 | 12.54 | 2.58 | 15.12 | ≤23.98 | 18.80 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5670 | ---   | ---  | 17.55 | ≤23.98 | 22.74 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5755 | 11.81 | 2.58 | 14.39 | ≤30.00 | 19.58 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5755 | 12.92 | 2.58 | 15.50 | ≤30.00 | 19.18 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5755 | ---   | ---  | 17.99 | ≤30.00 | 23.18 | ≤30.00 | PASS |
| 11AC40MIMO | Ant1  | 5795 | 12.71 | 2.58 | 15.29 | ≤30.00 | 20.48 | ≤30.00 | PASS |
| 11AC40MIMO | Ant2  | 5795 | 12.96 | 2.58 | 15.54 | ≤30.00 | 19.22 | ≤30.00 | PASS |
| 11AC40MIMO | total | 5795 | ---   | ---  | 18.43 | ≤30.00 | 23.62 | ≤30.00 | PASS |
| 11AC80MIMO | Ant1  | 5210 | 8.55  | 4.23 | 12.78 | ≤23.98 | 17.97 | ≤30.00 | PASS |
| 11AC80MIMO | Ant2  | 5210 | 8.40  | 4.23 | 12.63 | ≤23.98 | 16.31 | ≤30.00 | PASS |
| 11AC80MIMO | total | 5210 | ---   | ---  | 15.72 | ≤23.98 | 20.91 | ≤30.00 | PASS |
| 11AC80MIMO | Ant1  | 5290 | 7.65  | 4.23 | 11.88 | ≤23.98 | 17.07 | ≤30.00 | PASS |
| 11AC80MIMO | Ant2  | 5290 | 9.59  | 4.23 | 13.82 | ≤23.98 | 17.50 | ≤30.00 | PASS |
| 11AC80MIMO | total | 5290 | ---   | ---  | 15.97 | ≤23.98 | 21.16 | ≤30.00 | PASS |
| 11AC80MIMO | Ant1  | 5530 | 7.33  | 4.23 | 11.56 | ≤23.98 | 16.75 | ≤30.00 | PASS |
| 11AC80MIMO | Ant2  | 5530 | 8.29  | 4.23 | 12.52 | ≤23.98 | 16.20 | ≤30.00 | PASS |
| 11AC80MIMO | total | 5530 | ---   | ---  | 15.08 | ≤23.98 | 20.27 | ≤30.00 | PASS |
| 11AC80MIMO | Ant1  | 5610 | 10.81 | 4.23 | 15.04 | ≤23.98 | 20.23 | ≤30.00 | PASS |
| 11AC80MIMO | Ant2  | 5610 | 10.22 | 4.23 | 14.45 | ≤23.98 | 18.13 | ≤30.00 | PASS |
| 11AC80MIMO | total | 5610 | ---   | ---  | 17.77 | ≤23.98 | 22.96 | ≤30.00 | PASS |
| 11AC80MIMO | Ant1  | 5775 | 10.65 | 4.23 | 14.88 | ≤30.00 | 20.07 | ≤30.00 | PASS |
| 11AC80MIMO | Ant2  | 5775 | 10.43 | 4.23 | 14.66 | ≤30.00 | 18.34 | ≤30.00 | PASS |
| 11AC80MIMO | total | 5775 | ---   | ---  | 17.78 | ≤30.00 | 22.97 | ≤30.00 | PASS |


## Test Graphs Channel Power




11A-Ant1-5180-PASS




11A-Ant2-5180-PASS



11A-Ant1-5200-PASS



11A-Ant2-5200-PASS



11A-Ant1-5240-PASS



11A-Ant2-5240-PASS