




1.4M_HCH_5846.5MHz_Ant0_NTNV




3M_LCH_5730.5MHz_Ant0_NTNV




3M_MCH_5787.5MHz_Ant0_NTNV




3M_HCH_5844.5MHz_Ant0_NTNV




10M_LCH_5730.5MHz_Ant0_NTNV




10M_MCH_5787.5MHz_Ant0_NTNV




10M_HCH_5844.5MHz_Ant0_NTNV




20M_LCH_5735.5MHz_Ant0_NTNV




20M_MCH_5787.5MHz_Ant0_NTNV




20M_HCH_5839.5MHz_Ant0_NTNV




40M_LCH_5745.5MHz_Ant0_NTNV



40M_MCH_5787.5MHz_Ant0_NTNV






2. Bandwidth

2.1 OBW


2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Ant	99% Occupied Bandwidth (MHz)	Verdict
				Result	
1.4M	SISO	5728.5	0	1.355	Pass
		5788.5	0	1.348	Pass
		5846.5	0	1.376	Pass
3M	SISO	5730.5	0	2.329	Pass
		5787.5	0	2.327	Pass
		5844.5	0	2.311	Pass
10M	SISO	5730.5	0	9.082	Pass
		5787.5	0	9.029	Pass
		5844.5	0	9.207	Pass
20M	SISO	5735.5	0	17.960	Pass
		5787.5	0	17.970	Pass
		5839.5	0	17.953	Pass
40M	SISO	5745.5	0	35.854	Pass
		5787.5	0	35.953	Pass
		5829.5	0	35.776	Pass


2.1.2 Test Graph




1.4M_HCH_5846.5MHz_Ant0_NTNV




3M_LCH_5730.5MHz_Ant0_NTNV




3M_MCH_5787.5MHz_Ant0_NTNV




3M_HCH_5844.5MHz_Ant0_NTNV




10M_LCH_5730.5MHz_Ant0_NTNV




10M_MCH_5787.5MHz_Ant0_NTNV




10M_HCH_5844.5MHz_Ant0_NTNV




20M_LCH_5735.5MHz_Ant0_NTNV




20M_MCH_5787.5MHz_Ant0_NTNV




20M_HCH_5839.5MHz_Ant0_NTNV




40M_LCH_5745.5MHz_Ant0_NTNV



40M_MCH_5787.5MHz_Ant0_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is notified that information contained thereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CS Standards Technical Services Co., Ltd. or email: CN.Doccheck@sgs.com
No.198 Kezhu Road, Sientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch, Technical Services Co., Ltd. CEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

2.2 6dB BW


2.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Ant	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1.4M	SISO	5728.5	0	1.115	≥ 0.5	Pass
		5788.5	0	1.114	≥ 0.5	Pass
		5846.5	0	1.114	≥ 0.5	Pass
3M	SISO	5730.5	0	2.183	≥ 0.5	Pass
		5787.5	0	2.172	≥ 0.5	Pass
		5844.5	0	2.190	≥ 0.5	Pass
10M	SISO	5730.5	0	8.966	≥ 0.5	Pass
		5787.5	0	8.938	≥ 0.5	Pass
		5844.5	0	8.983	≥ 0.5	Pass
20M	SISO	5735.5	0	17.869	≥ 0.5	Pass
		5787.5	0	17.701	≥ 0.5	Pass
		5839.5	0	17.910	≥ 0.5	Pass
40M	SISO	5745.5	0	35.141	≥ 0.5	Pass
		5787.5	0	35.223	≥ 0.5	Pass
		5829.5	0	35.641	≥ 0.5	Pass


2.2.2 Test Graph



1.4M_HCH_5846.5MHz_Ant0_NTNV




3M_LCH_5730.5MHz_Ant0_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


3M_MCH_5787.5MHz_Ant0_NTNV




3M_HCH_5844.5MHz_Ant0_NTNV




10M_LCH_5730.5MHz_Ant0_NTNV




10M_MCH_5787.5MHz_Ant0_NTNV




10M_HCH_5844.5MHz_Ant0_NTNV




20M_LCH_5735.5MHz_Ant0_NTNV




20M_MCH_5787.5MHz_Ant0_NTNV




20M_HCH_5839.5MHz_Ant0_NTNV




40M_LCH_5745.5MHz_Ant0_NTNV



40M_MCH_5787.5MHz_Ant0_NTNV



40M_HCH_5829.5MHz_Ant0_NTNV



3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)			Verdict
			ANT	Result	Limit	
1.4M	SISO	5728.5	0	23.34	<=30	Pass
		5788.5	0	23.85	<=30	Pass
		5846.5	0	23.79	<=30	Pass
3M	SISO	5730.5	0	24.27	<=30	Pass
		5787.5	0	25.12	<=30	Pass
		5844.5	0	24.03	<=30	Pass
10M	SISO	5730.5	0	14.51	<=30	Pass
		5787.5	0	15.80	<=30	Pass
		5844.5	0	15.77	<=30	Pass
20M	SISO	5735.5	0	15.31	<=30	Pass
		5787.5	0	16.02	<=30	Pass
		5839.5	0	15.48	<=30	Pass
40M	SISO	5745.5	0	9.44	<=30	Pass
		5787.5	0	15.75	<=30	Pass
		5829.5	0	10.08	<=30	Pass


4. Maximum Power Spectral Density


4.1 PSD-5.8G SDR


4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)			Verdict
			ANT	Result	Limit	
1.4M	SISO	5728.5	0	22.24	<=30	Pass
		5788.5	0	23.17	<=30	Pass
		5846.5	0	22.22	<=30	Pass
3M	SISO	5730.5	0	19.96	<=30	Pass
		5787.5	0	20.43	<=30	Pass
		5844.5	0	19.14	<=30	Pass
10M	SISO	5730.5	0	4.58	<=30	Pass
		5787.5	0	5.20	<=30	Pass
		5844.5	0	3.88	<=30	Pass
20M	SISO	5735.5	0	1.84	<=30	Pass
		5787.5	0	2.39	<=30	Pass
		5839.5	0	1.38	<=30	Pass
40M	SISO	5745.5	0	-6.61	<=30	Pass
		5787.5	0	-0.63	<=30	Pass
		5829.5	0	-6.23	<=30	Pass


4.1.2 Test Graph














Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com







5. Frequency Stability

5.1 Ant0

5.1.1 Test Result

Ant0							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
1.4M	SISO	5728.5	20	6.12	5728.518	5725 to 5850	Pass
				7.20	5728.510	5725 to 5850	Pass
				8.28	5728.511	5725 to 5850	Pass
			-30	7.20	5728.507	5725 to 5850	Pass
			-20	7.20	5728.518	5725 to 5850	Pass
			-10	7.20	5728.517	5725 to 5850	Pass
			0	7.20	5728.517	5725 to 5850	Pass
			10	7.20	5728.517	5725 to 5850	Pass
			30	7.20	5728.515	5725 to 5850	Pass
			40	7.20	5728.514	5725 to 5850	Pass
			50	7.20	5728.513	5725 to 5850	Pass
		5788.5	20	6.12	5788.513	5725 to 5850	Pass
				7.20	5788.518	5725 to 5850	Pass
				8.28	5788.514	5725 to 5850	Pass
			-30	7.20	5788.510	5725 to 5850	Pass
			-20	7.20	5788.518	5725 to 5850	Pass
			-10	7.20	5788.512	5725 to 5850	Pass
			0	7.20	5788.513	5725 to 5850	Pass
			10	7.20	5788.515	5725 to 5850	Pass
			30	7.20	5788.518	5725 to 5850	Pass
			40	7.20	5788.520	5725 to 5850	Pass
			50	7.20	5788.513	5725 to 5850	Pass
		5846.5	20	6.12	5846.515	5725 to 5850	Pass
				7.20	5846.510	5725 to 5850	Pass
				8.28	5846.515	5725 to 5850	Pass
			-30	7.20	5846.512	5725 to 5850	Pass
			-20	7.20	5846.511	5725 to 5850	Pass
			-10	7.20	5846.513	5725 to 5850	Pass
			0	7.20	5846.513	5725 to 5850	Pass
			10	7.20	5846.514	5725 to 5850	Pass
			30	7.20	5846.513	5725 to 5850	Pass
			40	7.20	5846.507	5725 to 5850	Pass
			50	7.20	5846.510	5725 to 5850	Pass

3M	SISO	5730.5	20	6.12	5730.500	5725 to 5850	Pass
				7.20	5730.503	5725 to 5850	Pass
				8.28	5730.500	5725 to 5850	Pass
			-30	7.20	5730.500	5725 to 5850	Pass
			-20	7.20	5730.500	5725 to 5850	Pass
			-10	7.20	5730.497	5725 to 5850	Pass
			0	7.20	5730.494	5725 to 5850	Pass
			10	7.20	5730.494	5725 to 5850	Pass
			30	7.20	5730.497	5725 to 5850	Pass
			40	7.20	5730.488	5725 to 5850	Pass
			50	7.20	5730.497	5725 to 5850	Pass
		5787.5	20	6.12	5787.491	5725 to 5850	Pass
				7.20	5787.488	5725 to 5850	Pass
				8.28	5787.491	5725 to 5850	Pass
			-30	7.20	5787.503	5725 to 5850	Pass
			-20	7.20	5787.482	5725 to 5850	Pass
			-10	7.20	5787.497	5725 to 5850	Pass
			0	7.20	5787.494	5725 to 5850	Pass
			10	7.20	5787.500	5725 to 5850	Pass
			30	7.20	5787.488	5725 to 5850	Pass
			40	7.20	5787.482	5725 to 5850	Pass
			50	7.20	5787.497	5725 to 5850	Pass
		5844.5	20	6.12	5844.488	5725 to 5850	Pass
				7.20	5844.488	5725 to 5850	Pass
				8.28	5844.497	5725 to 5850	Pass
			-30	7.20	5844.491	5725 to 5850	Pass
			-20	7.20	5844.500	5725 to 5850	Pass
			-10	7.20	5844.485	5725 to 5850	Pass
			0	7.20	5844.485	5725 to 5850	Pass
			10	7.20	5844.497	5725 to 5850	Pass
			30	7.20	5844.500	5725 to 5850	Pass
			40	7.20	5844.482	5725 to 5850	Pass
			50	7.20	5844.500	5725 to 5850	Pass
10M	SISO	5730.5	20	6.12	5730.540	5725 to 5850	Pass
				7.20	5730.520	5725 to 5850	Pass
				8.28	5730.540	5725 to 5850	Pass
			-30	7.20	5730.500	5725 to 5850	Pass
			-20	7.20	5730.510	5725 to 5850	Pass
			-10	7.20	5730.550	5725 to 5850	Pass
			0	7.20	5730.520	5725 to 5850	Pass
			10	7.20	5730.520	5725 to 5850	Pass
			30	7.20	5730.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

			40	7.20	5730.570	5725 to 5850	Pass
			50	7.20	5730.530	5725 to 5850	Pass
		5787.5	20	6.12	5787.540	5725 to 5850	Pass
				7.20	5787.530	5725 to 5850	Pass
				8.28	5787.510	5725 to 5850	Pass
			-30	7.20	5787.530	5725 to 5850	Pass
			-20	7.20	5787.520	5725 to 5850	Pass
			-10	7.20	5787.530	5725 to 5850	Pass
			0	7.20	5787.550	5725 to 5850	Pass
			10	7.20	5787.500	5725 to 5850	Pass
			30	7.20	5787.580	5725 to 5850	Pass
			40	7.20	5787.530	5725 to 5850	Pass
			50	7.20	5787.510	5725 to 5850	Pass
		5844.5	20	6.12	5844.540	5725 to 5850	Pass
				7.20	5844.510	5725 to 5850	Pass
				8.28	5844.540	5725 to 5850	Pass
			-30	7.20	5844.520	5725 to 5850	Pass
			-20	7.20	5844.500	5725 to 5850	Pass
			-10	7.20	5844.570	5725 to 5850	Pass
			0	7.20	5844.520	5725 to 5850	Pass
			10	7.20	5844.530	5725 to 5850	Pass
			30	7.20	5844.480	5725 to 5850	Pass
			40	7.20	5844.480	5725 to 5850	Pass
			50	7.20	5844.510	5725 to 5850	Pass
20M	SISO	5735.5	20	6.12	5735.500	5725 to 5850	Pass
				7.20	5735.640	5725 to 5850	Pass
				8.28	5735.520	5725 to 5850	Pass
			-30	7.20	5735.540	5725 to 5850	Pass
			-20	7.20	5735.640	5725 to 5850	Pass
			-10	7.20	5735.600	5725 to 5850	Pass
			0	7.20	5735.660	5725 to 5850	Pass
			10	7.20	5735.560	5725 to 5850	Pass
			30	7.20	5735.480	5725 to 5850	Pass
			40	7.20	5735.520	5725 to 5850	Pass
			50	7.20	5735.480	5725 to 5850	Pass
		5787.5	20	6.12	5787.520	5725 to 5850	Pass
				7.20	5787.560	5725 to 5850	Pass
				8.28	5787.560	5725 to 5850	Pass
			-30	7.20	5787.620	5725 to 5850	Pass
			-20	7.20	5787.480	5725 to 5850	Pass
			-10	7.20	5787.560	5725 to 5850	Pass
			0	7.20	5787.520	5725 to 5850	Pass

			10	7.20	5787.560	5725 to 5850	Pass
			30	7.20	5787.560	5725 to 5850	Pass
			40	7.20	5787.580	5725 to 5850	Pass
			50	7.20	5787.640	5725 to 5850	Pass
		5839.5	20	6.12	5839.580	5725 to 5850	Pass
				7.20	5839.540	5725 to 5850	Pass
				8.28	5839.380	5725 to 5850	Pass
			-30	7.20	5839.620	5725 to 5850	Pass
			-20	7.20	5839.640	5725 to 5850	Pass
			-10	7.20	5839.580	5725 to 5850	Pass
			0	7.20	5839.500	5725 to 5850	Pass
			10	7.20	5839.580	5725 to 5850	Pass
			30	7.20	5839.620	5725 to 5850	Pass
			40	7.20	5839.580	5725 to 5850	Pass
			50	7.20	5839.540	5725 to 5850	Pass
40M	SISO	5745.5	20	6.12	5745.580	5725 to 5850	Pass
				7.20	5745.460	5725 to 5850	Pass
				8.28	5745.500	5725 to 5850	Pass
			-30	7.20	5745.700	5725 to 5850	Pass
			-20	7.20	5745.540	5725 to 5850	Pass
			-10	7.20	5745.500	5725 to 5850	Pass
			0	7.20	5745.140	5725 to 5850	Pass
			10	7.20	5745.580	5725 to 5850	Pass
			30	7.20	5745.700	5725 to 5850	Pass
			40	7.20	5745.580	5725 to 5850	Pass
			50	7.20	5745.620	5725 to 5850	Pass
		5787.5	20	6.12	5787.500	5725 to 5850	Pass
				7.20	5787.500	5725 to 5850	Pass
				8.28	5787.620	5725 to 5850	Pass
			-30	7.20	5787.540	5725 to 5850	Pass
			-20	7.20	5787.420	5725 to 5850	Pass
			-10	7.20	5787.580	5725 to 5850	Pass
			0	7.20	5787.580	5725 to 5850	Pass
			10	7.20	5787.540	5725 to 5850	Pass
			30	7.20	5787.580	5725 to 5850	Pass
			40	7.20	5787.540	5725 to 5850	Pass
			50	7.20	5787.660	5725 to 5850	Pass
		5829.5	20	6.12	5829.540	5725 to 5850	Pass
				7.20	5829.620	5725 to 5850	Pass
				8.28	5829.620	5725 to 5850	Pass
			-30	7.20	5829.580	5725 to 5850	Pass
			-20	7.20	5829.540	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

			-10	7.20	5829.500	5725 to 5850	Pass
			0	7.20	5829.620	5725 to 5850	Pass
			10	7.20	5829.580	5725 to 5850	Pass
			30	7.20	5829.420	5725 to 5850	Pass
			40	7.20	5829.540	5725 to 5850	Pass
			50	7.20	5829.580	5725 to 5850	Pass

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com