


Annex C. Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.4	-13	Pass	601
0.15	30	0.01	Peak	0.16	-47.45	-13	Pass	2985
30	1000	0.1	Peak	965.096	-51.19	-13	Pass	9700
1000	3000	1	Peak	1906.453	25.73	-13	N/A	2000
3000	20000	1	Peak	18896.935	-20.34	-13	Pass	17000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.51	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.46	-13	Pass	2985
30	1000	0.1	Peak	951.295	-51.28	-13	Pass	9700
1000	3000	1	Peak	1881.441	25.47	-13	N/A	2000
3000	20000	1	Peak	18965.939	-20.6	-13	Pass	17000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.66	-13	Pass	601
0.15	30	0.01	Peak	0.18	-49.39	-13	Pass	2985
30	1000	0.1	Peak	933.393	-50.82	-13	Pass	9700
1000	3000	1	Peak	1906.453	25.98	-13	N/A	2000
3000	20000	1	Peak	18864.933	-20.85	-13	Pass	17000



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2985
30	1000	0.1	RMS	908.791	-62.13	-13	Pass	9700
1000	3000	1	RMS	1753.377	19.33	-13	N/A	2000
3000	20000	1	RMS	18931.937	-31.82	-13	Pass	17000




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2985
30	1000	0.1	RMS	912.191	-62.16	-13	Pass	9700
1000	3000	1	RMS	1732.366	19.36	-13	N/A	2000
3000	20000	1	RMS	18936.937	-31.84	-13	Pass	17000



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2985
30	1000	0.1	RMS	926.392	-62.12	-13	Pass	9700
1000	3000	1	RMS	1753.377	19.49	-13	N/A	2000
3000	20000	1	RMS	18929.937	-31.87	-13	Pass	17000



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.36	-13	Pass	601
0.15	30	0.01	Peak	0.16	-49.71	-13	Pass	2985
30	500	0.1	Peak	492.698	-53.1	-13	Pass	4700
500	1000	0.1	Peak	827.065	18.79	-13	N/A	5000
1000	10000	1	Peak	9904.989	-32.68	-13	Pass	9000




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.65	-13	Pass	601
0.15	30	0.01	Peak	0.15	-49.93	-13	Pass	2985
30	500	0.1	Peak	498.1	-52.6	-13	Pass	4700
500	1000	0.1	Peak	836.967	19.2	-13	N/A	5000
1000	10000	1	Peak	9808.979	-33.08	-13	Pass	9000



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.25	-13	Pass	601
0.15	30	0.01	Peak	0.15	-48.14	-13	Pass	2985
30	500	0.1	Peak	433.186	-52.97	-13	Pass	4700
500	1000	0.1	Peak	847.269	19.81	-13	N/A	5000
1000	10000	1	Peak	6929.659	-32.78	-13	Pass	9000



4. LTE_Band2


**4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2985
30	1000	0.1	RMS	922.092	-62.05	-13	Pass	9700
1000	1840	1	RMS	1840	-50.78	-13	Pass	840
1840	1920	1	RMS	1850.267	24.94	60	Pass	601
1920	3000	1	RMS	2686.71	-47.69	-13	Pass	1080
3000	12000	1	RMS	11987.999	-41.39	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.85	-13	Pass	8000




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2985
30	1000	0.1	RMS	922.592	-62.1	-13	Pass	9700
1000	1840	1	RMS	1840	-50.87	-13	Pass	840
1840	1920	1	RMS	1850.267	24.08	60	Pass	601
1920	3000	1	RMS	2662.688	-47.66	-13	Pass	1080
3000	12000	1	RMS	11997	-41.27	-13	Pass	9000
12000	20000	1	RMS	18912.864	-31.83	-13	Pass	8000




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2985
30	1000	0.1	RMS	930.993	-62.12	-13	Pass	9700
1000	1840	1	RMS	1838.999	-50.97	-13	Pass	840
1840	1920	1	RMS	1879.6	24.99	60	Pass	601
1920	3000	1	RMS	2669.694	-47.63	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.34	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.81	-13	Pass	8000




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2985
30	1000	0.1	RMS	901.89	-62.18	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.06	-13	Pass	840
1840	1920	1	RMS	1879.6	24.49	60	Pass	601
1920	3000	1	RMS	2673.698	-47.62	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.36	-13	Pass	9000
12000	20000	1	RMS	18912.864	-31.89	-13	Pass	8000




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.49	-13	Pass	2985
30	1000	0.1	RMS	936.193	-62.11	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.03	-13	Pass	840
1840	1920	1	RMS	1908.8	25.15	60	Pass	601
1920	3000	1	RMS	2674.699	-47.65	-13	Pass	1080
3000	12000	1	RMS	11996	-41.26	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.82	-13	Pass	8000




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2985
30	1000	0.1	RMS	915.391	-62.13	-13	Pass	9700
1000	1840	1	RMS	1834.994	-51.02	-13	Pass	840
1840	1920	1	RMS	1908.8	24.09	60	Pass	601
1920	3000	1	RMS	2674.699	-47.7	-13	Pass	1080
3000	12000	1	RMS	11981.998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.88	-13	Pass	8000




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.5	-13	Pass	2985
30	1000	0.1	RMS	976.098	-62.06	-13	Pass	9700
1000	1840	1	RMS	1840	-50.77	-13	Pass	840
1840	1920	1	RMS	1850.267	24.84	60	Pass	601
1920	3000	1	RMS	2676.701	-47.58	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.32	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.89	-13	Pass	8000




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2985
30	1000	0.1	RMS	937.994	-61.94	-13	Pass	9700
1000	1840	1	RMS	1840	-50.89	-13	Pass	840
1840	1920	1	RMS	1850.267	23.92	60	Pass	601
1920	3000	1	RMS	2671.696	-47.63	-13	Pass	1080
3000	12000	1	RMS	11998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.83	-13	Pass	8000




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2985
30	1000	0.1	RMS	935.493	-62.03	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.03	-13	Pass	840
1840	1920	1	RMS	1878.667	25.21	60	Pass	601
1920	3000	1	RMS	2676.701	-47.68	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.37	-13	Pass	9000
12000	20000	1	RMS	18935.867	-31.93	-13	Pass	8000




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	1000	0.1	RMS	907.29	-62.07	-13	Pass	9700
1000	1840	1	RMS	1833.993	-51.07	-13	Pass	840
1840	1920	1	RMS	1878.8	24.8	60	Pass	601
1920	3000	1	RMS	2672.697	-47.65	-13	Pass	1080
3000	12000	1	RMS	11991.999	-41.33	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.9	-13	Pass	8000




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2985
30	1000	0.1	RMS	925.392	-62.09	-13	Pass	9700
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1907.2	25.35	60	Pass	601
1920	3000	1	RMS	2677.702	-47.63	-13	Pass	1080
3000	12000	1	RMS	11996	-41.33	-13	Pass	9000
12000	20000	1	RMS	18934.867	-31.87	-13	Pass	8000




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2985
30	1000	0.1	RMS	936.393	-61.95	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.08	-13	Pass	840
1840	1920	1	RMS	1907.2	24.31	60	Pass	601
1920	3000	1	RMS	2668.693	-47.69	-13	Pass	1080
3000	12000	1	RMS	11989.999	-41.29	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.84	-13	Pass	8000




4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.15	-13	Pass	2985
30	1000	0.1	RMS	934.593	-62.08	-13	Pass	9700
1000	1840	1	RMS	1840	-50.53	-13	Pass	840
1840	1920	1	RMS	1850.267	24.85	60	Pass	601
1920	3000	1	RMS	2673.698	-47.62	-13	Pass	1080
3000	12000	1	RMS	11997	-41.28	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.84	-13	Pass	8000




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2985
30	1000	0.1	RMS	939.694	-62.19	-13	Pass	9700
1000	1840	1	RMS	1840	-50.9	-13	Pass	840
1840	1920	1	RMS	1850.267	23.41	60	Pass	601
1920	3000	1	RMS	2676.701	-47.62	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.91	-13	Pass	8000




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.26	-13	Pass	2985
30	1000	0.1	RMS	935.693	-62.09	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.05	-13	Pass	840
1840	1920	1	RMS	1877.867	25.06	60	Pass	601
1920	3000	1	RMS	2676.701	-47.64	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.36	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.82	-13	Pass	8000




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.57	-13	Pass	2985
30	1000	0.1	RMS	944.794	-62.15	-13	Pass	9700
1000	1840	1	RMS	1840	-51.06	-13	Pass	840
1840	1920	1	RMS	1877.867	24.32	60	Pass	601
1920	3000	1	RMS	2665.69	-47.69	-13	Pass	1080
3000	12000	1	RMS	11993.999	-41.34	-13	Pass	9000
12000	20000	1	RMS	18910.864	-31.84	-13	Pass	8000




4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	1000	0.1	RMS	934.993	-62.15	-13	Pass	9700
1000	1840	1	RMS	1840	-50.98	-13	Pass	840
1840	1920	1	RMS	1905.2	25.11	60	Pass	601
1920	3000	1	RMS	2678.703	-47.69	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.84	-13	Pass	8000




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2985
30	1000	0.1	RMS	922.192	-62.22	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.05	-13	Pass	840
1840	1920	1	RMS	1905.333	24.12	60	Pass	601
1920	3000	1	RMS	2668.693	-47.64	-13	Pass	1080
3000	12000	1	RMS	11994.999	-41.31	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.83	-13	Pass	8000




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.56	-13	Pass	2985
30	1000	0.1	RMS	929.293	-62.14	-13	Pass	9700
1000	1840	1	RMS	1832.992	-46.61	-13	Pass	840
1840	1920	1	RMS	1850.533	25.01	60	Pass	601
1920	3000	1	RMS	2673.698	-47.63	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.25	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.86	-13	Pass	8000




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2985
30	1000	0.1	RMS	912.191	-61.93	-13	Pass	9700
1000	1840	1	RMS	1832.992	-48.35	-13	Pass	840
1840	1920	1	RMS	1850.533	23.95	60	Pass	601
1920	3000	1	RMS	2676.701	-47.7	-13	Pass	1080
3000	12000	1	RMS	11965.996	-41.37	-13	Pass	9000
12000	20000	1	RMS	18919.865	-31.83	-13	Pass	8000




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2985
30	1000	0.1	RMS	957.996	-62.16	-13	Pass	9700
1000	1840	1	RMS	1835.995	-51.06	-13	Pass	840
1840	1920	1	RMS	1875.6	25.16	60	Pass	601
1920	3000	1	RMS	2676.701	-47.68	-13	Pass	1080
3000	12000	1	RMS	11996	-41.29	-13	Pass	9000
12000	20000	1	RMS	18917.865	-31.83	-13	Pass	8000




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2985
30	1000	0.1	RMS	919.592	-61.98	-13	Pass	9700
1000	1840	1	RMS	1828.987	-51.07	-13	Pass	840
1840	1920	1	RMS	1875.6	24.97	60	Pass	601
1920	3000	1	RMS	2670.695	-47.64	-13	Pass	1080
3000	12000	1	RMS	11978.998	-41.33	-13	Pass	9000
12000	20000	1	RMS	18913.864	-31.86	-13	Pass	8000




4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	939.694	-62.18	-13	Pass	9700
1000	1840	1	RMS	1833.993	-51.06	-13	Pass	840
1840	1920	1	RMS	1900.533	25.17	60	Pass	601
1920	3000	1	RMS	2668.693	-47.65	-13	Pass	1080
3000	12000	1	RMS	11999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18920.865	-31.83	-13	Pass	8000




4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.48	-13	Pass	2985
30	1000	0.1	RMS	940.294	-62.18	-13	Pass	9700
1000	1840	1	RMS	1836.996	-51.09	-13	Pass	840
1840	1920	1	RMS	1900.533	24.24	60	Pass	601
1920	3000	1	RMS	2674.699	-47.71	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.25	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.87	-13	Pass	8000




4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2985
30	1000	0.1	RMS	913.791	-62.14	-13	Pass	9700
1000	1840	1	RMS	1837.998	-34.58	-13	Pass	840
1840	1920	1	RMS	1850.933	25.35	60	Pass	601
1920	3000	1	RMS	2678.703	-47.66	-13	Pass	1080
3000	12000	1	RMS	12000	-41.34	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.88	-13	Pass	8000




4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2985
30	1000	0.1	RMS	911.491	-62.09	-13	Pass	9700
1000	1840	1	RMS	1836.996	-37.4	-13	Pass	840
1840	1920	1	RMS	1850.8	23.96	60	Pass	601
1920	3000	1	RMS	2675.7	-47.73	-13	Pass	1080
3000	12000	1	RMS	11983.998	-41.37	-13	Pass	9000
12000	20000	1	RMS	18938.867	-31.83	-13	Pass	8000




4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2985
30	1000	0.1	RMS	935.193	-62.19	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.02	-13	Pass	840
1840	1920	1	RMS	1873.2	25.35	60	Pass	601
1920	3000	1	RMS	2669.694	-47.69	-13	Pass	1080
3000	12000	1	RMS	11982.998	-41.35	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.87	-13	Pass	8000




4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2985
30	1000	0.1	RMS	942.194	-62.05	-13	Pass	9700
1000	1840	1	RMS	1838.999	-51.04	-13	Pass	840
1840	1920	1	RMS	1873.333	24.63	60	Pass	601
1920	3000	1	RMS	2680.704	-47.71	-13	Pass	1080
3000	12000	1	RMS	11984.998	-41.29	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.82	-13	Pass	8000




4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2985
30	1000	0.1	RMS	927.793	-62.15	-13	Pass	9700
1000	1840	1	RMS	1837.998	-50.94	-13	Pass	840
1840	1920	1	RMS	1895.867	25.04	60	Pass	601
1920	3000	1	RMS	2682.706	-47.7	-13	Pass	1080
3000	12000	1	RMS	12000	-41.32	-13	Pass	9000
12000	20000	1	RMS	18924.866	-31.86	-13	Pass	8000




4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2985
30	1000	0.1	RMS	922.392	-62.17	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.01	-13	Pass	840
1840	1920	1	RMS	1895.867	24.22	60	Pass	601
1920	3000	1	RMS	2670.695	-47.71	-13	Pass	1080
3000	12000	1	RMS	11977.998	-41.4	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.85	-13	Pass	8000




4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2985
30	1000	0.1	RMS	954.495	-62.08	-13	Pass	9700
1000	1840	1	RMS	1832.992	-33.62	-13	Pass	840
1840	1920	1	RMS	1851.2	25.18	60	Pass	601
1920	3000	1	RMS	2678.703	-47.65	-13	Pass	1080
3000	12000	1	RMS	11976.997	-41.34	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.78	-13	Pass	8000




4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.31	-13	Pass	2985
30	1000	0.1	RMS	954.295	-62.19	-13	Pass	9700
1000	1840	1	RMS	1832.992	-35.39	-13	Pass	840
1840	1920	1	RMS	1851.067	24.67	60	Pass	601
1920	3000	1	RMS	2670.695	-47.67	-13	Pass	1080
3000	12000	1	RMS	11999	-41.26	-13	Pass	9000
12000	20000	1	RMS	19011.876	-31.86	-13	Pass	8000




4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2985
30	1000	0.1	RMS	945.994	-62.05	-13	Pass	9700
1000	1840	1	RMS	1834.994	-49.1	-13	Pass	840
1840	1920	1	RMS	1871.067	25.39	60	Pass	601
1920	3000	1	RMS	2671.696	-47.69	-13	Pass	1080
3000	12000	1	RMS	11987.999	-41.32	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.91	-13	Pass	8000




4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2985
30	1000	0.1	RMS	928.193	-62.24	-13	Pass	9700
1000	1840	1	RMS	1835.995	-50.17	-13	Pass	840
1840	1920	1	RMS	1871.067	24.24	60	Pass	601
1920	3000	1	RMS	2669.694	-47.67	-13	Pass	1080
3000	12000	1	RMS	11986.999	-41.28	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.86	-13	Pass	8000




4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2985
30	1000	0.1	RMS	946.094	-62.12	-13	Pass	9700
1000	1840	1	RMS	1837.998	-51.01	-13	Pass	840
1840	1920	1	RMS	1891.067	25.55	60	Pass	601
1920	3000	1	RMS	2664.69	-47.64	-13	Pass	1080
3000	12000	1	RMS	11980.998	-41.3	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.88	-13	Pass	8000



4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2985
30	1000	0.1	RMS	838.383	-62.26	-13	Pass	9700
1000	1840	1	RMS	1832.992	-51.04	-13	Pass	840
1840	1920	1	RMS	1891.067	24.59	60	Pass	601
1920	3000	1	RMS	2666.691	-47.7	-13	Pass	1080
3000	12000	1	RMS	11990.999	-41.33	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.87	-13	Pass	8000



5. LTE_Band4


**5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	944.394	-61.92	-13	Pass	9700
1000	1700	1	RMS	1690.987	-50.91	-13	Pass	700
1700	1765	1	RMS	1710.292	23.92	60	Pass	601
1765	3000	1	RMS	2684.745	-47.63	-13	Pass	1235
3000	12000	1	RMS	3420.047	-39.08	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.76	-13	Pass	8000




5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2985
30	1000	0.1	RMS	953.695	-62.02	-13	Pass	9700
1000	1700	1	RMS	1690.987	-50.99	-13	Pass	700
1700	1765	1	RMS	1710.292	22.84	60	Pass	601
1765	3000	1	RMS	2670.733	-47.62	-13	Pass	1235
3000	12000	1	RMS	3420.047	-40.09	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.72	-13	Pass	8000




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2985
30	1000	0.1	RMS	961.496	-62.06	-13	Pass	9700
1000	1700	1	RMS	1700	-51.34	-13	Pass	700
1700	1765	1	RMS	1732.067	23.85	60	Pass	601
1765	3000	1	RMS	2664.729	-47.61	-13	Pass	1235
3000	12000	1	RMS	3464.052	-34.57	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.69	-13	Pass	8000




5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2985
30	1000	0.1	RMS	911.991	-62.01	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.4	-13	Pass	700
1700	1765	1	RMS	1732.067	23.12	60	Pass	601
1765	3000	1	RMS	2675.737	-47.57	-13	Pass	1235
3000	12000	1	RMS	3464.052	-35.21	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.8	-13	Pass	8000




5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.07	-13	Pass	2985
30	1000	0.1	RMS	960.696	-62.02	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.11	-13	Pass	700
1700	1765	1	RMS	1753.842	23.7	60	Pass	601
1765	3000	1	RMS	2671.734	-47.6	-13	Pass	1235
3000	12000	1	RMS	3508.056	-36.48	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.75	-13	Pass	8000




5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	941.794	-62.11	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.34	-13	Pass	700
1700	1765	1	RMS	1753.842	22.57	60	Pass	601
1765	3000	1	RMS	2674.737	-47.62	-13	Pass	1235
3000	12000	1	RMS	3508.056	-37.4	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.76	-13	Pass	8000




5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2985
30	1000	0.1	RMS	935.193	-62.11	-13	Pass	9700
1000	1700	1	RMS	1700	-50.66	-13	Pass	700
1700	1765	1	RMS	1710.183	23.87	60	Pass	601
1765	3000	1	RMS	2670.733	-47.59	-13	Pass	1235
3000	12000	1	RMS	3420.047	-39.16	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.78	-13	Pass	8000




5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2985
30	1000	0.1	RMS	958.096	-62.01	-13	Pass	9700
1000	1700	1	RMS	1690.987	-51.01	-13	Pass	700
1700	1765	1	RMS	1710.183	22.65	60	Pass	601
1765	3000	1	RMS	2679.741	-47.61	-13	Pass	1235
3000	12000	1	RMS	3420.047	-40.33	-13	Pass	9000
12000	20000	1	RMS	18932.867	-31.74	-13	Pass	8000




5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.34	-13	Pass	2985
30	1000	0.1	RMS	920.392	-62.04	-13	Pass	9700
1000	1700	1	RMS	1698.999	-51.39	-13	Pass	700
1700	1765	1	RMS	1731.2	23.91	60	Pass	601
1765	3000	1	RMS	2677.739	-47.6	-13	Pass	1235
3000	12000	1	RMS	3462.051	-35.69	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.71	-13	Pass	8000




5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2985
30	1000	0.1	RMS	910.991	-62.16	-13	Pass	9700
1000	1700	1	RMS	1700	-51.38	-13	Pass	700
1700	1765	1	RMS	1731.2	23.32	60	Pass	601
1765	3000	1	RMS	2669.733	-47.61	-13	Pass	1235
3000	12000	1	RMS	3462.051	-36.24	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.81	-13	Pass	8000




5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2985
30	1000	0.1	RMS	950.595	-61.94	-13	Pass	9700
1000	1700	1	RMS	1694.993	-51.3	-13	Pass	700
1700	1765	1	RMS	1752.217	23.56	60	Pass	601
1765	3000	1	RMS	2669.733	-47.56	-13	Pass	1235
3000	12000	1	RMS	3504.056	-36.71	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.72	-13	Pass	8000




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2985
30	1000	0.1	RMS	960.696	-62.06	-13	Pass	9700
1000	1700	1	RMS	1694.993	-51.25	-13	Pass	700
1700	1765	1	RMS	1752.217	22.3	60	Pass	601
1765	3000	1	RMS	2663.728	-47.62	-13	Pass	1235
3000	12000	1	RMS	3504.056	-38	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.71	-13	Pass	8000




5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2985
30	1000	0.1	RMS	922.092	-61.94	-13	Pass	9700
1000	1700	1	RMS	1700	-50.53	-13	Pass	700
1700	1765	1	RMS	1710.292	23.74	60	Pass	601
1765	3000	1	RMS	2672.735	-47.61	-13	Pass	1235
3000	12000	1	RMS	3421.047	-39.2	-13	Pass	9000
12000	20000	1	RMS	18916.865	-31.75	-13	Pass	8000




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2985
30	1000	0.1	RMS	934.493	-61.82	-13	Pass	9700
1000	1700	1	RMS	1690.987	-50.99	-13	Pass	700
1700	1765	1	RMS	1710.4	22	60	Pass	601
1765	3000	1	RMS	2669.733	-47.54	-13	Pass	1235
3000	12000	1	RMS	3421.047	-40.61	-13	Pass	9000
12000	20000	1	RMS	18926.866	-31.78	-13	Pass	8000




5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2985
30	1000	0.1	RMS	915.591	-62.13	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.37	-13	Pass	700
1700	1765	1	RMS	1730.333	23.71	60	Pass	601
1765	3000	1	RMS	2669.733	-47.59	-13	Pass	1235
3000	12000	1	RMS	3461.051	-35.8	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.69	-13	Pass	8000




5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.47	-13	Pass	2985
30	1000	0.1	RMS	897.389	-62.08	-13	Pass	9700
1000	1700	1	RMS	1619.886	-51.42	-13	Pass	700
1700	1765	1	RMS	1730.333	23.01	60	Pass	601
1765	3000	1	RMS	2675.737	-47.6	-13	Pass	1235
3000	12000	1	RMS	3461.051	-36.58	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.7	-13	Pass	8000




5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2985
30	1000	0.1	RMS	911.291	-61.9	-13	Pass	9700
1000	1700	1	RMS	1692.99	-51.21	-13	Pass	700
1700	1765	1	RMS	1750.375	23.78	60	Pass	601
1765	3000	1	RMS	2674.737	-47.59	-13	Pass	1235
3000	12000	1	RMS	3501.056	-36.21	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.72	-13	Pass	8000




5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2985
30	1000	0.1	RMS	919.892	-62.02	-13	Pass	9700
1000	1700	1	RMS	1692.99	-51.31	-13	Pass	700
1700	1765	1	RMS	1750.375	22.55	60	Pass	601
1765	3000	1	RMS	2667.731	-47.62	-13	Pass	1235
3000	12000	1	RMS	3501.056	-37.39	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.71	-13	Pass	8000




5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2985
30	1000	0.1	RMS	988.999	-62.13	-13	Pass	9700
1000	1700	1	RMS	1692.99	-44.49	-13	Pass	700
1700	1765	1	RMS	1710.617	23.84	60	Pass	601
1765	3000	1	RMS	2669.733	-47.57	-13	Pass	1235
3000	12000	1	RMS	3421.047	-38.23	-13	Pass	9000
12000	20000	1	RMS	18918.865	-31.63	-13	Pass	8000




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2985
30	1000	0.1	RMS	919.092	-62.06	-13	Pass	9700
1000	1700	1	RMS	1692.99	-47.66	-13	Pass	700
1700	1765	1	RMS	1710.617	22.69	60	Pass	601
1765	3000	1	RMS	2667.731	-47.59	-13	Pass	1235
3000	12000	1	RMS	3421.047	-39.11	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.67	-13	Pass	8000




5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2985
30	1000	0.1	RMS	901.69	-62.08	-13	Pass	9700
1000	1700	1	RMS	1692.99	-51.21	-13	Pass	700
1700	1765	1	RMS	1728.058	23.98	60	Pass	601
1765	3000	1	RMS	2665.729	-47.62	-13	Pass	1235
3000	12000	1	RMS	3456.051	-34.89	-13	Pass	9000
12000	20000	1	RMS	19019.877	-31.79	-13	Pass	8000




5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.76	-13	Pass	2985
30	1000	0.1	RMS	921.492	-61.89	-13	Pass	9700
1000	1700	1	RMS	1697.997	-51.33	-13	Pass	700
1700	1765	1	RMS	1728.058	23.14	60	Pass	601
1765	3000	1	RMS	2677.739	-47.62	-13	Pass	1235
3000	12000	1	RMS	3456.051	-35.54	-13	Pass	9000
12000	20000	1	RMS	18931.866	-31.74	-13	Pass	8000




5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	1000	0.1	RMS	926.092	-62.08	-13	Pass	9700
1000	1700	1	RMS	1687.983	-51.13	-13	Pass	700
1700	1765	1	RMS	1745.608	24.08	60	Pass	601
1765	3000	1	RMS	2668.732	-47.59	-13	Pass	1235
3000	12000	1	RMS	3491.055	-34.06	-13	Pass	9000
12000	20000	1	RMS	18928.866	-31.67	-13	Pass	8000




5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	1000	0.1	RMS	918.292	-62.03	-13	Pass	9700
1000	1700	1	RMS	1687.983	-51.17	-13	Pass	700
1700	1765	1	RMS	1745.608	22.66	60	Pass	601
1765	3000	1	RMS	2678.74	-47.62	-13	Pass	1235
3000	12000	1	RMS	3491.055	-35.59	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.67	-13	Pass	8000




5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2985
30	1000	0.1	RMS	937.294	-61.97	-13	Pass	9700
1000	1700	1	RMS	1697.997	-40.01	-13	Pass	700
1700	1765	1	RMS	1710.833	23.65	60	Pass	601
1765	3000	1	RMS	2675.737	-47.51	-13	Pass	1235
3000	12000	1	RMS	3422.047	-39.31	-13	Pass	9000
12000	20000	1	RMS	18925.866	-31.72	-13	Pass	8000




5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2985
30	1000	0.1	RMS	932.293	-61.99	-13	Pass	9700
1000	1700	1	RMS	1697.997	-42.46	-13	Pass	700
1700	1765	1	RMS	1710.833	22.52	60	Pass	601
1765	3000	1	RMS	2676.738	-47.57	-13	Pass	1235
3000	12000	1	RMS	3422.047	-40.04	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.63	-13	Pass	8000




5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2985
30	1000	0.1	RMS	918.792	-62.09	-13	Pass	9700
1000	1700	1	RMS	1698.999	-48.03	-13	Pass	700
1700	1765	1	RMS	1725.783	24.07	60	Pass	601
1765	3000	1	RMS	2675.737	-47.56	-13	Pass	1235
3000	12000	1	RMS	3452.05	-36.52	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.75	-13	Pass	8000




5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2985
30	1000	0.1	RMS	903.79	-62.04	-13	Pass	9700
1000	1700	1	RMS	1698.999	-43.55	-13	Pass	700
1700	1765	1	RMS	1725.783	22.94	60	Pass	601
1765	3000	1	RMS	2673.736	-47.59	-13	Pass	1235
3000	12000	1	RMS	3452.05	-37.65	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.67	-13	Pass	8000




5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2985
30	1000	0.1	RMS	798.079	-62	-13	Pass	9700
1000	1700	1	RMS	1695.994	-51.3	-13	Pass	700
1700	1765	1	RMS	1740.842	23.97	60	Pass	601
1765	3000	1	RMS	1767.002	-41.24	-13	Pass	1235
3000	12000	1	RMS	3482.054	-34.85	-13	Pass	9000
12000	20000	1	RMS	18915.864	-31.74	-13	Pass	8000




5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	1000	0.1	RMS	915.591	-62.09	-13	Pass	9700
1000	1700	1	RMS	1696.996	-51.36	-13	Pass	700
1700	1765	1	RMS	1740.842	23.4	60	Pass	601
1765	3000	1	RMS	1767.002	-41.79	-13	Pass	1235
3000	12000	1	RMS	3482.054	-35.55	-13	Pass	9000
12000	20000	1	RMS	18921.865	-31.68	-13	Pass	8000




5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2985
30	1000	0.1	RMS	943.594	-62.01	-13	Pass	9700
1000	1700	1	RMS	1692.99	-34.7	-13	Pass	700
1700	1765	1	RMS	1711.05	23.76	60	Pass	601
1765	3000	1	RMS	2667.731	-47.63	-13	Pass	1235
3000	12000	1	RMS	3422.047	-38.35	-13	Pass	9000
12000	20000	1	RMS	18930.866	-31.7	-13	Pass	8000




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2985
30	1000	0.1	RMS	925.992	-62.02	-13	Pass	9700
1000	1700	1	RMS	1692.99	-36.74	-13	Pass	700
1700	1765	1	RMS	1711.05	22.94	60	Pass	601
1765	3000	1	RMS	2677.739	-47.62	-13	Pass	1235
3000	12000	1	RMS	3422.047	-39.03	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.69	-13	Pass	8000




5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2985
30	1000	0.1	RMS	938.694	-62.01	-13	Pass	9700
1000	1700	1	RMS	1687.983	-44.72	-13	Pass	700
1700	1765	1	RMS	1723.617	24.13	60	Pass	601
1765	3000	1	RMS	2676.738	-47.59	-13	Pass	1235
3000	12000	1	RMS	3447.05	-36.56	-13	Pass	9000
12000	20000	1	RMS	18923.865	-31.66	-13	Pass	8000




5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2985
30	1000	0.1	RMS	951.295	-61.99	-13	Pass	9700
1000	1700	1	RMS	1687.983	-45.74	-13	Pass	700
1700	1765	1	RMS	1723.617	22.68	60	Pass	601
1765	3000	1	RMS	2675.737	-47.6	-13	Pass	1235
3000	12000	1	RMS	3447.05	-37.41	-13	Pass	9000
12000	20000	1	RMS	18922.865	-31.69	-13	Pass	8000




5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2985
30	1000	0.1	RMS	978.198	-62.01	-13	Pass	9700
1000	1700	1	RMS	1700	-46.25	-13	Pass	700
1700	1765	1	RMS	1736.075	23.91	60	Pass	601
1765	3000	1	RMS	1772.006	-33.18	-13	Pass	1235
3000	12000	1	RMS	3472.052	-34.03	-13	Pass	9000
12000	20000	1	RMS	18929.866	-31.7	-13	Pass	8000



5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2985
30	1000	0.1	RMS	926.592	-62.04	-13	Pass	9700
1000	1700	1	RMS	1700	-46.9	-13	Pass	700
1700	1765	1	RMS	1736.075	23.46	60	Pass	601
1765	3000	1	RMS	1772.006	-33.71	-13	Pass	1235
3000	12000	1	RMS	3472.052	-34.3	-13	Pass	9000
12000	20000	1	RMS	18927.866	-31.72	-13	Pass	8000



6. LTE_Band5


**6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2985
30	814	0.1	RMS	812.5	-62.29	-13	Pass	7840
814	860	0.1	RMS	824.273	21.4	60	Pass	601
860	1000	0.1	RMS	922.244	-62.21	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.04	-13	Pass	2000
3000	10000	1	RMS	9805.972	-44.06	-13	Pass	7000




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2985
30	814	0.1	RMS	812.9	-62.2	-13	Pass	7840
814	860	0.1	RMS	824.273	20.57	60	Pass	601
860	1000	0.1	RMS	913.038	-62.32	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.15	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.09	-13	Pass	7000




6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2985
30	814	0.1	RMS	810.4	-62.28	-13	Pass	7840
814	860	0.1	RMS	836.08	21.34	60	Pass	601
860	1000	0.1	RMS	887.92	-62.28	-13	Pass	1400
1000	3000	1	RMS	2669.835	-47.64	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.08	-13	Pass	7000




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2985
30	814	0.1	RMS	792.397	-62.12	-13	Pass	7840
814	860	0.1	RMS	836.08	20.52	60	Pass	601
860	1000	0.1	RMS	934.253	-62.35	-13	Pass	1400
1000	3000	1	RMS	2671.836	-47.63	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.05	-13	Pass	7000




6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2985
30	814	0.1	RMS	809.499	-62.2	-13	Pass	7840
814	860	0.1	RMS	847.887	21.62	60	Pass	601
860	1000	0.1	RMS	942.459	-62.28	-13	Pass	1400
1000	3000	1	RMS	2543.772	-47.56	-13	Pass	2000
3000	10000	1	RMS	9803.972	-44.07	-13	Pass	7000




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2985
30	814	0.1	RMS	794.798	-62.18	-13	Pass	7840
814	860	0.1	RMS	847.887	20.88	60	Pass	601
860	1000	0.1	RMS	861.601	-62.31	-13	Pass	1400
1000	3000	1	RMS	2665.833	-47.61	-13	Pass	2000
3000	10000	1	RMS	9808.973	-44.02	-13	Pass	7000




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2985
30	814	0.1	RMS	811.6	-62.08	-13	Pass	7840
814	860	0.1	RMS	824.273	21.13	60	Pass	601
860	1000	0.1	RMS	948.463	-62.31	-13	Pass	1400
1000	3000	1	RMS	1648.324	-44.16	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.03	-13	Pass	7000




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2985
30	814	0.1	RMS	812.8	-62.09	-13	Pass	7840
814	860	0.1	RMS	824.273	20.03	60	Pass	601
860	1000	0.1	RMS	929.049	-62.27	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.24	-13	Pass	2000
3000	10000	1	RMS	9805.972	-44.06	-13	Pass	7000




6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-56.2	-13	Pass	2985
30	814	0.1	RMS	813.2	-62.24	-13	Pass	7840
814	860	0.1	RMS	835.237	21.9	60	Pass	601
860	1000	0.1	RMS	937.255	-62.31	-13	Pass	1400
1000	3000	1	RMS	2676.838	-47.62	-13	Pass	2000
3000	10000	1	RMS	9922.989	-44.09	-13	Pass	7000




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-55.64	-13	Pass	2985
30	814	0.1	RMS	799.198	-62.23	-13	Pass	7840
814	860	0.1	RMS	835.237	21.38	60	Pass	601
860	1000	0.1	RMS	922.244	-62.25	-13	Pass	1400
1000	3000	1	RMS	2669.835	-47.63	-13	Pass	2000
3000	10000	1	RMS	9807.973	-44.05	-13	Pass	7000




6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	814	0.1	RMS	803.599	-62.21	-13	Pass	7840
814	860	0.1	RMS	846.277	21.2	60	Pass	601
860	1000	0.1	RMS	923.545	-62.25	-13	Pass	1400
1000	3000	1	RMS	2538.769	-47.58	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.04	-13	Pass	7000




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2985
30	814	0.1	RMS	808.799	-62.15	-13	Pass	7840
814	860	0.1	RMS	846.277	19.95	60	Pass	601
860	1000	0.1	RMS	944.26	-62.26	-13	Pass	1400
1000	3000	1	RMS	2670.835	-47.64	-13	Pass	2000
3000	10000	1	RMS	9932.99	-44.1	-13	Pass	7000




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.33	-13	Pass	7840
814	860	0.1	RMS	824.35	21.14	60	Pass	601
860	1000	0.1	RMS	943.059	-62.24	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.04	-13	Pass	2000
3000	10000	1	RMS	9816.974	-44	-13	Pass	7000




6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2985
30	814	0.1	RMS	809.799	-62.3	-13	Pass	7840
814	860	0.1	RMS	824.35	19.77	60	Pass	601
860	1000	0.1	RMS	916.44	-62.36	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.53	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.07	-13	Pass	7000




6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2985
30	814	0.1	RMS	813	-62.28	-13	Pass	7840
814	860	0.1	RMS	834.317	21.44	60	Pass	601
860	1000	0.1	RMS	920.944	-62.24	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.58	-13	Pass	2000
3000	10000	1	RMS	9813.973	-44.06	-13	Pass	7000




6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2985
30	814	0.1	RMS	802.299	-62.36	-13	Pass	7840
814	860	0.1	RMS	834.317	20.53	60	Pass	601
860	1000	0.1	RMS	962.173	-62.29	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.64	-13	Pass	2000
3000	10000	1	RMS	9809.973	-43.98	-13	Pass	7000




6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2985
30	814	0.1	RMS	796.998	-62.22	-13	Pass	7840
814	860	0.1	RMS	844.36	21.33	60	Pass	601
860	1000	0.1	RMS	924.546	-62.23	-13	Pass	1400
1000	3000	1	RMS	1688.344	-46.72	-13	Pass	2000
3000	10000	1	RMS	9809.973	-44.04	-13	Pass	7000




6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2985
30	814	0.1	RMS	802.999	-62.27	-13	Pass	7840
814	860	0.1	RMS	844.36	19.76	60	Pass	601
860	1000	0.1	RMS	924.646	-62.32	-13	Pass	1400
1000	3000	1	RMS	2668.834	-47.63	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.06	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2985
30	814	0.1	RMS	813.9	-57.6	-13	Pass	7840
814	860	0.1	RMS	824.58	21.76	60	Pass	601
860	1000	0.1	RMS	980.586	-62.09	-13	Pass	1400
1000	3000	1	RMS	1649.325	-43.61	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44	-13	Pass	7000




6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2985
30	814	0.1	RMS	813.1	-61.46	-13	Pass	7840
814	860	0.1	RMS	824.58	20.25	60	Pass	601
860	1000	0.1	RMS	925.847	-62.34	-13	Pass	1400
1000	3000	1	RMS	1649.325	-44.5	-13	Pass	2000
3000	10000	1	RMS	9806.972	-44.07	-13	Pass	7000




6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2985
30	814	0.1	RMS	814	-61.79	-13	Pass	7840
814	860	0.1	RMS	832.093	21.74	60	Pass	601
860	1000	0.1	RMS	978.785	-62.28	-13	Pass	1400
1000	3000	1	RMS	2673.837	-47.59	-13	Pass	2000
3000	10000	1	RMS	9813.973	-44.02	-13	Pass	7000




6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2985
30	814	0.1	RMS	813	-55.43	-13	Pass	7840
814	860	0.1	RMS	832.093	21.67	60	Pass	601
860	1000	0.1	RMS	940.658	-62.33	-13	Pass	1400
1000	3000	1	RMS	2675.838	-47.62	-13	Pass	2000
3000	10000	1	RMS	9928.99	-44.09	-13	Pass	7000




6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2985
30	814	0.1	RMS	806.399	-62.3	-13	Pass	7840
814	860	0.1	RMS	839.607	21.51	60	Pass	601
860	1000	0.1	RMS	928.549	-62.27	-13	Pass	1400
1000	3000	1	RMS	1679.34	-44.96	-13	Pass	2000
3000	10000	1	RMS	9811.973	-44.03	-13	Pass	7000



6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2985
30	814	0.1	RMS	808.799	-62.34	-13	Pass	7840
814	860	0.1	RMS	839.607	20.4	60	Pass	601
860	1000	0.1	RMS	937.255	-62.3	-13	Pass	1400
1000	3000	1	RMS	1679.34	-45.71	-13	Pass	2000
3000	10000	1	RMS	9810.973	-44.05	-13	Pass	7000



7. LTE_Band7


**7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.93	-25	Pass	2985
30	1000	0.1	RMS	924.092	-61.85	-25	Pass	9700
1000	2490	1	RMS	2490	-48.48	-25	Pass	1490
2490	2580	1	RMS	2500.35	24.27	60	Pass	601
2580	3000	1	RMS	2667.5	-47.58	-25	Pass	601
3000	12000	1	RMS	11977.998	-51.4	-25	Pass	9000
12000	27000	1	RMS	24882.859	-39.25	-25	Pass	15000




7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2985
30	1000	0.1	RMS	919.192	-61.92	-25	Pass	9700
1000	2490	1	RMS	2488.999	-48.76	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.49	60	Pass	601
2580	3000	1	RMS	2671	-47.61	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.34	-25	Pass	9000
12000	27000	1	RMS	24847.857	-39.27	-25	Pass	15000




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.56	-25	Pass	2985
30	1000	0.1	RMS	899.29	-62.01	-25	Pass	9700
1000	2490	1	RMS	2416.951	-48.94	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.81	60	Pass	601
2580	3000	1	RMS	2673.8	-47.59	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.37	-25	Pass	9000
12000	27000	1	RMS	24911.861	-39.19	-25	Pass	15000




7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.53	-25	Pass	2985
30	1000	0.1	RMS	901.49	-62.13	-25	Pass	9700
1000	2490	1	RMS	2490	-49.05	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.97	60	Pass	601
2580	3000	1	RMS	2676.6	-47.64	-25	Pass	601
3000	12000	1	RMS	11982.998	-51.4	-25	Pass	9000
12000	27000	1	RMS	24904.86	-39.23	-25	Pass	15000




7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.22	-25	Pass	2985
30	1000	0.1	RMS	938.994	-62.09	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.01	-25	Pass	1490
2490	2580	1	RMS	2565.3	24.07	60	Pass	601
2580	3000	1	RMS	2687.8	-47.6	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.39	-25	Pass	9000
12000	27000	1	RMS	24896.86	-39.25	-25	Pass	15000




7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.93	-25	Pass	2985
30	1000	0.1	RMS	931.593	-62.12	-25	Pass	9700
1000	2490	1	RMS	2486.998	-49.06	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.07	60	Pass	601
2580	3000	1	RMS	2688.5	-47.61	-25	Pass	601
3000	12000	1	RMS	11997	-51.39	-25	Pass	9000
12000	27000	1	RMS	24864.858	-39.27	-25	Pass	15000




7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.12	-25	Pass	2985
30	1000	0.1	RMS	941.894	-61.96	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.84	-25	Pass	1490
2490	2580	1	RMS	2500.65	24.61	60	Pass	601
2580	3000	1	RMS	2672.4	-47.56	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.4	-25	Pass	9000
12000	27000	1	RMS	24920.861	-39.23	-25	Pass	15000




7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.9	-25	Pass	2985
30	1000	0.1	RMS	912.991	-62.08	-25	Pass	9700
1000	2490	1	RMS	2482.995	-46.62	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.19	60	Pass	601
2580	3000	1	RMS	2676.6	-47.58	-25	Pass	601
3000	12000	1	RMS	11991.999	-51.39	-25	Pass	9000
12000	27000	1	RMS	24887.859	-39.24	-25	Pass	15000




7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.41	-25	Pass	2985
30	1000	0.1	RMS	891.689	-62.09	-25	Pass	9700
1000	2490	1	RMS	2421.954	-49.01	-25	Pass	1490
2490	2580	1	RMS	2530.65	24.08	60	Pass	601
2580	3000	1	RMS	2677.3	-47.58	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.39	-25	Pass	9000
12000	27000	1	RMS	24878.859	-39.26	-25	Pass	15000




7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2985
30	1000	0.1	RMS	908.091	-62.11	-25	Pass	9700
1000	2490	1	RMS	2485.997	-49.08	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.5	60	Pass	601
2580	3000	1	RMS	2674.5	-47.61	-25	Pass	601
3000	12000	1	RMS	11990.999	-51.41	-25	Pass	9000
12000	27000	1	RMS	24869.858	-39.26	-25	Pass	15000




**7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2985
30	1000	0.1	RMS	927.493	-62.04	-25	Pass	9700
1000	2490	1	RMS	2411.948	-49.02	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.66	60	Pass	601
2580	3000	1	RMS	2677.3	-47.6	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.36	-25	Pass	9000
12000	27000	1	RMS	24903.86	-39.22	-25	Pass	15000




7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.76	-25	Pass	2985
30	1000	0.1	RMS	902.29	-61.97	-25	Pass	9700
1000	2490	1	RMS	2435.964	-49.01	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.87	60	Pass	601
2580	3000	1	RMS	2677.3	-47.59	-25	Pass	601
3000	12000	1	RMS	11978.998	-51.29	-25	Pass	9000
12000	27000	1	RMS	24919.861	-39.24	-25	Pass	15000




7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.49	-25	Pass	2985
30	1000	0.1	RMS	940.594	-61.95	-25	Pass	9700
1000	2490	1	RMS	2486.998	-34.41	-25	Pass	1490
2490	2580	1	RMS	2500.8	24.43	60	Pass	601
2580	3000	1	RMS	2676.6	-47.57	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.35	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.15	-25	Pass	15000




7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2985
30	1000	0.1	RMS	916.291	-62	-25	Pass	9700
1000	2490	1	RMS	2486.998	-40.61	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.11	60	Pass	601
2580	3000	1	RMS	2668.2	-47.59	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.35	-25	Pass	9000
12000	27000	1	RMS	24913.861	-39.22	-25	Pass	15000




7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.82	-25	Pass	2985
30	1000	0.1	RMS	921.592	-62.14	-25	Pass	9700
1000	2490	1	RMS	2490	-48.87	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.85	60	Pass	601
2580	3000	1	RMS	2668.9	-47.61	-25	Pass	601
3000	12000	1	RMS	11969.997	-51.39	-25	Pass	9000
12000	27000	1	RMS	24869.858	-39.26	-25	Pass	15000




7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.05	-25	Pass	2985
30	1000	0.1	RMS	930.793	-62	-25	Pass	9700
1000	2490	1	RMS	2490	-48.94	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.67	60	Pass	601
2580	3000	1	RMS	2676.6	-47.6	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.39	-25	Pass	9000
12000	27000	1	RMS	24906.86	-39.24	-25	Pass	15000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2985
30	1000	0.1	RMS	943.194	-62.03	-25	Pass	9700
1000	2490	1	RMS	2448.972	-49.03	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.13	60	Pass	601
2580	3000	1	RMS	2582.8	-27.5	-25	Pass*	601
3000	12000	1	RMS	11991.999	-51.37	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.2	-25	Pass	15000




7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.39	-25	Pass	2985
30	1000	0.1	RMS	932.593	-62.03	-25	Pass	9700
1000	2490	1	RMS	2413.949	-49.01	-25	Pass	1490
2490	2580	1	RMS	2555.85	22.45	60	Pass	601
2580	3000	1	RMS	2582.8	-27.97	-25	Pass*	601
3000	12000	1	RMS	11993.999	-51.32	-25	Pass	9000
12000	27000	1	RMS	24920.861	-39.21	-25	Pass	15000




7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-25	Pass	601
0.15	30	0.01	RMS	0.16	-55.95	-25	Pass	2985
30	1000	0.1	RMS	945.194	-61.93	-25	Pass	9700
1000	2490	1	RMS	2482.995	-33.27	-25	Pass	1490
2490	2580	1	RMS	2501.1	24.43	60	Pass	601
2580	3000	1	RMS	2666.8	-47.56	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.39	-25	Pass	9000
12000	27000	1	RMS	24915.861	-39.26	-25	Pass	15000




7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2985
30	1000	0.1	RMS	926.992	-62	-25	Pass	9700
1000	2490	1	RMS	2482.995	-34.48	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.77	60	Pass	601
2580	3000	1	RMS	2671.7	-47.59	-25	Pass	601
3000	12000	1	RMS	11983.998	-51.37	-25	Pass	9000
12000	27000	1	RMS	24906.86	-39.25	-25	Pass	15000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.43	-25	Pass	2985
30	1000	0.1	RMS	966.697	-61.97	-25	Pass	9700
1000	2490	1	RMS	2490	-36.67	-25	Pass	1490
2490	2580	1	RMS	2526.15	24.05	60	Pass	601
2580	3000	1	RMS	2671	-47.56	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.32	-25	Pass	9000
12000	27000	1	RMS	24897.86	-39.25	-25	Pass	15000




7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.86	-25	Pass	2985
30	1000	0.1	RMS	917.692	-62.14	-25	Pass	9700
1000	2490	1	RMS	2490	-39.9	-25	Pass	1490
2490	2580	1	RMS	2526	23.08	60	Pass	601
2580	3000	1	RMS	2672.4	-47.57	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.39	-25	Pass	9000
12000	27000	1	RMS	24917.861	-39.16	-25	Pass	15000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.69	-25	Pass	2985
30	1000	0.1	RMS	913.591	-62.04	-25	Pass	9700
1000	2490	1	RMS	2420.954	-48.97	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.03	60	Pass	601
2580	3000	1	RMS	2587	-37.29	-25	Pass	601
3000	12000	1	RMS	11993.999	-51.29	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.2	-25	Pass	15000




7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.32	-25	Pass	2985
30	1000	0.1	RMS	920.192	-61.82	-25	Pass	9700
1000	2490	1	RMS	2490	-48.65	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.36	60	Pass	601
2580	3000	1	RMS	2673.1	-47.56	-25	Pass	601
3000	12000	1	RMS	11989.999	-51.28	-25	Pass	9000
12000	27000	1	RMS	24882.859	-39.07	-25	Pass	15000




7.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-25	Pass	2985
30	1000	0.1	RMS	920.692	-61.87	-25	Pass	9700
1000	2490	1	RMS	2490	-48.76	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.67	60	Pass	601
2580	3000	1	RMS	2668.2	-47.54	-25	Pass	601
3000	12000	1	RMS	11992.999	-51.27	-25	Pass	9000
12000	27000	1	RMS	24897.86	-39.02	-25	Pass	15000




7.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2985
30	1000	0.1	RMS	981.298	-62	-25	Pass	9700
1000	2490	1	RMS	2410.947	-48.98	-25	Pass	1490
2490	2580	1	RMS	2532.9	23.39	60	Pass	601
2580	3000	1	RMS	2675.2	-47.57	-25	Pass	601
3000	12000	1	RMS	11997	-51.28	-25	Pass	9000
12000	27000	1	RMS	24916.861	-39.12	-25	Pass	15000




7.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.17	-25	Pass	2985
30	1000	0.1	RMS	928.193	-62.05	-25	Pass	9700
1000	2490	1	RMS	2486.998	-49.03	-25	Pass	1490
2490	2580	1	RMS	2532.9	22.37	60	Pass	601
2580	3000	1	RMS	2673.8	-47.61	-25	Pass	601
3000	12000	1	RMS	11990.999	-51.43	-25	Pass	9000
12000	27000	1	RMS	24896.86	-39.32	-25	Pass	15000




7.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2985
30	1000	0.1	RMS	923.992	-62.04	-25	Pass	9700
1000	2490	1	RMS	2487.999	-48.99	-25	Pass	1490
2490	2580	1	RMS	2565.3	23.46	60	Pass	601
2580	3000	1	RMS	2676.6	-47.6	-25	Pass	601
3000	12000	1	RMS	11968.997	-51.45	-25	Pass	9000
12000	27000	1	RMS	24870.858	-39.31	-25	Pass	15000




7.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-25	Pass	601
0.15	30	0.01	RMS	0.17	-56.56	-25	Pass	2985
30	1000	0.1	RMS	888.889	-62.16	-25	Pass	9700
1000	2490	1	RMS	2411.948	-49.03	-25	Pass	1490
2490	2580	1	RMS	2565.3	22.34	60	Pass	601
2580	3000	1	RMS	2689.2	-47.63	-25	Pass	601
3000	12000	1	RMS	11984.998	-51.44	-25	Pass	9000
12000	27000	1	RMS	24864.858	-39.3	-25	Pass	15000




7.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2985
30	1000	0.1	RMS	931.693	-62.08	-25	Pass	9700
1000	2490	1	RMS	2482.995	-46.71	-25	Pass	1490
2490	2580	1	RMS	2500.65	23.97	60	Pass	601
2580	3000	1	RMS	2676.6	-47.58	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.41	-25	Pass	9000
12000	27000	1	RMS	24917.861	-39.2	-25	Pass	15000




7.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.79	-25	Pass	2985
30	1000	0.1	RMS	930.393	-62.05	-25	Pass	9700
1000	2490	1	RMS	2482.995	-47.65	-25	Pass	1490
2490	2580	1	RMS	2500.5	22.83	60	Pass	601
2580	3000	1	RMS	2681.5	-47.64	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.4	-25	Pass	9000
12000	27000	1	RMS	24843.856	-39.28	-25	Pass	15000




7.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2985
30	1000	0.1	RMS	917.992	-61.93	-25	Pass	9700
1000	2490	1	RMS	2490	-49.05	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.82	60	Pass	601
2580	3000	1	RMS	2675.2	-47.68	-25	Pass	601
3000	12000	1	RMS	11988.999	-51.41	-25	Pass	9000
12000	27000	1	RMS	24875.858	-39.34	-25	Pass	15000




7.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.42	-25	Pass	2985
30	1000	0.1	RMS	901.29	-62.22	-25	Pass	9700
1000	2490	1	RMS	2490	-49.06	-25	Pass	1490
2490	2580	1	RMS	2530.65	23.3	60	Pass	601
2580	3000	1	RMS	2676.6	-47.67	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.43	-25	Pass	9000
12000	27000	1	RMS	24876.858	-39.35	-25	Pass	15000




7.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2985
30	1000	0.1	RMS	950.395	-62.11	-25	Pass	9700
1000	2490	1	RMS	2458.979	-49.08	-25	Pass	1490
2490	2580	1	RMS	2560.65	24.14	60	Pass	601
2580	3000	1	RMS	2687.8	-47.63	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.42	-25	Pass	9000
12000	27000	1	RMS	24891.859	-39.3	-25	Pass	15000




7.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.98	-25	Pass	2985
30	1000	0.1	RMS	919.292	-62.14	-25	Pass	9700
1000	2490	1	RMS	2488.999	-49.05	-25	Pass	1490
2490	2580	1	RMS	2560.65	23.12	60	Pass	601
2580	3000	1	RMS	2686.4	-47.66	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.52	-25	Pass	9000
12000	27000	1	RMS	24825.855	-39.44	-25	Pass	15000




**7.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.55	-25	Pass	2985
30	1000	0.1	RMS	923.092	-62.15	-25	Pass	9700
1000	2490	1	RMS	2487.999	-37.03	-25	Pass	1490
2490	2580	1	RMS	2500.8	24.51	60	Pass	601
2580	3000	1	RMS	2677.3	-47.62	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.52	-25	Pass	9000
12000	27000	1	RMS	24889.859	-39.44	-25	Pass	15000




7.37. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2985
30	1000	0.1	RMS	925.192	-62.06	-25	Pass	9700
1000	2490	1	RMS	2487.999	-40.59	-25	Pass	1490
2490	2580	1	RMS	2500.8	23.06	60	Pass	601
2580	3000	1	RMS	2676.6	-47.65	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.54	-25	Pass	9000
12000	27000	1	RMS	24853.857	-39.43	-25	Pass	15000




7.38. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2985
30	1000	0.1	RMS	958.796	-62.21	-25	Pass	9700
1000	2490	1	RMS	2490	-48.87	-25	Pass	1490
2490	2580	1	RMS	2528.4	24.09	60	Pass	601
2580	3000	1	RMS	2663.3	-47.66	-25	Pass	601
3000	12000	1	RMS	11974.997	-51.59	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.45	-25	Pass	15000




7.39. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.26	-25	Pass	2985
30	1000	0.1	RMS	956.295	-62.12	-25	Pass	9700
1000	2490	1	RMS	2490	-48.99	-25	Pass	1490
2490	2580	1	RMS	2528.4	23.53	60	Pass	601
2580	3000	1	RMS	2670.3	-47.68	-25	Pass	601
3000	12000	1	RMS	11981.998	-51.43	-25	Pass	9000
12000	27000	1	RMS	24909.861	-39.47	-25	Pass	15000




**7.40. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.52	-25	Pass	2985
30	1000	0.1	RMS	952.095	-62.04	-25	Pass	9700
1000	2490	1	RMS	2442.968	-49.1	-25	Pass	1490
2490	2580	1	RMS	2555.85	23.53	60	Pass	601
2580	3000	1	RMS	2582.8	-26.65	-25	Pass*	601
3000	12000	1	RMS	11987.999	-51.54	-25	Pass	9000
12000	27000	1	RMS	24905.86	-39.48	-25	Pass	15000




7.41. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2985
30	1000	0.1	RMS	908.191	-62.05	-25	Pass	9700
1000	2490	1	RMS	2487.999	-49.12	-25	Pass	1490
2490	2580	1	RMS	2555.85	22.83	60	Pass	601
2580	3000	1	RMS	2582.8	-27.28	-25	Pass*	601
3000	12000	1	RMS	11980.998	-51.5	-25	Pass	9000
12000	27000	1	RMS	24917.861	-39.45	-25	Pass	15000




7.42. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.6	-25	Pass	2985
30	1000	0.1	RMS	926.892	-62.19	-25	Pass	9700
1000	2490	1	RMS	2482.995	-34.6	-25	Pass	1490
2490	2580	1	RMS	2501.1	24.46	60	Pass	601
2580	3000	1	RMS	2669.6	-47.64	-25	Pass	601
3000	12000	1	RMS	11986.999	-51.52	-25	Pass	9000
12000	27000	1	RMS	24885.859	-39.41	-25	Pass	15000




7.43. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2985
30	1000	0.1	RMS	949.395	-62.14	-25	Pass	9700
1000	2490	1	RMS	2482.995	-36.18	-25	Pass	1490
2490	2580	1	RMS	2501.1	23.88	60	Pass	601
2580	3000	1	RMS	2670.3	-47.66	-25	Pass	601
3000	12000	1	RMS	11980.998	-51.57	-25	Pass	9000
12000	27000	1	RMS	24897.86	-39.48	-25	Pass	15000




7.44. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-25	Pass	2985
30	1000	0.1	RMS	821.682	-62.21	-25	Pass	9700
1000	2490	1	RMS	2490	-37.56	-25	Pass	1490
2490	2580	1	RMS	2526	24.2	60	Pass	601
2580	3000	1	RMS	2659.8	-47.67	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.55	-25	Pass	9000
12000	27000	1	RMS	24899.86	-39.47	-25	Pass	15000




7.45. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2985
30	1000	0.1	RMS	909.391	-62.09	-25	Pass	9700
1000	2490	1	RMS	2490	-41.88	-25	Pass	1490
2490	2580	1	RMS	2526	23.01	60	Pass	601
2580	3000	1	RMS	2662.6	-47.69	-25	Pass	601
3000	12000	1	RMS	11987.999	-51.54	-25	Pass	9000
12000	27000	1	RMS	24877.859	-39.42	-25	Pass	15000




**7.46. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.18	-25	Pass	2985
30	1000	0.1	RMS	924.392	-62.09	-25	Pass	9700
1000	2490	1	RMS	2490	-49.07	-25	Pass	1490
2490	2580	1	RMS	2551.05	23.35	60	Pass	601
2580	3000	1	RMS	2587	-36.1	-25	Pass	601
3000	12000	1	RMS	11979.998	-51.48	-25	Pass	9000
12000	27000	1	RMS	24901.86	-39.53	-25	Pass	15000



7.47. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.52	-25	Pass	2985
30	1000	0.1	RMS	918.192	-62.17	-25	Pass	9700
1000	2490	1	RMS	2482.995	-49.15	-25	Pass	1490
2490	2580	1	RMS	2551.05	22.65	60	Pass	601
2580	3000	1	RMS	2587	-36.34	-25	Pass	601
3000	12000	1	RMS	11985.998	-51.41	-25	Pass	9000
12000	27000	1	RMS	24892.86	-39.51	-25	Pass	15000



8. LTE_Band41 full


**8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2985
30	1000	0.1	RMS	950.895	-62.13	-25	Pass	9700
1000	2486	1	RMS	2486	-48.27	-25	Pass	1486
2486	2700	1	RMS	2496.343	20.19	60	Pass	601
2700	3000	1	RMS	2704.5	-47.78	-25	Pass	601
3000	12000	1	RMS	4993.221	-62.32	-25	Pass	9000
12000	27000	1	RMS	12482.032	-55.52	-25	Pass	15000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.3	-25	Pass	2985
30	1000	0.1	RMS	905.59	-62.1	-25	Pass	9700
1000	2486	1	RMS	2486	-49.04	-25	Pass	1486
2486	2700	1	RMS	2496.343	18.73	60	Pass	601
2700	3000	1	RMS	2705	-47.83	-25	Pass	601
3000	12000	1	RMS	4993.221	-63	-25	Pass	9000
12000	27000	1	RMS	24915.861	-59.69	-25	Pass	15000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2985
30	1000	0.1	RMS	925.792	-62.17	-25	Pass	9700
1000	2486	1	RMS	2440.97	-49.09	-25	Pass	1486
2486	2700	1	RMS	2590.86	19.95	60	Pass	601
2700	3000	1	RMS	2702	-47.84	-25	Pass	601
3000	12000	1	RMS	10362.818	-61.81	-25	Pass	9000
12000	27000	1	RMS	24874.858	-59.72	-25	Pass	15000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.55	-25	Pass	2985
30	1000	0.1	RMS	919.292	-62.02	-25	Pass	9700
1000	2486	1	RMS	2431.964	-49.08	-25	Pass	1486
2486	2700	1	RMS	2590.86	18.69	60	Pass	601
2700	3000	1	RMS	2702	-47.88	-25	Pass	601
3000	12000	1	RMS	10363.818	-62.6	-25	Pass	9000
12000	27000	1	RMS	24830.855	-59.81	-25	Pass	15000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.07	-25	Pass	601
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2985
30	1000	0.1	RMS	916.691	-62.12	-25	Pass	9700
1000	2486	1	RMS	2432.964	-49.11	-25	Pass	1486
2486	2700	1	RMS	2685.377	18.66	60	Pass	601
2700	3000	1	RMS	2702.5	-47.79	-25	Pass	601
3000	12000	1	RMS	8055.562	-63.3	-25	Pass	9000
12000	27000	1	RMS	13427.095	-52.46	-25	Pass	15000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.64	-25	Pass	2985
30	1000	0.1	RMS	928.393	-62.07	-25	Pass	9700
1000	2486	1	RMS	2447.974	-49.08	-25	Pass	1486
2486	2700	1	RMS	2685.02	18.67	60	Pass	601
2700	3000	1	RMS	2703	-47.68	-25	Pass	601
3000	12000	1	RMS	8055.562	-60.72	-25	Pass	9000
12000	27000	1	RMS	13427.095	-53.82	-25	Pass	15000




8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2985
30	1000	0.1	RMS	909.591	-62.11	-25	Pass	9700
1000	2486	1	RMS	2477.995	-42.32	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.29	60	Pass	601
2700	3000	1	RMS	2705	-47.77	-25	Pass	601
3000	12000	1	RMS	7489.499	-59.15	-25	Pass	9000
12000	27000	1	RMS	24897.86	-59.68	-25	Pass	15000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.43	-25	Pass	2985
30	1000	0.1	RMS	946.995	-61.99	-25	Pass	9700
1000	2486	1	RMS	2478.995	-46.21	-25	Pass	1486
2486	2700	1	RMS	2496.7	18.51	60	Pass	601
2700	3000	1	RMS	2703	-47.77	-25	Pass	601
3000	12000	1	RMS	9986.776	-62.56	-25	Pass	9000
12000	27000	1	RMS	12483.032	-57.84	-25	Pass	15000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2985
30	1000	0.1	RMS	909.391	-62.07	-25	Pass	9700
1000	2486	1	RMS	2486	-49.03	-25	Pass	1486
2486	2700	1	RMS	2588.363	19.43	60	Pass	601
2700	3000	1	RMS	2701	-47.82	-25	Pass	601
3000	12000	1	RMS	10354.817	-61.29	-25	Pass	9000
12000	27000	1	RMS	12943.063	-47.05	-25	Pass	15000




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.49	-25	Pass	2985
30	1000	0.1	RMS	921.692	-62.1	-25	Pass	9700
1000	2486	1	RMS	2422.958	-49.02	-25	Pass	1486
2486	2700	1	RMS	2588.363	19.29	60	Pass	601
2700	3000	1	RMS	2700	-47.84	-25	Pass	601
3000	12000	1	RMS	10353.817	-64.19	-25	Pass	9000
12000	27000	1	RMS	12943.063	-49.01	-25	Pass	15000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2985
30	1000	0.1	RMS	949.895	-61.97	-25	Pass	9700
1000	2486	1	RMS	2425.96	-49.07	-25	Pass	1486
2486	2700	1	RMS	2680.74	19.78	60	Pass	601
2700	3000	1	RMS	2700	-39.95	-25	Pass	601
3000	12000	1	RMS	8042.56	-61.83	-25	Pass	9000
12000	27000	1	RMS	13403.094	-59.15	-25	Pass	15000




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.03	-25	Pass	2985
30	1000	0.1	RMS	917.692	-62.03	-25	Pass	9700
1000	2486	1	RMS	2450.976	-49.07	-25	Pass	1486
2486	2700	1	RMS	2680.383	19.26	60	Pass	601
2700	3000	1	RMS	2700	-40.55	-25	Pass	601
3000	12000	1	RMS	8041.56	-59.13	-25	Pass	9000
12000	27000	1	RMS	13403.094	-54.27	-25	Pass	15000




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-57.18	-25	Pass	2985
30	1000	0.1	RMS	940.694	-61.98	-25	Pass	9700
1000	2486	1	RMS	2482.998	-36.37	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.76	60	Pass	601
2700	3000	1	RMS	2700	-47.81	-25	Pass	601
3000	12000	1	RMS	9986.776	-61.68	-25	Pass	9000
12000	27000	1	RMS	24873.858	-59.63	-25	Pass	15000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.01	-25	Pass	2985
30	1000	0.1	RMS	948.495	-62.06	-25	Pass	9700
1000	2486	1	RMS	2483.999	-39.51	-25	Pass	1486
2486	2700	1	RMS	2497.057	17.85	60	Pass	601
2700	3000	1	RMS	2701	-47.8	-25	Pass	601
3000	12000	1	RMS	7490.499	-61.7	-25	Pass	9000
12000	27000	1	RMS	12484.032	-57.41	-25	Pass	15000




8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.51	-25	Pass	2985
30	1000	0.1	RMS	893.489	-62.04	-25	Pass	9700
1000	2486	1	RMS	2480.997	-49.08	-25	Pass	1486
2486	2700	1	RMS	2586.223	20.46	60	Pass	601
2700	3000	1	RMS	2700.5	-47.81	-25	Pass	601
3000	12000	1	RMS	10344.816	-67.09	-25	Pass	9000
12000	27000	1	RMS	12932.062	-49.18	-25	Pass	15000




8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.88	-25	Pass	2985
30	1000	0.1	RMS	922.792	-62.08	-25	Pass	9700
1000	2486	1	RMS	2445.973	-49.02	-25	Pass	1486
2486	2700	1	RMS	2586.58	19.63	60	Pass	601
2700	3000	1	RMS	2702.5	-47.83	-25	Pass	601
3000	12000	1	RMS	10345.816	-61.29	-25	Pass	9000
12000	27000	1	RMS	12931.062	-53.22	-25	Pass	15000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2985
30	1000	0.1	RMS	911.791	-62.04	-25	Pass	9700
1000	2486	1	RMS	2436.967	-49.07	-25	Pass	1486
2486	2700	1	RMS	2676.103	19.72	60	Pass	601
2700	3000	1	RMS	2703	-38.68	-25	Pass	601
3000	12000	1	RMS	8027.559	-57.58	-25	Pass	9000
12000	27000	1	RMS	24836.856	-59.63	-25	Pass	15000




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2985
30	1000	0.1	RMS	938.794	-61.91	-25	Pass	9700
1000	2486	1	RMS	2428.962	-49.03	-25	Pass	1486
2486	2700	1	RMS	2676.103	18.73	60	Pass	601
2700	3000	1	RMS	2702.5	-37.91	-25	Pass	601
3000	12000	1	RMS	8026.559	-63.33	-25	Pass	9000
12000	27000	1	RMS	24892.86	-59.65	-25	Pass	15000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.86	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2985
30	1000	0.1	RMS	903.39	-62.12	-25	Pass	9700
1000	2486	1	RMS	2479.996	-41.51	-25	Pass	1486
2486	2700	1	RMS	2497.413	18.97	60	Pass	601
2700	3000	1	RMS	2700	-47.85	-25	Pass	601
3000	12000	1	RMS	9987.776	-61.53	-25	Pass	9000
12000	27000	1	RMS	24884.859	-59.76	-25	Pass	15000




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-56.2	-25	Pass	2985
30	1000	0.1	RMS	922.692	-62.21	-25	Pass	9700
1000	2486	1	RMS	2479.996	-39.52	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.96	60	Pass	601
2700	3000	1	RMS	2700.5	-47.85	-25	Pass	601
3000	12000	1	RMS	7491.499	-60.91	-25	Pass	9000
12000	27000	1	RMS	24893.86	-59.72	-25	Pass	15000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.64	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.1	-25	Pass	2985
30	1000	0.1	RMS	940.294	-62.06	-25	Pass	9700
1000	2486	1	RMS	2411.95	-49.04	-25	Pass	1486
2486	2700	1	RMS	2583.727	19.18	60	Pass	601
2700	3000	1	RMS	2700	-47.83	-25	Pass	601
3000	12000	1	RMS	10335.815	-62.03	-25	Pass	9000
12000	27000	1	RMS	12920.061	-55.37	-25	Pass	15000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2985
30	1000	0.1	RMS	932.093	-62.06	-25	Pass	9700
1000	2486	1	RMS	2412.951	-49.07	-25	Pass	1486
2486	2700	1	RMS	2584.083	18.69	60	Pass	601
2700	3000	1	RMS	2702	-47.85	-25	Pass	601
3000	12000	1	RMS	10335.815	-62.47	-25	Pass	9000
12000	27000	1	RMS	12920.061	-52.21	-25	Pass	15000



8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.16	-56.22	-25	Pass	2985
30	1000	0.1	RMS	949.995	-62.08	-25	Pass	9700
1000	2486	1	RMS	2449.976	-49.06	-25	Pass	1486
2486	2700	1	RMS	2670.753	19.51	60	Pass	601
2700	3000	1	RMS	2706.5	-40.73	-25	Pass	601
3000	12000	1	RMS	8013.557	-62.12	-25	Pass	9000
12000	27000	1	RMS	13355.09	-52.11	-25	Pass	15000



8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2985
30	1000	0.1	RMS	928.493	-62.07	-25	Pass	9700
1000	2486	1	RMS	2415.953	-49.1	-25	Pass	1486
2486	2700	1	RMS	2670.753	18.48	60	Pass	601
2700	3000	1	RMS	2707	-41.08	-25	Pass	601
3000	12000	1	RMS	8013.557	-65.75	-25	Pass	9000
12000	27000	1	RMS	13355.09	-54.91	-25	Pass	15000

