

EXHIBIT A- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

30M-1G

WIFI5GB1 -Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.02.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: X C J

Model Name:


Test Standard: FCC

Temp.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	65.639	32.59	-26.24	40.0	-7.41	Peak	329.80	200	Horizontal	Pass
2	85.908	38.78	-27.97	40.0	-1.22	Peak	309.50	384	Horizontal	Pass
2*	85.908	33.79	-27.97	40.0	-6.21	QP	309.50	384	Horizontal	Pass
3	119.945	27.92	-27.10	43.5	-15.58	Peak	282.40	200	Horizontal	Pass
4	167.948	33.42	-29.04	43.5	-10.08	Peak	297.20	200	Horizontal	Pass
5	242.134	33.80	-24.96	46.0	-12.20	Peak	175.10	100	Horizontal	Pass
6	359.960	34.47	-23.76	46.0	-11.53	Peak	239.40	100	Horizontal	Pass
7	503.969	34.88	-19.17	46.0	-11.12	Peak	0.00	200	Horizontal	Pass

WIFI5GB1 - Vertical -TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.07.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.637	29.88	-27.70	40.0	-10.12	Peak	0.00	200	Vertical	Pass
2	66.431	34.03	-26.47	40.0	-5.97	Peak	244.00	100	Vertical	Pass
2*	66.431	27.60	-26.47	40.0	-12.40	QP	244.00	100	Vertical	Pass
3	85.034	31.55	-27.92	40.0	-8.45	Peak	3.20	200	Vertical	Pass
4	119.945	28.29	-27.10	43.5	-15.21	Peak	235.40	100	Vertical	Pass
5	167.948	28.38	-29.04	43.5	-15.12	Peak	200.30	100	Vertical	Pass
6	311.957	31.95	-24.18	46.0	-14.05	Peak	299.70	200	Vertical	Pass
7	503.969	34.12	-19.17	46.0	-11.88	Peak	247.00	100	Vertical	Pass

1G-18G

WIFI5GB1-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.44.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.459	53.22	-7.85	74.0	-20.78	Peak	119.30	100	Horizontal	Pass
1**	1327.459	42.37	-7.85	54.0	-11.63	AV	119.30	100	Horizontal	Pass
2	1699.913	49.40	-8.70	74.0	-24.60	Peak	221.20	100	Horizontal	Pass
2**	1699.913	37.00	-8.70	54.0	-17.00	AV	221.20	100	Horizontal	Pass
3	1997.125	53.43	-6.17	68.2	-14.77	Peak	348.90	100	Horizontal	Pass
3**	1997.125	41.91	-6.17	--	41.91	AV	348.90	100	Horizontal	N/A
4	2129.609	55.19	-5.16	68.2	-13.01	Peak	318.50	100	Horizontal	Pass
4**	2129.609	41.11	-5.16	--	41.11	AV	318.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_12.00.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7885.279	34.60	4.91	68.2	-33.60	Peak	351.20	100	Horizontal	Pass
1**	7885.279	24.77	4.91	--	24.77	AV	351.20	100	Horizontal	N/A
2	8839.290	37.16	7.39	68.2	-31.04	Peak	113.80	100	Horizontal	Pass
2**	8839.290	28.50	7.39	--	28.50	AV	113.80	100	Horizontal	N/A
3	10425.644	40.94	10.73	68.2	-27.26	Peak	166.70	100	Horizontal	Pass
3**	10425.644	32.15	10.73	--	32.15	AV	166.70	100	Horizontal	N/A
4	11624.344	41.71	11.20	74.0	-32.29	Peak	2.40	100	Horizontal	Pass
4**	11624.344	32.85	11.20	54.0	-21.15	AV	2.40	100	Horizontal	Pass

WIFI5GB1-A-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.50.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.959	54.50	-7.90	74.0	-19.50	Peak	111.20	100	Vertical	Pass
1**	1331.959	40.88	-7.90	54.0	-13.12	AV	111.20	100	Vertical	Pass
2	1627.672	48.14	-8.70	68.2	-20.06	Peak	226.90	100	Vertical	Pass
2**	1627.672	36.16	-8.70	--	36.16	AV	226.90	100	Vertical	N/A
3	1992.626	53.49	-6.13	68.2	-14.71	Peak	359.10	100	Vertical	Pass
3**	1992.626	41.24	-6.13	--	41.24	AV	359.10	100	Vertical	N/A
4	2133.858	55.91	-5.08	68.2	-12.29	Peak	0.40	100	Vertical	Pass
4**	2133.858	39.51	-5.08	--	39.51	AV	0.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.53.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Temp.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7827.543	34.05	4.73	68.2	-34.15	Peak	79.10	100	Vertical	Pass
1**	7827.543	25.10	4.73	--	25.10	AV	79.10	100	Vertical	N/A
2	8855.786	37.11	7.44	68.2	-31.09	Peak	0.20	100	Vertical	Pass
2**	8855.786	29.49	7.44	--	29.49	AV	0.20	100	Vertical	N/A
3	10249.688	40.25	10.68	68.2	-27.95	Peak	304.70	100	Vertical	Pass
3**	10249.688	31.68	10.68	--	31.68	AV	304.70	100	Vertical	N/A
4	11627.093	40.78	11.16	74.0	-33.22	Peak	334.10	100	Vertical	Pass
4**	11627.093	32.92	11.16	54.0	-21.08	AV	334.10	100	Vertical	Pass

WIFI5GB1-A-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13.46.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.742	51.21	-7.16	74.0	-22.79	Peak	360.00	100	Horizontal	Pass
1**	1066.742	38.53	-7.16	54.0	-15.47	AV	360.00	100	Horizontal	Pass
2	1328.459	54.07	-7.86	74.0	-19.93	Peak	116.60	100	Horizontal	Pass
2**	1328.459	43.22	-7.86	54.0	-10.78	AV	116.60	100	Horizontal	Pass
3	1998.625	54.52	-6.19	68.2	-13.68	Peak	360.00	100	Horizontal	Pass
3**	1998.625	43.14	-6.19	--	43.14	AV	360.00	100	Horizontal	N/A
4	2125.859	56.70	-5.20	68.2	-11.50	Peak	110.90	100	Horizontal	Pass
4**	2125.859	42.41	-5.20	--	42.41	AV	110.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_13.06.17

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7970.507	34.42	5.10	68.2	-33.78	Peak	229.50	100	Horizontal	Pass
1**	7970.507	25.91	5.10	--	25.91	AV	229.50	100	Horizontal	N/A
2	9424.894	38.15	9.47	74.0	-35.85	Peak	137.00	100	Horizontal	Pass
2**	9424.894	29.82	9.47	54.0	-24.18	AV	137.00	100	Horizontal	Pass
3	10310.172	40.68	11.02	68.2	-27.52	Peak	0.00	100	Horizontal	Pass
3**	10310.172	32.26	11.02	--	32.26	AV	0.00	100	Horizontal	N/A
4	12583.854	40.90	11.02	74.0	-33.10	Peak	39.70	100	Horizontal	Pass
4**	12583.854	32.80	11.02	54.0	-21.20	AV	39.70	100	Horizontal	Pass

WIFI5GB1-A-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13.19.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.959	49.65	-7.89	74.0	-24.35	Peak	313.80	100	Vertical	Pass
1**	1330.959	37.21	-7.89	54.0	-16.79	AV	313.80	100	Vertical	Pass
2	1801.150	51.59	-8.09	68.2	-16.61	Peak	105.00	100	Vertical	Pass
2**	1801.150	44.78	-8.09	--	44.78	AV	105.00	100	Vertical	N/A
3	1999.125	50.86	-6.19	68.2	-17.34	Peak	1.30	100	Vertical	Pass
3**	1999.125	38.21	-6.19	--	38.21	AV	1.30	100	Vertical	N/A
4	2355.331	50.21	-4.21	74.0	-23.79	Peak	355.50	100	Vertical	Pass
4**	2355.331	38.13	-4.21	54.0	-15.87	AV	355.50	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-23_13.09.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8017.246	34.20	5.55	68.2	-34.00	Peak	93.40	100	Vertical	Pass
1**	8017.246	25.39	5.55	--	25.39	AV	93.40	100	Vertical	N/A
2	8792.552	37.55	6.74	68.2	-30.65	Peak	117.10	100	Vertical	Pass
2**	8792.552	27.48	6.74	--	27.48	AV	117.10	100	Vertical	N/A
3	10150.712	40.21	9.93	68.2	-27.99	Peak	126.50	100	Vertical	Pass
3**	10150.712	30.72	9.93	--	30.72	AV	126.50	100	Vertical	N/A
4	11621.595	41.30	11.24	74.0	-32.70	Peak	117.10	100	Vertical	Pass
4**	11621.595	32.71	11.24	54.0	-21.29	AV	117.10	100	Vertical	Pass

WIFI5GB1-A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13.49.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.230	49.84	-7.12	74.0	-24.16	Peak	115.40	100	Horizontal	Pass
1**	1162.230	35.78	-7.12	54.0	-18.22	AV	115.40	100	Horizontal	Pass
2	1328.959	52.35	-7.87	74.0	-21.65	Peak	106.20	100	Horizontal	Pass
2**	1328.959	36.64	-7.87	54.0	-17.36	AV	106.20	100	Horizontal	Pass
3	1997.375	53.40	-6.18	68.2	-14.80	Peak	3.20	100	Horizontal	Pass
3**	1997.375	40.50	-6.18	--	40.50	AV	3.20	100	Horizontal	N/A
4	2656.793	51.64	-3.17	68.2	-16.56	Peak	348.90	100	Horizontal	Pass
4**	2656.793	39.85	-3.17	--	39.85	AV	348.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_13:55:37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8875.031	37.23	7.02	68.2	-30.97	Peak	146.70	100	Horizontal	Pass
1**	8875.031	28.54	7.02	--	28.54	AV	146.70	100	Horizontal	N/A
2	9875.781	39.34	9.70	68.2	-28.86	Peak	252.70	100	Horizontal	Pass
2**	9875.781	30.41	9.70	--	30.41	AV	252.70	100	Horizontal	N/A
3	11599.600	41.35	11.58	74.0	-32.65	Peak	358.80	100	Horizontal	Pass
3**	11599.600	32.67	11.58	54.0	-21.33	AV	358.80	100	Horizontal	Pass
4	14101.475	44.29	14.32	68.2	-23.91	Peak	126.00	100	Horizontal	Pass
4**	14101.475	35.92	14.32	--	35.92	AV	126.00	100	Horizontal	N/A

WIFI5GB1-A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13.52.10

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.459	53.28	-7.87	74.0	-20.72	Peak	114.90	100	Vertical	Pass
1**	1329.459	41.57	-7.87	54.0	-12.43	AV	114.90	100	Vertical	Pass
2	1595.176	48.62	-8.72	74.0	-25.38	Peak	246.10	100	Vertical	Pass
2**	1595.176	36.89	-8.72	54.0	-17.11	AV	246.10	100	Vertical	Pass
3	1991.126	52.39	-6.12	68.2	-15.81	Peak	360.00	100	Vertical	Pass
3**	1991.126	38.46	-6.12	--	38.46	AV	360.00	100	Vertical	N/A
4	2126.359	57.39	-5.20	68.2	-10.81	Peak	8.90	100	Vertical	Pass
4**	2126.359	45.94	-5.20	--	45.94	AV	8.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_13.53.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7709.323	34.83	4.53	74.0	-39.17	Peak	300.70	100	Vertical	Pass
1**	7709.323	25.12	4.53	54.0	-28.88	AV	300.70	100	Vertical	Pass
2	8850.287	38.19	7.55	68.2	-30.01	Peak	343.20	100	Vertical	Pass
2**	8850.287	28.83	7.55	--	28.83	AV	343.20	100	Vertical	N/A
3	10458.635	40.75	10.50	68.2	-27.45	Peak	291.30	100	Vertical	Pass
3**	10458.635	32.25	10.50	--	32.25	AV	291.30	100	Vertical	N/A
4	14131.717	46.62	14.56	68.2	-21.58	Peak	180.30	100	Vertical	Pass
4**	14131.717	36.70	14.56	--	36.70	AV	180.30	100	Vertical	N/A

WIFI5GB1-N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10:57:45

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.459	52.49	-7.86	74.0	-21.51	Peak	112.40	100	Horizontal	Pass
1**	1328.459	38.28	-7.86	54.0	-15.72	AV	112.40	100	Horizontal	Pass
2	1993.126	52.79	-6.14	68.2	-15.41	Peak	359.00	100	Horizontal	Pass
2**	1993.126	41.81	-6.14	--	41.81	AV	359.00	100	Horizontal	N/A
3	2126.109	54.52	-5.20	68.2	-13.68	Peak	328.20	100	Horizontal	Pass
3**	2126.109	41.10	-5.20	--	41.10	AV	328.20	100	Horizontal	N/A
4	2663.542	50.88	-3.33	68.2	-17.32	Peak	347.20	100	Horizontal	Pass
4**	2663.542	39.50	-3.33	--	39.50	AV	347.20	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.03.41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7998.000	34.62	5.69	68.2	-33.58	Peak	155.90	100	Horizontal	Pass
1**	7998.000	25.63	5.69	--	25.63	AV	155.90	100	Horizontal	N/A
2	8872.282	37.21	7.08	68.2	-30.99	Peak	289.20	100	Horizontal	Pass
2**	8872.282	28.16	7.08	--	28.16	AV	289.20	100	Horizontal	N/A
3	9757.561	39.32	9.70	68.2	-28.88	Peak	280.30	100	Horizontal	Pass
3**	9757.561	29.95	9.70	--	29.95	AV	280.30	100	Horizontal	N/A
4	12190.702	42.09	10.86	74.0	-31.91	Peak	360.00	100	Horizontal	Pass
4**	12190.702	32.93	10.86	54.0	-21.07	AV	360.00	100	Horizontal	Pass

WIFI5GB1-N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.00.24

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.992	48.92	-7.14	74.0	-25.08	Peak	0.00	100	Vertical	Pass
1**	1061.992	40.19	-7.14	54.0	-13.81	AV	0.00	100	Vertical	Pass
2	1328.459	52.66	-7.86	74.0	-21.34	Peak	108.00	100	Vertical	Pass
2**	1328.459	40.41	-7.86	54.0	-13.59	AV	108.00	100	Vertical	Pass
3	1990.626	51.64	-6.12	68.2	-16.56	Peak	350.40	100	Vertical	Pass
3**	1990.626	38.75	-6.12	--	38.75	AV	350.40	100	Vertical	N/A
4	2132.108	56.50	-5.11	68.2	-11.70	Peak	221.20	100	Vertical	Pass
4**	2132.108	42.54	-5.11	--	42.54	AV	221.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.02.06

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7890.777	34.82	4.94	68.2	-33.38	Peak	226.90	100	Vertical	Pass
1**	7890.777	25.63	4.94	--	25.63	AV	226.90	100	Vertical	N/A
2	8844.789	37.27	7.48	68.2	-30.93	Peak	42.50	100	Vertical	Pass
2**	8844.789	28.89	7.48	--	28.89	AV	42.50	100	Vertical	N/A
3	10120.470	40.29	9.79	68.2	-27.91	Peak	187.60	100	Vertical	Pass
3**	10120.470	30.32	9.79	--	30.32	AV	187.60	100	Vertical	N/A
4	11602.349	41.61	11.55	74.0	-32.39	Peak	314.30	100	Vertical	Pass
4**	11602.349	33.01	11.55	54.0	-20.99	AV	314.30	100	Vertical	Pass

WIFI5GB1-N20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.12.34

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.492	49.38	-7.14	74.0	-24.62	Peak	224.10	100	Horizontal	Pass
1**	1061.492	37.98	-7.14	54.0	-16.02	AV	224.10	100	Horizontal	Pass
2	1331.709	53.10	-7.89	74.0	-20.90	Peak	114.40	100	Horizontal	Pass
2**	1331.709	39.32	-7.89	54.0	-14.68	AV	114.40	100	Horizontal	Pass
3	1897.388	51.61	-7.28	68.2	-16.59	Peak	343.70	100	Horizontal	Pass
3**	1897.388	39.56	-7.28	--	39.56	AV	343.70	100	Horizontal	N/A
4	2125.609	57.27	-5.21	68.2	-10.93	Peak	322.00	100	Horizontal	Pass
4**	2125.609	43.68	-5.21	--	43.68	AV	322.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.05.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	35.20	5.05	68.2	-33.00	Peak	0.50	100	Horizontal	Pass
1**	7967.758	26.45	5.05	--	26.45	AV	0.50	100	Horizontal	N/A
2	9158.210	36.88	8.00	74.0	-37.12	Peak	349.90	100	Horizontal	Pass
2**	9158.210	28.33	8.00	54.0	-25.67	AV	349.90	100	Horizontal	Pass
3	11101.975	41.85	10.60	74.0	-32.15	Peak	42.20	100	Horizontal	Pass
3**	11101.975	31.70	10.60	54.0	-22.30	AV	42.20	100	Horizontal	Pass
4	14098.725	45.16	14.29	68.2	-23.04	Peak	188.90	100	Horizontal	Pass
4**	14098.725	35.91	14.29	--	35.91	AV	188.90	100	Horizontal	N/A

WIFI5GB1-N20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.09.58

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.209	47.92	-7.88	74.0	-26.08	Peak	0.00	100	Vertical	Pass
1**	1330.209	37.10	-7.88	54.0	-16.90	AV	0.00	100	Vertical	Pass
2	1592.926	47.33	-8.71	74.0	-26.67	Peak	227.80	100	Vertical	Pass
2**	1592.926	37.30	-8.71	54.0	-16.70	AV	227.80	100	Vertical	Pass
3	1994.876	51.64	-6.15	68.2	-16.56	Peak	346.50	100	Vertical	Pass
3**	1994.876	40.98	-6.15	--	40.98	AV	346.50	100	Vertical	N/A
4	2665.542	51.21	-3.53	68.2	-16.99	Peak	264.40	100	Vertical	Pass
4**	2665.542	39.56	-3.53	--	39.56	AV	264.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.06.40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7860.535	33.98	4.76	68.2	-34.22	Peak	239.70	100	Vertical	Pass
1**	7860.535	24.29	4.76	--	24.29	AV	239.70	100	Vertical	N/A
2	8839.290	37.64	7.39	68.2	-30.56	Peak	200.40	100	Vertical	Pass
2**	8839.290	28.62	7.39	--	28.62	AV	200.40	100	Vertical	N/A
3	10296.426	39.93	11.13	68.2	-28.27	Peak	257.70	100	Vertical	Pass
3**	10296.426	31.59	11.13	--	31.59	AV	257.70	100	Vertical	N/A
4	11475.881	41.06	11.06	74.0	-32.94	Peak	297.00	100	Vertical	Pass
4**	11475.881	31.41	11.06	54.0	-22.59	AV	297.00	100	Vertical	Pass

WIFI5GB1-N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.15.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.459	48.73	-7.84	74.0	-25.27	Peak	93.20	100	Horizontal	Pass
1**	1326.459	35.95	-7.84	54.0	-18.05	AV	93.20	100	Horizontal	Pass
2	1890.389	50.80	-7.22	68.2	-17.40	Peak	340.80	100	Horizontal	Pass
2**	1890.389	37.37	-7.22	--	37.37	AV	340.80	100	Horizontal	N/A
3	1993.876	52.80	-6.14	68.2	-15.40	Peak	359.40	100	Horizontal	Pass
3**	1993.876	42.06	-6.14	--	42.06	AV	359.40	100	Horizontal	N/A
4	2462.567	49.90	-3.65	68.2	-18.30	Peak	355.50	100	Horizontal	Pass
4**	2462.567	38.77	-3.65	--	38.77	AV	355.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.21.53

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7987.003	35.66	5.45	68.2	-32.54	Peak	335.70	100	Horizontal	Pass
1**	7987.003	26.06	5.45	--	26.06	AV	335.70	100	Horizontal	N/A
2	9361.660	38.86	9.85	74.0	-35.14	Peak	168.50	100	Horizontal	Pass
2**	9361.660	29.70	9.85	54.0	-24.30	AV	168.50	100	Horizontal	Pass
3	10290.927	40.72	11.07	68.2	-27.48	Peak	93.10	100	Horizontal	Pass
3**	10290.927	32.00	11.07	--	32.00	AV	93.10	100	Horizontal	N/A
4	11200.950	42.42	10.71	74.0	-31.58	Peak	2.30	100	Horizontal	Pass
4**	11200.950	34.00	10.71	54.0	-20.00	AV	2.30	100	Horizontal	Pass


WIFI5GB1-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.18.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.459	54.06	-7.89	74.0	-19.94	Peak	106.30	100	Vertical	Pass
1**	1331.459	40.87	-7.89	54.0	-13.13	AV	106.30	100	Vertical	Pass
2	1993.376	54.22	-6.14	68.2	-13.98	Peak	0.00	100	Vertical	Pass
2**	1993.376	42.77	-6.14	--	42.77	AV	0.00	100	Vertical	N/A
3	2129.859	57.28	-5.15	68.2	-10.92	Peak	231.10	100	Vertical	Pass
3**	2129.859	42.28	-5.15	--	42.28	AV	231.10	100	Vertical	N/A
4	2656.793	51.10	-3.17	68.2	-17.10	Peak	215.20	100	Vertical	Pass
4**	2656.793	39.37	-3.17	--	39.37	AV	215.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_11.20.02

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8096.976	34.79	5.55	74.0	-39.21	Peak	137.10	100	Vertical	Pass
1**	8096.976	25.55	5.55	54.0	-28.45	AV	137.10	100	Vertical	Pass
2	8875.031	37.60	7.02	68.2	-30.60	Peak	17.30	100	Vertical	Pass
2**	8875.031	27.79	7.02	--	27.79	AV	17.30	100	Vertical	N/A
3	11184.454	41.41	10.75	74.0	-32.59	Peak	10.90	100	Vertical	Pass
3**	11184.454	32.18	10.75	54.0	-21.82	AV	10.90	100	Vertical	Pass
4	13928.268	44.91	13.77	68.2	-23.29	Peak	258.50	100	Vertical	Pass
4**	13928.268	35.91	13.77	--	35.91	AV	258.50	100	Vertical	N/A

WIFI5GB1-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_16.44.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

8Emission Test case_FCC_Part 15E_FCC 15.407(SG) 1GHz-7GHz SS_Band1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.958	51.74	-7.90	74.0	-22.26	Peak	106.70	100	Horizontal	Pass
1**	1332.958	40.84	-7.90	54.0	-13.16	AV	106.70	100	Horizontal	Pass
2	1791.151	49.56	-8.03	68.2	-18.64	Peak	323.90	100	Horizontal	Pass
2**	1791.151	37.59	-8.03	--	37.59	AV	323.90	100	Horizontal	N/A
3	1997.625	53.68	-6.18	68.2	-14.52	Peak	347.40	100	Horizontal	Pass
3**	1997.625	39.47	-6.18	--	39.47	AV	347.40	100	Horizontal	N/A
4	2129.359	54.54	-5.16	68.2	-13.66	Peak	183.00	100	Horizontal	Pass
4**	2129.359	41.74	-5.16	--	41.74	AV	183.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.13.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	34.84	5.05	68.2	-33.36	Peak	175.70	100	Horizontal	Pass
1**	7967.758	25.72	5.05	--	25.72	AV	175.70	100	Horizontal	N/A
2	8828.293	37.08	7.22	68.2	-31.12	Peak	307.40	100	Horizontal	Pass
2**	8828.293	28.19	7.22	--	28.19	AV	307.40	100	Horizontal	N/A
3	9397.401	39.44	9.94	74.0	-34.56	Peak	193.50	100	Horizontal	Pass
3**	9397.401	31.15	9.94	54.0	-22.85	AV	193.50	100	Horizontal	Pass
4	10436.641	40.24	10.68	68.2	-27.96	Peak	319.50	100	Horizontal	Pass
4**	10436.641	31.49	10.68	--	31.49	AV	319.50	100	Horizontal	N/A

WIFI5GB1-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_16.46.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1061.742	48.97	-7.14	74.0	-25.03	Peak	0.00	100	Vertical	Pass
1**	1061.742	37.92	-7.14	54.0	-16.08	AV	0.00	100	Vertical	Pass
2	1330.459	51.49	-7.88	74.0	-22.51	Peak	76.60	100	Vertical	Pass
2**	1330.459	40.99	-7.88	54.0	-13.01	AV	76.60	100	Vertical	Pass
3	1832.646	51.20	-7.63	68.2	-17.00	Peak	330.90	100	Vertical	Pass
3**	1832.646	38.38	-7.63	--	38.38	AV	330.90	100	Vertical	N/A
4	2132.358	57.65	-5.11	68.2	-10.55	Peak	279.00	100	Vertical	Pass
4**	2132.358	43.71	-5.11	--	43.71	AV	279.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.15.09

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7932.017	35.19	4.79	68.2	-33.01	Peak	119.30	100	Vertical	Pass
1**	7932.017	25.95	4.79	--	25.95	AV	119.30	100	Vertical	N/A
2	8847.538	38.03	7.52	68.2	-30.17	Peak	297.00	100	Vertical	Pass
2**	8847.538	28.05	7.52	--	28.05	AV	297.00	100	Vertical	N/A
3	10461.385	40.32	10.46	68.2	-27.88	Peak	269.80	100	Vertical	Pass
3**	10461.385	31.13	10.46	--	31.13	AV	269.80	100	Vertical	N/A
4	12127.468	41.52	10.83	74.0	-32.48	Peak	279.00	100	Vertical	Pass
4**	12127.468	32.35	10.83	54.0	-21.65	AV	279.00	100	Vertical	Pass

WIFI5GB1-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.20.38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.959	48.93	-7.88	74.0	-25.07	Peak	351.30	100	Horizontal	Pass
1**	1329.959	37.96	-7.88	54.0	-16.04	AV	351.30	100	Horizontal	Pass
2	1606.174	45.55	-8.74	74.0	-28.45	Peak	0.00	100	Horizontal	Pass
2**	1606.174	34.29	-8.74	54.0	-19.71	AV	0.00	100	Horizontal	Pass
3	1997.375	51.29	-6.18	68.2	-16.91	Peak	272.70	100	Horizontal	Pass
3**	1997.375	39.21	-6.18	--	39.21	AV	272.70	100	Horizontal	N/A
4	2126.859	51.79	-5.19	68.2	-16.41	Peak	320.90	100	Horizontal	Pass
4**	2126.859	39.28	-5.19	--	39.28	AV	320.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.18.12

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7973.257	35.91	5.16	68.2	-32.29	Peak	206.80	100	Horizontal	Pass
1**	7973.257	26.02	5.16	--	26.02	AV	206.80	100	Horizontal	N/A
2	9394.651	39.34	9.94	74.0	-34.66	Peak	107.00	100	Horizontal	Pass
2**	9394.651	29.92	9.94	54.0	-24.08	AV	107.00	100	Horizontal	Pass
3	10444.889	40.64	10.64	68.2	-27.56	Peak	5.00	100	Horizontal	Pass
3**	10444.889	31.26	10.64	--	31.26	AV	5.00	100	Horizontal	N/A
4	12281.430	41.42	10.59	74.0	-32.58	Peak	359.30	100	Horizontal	Pass
4**	12281.430	31.88	10.59	54.0	-22.12	AV	359.30	100	Horizontal	Pass


WIFI5GB1-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.23.18

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.959	49.96	-7.85	74.0	-24.04	Peak	343.40	100	Vertical	Pass
1**	1326.959	37.29	-7.85	54.0	-16.71	AV	343.40	100	Vertical	Pass
2	1789.901	48.53	-8.02	68.2	-19.67	Peak	328.60	100	Vertical	Pass
2**	1789.901	35.54	-8.02	--	35.54	AV	328.60	100	Vertical	N/A
3	2132.108	56.12	-5.11	68.2	-12.08	Peak	258.90	100	Vertical	Pass
3**	2132.108	42.94	-5.11	--	42.94	AV	258.90	100	Vertical	N/A
4	2659.293	53.75	-3.02	68.2	-14.45	Peak	4.30	100	Vertical	Pass
4**	2659.293	40.50	-3.02	--	40.50	AV	4.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.16.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8858.535	37.88	7.38	68.2	-30.32	Peak	103.50	100	Vertical	Pass
1**	8858.535	28.68	7.38	--	28.68	AV	103.50	100	Vertical	N/A
2	9969.258	39.29	9.55	68.2	-28.91	Peak	311.70	100	Vertical	Pass
2**	9969.258	29.45	9.55	--	29.45	AV	311.70	100	Vertical	N/A
3	11847.038	41.69	10.21	74.0	-32.31	Peak	333.50	100	Vertical	Pass
3**	11847.038	31.60	10.21	54.0	-22.40	AV	333.50	100	Vertical	Pass
4	14379.155	46.32	14.90	68.2	-21.88	Peak	230.50	100	Vertical	Pass
4**	14379.155	37.16	14.90	--	37.16	AV	230.50	100	Vertical	N/A

WIFI5GB1-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.19.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.992	50.11	-7.15	74.0	-23.89	Peak	224.40	100	Horizontal	Pass
1**	1065.992	37.46	-7.15	54.0	-16.54	AV	224.40	100	Horizontal	Pass
2	1332.708	52.41	-7.90	74.0	-21.59	Peak	113.20	100	Horizontal	Pass
2**	1332.708	42.35	-7.90	54.0	-11.65	AV	113.20	100	Horizontal	Pass
3	1594.926	47.87	-8.72	74.0	-26.13	Peak	191.00	100	Horizontal	Pass
3**	1594.926	34.77	-8.72	54.0	-19.23	AV	191.00	100	Horizontal	Pass
4	1832.396	51.29	-7.64	68.2	-16.91	Peak	325.40	100	Horizontal	Pass
4**	1832.396	37.57	-7.64	--	37.57	AV	325.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10:32:20

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7882.529	35.07	4.89	68.2	-33.13	Peak	275.30	100	Horizontal	Pass
1**	7882.529	25.51	4.89	--	25.51	AV	275.30	100	Horizontal	N/A
2	8861.285	37.09	7.32	68.2	-31.11	Peak	6.90	100	Horizontal	Pass
2**	8861.285	28.00	7.32	--	28.00	AV	6.90	100	Horizontal	N/A
3	10472.382	40.21	10.32	68.2	-27.99	Peak	13.40	100	Horizontal	Pass
3**	10472.382	31.68	10.32	--	31.68	AV	13.40	100	Horizontal	N/A
4	12669.083	41.50	11.48	74.0	-32.50	Peak	90.70	100	Horizontal	Pass
4**	12669.083	32.99	11.48	54.0	-21.01	AV	90.70	100	Horizontal	Pass

WIFI5GB1-AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.22.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

8Emission Test case FCC_Part 15E_FCC 15.407(SG) 1GHz-7GHz 5G_Band1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.730	51.54	-7.12	74.0	-22.46	Peak	124.00	100	Vertical	Pass
1**	1163.730	35.93	-7.12	54.0	-18.07	AV	124.00	100	Vertical	Pass
2	1333.208	53.46	-7.91	74.0	-20.54	Peak	102.70	100	Vertical	Pass
2**	1333.208	40.30	-7.91	54.0	-13.70	AV	102.70	100	Vertical	Pass
3	1991.126	52.67	-6.12	68.2	-15.53	Peak	359.60	100	Vertical	Pass
3**	1991.126	42.50	-6.12	--	42.50	AV	359.60	100	Vertical	N/A
4	2130.359	62.63	-5.14	68.2	-5.57	Peak	219.10	100	Vertical	Pass
4**	2130.359	47.11	-5.14	--	47.11	AV	219.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10.34.20

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8011.747	35.06	5.61	68.2	-33.14	Peak	37.00	100	Vertical	Pass
1**	8011.747	25.18	5.61	--	25.18	AV	37.00	100	Vertical	N/A
2	9141.715	37.21	7.72	74.0	-36.79	Peak	92.00	100	Vertical	Pass
2**	9141.715	28.24	7.72	54.0	-25.76	AV	92.00	100	Vertical	Pass
3	10579.605	40.27	10.06	68.2	-27.93	Peak	357.00	100	Vertical	Pass
3**	10579.605	31.25	10.06	--	31.25	AV	357.00	100	Vertical	N/A
4	11627.093	41.66	11.16	74.0	-32.34	Peak	92.00	100	Vertical	Pass
4**	11627.093	33.46	11.16	54.0	-20.54	AV	92.00	100	Vertical	Pass

WIFI5GB1-AC20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10:30:31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.959	52.08	-7.89	74.0	-21.92	Peak	123.80	100	Horizontal	Pass
1**	1330.959	39.36	-7.89	54.0	-14.64	AV	123.80	100	Horizontal	Pass
2	1593.176	46.68	-8.71	74.0	-27.32	Peak	227.80	100	Horizontal	Pass
2**	1593.176	35.62	-8.71	54.0	-18.38	AV	227.80	100	Horizontal	Pass
3	1990.876	53.03	-6.12	68.2	-15.17	Peak	359.00	100	Horizontal	Pass
3**	1990.876	42.80	-6.12	--	42.80	AV	359.00	100	Horizontal	N/A
4	2128.109	52.65	-5.17	68.2	-15.55	Peak	29.60	100	Horizontal	Pass
4**	2128.109	40.83	-5.17	--	40.83	AV	29.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10:37:43

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8006.248	35.75	5.67	68.2	-32.45	Peak	244.10	100	Horizontal	Pass
1**	8006.248	25.98	5.67	--	25.98	AV	244.10	100	Horizontal	N/A
2	9394.651	39.06	9.94	74.0	-34.94	Peak	264.80	100	Horizontal	Pass
2**	9394.651	30.29	9.94	54.0	-23.71	AV	264.80	100	Horizontal	Pass
3	11605.099	41.91	11.51	74.0	-32.09	Peak	255.90	100	Horizontal	Pass
3**	11605.099	33.31	11.51	54.0	-20.69	AV	255.90	100	Horizontal	Pass
4	13741.315	45.47	13.61	68.2	-22.73	Peak	2.00	100	Horizontal	Pass
4**	13741.315	35.78	13.61	--	35.78	AV	2.00	100	Horizontal	N/A

WIFI5GB1-AC20- Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.26.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.459	50.20	-7.87	74.0	-23.80	Peak	119.80	100	Vertical	Pass
1**	1329.459	40.37	-7.87	54.0	-13.63	AV	119.80	100	Vertical	Pass
2	1992.876	54.05	-6.14	68.2	-14.15	Peak	357.90	100	Vertical	Pass
2**	1992.876	41.70	-6.14	--	41.70	AV	357.90	100	Vertical	N/A
3	2132.608	54.95	-5.11	68.2	-13.25	Peak	110.70	100	Vertical	Pass
3**	2132.608	42.93	-5.11	--	42.93	AV	110.70	100	Vertical	N/A
4	2657.543	50.58	-3.13	68.2	-17.62	Peak	217.00	100	Vertical	Pass
4**	2657.543	38.91	-3.13	--	38.91	AV	217.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10:35:51

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7654.336	34.29	4.69	74.0	-39.71	Peak	197.20	100	Vertical	Pass
1**	7654.336	25.19	4.69	54.0	-28.81	AV	197.20	100	Vertical	Pass
2	8833.792	36.65	7.30	68.2	-31.55	Peak	221.70	100	Vertical	Pass
2**	8833.792	28.46	7.30	--	28.46	AV	221.70	100	Vertical	N/A
3	10450.387	41.05	10.61	68.2	-27.15	Peak	37.10	100	Vertical	Pass
3**	10450.387	31.78	10.61	--	31.78	AV	37.10	100	Vertical	N/A
4	11627.093	41.99	11.16	74.0	-32.01	Peak	49.20	100	Vertical	Pass
4**	11627.093	34.29	11.16	54.0	-19.71	AV	49.20	100	Vertical	Pass


WIFI5GB1-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.47.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.459	53.52	-7.86	74.0	-20.48	Peak	115.40	100	Horizontal	Pass
1**	1328.459	40.94	-7.86	54.0	-13.06	AV	115.40	100	Horizontal	Pass
2	1824.397	50.73	-7.70	68.2	-17.47	Peak	344.20	100	Horizontal	Pass
2**	1824.397	37.51	-7.70	--	37.51	AV	344.20	100	Horizontal	N/A
3	2132.608	54.04	-5.11	68.2	-14.16	Peak	21.30	100	Horizontal	Pass
3**	2132.608	39.75	-5.11	--	39.75	AV	21.30	100	Horizontal	N/A
4	2657.293	51.46	-3.14	68.2	-16.74	Peak	347.40	100	Horizontal	Pass
4**	2657.293	39.82	-3.14	--	39.82	AV	347.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10.40.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7962.259	34.14	4.93	68.2	-34.06	Peak	48.90	100	Horizontal	Pass
1**	7962.259	25.65	4.93	--	25.65	AV	48.90	100	Horizontal	N/A
2	8844.789	37.33	7.48	68.2	-30.87	Peak	97.30	100	Horizontal	Pass
2**	8844.789	28.32	7.48	--	28.32	AV	97.30	100	Horizontal	N/A
3	10241.440	40.13	10.66	68.2	-28.07	Peak	12.10	100	Horizontal	Pass
3**	10241.440	31.06	10.66	--	31.06	AV	12.10	100	Horizontal	N/A
4	11610.597	42.02	11.42	74.0	-31.98	Peak	360.00	100	Horizontal	Pass
4**	11610.597	32.80	11.42	54.0	-21.20	AV	360.00	100	Horizontal	Pass

WIFI5GB1-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.44.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1205.974	46.72	-7.17	74.0	-27.28	Peak	188.50	100	Vertical	Pass
1**	1205.974	35.20	-7.17	54.0	-18.80	AV	188.50	100	Vertical	Pass
2	1820.397	49.46	-7.70	68.2	-18.74	Peak	328.70	100	Vertical	Pass
2**	1820.397	37.62	-7.70	--	37.62	AV	328.70	100	Vertical	N/A
3	1997.375	51.30	-6.18	68.2	-16.90	Peak	360.00	100	Vertical	Pass
3**	1997.375	39.90	-6.18	--	39.90	AV	360.00	100	Vertical	N/A
4	2125.359	59.46	-5.21	68.2	-8.74	Peak	358.90	100	Vertical	Pass
4**	2125.359	44.84	-5.21	--	44.84	AV	358.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_10.42.00

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8008.998	35.08	5.64	68.2	-33.12	Peak	263.60	100	Vertical	Pass
1**	8008.998	25.09	5.64	--	25.09	AV	263.60	100	Vertical	N/A
2	8836.541	37.06	7.35	68.2	-31.14	Peak	178.40	100	Vertical	Pass
2**	8836.541	28.26	7.35	--	28.26	AV	178.40	100	Vertical	N/A
3	10447.638	40.41	10.63	68.2	-27.79	Peak	263.60	100	Vertical	Pass
3**	10447.638	31.88	10.63	--	31.88	AV	263.60	100	Vertical	N/A
4	11178.955	41.61	10.76	74.0	-32.39	Peak	30.60	100	Vertical	Pass
4**	11178.955	32.43	10.76	54.0	-21.57	AV	30.60	100	Vertical	Pass

WIFI5GB1-AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17:32:23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.459	49.96	-7.88	74.0	-24.04	Peak	78.10	100	Horizontal	Pass
1**	1330.459	40.59	-7.88	54.0	-13.41	AV	78.10	100	Horizontal	Pass
2	1795.901	49.68	-8.07	68.2	-18.52	Peak	322.00	100	Horizontal	Pass
2**	1795.901	38.97	-8.07	--	38.97	AV	322.00	100	Horizontal	N/A
3	1995.376	51.69	-6.16	68.2	-16.51	Peak	349.40	100	Horizontal	Pass
3**	1995.376	41.79	-6.16	--	41.79	AV	349.40	100	Horizontal	N/A
4	2130.859	57.85	-5.14	68.2	-10.35	Peak	297.80	100	Horizontal	Pass
4**	2130.859	45.09	-5.14	--	45.09	AV	297.80	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_16.50.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8014.496	34.71	5.58	68.2	-33.49	Peak	128.00	100	Horizontal	Pass
1**	8014.496	25.76	5.58	--	25.76	AV	128.00	100	Horizontal	N/A
2	9213.197	37.83	8.51	68.2	-30.37	Peak	1.00	100	Horizontal	Pass
2**	9213.197	28.60	8.51	--	28.60	AV	1.00	100	Horizontal	N/A
3	10455.886	41.01	10.54	68.2	-27.19	Peak	212.20	100	Horizontal	Pass
3**	10455.886	31.82	10.54	--	31.82	AV	212.20	100	Horizontal	N/A
4	12856.036	42.94	10.71	68.2	-25.26	Peak	151.90	100	Horizontal	Pass
4**	12856.036	33.90	10.71	--	33.90	AV	151.90	100	Horizontal	N/A


WIFI5GB1-AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.35.19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.492	49.13	-7.14	74.0	-24.87	Peak	0.00	100	Vertical	Pass
1**	1062.492	39.26	-7.14	54.0	-14.74	AV	0.00	100	Vertical	Pass
2	1331.959	51.39	-7.90	74.0	-22.61	Peak	115.90	100	Vertical	Pass
2**	1331.959	38.39	-7.90	54.0	-15.61	AV	115.90	100	Vertical	Pass
3	1999.875	51.07	-6.20	68.2	-17.13	Peak	356.00	100	Vertical	Pass
3**	1999.875	40.45	-6.20	--	40.45	AV	356.00	100	Vertical	N/A
4	2126.109	63.85	-5.20	68.2	-4.35	Peak	358.90	100	Vertical	Pass
4**	2126.109	52.05	-5.20	--	52.05	AV	358.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_16:48:30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8011.747	34.76	5.61	68.2	-33.44	Peak	97.30	100	Vertical	Pass
1**	8011.747	26.41	5.61	--	26.41	AV	97.30	100	Vertical	N/A
2	8853.037	37.33	7.50	68.2	-30.87	Peak	181.30	100	Vertical	Pass
2**	8853.037	28.82	7.50	--	28.82	AV	181.30	100	Vertical	N/A
3	10469.633	40.33	10.35	68.2	-27.87	Peak	211.90	100	Vertical	Pass
3**	10469.633	31.19	10.35	--	31.19	AV	211.90	100	Vertical	N/A
4	11649.088	41.15	10.80	74.0	-32.85	Peak	61.00	100	Vertical	Pass
4**	11649.088	32.26	10.80	54.0	-21.74	AV	61.00	100	Vertical	Pass

WIFI5GB1-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.41.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1326.709	51.37	-7.84	74.0	-22.63	Peak	108.70	100	Horizontal	Pass
1**	1326.709	37.99	-7.84	54.0	-16.01	AV	108.70	100	Horizontal	Pass
2	1997.375	50.66	-6.18	68.2	-17.54	Peak	0.00	100	Horizontal	Pass
2**	1997.375	39.48	-6.18	--	39.48	AV	0.00	100	Horizontal	N/A
3	2125.609	57.35	-5.21	68.2	-10.85	Peak	0.00	100	Horizontal	Pass
3**	2125.609	45.33	-5.21	--	45.33	AV	0.00	100	Horizontal	N/A
4	2658.793	53.28	-3.05	68.2	-14.92	Peak	0.00	100	Horizontal	Pass
4**	2658.793	42.00	-3.05	--	42.00	AV	0.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_16:51:40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7835.791	34.44	4.72	68.2	-33.76	Peak	302.00	100	Horizontal	Pass
1**	7835.791	26.07	4.72	--	26.07	AV	302.00	100	Horizontal	N/A
2	8864.034	36.93	7.26	68.2	-31.27	Peak	190.70	100	Horizontal	Pass
2**	8864.034	28.74	7.26	--	28.74	AV	190.70	100	Horizontal	N/A
3	10329.418	41.06	10.76	68.2	-27.14	Peak	325.80	100	Horizontal	Pass
3**	10329.418	31.48	10.76	--	31.48	AV	325.80	100	Horizontal	N/A
4	11643.589	41.17	10.89	74.0	-32.83	Peak	190.70	100	Horizontal	Pass
4**	11643.589	31.97	10.89	54.0	-22.03	AV	190.70	100	Horizontal	Pass

WIFI5GB1-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.38.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.958	49.02	-7.90	74.0	-24.98	Peak	331.10	100	Vertical	Pass
1**	1332.958	37.70	-7.90	54.0	-16.30	AV	331.10	100	Vertical	Pass
2	1828.396	48.83	-7.69	68.2	-19.37	Peak	249.50	100	Vertical	Pass
2**	1828.396	36.77	-7.69	--	36.77	AV	249.50	100	Vertical	N/A
3	1993.126	51.52	-6.14	68.2	-16.68	Peak	352.60	100	Vertical	Pass
3**	1993.126	42.41	-6.14	--	42.41	AV	352.60	100	Vertical	N/A
4	2131.609	63.67	-5.12	68.2	-4.53	Peak	0.70	100	Vertical	Pass
4**	2131.609	51.77	-5.12	--	51.77	AV	0.70	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_16.53.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7948.513	34.76	4.68	68.2	-33.44	Peak	326.90	100	Vertical	Pass
1**	7948.513	25.84	4.68	--	25.84	AV	326.90	100	Vertical	N/A
2	8927.268	37.11	6.43	68.2	-31.09	Peak	359.00	100	Vertical	Pass
2**	8927.268	27.93	6.43	--	27.93	AV	359.00	100	Vertical	N/A
3	10175.456	39.87	10.22	68.2	-28.33	Peak	10.90	100	Vertical	Pass
3**	10175.456	31.43	10.22	--	31.43	AV	10.90	100	Vertical	N/A
4	11638.090	41.93	10.98	74.0	-32.07	Peak	278.50	100	Vertical	Pass
4**	11638.090	33.01	10.98	54.0	-20.99	AV	278.50	100	Vertical	Pass

WIFI5GB1-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.51.28

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15E_FCC 15.407(SG) 1GHz-7GHz SS_Band1



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.209	51.01	-7.86	74.0	-22.99	Peak	73.10	100	Horizontal	Pass
1**	1328.209	40.56	-7.86	54.0	-13.44	AV	73.10	100	Horizontal	Pass
2	1897.638	51.40	-7.28	68.2	-16.80	Peak	325.40	100	Horizontal	Pass
2**	1897.638	39.90	-7.28	--	39.90	AV	325.40	100	Horizontal	N/A
3	2126.859	64.26	-5.19	68.2	-3.94	Peak	0.00	100	Horizontal	Pass
3**	2126.859	49.57	-5.19	--	49.57	AV	0.00	100	Horizontal	N/A
4	2659.293	54.07	-3.02	68.2	-14.13	Peak	357.70	100	Horizontal	Pass
4**	2659.293	40.82	-3.02	--	40.82	AV	357.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.58.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8074.981	35.09	5.39	74.0	-38.91	Peak	2.30	100	Horizontal	Pass
1**	8074.981	25.75	5.39	54.0	-28.25	AV	2.30	100	Horizontal	Pass
2	8833.792	37.84	7.30	68.2	-30.36	Peak	265.20	100	Horizontal	Pass
2**	8833.792	28.65	7.30	--	28.65	AV	265.20	100	Horizontal	N/A
3	10552.112	40.12	9.90	68.2	-28.08	Peak	21.90	100	Horizontal	Pass
3**	10552.112	31.37	9.90	--	31.37	AV	21.90	100	Horizontal	N/A
4	12226.443	41.22	10.97	74.0	-32.78	Peak	120.80	100	Horizontal	Pass
4**	12226.443	32.96	10.97	54.0	-21.04	AV	120.80	100	Horizontal	Pass

WIFI5GB1-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17:54:05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.742	47.95	-7.14	74.0	-26.05	Peak	349.70	100	Vertical	Pass
1**	1062.742	38.29	-7.14	54.0	-15.71	AV	349.70	100	Vertical	Pass
2	1333.208	51.88	-7.91	74.0	-22.12	Peak	92.90	100	Vertical	Pass
2**	1333.208	39.82	-7.91	54.0	-14.18	AV	92.90	100	Vertical	Pass
3	1595.176	48.34	-8.72	74.0	-25.66	Peak	349.70	100	Vertical	Pass
3**	1595.176	34.46	-8.72	54.0	-19.54	AV	349.70	100	Vertical	Pass
4	2123.860	64.16	-5.23	68.2	-4.04	Peak	355.80	100	Vertical	Pass
4**	2123.860	51.57	-5.23	--	51.57	AV	355.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_17.56.21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8113.472	34.51	5.49	74.0	-39.49	Peak	272.30	100	Vertical	Pass
1**	8113.472	25.62	5.49	54.0	-28.38	AV	272.30	100	Vertical	Pass
2	8828.293	36.91	7.22	68.2	-31.29	Peak	88.50	100	Vertical	Pass
2**	8828.293	28.71	7.22	--	28.71	AV	88.50	100	Vertical	N/A
3	10444.889	40.51	10.64	68.2	-27.69	Peak	11.90	100	Vertical	Pass
3**	10444.889	31.46	10.64	--	31.46	AV	11.90	100	Vertical	N/A
4	12229.193	41.13	10.99	74.0	-32.87	Peak	209.10	100	Vertical	Pass
4**	12229.193	32.34	10.99	54.0	-21.66	AV	209.10	100	Vertical	Pass

WIFI5GB4-A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.34.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.959	51.11	-7.90	74.0	-22.89	Peak	102.50	100	Horizontal	Pass
1**	1331.959	41.51	-7.90	54.0	-12.49	AV	102.50	100	Horizontal	Pass
2	1992.876	52.26	-6.14	68.2	-15.94	Peak	350.30	100	Horizontal	Pass
2**	1992.876	40.88	-6.14	--	40.88	AV	350.30	100	Horizontal	N/A
3	2124.609	57.30	-5.22	68.2	-10.90	Peak	311.00	100	Horizontal	Pass
3**	2124.609	43.54	-5.22	--	43.54	AV	311.00	100	Horizontal	N/A
4	2654.793	52.47	-3.29	68.2	-15.73	Peak	360.00	100	Horizontal	Pass
4**	2654.793	40.70	-3.29	--	40.70	AV	360.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_18.36.13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8129.968	35.01	5.39	74.0	-38.99	Peak	89.00	100	Horizontal	Pass
1**	8129.968	25.74	5.39	54.0	-28.26	AV	89.00	100	Horizontal	Pass
2	8850.287	37.53	7.55	68.2	-30.67	Peak	343.90	100	Horizontal	Pass
2**	8850.287	28.74	7.55	--	28.74	AV	343.90	100	Horizontal	N/A
3	9867.533	39.51	9.62	68.2	-28.69	Peak	225.60	100	Horizontal	Pass
3**	9867.533	30.40	9.62	--	30.40	AV	225.60	100	Horizontal	N/A
4	12110.972	41.20	10.69	74.0	-32.80	Peak	116.20	100	Horizontal	Pass
4**	12110.972	32.52	10.69	54.0	-21.48	AV	116.20	100	Horizontal	Pass

WIFI5GB4-A-Low channel-Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_18.31.28

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

8Emission Test case FCC Part 15E FCC 15.407(5G) 5GHz-7GHz 5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.958	51.82	-7.90	74.0	-22.18	Peak	108.70	100	Vertical	Pass
1**	1332.958	40.44	-7.90	54.0	-13.56	AV	108.70	100	Vertical	Pass
2	1999.125	51.42	-6.19	68.2	-16.78	Peak	272.00	100	Vertical	Pass
2**	1999.125	40.04	-6.19	--	40.04	AV	272.00	100	Vertical	N/A
3	2133.358	64.65	-5.09	68.2	-3.55	Peak	358.60	100	Vertical	Pass
3**	2133.358	50.40	-5.09	--	50.40	AV	358.60	100	Vertical	N/A
4	2665.292	53.68	-3.50	68.2	-14.52	Peak	358.60	100	Vertical	Pass
4**	2665.292	41.75	-3.50	--	41.75	AV	358.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_18.38.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7866.033	34.87	4.79	68.2	-33.33	Peak	42.90	100	Vertical	Pass
1**	7866.033	25.49	4.79	--	25.49	AV	42.90	100	Vertical	N/A
2	8842.039	36.73	7.43	68.2	-31.47	Peak	331.10	100	Vertical	Pass
2**	8842.039	28.74	7.43	--	28.74	AV	331.10	100	Vertical	N/A
3	10370.657	40.35	10.64	68.2	-27.85	Peak	334.00	100	Vertical	Pass
3**	10370.657	31.86	10.64	--	31.86	AV	334.00	100	Vertical	N/A
4	12509.623	41.67	10.69	74.0	-32.33	Peak	42.90	100	Vertical	Pass
4**	12509.623	32.62	10.69	54.0	-21.38	AV	42.90	100	Vertical	Pass

WIFI5GB4-A-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.45.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.458	48.58	-7.90	74.0	-25.42	Peak	351.80	100	Horizontal	Pass
1**	1332.458	38.56	-7.90	54.0	-15.44	AV	351.80	100	Horizontal	Pass
2	1936.383	50.44	-6.80	68.2	-17.76	Peak	348.80	100	Horizontal	Pass
2**	1936.383	39.98	-6.80	--	39.98	AV	348.80	100	Horizontal	N/A
3	2369.579	49.88	-3.99	74.0	-24.12	Peak	291.50	100	Horizontal	Pass
3**	2369.579	38.60	-3.99	54.0	-15.40	AV	291.50	100	Horizontal	Pass
4	2834.021	49.72	-2.14	74.0	-24.28	Peak	104.00	100	Horizontal	Pass
4**	2834.021	39.52	-2.14	54.0	-14.48	AV	104.00	100	Horizontal	Pass

Test result

Project Number: Certification

Test Time: 2020-11-23_18.42.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7860.535	33.99	4.76	68.2	-34.21	Peak	319.00	100	Horizontal	Pass
1**	7860.535	25.14	4.76	--	25.14	AV	319.00	100	Horizontal	N/A
2	8809.048	37.60	6.91	68.2	-30.60	Peak	62.80	100	Horizontal	Pass
2**	8809.048	29.27	6.91	--	29.27	AV	62.80	100	Horizontal	N/A
3	10552.112	40.46	9.90	68.2	-27.74	Peak	32.40	100	Horizontal	Pass
3**	10552.112	31.32	9.90	--	31.32	AV	32.40	100	Horizontal	N/A
4	11649.088	41.17	10.80	74.0	-32.83	Peak	174.70	100	Horizontal	Pass
4**	11649.088	32.50	10.80	54.0	-21.50	AV	174.70	100	Horizontal	Pass

WIFI5GB4-A-Middle channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.48.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.708	52.54	-7.90	74.0	-21.46	Peak	89.20	100	Vertical	Pass
1**	1332.708	40.65	-7.90	54.0	-13.35	AV	89.20	100	Vertical	Pass
2	1992.626	53.19	-6.13	68.2	-15.01	Peak	355.90	100	Vertical	Pass
2**	1992.626	41.49	-6.13	--	41.49	AV	355.90	100	Vertical	N/A
3	2128.109	57.62	-5.17	68.2	-10.58	Peak	349.80	100	Vertical	Pass
3**	2128.109	43.47	-5.17	--	43.47	AV	349.80	100	Vertical	N/A
4	2654.043	53.76	-3.34	68.2	-14.44	Peak	359.80	100	Vertical	Pass
4**	2654.043	40.54	-3.34	--	40.54	AV	359.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_18.40.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8844.789	37.41	7.48	68.2	-30.79	Peak	223.00	100	Vertical	Pass
1**	8844.789	29.22	7.48	--	29.22	AV	223.00	100	Vertical	N/A
2	9856.536	39.23	9.52	68.2	-28.97	Peak	5.40	100	Vertical	Pass
2**	9856.536	29.71	9.52	--	29.71	AV	5.40	100	Vertical	N/A
3	11624.344	41.81	11.20	74.0	-32.19	Peak	32.60	100	Vertical	Pass
3**	11624.344	34.33	11.20	54.0	-19.67	AV	32.60	100	Vertical	Pass
4	13592.852	44.02	14.57	68.2	-24.18	Peak	141.50	100	Vertical	Pass
4**	13592.852	34.96	14.57	--	34.96	AV	141.50	100	Vertical	N/A

WIFI5GB4-A-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.55.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.459	51.39	-7.88	74.0	-22.61	Peak	98.10	100	Horizontal	Pass
1**	1330.459	39.21	-7.88	54.0	-14.79	AV	98.10	100	Horizontal	Pass
2	1897.138	51.48	-7.28	68.2	-16.72	Peak	331.20	100	Horizontal	Pass
2**	1897.138	38.62	-7.28	--	38.62	AV	331.20	100	Horizontal	N/A
3	2129.609	64.66	-5.16	68.2	-3.54	Peak	1.00	100	Horizontal	Pass
3**	2129.609	49.78	-5.16	--	49.78	AV	1.00	100	Horizontal	N/A
4	2657.543	54.24	-3.13	68.2	-13.96	Peak	355.40	100	Horizontal	Pass
4**	2657.543	40.63	-3.13	--	40.63	AV	355.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_18.56.56

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8151.962	34.57	5.26	74.0	-39.43	Peak	173.50	100	Horizontal	Pass
1**	8151.962	25.62	5.26	54.0	-28.38	AV	173.50	100	Horizontal	Pass
2	9347.913	38.90	9.79	74.0	-35.10	Peak	185.60	100	Horizontal	Pass
2**	9347.913	29.39	9.79	54.0	-24.61	AV	185.60	100	Horizontal	Pass
3	11178.955	41.75	10.76	74.0	-32.25	Peak	188.60	100	Horizontal	Pass
3**	11178.955	33.45	10.76	54.0	-20.55	AV	188.60	100	Horizontal	Pass
4	12523.369	42.43	10.73	74.0	-31.57	Peak	206.60	100	Horizontal	Pass
4**	12523.369	33.29	10.73	54.0	-20.71	AV	206.60	100	Horizontal	Pass

WIFI5GB4-A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.51.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.958	50.20	-7.90	74.0	-23.80	Peak	328.30	100	Vertical	Pass
1**	1332.958	39.52	-7.90	54.0	-14.48	AV	328.30	100	Vertical	Pass
2	1398.200	48.30	-8.20	74.0	-25.70	Peak	331.30	100	Vertical	Pass
2**	1398.200	40.38	-8.20	54.0	-13.62	AV	331.30	100	Vertical	Pass
3	1993.376	50.27	-6.14	68.2	-17.93	Peak	349.30	100	Vertical	Pass
3**	1993.376	40.53	-6.14	--	40.53	AV	349.30	100	Vertical	N/A
4	2665.042	54.35	-3.48	68.2	-13.85	Peak	355.50	100	Vertical	Pass
4**	2665.042	40.09	-3.48	--	40.09	AV	355.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_18.58.33

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7962.259	34.31	4.93	68.2	-33.89	Peak	351.40	100	Vertical	Pass
1**	7962.259	25.60	4.93	--	25.60	AV	351.40	100	Vertical	N/A
2	8864.034	36.83	7.26	68.2	-31.37	Peak	82.50	100	Vertical	Pass
2**	8864.034	27.69	7.26	--	27.69	AV	82.50	100	Vertical	N/A
3	10334.916	40.48	10.69	68.2	-27.72	Peak	124.50	100	Vertical	Pass
3**	10334.916	31.66	10.69	--	31.66	AV	124.50	100	Vertical	N/A
4	11629.843	42.09	11.11	74.0	-31.91	Peak	297.00	100	Vertical	Pass
4**	11629.843	33.37	11.11	54.0	-20.63	AV	297.00	100	Vertical	Pass


WIFI5GB4-N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.11.54

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.709	52.51	-7.89	74.0	-21.49	Peak	96.80	100	Horizontal	Pass
1**	1331.709	41.93	-7.89	54.0	-12.07	AV	96.80	100	Horizontal	Pass
2	1791.901	49.37	-8.04	68.2	-18.83	Peak	318.00	100	Horizontal	Pass
2**	1791.901	36.47	-8.04	--	36.47	AV	318.00	100	Horizontal	N/A
3	2133.858	60.71	-5.08	68.2	-7.49	Peak	358.20	100	Horizontal	Pass
3**	2133.858	44.70	-5.08	--	44.70	AV	358.20	100	Horizontal	N/A
4	2660.042	53.53	-2.98	68.2	-14.67	Peak	354.10	100	Horizontal	Pass
4**	2660.042	40.73	-2.98	--	40.73	AV	354.10	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19.13.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7816.546	33.98	4.75	68.2	-34.22	Peak	209.20	100	Horizontal	Pass
1**	7816.546	25.60	4.75	--	25.60	AV	209.20	100	Horizontal	N/A
2	8847.538	37.17	7.52	68.2	-31.03	Peak	128.20	100	Horizontal	Pass
2**	8847.538	28.68	7.52	--	28.68	AV	128.20	100	Horizontal	N/A
3	11123.969	41.66	10.71	74.0	-32.34	Peak	4.60	100	Horizontal	Pass
3**	11123.969	32.80	10.71	54.0	-21.20	AV	4.60	100	Horizontal	Pass
4	12765.309	42.15	11.11	68.2	-26.05	Peak	125.20	100	Horizontal	Pass
4**	12765.309	32.79	11.11	--	32.79	AV	125.20	100	Horizontal	N/A

WIFI5GB4-N20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.08.55

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.708	51.52	-7.90	74.0	-22.48	Peak	106.00	100	Vertical	Pass
1**	1332.708	41.04	-7.90	54.0	-12.96	AV	106.00	100	Vertical	Pass
2	1940.632	50.96	-6.71	68.2	-17.24	Peak	220.90	100	Vertical	Pass
2**	1940.632	40.08	-6.71	--	40.08	AV	220.90	100	Vertical	N/A
3	2123.110	63.76	-5.24	68.2	-4.44	Peak	0.00	100	Vertical	Pass
3**	2123.110	48.93	-5.24	--	48.93	AV	0.00	100	Vertical	N/A
4	2665.542	53.85	-3.53	68.2	-14.35	Peak	358.20	100	Vertical	Pass
4**	2665.542	40.26	-3.53	--	40.26	AV	358.20	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19.15.04

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8066.733	35.16	5.34	74.0	-38.84	Peak	153.90	100	Vertical	Pass
1**	8066.733	25.64	5.34	54.0	-28.36	AV	153.90	100	Vertical	Pass
2	9422.144	37.96	9.52	74.0	-36.04	Peak	299.90	100	Vertical	Pass
2**	9422.144	29.73	9.52	54.0	-24.27	AV	299.90	100	Vertical	Pass
3	10818.795	40.72	10.63	74.0	-33.28	Peak	211.40	100	Vertical	Pass
3**	10818.795	30.75	10.63	54.0	-23.25	AV	211.40	100	Vertical	Pass
4	12204.449	42.35	10.85	74.0	-31.65	Peak	20.70	100	Vertical	Pass
4**	12204.449	31.95	10.85	54.0	-22.05	AV	20.70	100	Vertical	Pass

WIFI5GB4-N20-Middle channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.22.12

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.459	47.73	-7.89	74.0	-26.27	Peak	131.30	100	Horizontal	Pass
1**	1331.459	38.22	-7.89	54.0	-15.78	AV	131.30	100	Horizontal	Pass
2	1919.135	50.23	-7.07	68.2	-17.97	Peak	219.10	100	Horizontal	Pass
2**	1919.135	39.63	-7.07	--	39.63	AV	219.10	100	Horizontal	N/A
3	2120.610	50.86	-5.27	68.2	-17.34	Peak	0.00	100	Horizontal	Pass
3**	2120.610	40.56	-5.27	--	40.56	AV	0.00	100	Horizontal	N/A
4	3050.994	52.44	-1.14	68.2	-15.76	Peak	354.00	100	Horizontal	Pass
4**	3050.994	41.86	-1.14	--	41.86	AV	354.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:19:22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8171.207	34.96	5.18	74.0	-39.04	Peak	96.80	100	Horizontal	Pass
1**	8171.207	25.77	5.18	54.0	-28.23	AV	96.80	100	Horizontal	Pass
2	9405.649	38.92	9.84	74.0	-35.08	Peak	26.70	100	Horizontal	Pass
2**	9405.649	29.95	9.84	54.0	-24.05	AV	26.70	100	Horizontal	Pass
3	11649.088	42.08	10.80	74.0	-31.92	Peak	276.40	100	Horizontal	Pass
3**	11649.088	32.73	10.80	54.0	-21.27	AV	276.40	100	Horizontal	Pass
4	14522.119	48.95	17.02	68.2	-19.25	Peak	17.80	100	Horizontal	Pass
4**	14522.119	39.88	17.02	--	39.88	AV	17.80	100	Horizontal	N/A

WIFI5GB4-N20-Middle channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.24.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.708	52.01	-7.90	74.0	-21.99	Peak	109.60	100	Vertical	Pass
1**	1332.708	41.61	-7.90	54.0	-12.39	AV	109.60	100	Vertical	Pass
2	1596.675	50.48	-8.73	74.0	-23.52	Peak	348.20	100	Vertical	Pass
2**	1596.675	38.18	-8.73	54.0	-15.82	AV	348.20	100	Vertical	Pass
3	1757.655	51.36	-8.31	68.2	-16.84	Peak	318.00	100	Vertical	Pass
3**	1757.655	37.86	-8.31	--	37.86	AV	318.00	100	Vertical	N/A
4	2131.859	63.73	-5.12	68.2	-4.47	Peak	358.30	100	Vertical	Pass
4**	2131.859	51.94	-5.12	--	51.94	AV	358.30	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:17:13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8014.496	34.75	5.58	68.2	-33.45	Peak	74.10	100	Vertical	Pass
1**	8014.496	26.09	5.58	--	26.09	AV	74.10	100	Vertical	N/A
2	9397.401	38.69	9.94	74.0	-35.31	Peak	346.00	100	Vertical	Pass
2**	9397.401	30.03	9.94	54.0	-23.97	AV	346.00	100	Vertical	Pass
3	10334.916	40.19	10.69	68.2	-28.01	Peak	0.30	100	Vertical	Pass
3**	10334.916	31.44	10.69	--	31.44	AV	0.30	100	Vertical	N/A
4	11635.341	41.57	11.02	74.0	-32.43	Peak	115.90	100	Vertical	Pass
4**	11635.341	32.56	11.02	54.0	-21.44	AV	115.90	100	Vertical	Pass


WIFI5GB4-N20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19:30:29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.209	51.50	-7.89	74.0	-22.50	Peak	107.00	100	Horizontal	Pass
1**	1331.209	40.74	-7.89	54.0	-13.26	AV	107.00	100	Horizontal	Pass
2	1788.651	48.12	-8.05	68.2	-20.08	Peak	323.70	100	Horizontal	Pass
2**	1788.651	36.63	-8.05	--	36.63	AV	323.70	100	Horizontal	N/A
3	2127.859	63.17	-5.18	68.2	-5.03	Peak	360.00	100	Horizontal	Pass
3**	2127.859	37.20	-5.18	--	37.20	AV	360.00	100	Horizontal	N/A
4	2659.293	51.96	-3.02	68.2	-16.24	Peak	356.70	100	Horizontal	Pass
4**	2659.293	41.48	-3.02	--	41.48	AV	356.70	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19.31.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8171.207	33.92	5.18	74.0	-40.08	Peak	358.20	100	Horizontal	Pass
1**	8171.207	25.29	5.18	54.0	-28.71	AV	358.20	100	Horizontal	Pass
2	9851.037	38.34	9.46	68.2	-29.86	Peak	115.60	100	Horizontal	Pass
2**	9851.037	30.28	9.46	--	30.28	AV	115.60	100	Horizontal	N/A
3	11192.702	41.99	10.73	74.0	-32.01	Peak	124.70	100	Horizontal	Pass
3**	11192.702	33.14	10.73	54.0	-20.86	AV	124.70	100	Horizontal	Pass
4	13048.488	41.78	11.47	68.2	-26.42	Peak	15.30	100	Horizontal	Pass
4**	13048.488	32.88	11.47	--	32.88	AV	15.30	100	Horizontal	N/A


WIFI5GB4-N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19:27:54

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.208	48.51	-7.90	74.0	-25.49	Peak	85.30	100	Vertical	Pass
1**	1332.208	39.57	-7.90	54.0	-14.43	AV	85.30	100	Vertical	Pass
2	1997.625	51.59	-6.18	68.2	-16.61	Peak	354.40	100	Vertical	Pass
2**	1997.625	39.43	-6.18	--	39.43	AV	354.40	100	Vertical	N/A
3	2295.338	50.10	-3.98	74.0	-23.90	Peak	201.20	100	Vertical	Pass
3**	2295.338	38.51	-3.98	54.0	-15.49	AV	201.20	100	Vertical	Pass
4	2665.542	51.86	-3.53	68.2	-16.34	Peak	0.80	100	Vertical	Pass
4**	2665.542	39.79	-3.53	--	39.79	AV	0.80	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19.33.31

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7998.000	34.37	5.69	68.2	-33.83	Peak	78.80	100	Vertical	Pass
1**	7998.000	25.64	5.69	--	25.64	AV	78.80	100	Vertical	N/A
2	9158.210	38.06	8.00	74.0	-35.94	Peak	193.20	100	Vertical	Pass
2**	9158.210	29.29	8.00	54.0	-24.71	AV	193.20	100	Vertical	Pass
3	10461.385	39.99	10.46	68.2	-28.21	Peak	217.10	100	Vertical	Pass
3**	10461.385	31.61	10.46	--	31.61	AV	217.10	100	Vertical	N/A
4	11613.347	42.30	11.38	74.0	-31.70	Peak	360.00	100	Vertical	Pass
4**	11613.347	33.28	11.38	54.0	-20.72	AV	360.00	100	Vertical	Pass

WIFI5GB4-N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13:29:02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1026.747	52.90	-7.17	74.0	-21.10	Peak	304.20	100	Horizontal	Pass
1**	1026.747	36.07	-7.17	54.0	-17.93	AV	304.20	100	Horizontal	Pass
2	1329.209	51.55	-7.87	74.0	-22.45	Peak	121.60	100	Horizontal	Pass
2**	1329.209	39.93	-7.87	54.0	-14.07	AV	121.60	100	Horizontal	Pass
3	1592.676	50.52	-8.71	74.0	-23.48	Peak	360.00	100	Horizontal	Pass
3**	1592.676	37.50	-8.71	54.0	-16.50	AV	360.00	100	Horizontal	Pass
4	1992.126	50.65	-6.13	68.2	-17.55	Peak	359.60	100	Horizontal	Pass
4**	1992.126	39.05	-6.13	--	39.05	AV	359.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.11.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7291.427	33.43	2.93	74.0	-40.57	Peak	341.50	100	Horizontal	Pass
1**	7291.427	24.01	2.93	54.0	-29.99	AV	341.50	100	Horizontal	Pass
2	8869.533	36.96	7.14	68.2	-31.24	Peak	41.50	100	Horizontal	Pass
2**	8869.533	28.15	7.14	--	28.15	AV	41.50	100	Horizontal	N/A
3	10290.927	40.76	11.07	68.2	-27.44	Peak	329.40	100	Horizontal	Pass
3**	10290.927	32.36	11.07	--	32.36	AV	329.40	100	Horizontal	N/A
4	12124.719	41.45	10.80	74.0	-32.55	Peak	60.30	100	Horizontal	Pass
4**	12124.719	32.74	10.80	54.0	-21.26	AV	60.30	100	Horizontal	Pass

WIFI5GB4-N40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.31.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.729	48.21	-7.13	74.0	-25.79	Peak	256.10	100	Vertical	Pass
1**	1165.729	34.94	-7.13	54.0	-19.06	AV	256.10	100	Vertical	Pass
2	1331.709	49.36	-7.89	74.0	-24.64	Peak	325.50	100	Vertical	Pass
2**	1331.709	39.05	-7.89	54.0	-14.95	AV	325.50	100	Vertical	Pass
3	1999.125	52.12	-6.19	68.2	-16.08	Peak	292.70	100	Vertical	Pass
3**	1999.125	45.26	-6.19	--	45.26	AV	292.70	100	Vertical	N/A
4	2654.543	52.75	-3.31	68.2	-15.45	Peak	256.10	100	Vertical	Pass
4**	2654.543	40.75	-3.31	--	40.75	AV	256.10	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.12.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7934.766	33.97	4.77	68.2	-34.23	Peak	70.60	100	Vertical	Pass
1**	7934.766	25.45	4.77	--	25.45	AV	70.60	100	Vertical	N/A
2	9358.910	39.30	9.84	74.0	-34.70	Peak	280.30	100	Vertical	Pass
2**	9358.910	30.05	9.84	54.0	-23.95	AV	280.30	100	Vertical	Pass
3	11167.958	40.94	10.79	74.0	-33.06	Peak	50.40	100	Vertical	Pass
3**	11167.958	32.86	10.79	54.0	-21.14	AV	50.40	100	Vertical	Pass
4	12652.587	41.55	11.57	74.0	-32.45	Peak	50.40	100	Vertical	Pass
4**	12652.587	32.84	11.57	54.0	-21.16	AV	50.40	100	Vertical	Pass


WIFI5GB4-N40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.37.22

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.730	48.34	-7.12	74.0	-25.66	Peak	291.20	100	Horizontal	Pass
1**	1163.730	37.15	-7.12	54.0	-16.85	AV	291.20	100	Horizontal	Pass
2	1332.958	47.19	-7.90	74.0	-26.81	Peak	121.90	100	Horizontal	Pass
2**	1332.958	35.59	-7.90	54.0	-18.41	AV	121.90	100	Horizontal	Pass
3	1871.391	49.49	-7.60	68.2	-18.71	Peak	228.10	100	Horizontal	Pass
3**	1871.391	38.31	-7.60	--	38.31	AV	228.10	100	Horizontal	N/A
4	2129.609	52.76	-5.16	68.2	-15.44	Peak	336.40	100	Horizontal	Pass
4**	2129.609	40.41	-5.16	--	40.41	AV	336.40	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.09.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8083.229	34.51	5.45	74.0	-39.49	Peak	177.80	100	Horizontal	Pass
1**	8083.229	26.16	5.45	54.0	-27.84	AV	177.80	100	Horizontal	Pass
2	8853.037	36.93	7.50	68.2	-31.27	Peak	144.20	100	Horizontal	Pass
2**	8853.037	28.57	7.50	--	28.57	AV	144.20	100	Horizontal	N/A
3	10425.644	40.63	10.73	68.2	-27.57	Peak	42.70	100	Horizontal	Pass
3**	10425.644	31.44	10.73	--	31.44	AV	42.70	100	Horizontal	N/A
4	12223.694	41.56	10.96	74.0	-32.44	Peak	168.70	100	Horizontal	Pass
4**	12223.694	32.54	10.96	54.0	-21.46	AV	168.70	100	Horizontal	Pass

WIFI5GB4-N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.34.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: X.C.J

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15E_FCC 15.407(SG) 1GHz-7GHz SS_Band4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.209	51.03	-7.85	74.0	-22.97	Peak	96.90	100	Vertical	Pass
1**	1327.209	40.25	-7.85	54.0	-13.75	AV	96.90	100	Vertical	Pass
2	1993.626	51.20	-6.14	68.2	-17.00	Peak	356.50	100	Vertical	Pass
2**	1993.626	39.59	-6.14	--	39.59	AV	356.50	100	Vertical	N/A
3	2664.542	50.73	-3.43	68.2	-17.47	Peak	12.40	100	Vertical	Pass
3**	2664.542	40.64	-3.43	--	40.64	AV	12.40	100	Vertical	N/A
4	3031.496	52.62	-1.10	68.2	-15.58	Peak	227.70	100	Vertical	Pass
4**	3031.496	41.33	-1.10	--	41.33	AV	227.70	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.08.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8008.998	35.05	5.64	68.2	-33.15	Peak	87.30	100	Vertical	Pass
1**	8008.998	26.24	5.64	--	26.24	AV	87.30	100	Vertical	N/A
2	9081.230	37.06	6.75	74.0	-36.94	Peak	217.00	100	Vertical	Pass
2**	9081.230	27.70	6.75	54.0	-26.30	AV	217.00	100	Vertical	Pass
3	10125.969	40.66	9.82	68.2	-27.54	Peak	14.30	100	Vertical	Pass
3**	10125.969	30.38	9.82	--	30.38	AV	14.30	100	Vertical	N/A
4	11616.096	41.05	11.33	74.0	-32.95	Peak	358.00	100	Vertical	Pass
4**	11616.096	33.99	11.33	54.0	-20.01	AV	358.00	100	Vertical	Pass

WIFI5GB4-AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.47.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.209	49.94	-7.86	74.0	-24.06	Peak	91.90	100	Horizontal	Pass
1**	1328.209	39.70	-7.86	54.0	-14.30	AV	91.90	100	Horizontal	Pass
2	1811.149	49.08	-7.97	68.2	-19.12	Peak	325.40	100	Horizontal	Pass
2**	1811.149	38.10	-7.97	--	38.10	AV	325.40	100	Horizontal	N/A
3	1994.876	51.74	-6.15	68.2	-16.46	Peak	360.00	100	Horizontal	Pass
3**	1994.876	39.82	-6.15	--	39.82	AV	360.00	100	Horizontal	N/A
4	2130.359	52.87	-5.14	68.2	-15.33	Peak	6.60	100	Horizontal	Pass
4**	2130.359	41.08	-5.14	--	41.08	AV	6.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:49:42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7989.753	34.98	5.51	68.2	-33.22	Peak	124.90	100	Horizontal	Pass
1**	7989.753	25.67	5.51	--	25.67	AV	124.90	100	Horizontal	N/A
2	9298.425	37.98	9.09	68.2	-30.22	Peak	200.50	100	Horizontal	Pass
2**	9298.425	29.29	9.09	--	29.29	AV	200.50	100	Horizontal	N/A
3	10565.859	40.61	9.98	68.2	-27.59	Peak	197.60	100	Horizontal	Pass
3**	10565.859	31.41	9.98	--	31.41	AV	197.60	100	Horizontal	N/A
4	11621.595	40.87	11.24	74.0	-33.13	Peak	163.70	100	Horizontal	Pass
4**	11621.595	32.35	11.24	54.0	-21.65	AV	163.70	100	Horizontal	Pass

WIFI5GB4-AC20-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.45.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.208	49.58	-7.90	74.0	-24.42	Peak	105.00	100	Vertical	Pass
1**	1332.208	36.70	-7.90	54.0	-17.30	AV	105.00	100	Vertical	Pass
2	1885.889	49.68	-7.37	68.2	-18.52	Peak	326.30	100	Vertical	Pass
2**	1885.889	36.46	-7.37	--	36.46	AV	326.30	100	Vertical	N/A
3	2129.109	62.45	-5.16	68.2	-5.75	Peak	4.90	100	Vertical	Pass
3**	2129.109	48.27	-5.16	--	48.27	AV	4.90	100	Vertical	N/A
4	2653.793	53.98	-3.35	68.2	-14.22	Peak	0.00	100	Vertical	Pass
4**	2653.793	40.53	-3.35	--	40.53	AV	0.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:51:21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8000.750	35.28	5.72	68.2	-32.92	Peak	197.40	100	Vertical	Pass
1**	8000.750	26.41	5.72	--	26.41	AV	197.40	100	Vertical	N/A
2	8855.786	38.37	7.44	68.2	-29.83	Peak	357.80	100	Vertical	Pass
2**	8855.786	28.91	7.44	--	28.91	AV	357.80	100	Vertical	N/A
3	10310.172	40.35	11.02	68.2	-27.85	Peak	149.50	100	Vertical	Pass
3**	10310.172	31.66	11.02	--	31.66	AV	149.50	100	Vertical	N/A
4	12152.212	40.84	11.00	74.0	-33.16	Peak	328.60	100	Vertical	Pass
4**	12152.212	33.46	11.00	54.0	-20.54	AV	328.60	100	Vertical	Pass

WIFI5GB4-AC20-Middle channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10.47.48

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.459	52.38	-7.88	74.0	-21.62	Peak	136.70	100	Horizontal	Pass
1**	1330.459	39.36	-7.88	54.0	-14.64	AV	136.70	100	Horizontal	Pass
2	1664.417	50.17	-8.53	74.0	-23.83	Peak	334.30	100	Horizontal	Pass
2**	1664.417	37.27	-8.53	54.0	-16.73	AV	334.30	100	Horizontal	Pass
3	1997.375	53.50	-6.18	68.2	-14.70	Peak	343.40	100	Horizontal	Pass
3**	1997.375	41.60	-6.18	--	41.60	AV	343.40	100	Horizontal	N/A
4	2130.109	60.99	-5.15	68.2	-7.21	Peak	0.50	100	Horizontal	Pass
4**	2130.109	44.86	-5.15	--	44.86	AV	0.50	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:54:22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8044.739	34.61	5.27	74.0	-39.39	Peak	63.00	100	Horizontal	Pass
1**	8044.739	26.02	5.27	54.0	-27.98	AV	63.00	100	Horizontal	Pass
2	9111.472	37.00	7.04	74.0	-37.00	Peak	99.10	100	Horizontal	Pass
2**	9111.472	27.62	7.04	54.0	-26.38	AV	99.10	100	Horizontal	Pass
3	10398.150	41.52	10.85	68.2	-26.68	Peak	341.80	100	Horizontal	Pass
3**	10398.150	31.74	10.85	--	31.74	AV	341.80	100	Horizontal	N/A
4	11621.595	41.46	11.24	74.0	-32.54	Peak	93.20	100	Horizontal	Pass
4**	11621.595	32.97	11.24	54.0	-21.03	AV	93.20	100	Horizontal	Pass

WIFI5GB4-AC20-Middle channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10.45.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.208	50.50	-7.91	74.0	-23.50	Peak	102.50	100	Vertical	Pass
1**	1333.208	38.06	-7.91	54.0	-15.94	AV	102.50	100	Vertical	Pass
2	1990.626	51.88	-6.12	68.2	-16.32	Peak	221.90	100	Vertical	Pass
2**	1990.626	41.71	-6.12	--	41.71	AV	221.90	100	Vertical	N/A
3	2123.860	58.66	-5.23	68.2	-9.54	Peak	343.70	100	Vertical	Pass
3**	2123.860	46.02	-5.23	--	46.02	AV	343.70	100	Vertical	N/A
4	2407.574	59.19	-4.16	68.2	-9.01	Peak	160.90	100	Vertical	Pass
4**	2407.574	54.22	-4.16	--	54.22	AV	160.90	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:52:49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7959.510	34.11	4.87	68.2	-34.09	Peak	299.90	100	Vertical	Pass
1**	7959.510	25.50	4.87	--	25.50	AV	299.90	100	Vertical	N/A
2	9763.059	39.07	9.69	68.2	-29.13	Peak	57.80	100	Vertical	Pass
2**	9763.059	29.33	9.69	--	29.33	AV	57.80	100	Vertical	N/A
3	12462.884	41.28	10.50	74.0	-32.72	Peak	199.80	100	Vertical	Pass
3**	12462.884	32.20	10.50	54.0	-21.80	AV	199.80	100	Vertical	Pass
4	14161.960	45.78	14.59	68.2	-22.42	Peak	15.80	100	Vertical	Pass
4**	14161.960	36.10	14.59	--	36.10	AV	15.80	100	Vertical	N/A


WIFI5GB4-AC20-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10:38:41

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.242	48.98	-7.14	74.0	-25.02	Peak	360.00	100	Horizontal	Pass
1**	1063.242	38.23	-7.14	54.0	-15.77	AV	360.00	100	Horizontal	Pass
2	1331.209	52.92	-7.89	74.0	-21.08	Peak	99.10	100	Horizontal	Pass
2**	1331.209	41.62	-7.89	54.0	-12.38	AV	99.10	100	Horizontal	Pass
3	1794.401	50.43	-8.06	68.2	-17.77	Peak	312.60	100	Horizontal	Pass
3**	1794.401	38.33	-8.06	--	38.33	AV	312.60	100	Horizontal	N/A
4	2126.859	61.34	-5.19	68.2	-6.86	Peak	355.80	100	Horizontal	Pass
4**	2126.859	47.02	-5.19	--	47.02	AV	355.80	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-23_19:55:47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	9103.224	35.91	6.85	74.0	-38.09	Peak	2.20	100	Horizontal	Pass
1**	9103.224	27.47	6.85	54.0	-26.53	AV	2.20	100	Horizontal	Pass
2	10035.241	38.29	9.73	68.2	-29.91	Peak	2.20	100	Horizontal	Pass
2**	10035.241	29.49	9.73	--	29.49	AV	2.20	100	Horizontal	N/A
3	12149.463	40.35	11.01	74.0	-33.65	Peak	2.20	100	Horizontal	Pass
3**	12149.463	33.02	11.01	54.0	-20.98	AV	2.20	100	Horizontal	Pass
4	14346.163	45.25	14.80	68.2	-22.95	Peak	6.60	100	Horizontal	Pass
4**	14346.163	35.83	14.80	--	35.83	AV	6.60	100	Horizontal	N/A

WIFI5GB4-AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10:36:00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.992	48.52	-7.15	74.0	-25.48	Peak	153.20	100	Vertical	Pass
1**	1065.992	37.70	-7.15	54.0	-16.30	AV	153.20	100	Vertical	Pass
2	1327.459	48.11	-7.85	74.0	-25.89	Peak	338.50	100	Vertical	Pass
2**	1327.459	38.52	-7.85	54.0	-15.48	AV	338.50	100	Vertical	Pass
3	1892.888	52.10	-7.24	68.2	-16.10	Peak	235.30	100	Vertical	Pass
3**	1892.888	37.94	-7.24	--	37.94	AV	235.30	100	Vertical	N/A
4	1993.626	53.61	-6.14	68.2	-14.59	Peak	341.50	100	Vertical	Pass
4**	1993.626	42.28	-6.14	--	42.28	AV	341.50	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_09:57:18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8910.772	36.99	6.47	68.2	-31.21	Peak	0.00	100	Vertical	Pass
1**	8910.772	27.94	6.47	--	27.94	AV	0.00	100	Vertical	N/A
2	10563.109	38.23	9.96	68.2	-29.97	Peak	0.00	100	Vertical	Pass
2**	10563.109	30.04	9.96	--	30.04	AV	0.00	100	Vertical	N/A
3	12812.047	40.29	10.86	68.2	-27.91	Peak	0.00	100	Vertical	Pass
3**	12812.047	30.91	10.86	--	30.91	AV	0.00	100	Vertical	N/A
4	15437.641	46.28	15.43	74.0	-27.72	Peak	0.00	100	Vertical	Pass
4**	15437.641	38.86	15.43	54.0	-15.14	AV	0.00	100	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_10:51:05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.730	46.97	-7.12	74.0	-27.03	Peak	92.50	100	Horizontal	Pass
1**	1161.730	36.15	-7.12	54.0	-17.85	AV	92.50	100	Horizontal	Pass
2	1466.192	47.31	-8.49	74.0	-26.69	Peak	80.20	100	Horizontal	Pass
2**	1466.192	34.57	-8.49	54.0	-19.43	AV	80.20	100	Horizontal	Pass
3	1990.626	53.61	-6.12	68.2	-14.59	Peak	229.50	100	Horizontal	Pass
3**	1990.626	40.87	-6.12	--	40.87	AV	229.50	100	Horizontal	N/A
4	2411.324	62.68	-4.15	68.2	-5.52	Peak	89.60	100	Horizontal	Pass
4**	2411.324	59.04	-4.15	--	59.04	AV	89.60	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.04.57

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7967.758	34.48	5.05	68.2	-33.72	Peak	326.20	100	Horizontal	Pass
1**	7967.758	25.65	5.05	--	25.65	AV	326.20	100	Horizontal	N/A
2	8842.039	37.40	7.43	68.2	-30.80	Peak	145.30	100	Horizontal	Pass
2**	8842.039	28.38	7.43	--	28.38	AV	145.30	100	Horizontal	N/A
3	10024.244	40.08	9.68	68.2	-28.12	Peak	211.50	100	Horizontal	Pass
3**	10024.244	30.00	9.68	--	30.00	AV	211.50	100	Horizontal	N/A
4	11624.344	42.19	11.20	74.0	-31.81	Peak	208.50	100	Horizontal	Pass
4**	11624.344	33.10	11.20	54.0	-20.90	AV	208.50	100	Horizontal	Pass


WIFI5GB4-AC40-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10.53.52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.459	52.88	-7.87	74.0	-21.12	Peak	99.30	100	Vertical	Pass
1**	1329.459	40.95	-7.87	54.0	-13.05	AV	99.30	100	Vertical	Pass
2	1902.637	50.67	-7.24	68.2	-17.53	Peak	340.30	100	Vertical	Pass
2**	1902.637	37.79	-7.24	--	37.79	AV	340.30	100	Vertical	N/A
3	2129.609	53.93	-5.16	68.2	-14.27	Peak	352.40	100	Vertical	Pass
3**	2129.609	41.28	-5.16	--	41.28	AV	352.40	100	Vertical	N/A
4	2417.073	59.68	-4.14	68.2	-8.52	Peak	23.00	100	Vertical	Pass
4**	2417.073	53.73	-4.14	--	53.73	AV	23.00	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.06.40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	8149.213	34.67	5.27	74.0	-39.33	Peak	76.10	100	Vertical	Pass
1**	8149.213	25.86	5.27	54.0	-28.14	AV	76.10	100	Vertical	Pass
2	8861.285	37.59	7.32	68.2	-30.61	Peak	9.60	100	Vertical	Pass
2**	8861.285	29.25	7.32	--	29.25	AV	9.60	100	Vertical	N/A
3	10530.117	40.74	9.91	68.2	-27.46	Peak	290.00	100	Vertical	Pass
3**	10530.117	31.98	9.91	--	31.98	AV	290.00	100	Vertical	N/A
4	12165.959	41.48	10.95	74.0	-32.52	Peak	24.40	100	Vertical	Pass
4**	12165.959	32.63	10.95	54.0	-21.37	AV	24.40	100	Vertical	Pass


WIFI5GB4-AC40-High channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.19.08

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1064.242	48.25	-7.15	74.0	-25.75	Peak	344.00	100	Horizontal	Pass
1**	1064.242	37.65	-7.15	54.0	-16.35	AV	344.00	100	Horizontal	Pass
2	1331.709	50.38	-7.89	74.0	-23.62	Peak	114.70	100	Horizontal	Pass
2**	1331.709	38.66	-7.89	54.0	-15.34	AV	114.70	100	Horizontal	Pass
3	1399.700	57.77	-8.20	74.0	-16.23	Peak	307.60	100	Horizontal	Pass
3**	1399.700	52.72	-8.20	54.0	-1.28	AV	307.60	100	Horizontal	Pass
4	1901.137	51.13	-7.27	68.2	-17.07	Peak	341.00	100	Horizontal	Pass
4**	1901.137	41.82	-7.27	--	41.82	AV	341.00	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.02.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7813.797	34.59	4.76	68.2	-33.61	Peak	281.10	100	Horizontal	Pass
1**	7813.797	25.08	4.76	--	25.08	AV	281.10	100	Horizontal	N/A
2	8855.786	36.82	7.44	68.2	-31.38	Peak	118.10	100	Horizontal	Pass
2**	8855.786	28.74	7.44	--	28.74	AV	118.10	100	Horizontal	N/A
3	9881.280	39.40	9.75	68.2	-28.80	Peak	311.50	100	Horizontal	Pass
3**	9881.280	30.52	9.75	--	30.52	AV	311.50	100	Horizontal	N/A
4	11200.950	41.90	10.71	74.0	-32.10	Peak	223.80	100	Horizontal	Pass
4**	11200.950	32.66	10.71	54.0	-21.34	AV	223.80	100	Horizontal	Pass

WIFI5GB4-AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.16.23

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part11E_FCC_15.487(5G)_104Hz-70Hz_5G_Band4



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1150.231	50.58	-7.15	74.0	-23.42	Peak	10.80	100	Vertical	Pass
1**	1150.231	35.42	-7.15	54.0	-18.58	AV	10.80	100	Vertical	Pass
2	1328.959	51.66	-7.87	74.0	-22.34	Peak	135.50	100	Vertical	Pass
2**	1328.959	42.25	-7.87	54.0	-11.75	AV	135.50	100	Vertical	Pass
3	1993.876	51.22	-6.14	68.2	-16.98	Peak	360.00	100	Vertical	Pass
3**	1993.876	39.46	-6.14	--	39.46	AV	360.00	100	Vertical	N/A
4	2123.110	53.59	-5.24	68.2	-14.61	Peak	355.40	100	Vertical	Pass
4**	2123.110	39.79	-5.24	--	39.79	AV	355.40	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.01.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7962.259	35.35	4.93	68.2	-32.85	Peak	208.30	100	Vertical	Pass
1**	7962.259	25.87	4.93	--	25.87	AV	208.30	100	Vertical	N/A
2	8850.287	37.19	7.55	68.2	-31.01	Peak	308.30	100	Vertical	Pass
2**	8850.287	28.80	7.55	--	28.80	AV	308.30	100	Vertical	N/A
3	10356.911	41.63	10.53	68.2	-26.57	Peak	208.30	100	Vertical	Pass
3**	10356.911	31.55	10.53	--	31.55	AV	208.30	100	Vertical	N/A
4	11594.101	41.42	11.50	74.0	-32.58	Peak	190.20	100	Vertical	Pass
4**	11594.101	32.51	11.50	54.0	-21.49	AV	190.20	100	Vertical	Pass

WIFI5GB4-AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.47.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.959	48.86	-7.87	74.0	-25.14	Peak	341.90	100	Horizontal	Pass
1**	1328.959	38.68	-7.87	54.0	-15.32	AV	341.90	100	Horizontal	Pass
2	1993.626	51.04	-6.14	68.2	-17.16	Peak	0.00	100	Horizontal	Pass
2**	1993.626	39.30	-6.14	--	39.30	AV	0.00	100	Horizontal	N/A
3	2124.359	50.61	-5.22	68.2	-17.59	Peak	207.70	100	Horizontal	Pass
3**	2124.359	39.07	-5.22	--	39.07	AV	207.70	100	Horizontal	N/A
4	2662.542	51.38	-3.23	68.2	-16.82	Peak	259.90	100	Horizontal	Pass
4**	2662.542	39.95	-3.23	--	39.95	AV	259.90	100	Horizontal	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.16.43

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7984.254	34.45	5.40	68.2	-33.75	Peak	258.40	100	Horizontal	Pass
1**	7984.254	26.81	5.40	--	26.81	AV	258.40	100	Horizontal	N/A
2	8864.034	36.72	7.26	68.2	-31.48	Peak	115.80	100	Horizontal	Pass
2**	8864.034	29.45	7.26	--	29.45	AV	115.80	100	Horizontal	N/A
3	10235.941	40.69	10.64	68.2	-27.51	Peak	79.50	100	Horizontal	Pass
3**	10235.941	32.31	10.64	--	32.31	AV	79.50	100	Horizontal	N/A
4	12240.190	40.73	11.05	74.0	-33.27	Peak	264.30	100	Horizontal	Pass
4**	12240.190	31.74	11.05	54.0	-22.26	AV	264.30	100	Horizontal	Pass

WIFI5GB4-AC80-Low channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.49.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.975	48.83	-7.10	74.0	-25.17	Peak	261.60	100	Vertical	Pass
1**	1199.975	42.75	-7.10	54.0	-11.25	AV	261.60	100	Vertical	Pass
2	1398.950	48.51	-8.20	74.0	-25.49	Peak	252.50	100	Vertical	Pass
2**	1398.950	40.57	-8.20	54.0	-13.43	AV	252.50	100	Vertical	Pass
3	1501.187	47.72	-8.52	74.0	-26.28	Peak	264.60	100	Vertical	Pass
3**	1501.187	38.54	-8.52	54.0	-15.46	AV	264.60	100	Vertical	Pass
4	1898.888	56.40	-7.29	68.2	-11.80	Peak	261.60	100	Vertical	Pass
4**	1898.888	49.92	-7.29	--	49.92	AV	261.60	100	Vertical	N/A

Test result

Project Number: Certification

Test Time: 2020-11-24_10.14.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7739.565	34.69	4.78	74.0	-39.31	Peak	71.70	100	Vertical	Pass
1**	7739.565	25.55	4.78	54.0	-28.45	AV	71.70	100	Vertical	Pass
2	8847.538	37.19	7.52	68.2	-31.01	Peak	68.70	100	Vertical	Pass
2**	8847.538	28.93	7.52	--	28.93	AV	68.70	100	Vertical	N/A
3	9391.902	38.78	9.93	74.0	-35.22	Peak	78.10	100	Vertical	Pass
3**	9391.902	30.61	9.93	54.0	-23.39	AV	78.10	100	Vertical	Pass
4	11629.843	42.25	11.11	74.0	-31.75	Peak	225.90	100	Vertical	Pass
4**	11629.843	32.97	11.11	54.0	-21.03	AV	225.90	100	Vertical	Pass


WIFI5GB1-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11:39:34

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.68	1.71	74.0	-32.32	Peak	244.01	100	H	Pass
1**	5150.000	36.17	1.71	54.0	-17.83	AV	244.01	100	H	Pass
2	5350.000	42.26	1.46	74.0	-31.74	Peak	303.01	100	H	Pass
2**	5350.000	36.13	1.46	54.0	-17.87	AV	303.01	100	H	Pass


WIFI5GB1-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.38.01

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.88	1.71	74.0	-32.12	Peak	182.15	100	V	Pass
1**	5150.000	36.38	1.71	54.0	-17.62	AV	182.15	100	V	Pass
2	5350.000	42.13	1.46	74.0	-31.87	Peak	100.33	100	V	Pass
2**	5350.000	36.39	1.46	54.0	-17.61	AV	100.33	100	V	Pass


WIFI5GB1-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13:57:40

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.85	1.71	74.0	-32.15	Peak	152.92	100	H	Pass
1**	5150.000	36.06	1.71	54.0	-17.94	AV	152.92	100	H	Pass
2	5350.000	43.03	1.46	74.0	-30.97	Peak	211.77	100	H	Pass
2**	5350.000	36.43	1.46	54.0	-17.57	AV	211.77	100	H	Pass


WIFI5GB1-Bandedge -A-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_13.59.28

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.62	1.71	74.0	-31.38	Peak	307.07	100	V	Pass
1**	5150.000	36.71	1.71	54.0	-17.29	AV	307.07	100	V	Pass
2	5350.000	42.42	1.46	74.0	-31.58	Peak	67.53	100	V	Pass
2**	5350.000	35.98	1.46	54.0	-18.02	AV	67.53	100	V	Pass

WiFi5GB1-Bandedge –N20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10:55:22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case: FCC Part 15E FCC 15.407(5G BAND 1) bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.82	1.71	74.0	-31.18	Peak	357.18	100	H	Pass
1**	5150.000	36.93	1.71	54.0	-17.07	AV	357.18	100	H	Pass
2	5350.000	42.55	1.46	74.0	-31.45	Peak	269.61	100	H	Pass
2**	5350.000	36.78	1.46	54.0	-17.22	AV	269.61	100	H	Pass

WIFI5GB1-Bandedge –N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10:53:38

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.37	1.71	74.0	-31.63	Peak	116.82	100	V	Pass
1**	5150.000	36.71	1.71	54.0	-17.29	AV	116.82	100	V	Pass
2	5350.000	42.56	1.46	74.0	-31.44	Peak	214.21	100	V	Pass
2**	5350.000	36.91	1.46	54.0	-17.09	AV	214.21	100	V	Pass


WIFI5GB1-Bandedge –N20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_11.23.24

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.71	1.71	74.0	-32.29	Peak	221.54	100	H	Pass
1**	5150.000	36.09	1.71	54.0	-17.91	AV	221.54	100	H	Pass
2	5350.000	41.99	1.46	74.0	-32.01	Peak	226.87	100	H	Pass
2**	5350.000	35.82	1.46	54.0	-18.18	AV	226.87	100	H	Pass

WIFI5GB1-Bandedge –N20-High channel-Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_11.25.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	

REmission Test case: FCC Part 15E FCC 15.407(SG BAND 1), Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.06	1.71	74.0	-31.94	Peak	175.23	100	V	Pass
1**	5150.000	35.61	1.71	54.0	-18.39	AV	175.23	100	V	Pass
2	5350.000	41.40	1.46	74.0	-32.60	Peak	18.23	100	V	Pass
2**	5350.000	35.87	1.46	54.0	-18.13	AV	18.23	100	V	Pass

WIFI5GB1-Bandedge –N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_14.10.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.45	1.71	74.0	-31.55	Peak	330.74	100	H	Pass
1**	5150.000	36.55	1.71	54.0	-17.45	AV	330.74	100	H	Pass

WiFi5GB1-Bandedge –N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_14.06.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.37	1.71	74.0	-31.63	Peak	58.07	100	V	Pass
1**	5150.000	36.55	1.71	54.0	-17.45	AV	58.07	100	V	Pass
2	5350.000	42.30	1.46	74.0	-31.70	Peak	199.63	100	V	Pass
2**	5350.000	35.91	1.46	54.0	-18.09	AV	199.63	100	V	Pass


WIFI5GB1-Bandedge –N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17:09:38

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	42.40	1.46	74.0	-31.60	Peak	291.15	100	H	Pass
1**	5350.000	36.46	1.46	54.0	-17.54	AV	291.15	100	H	Pass

WiFi5GB1-Bandedge –N40-High channel-Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_17.07.38

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

ReMission Test case: FCC_Part 15E_FCC 15.407(SG BAND 1)_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	41.79	1.46	74.0	-32.21	Peak	258.56	100	V	Pass
1**	5350.000	37.36	1.46	54.0	-16.64	AV	258.56	100	V	Pass


WIFI5GB1-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.15.23

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	43.09	1.71	74.0	-30.91	Peak	84.03	100	H	Pass
1**	5150.000	36.34	1.71	54.0	-17.66	AV	84.03	100	H	Pass
2	5350.000	41.49	1.46	74.0	-32.51	Peak	132.67	100	H	Pass
2**	5350.000	36.50	1.46	54.0	-17.50	AV	132.67	100	H	Pass


WIFI5GB1-Bandedge –AC20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.13.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.82	1.71	74.0	-31.18	Peak	208.88	100	V	Pass
1**	5150.000	36.55	1.71	54.0	-17.45	AV	208.88	100	V	Pass
2	5350.000	42.53	1.46	74.0	-31.47	Peak	305.21	100	V	Pass
2**	5350.000	37.02	1.46	54.0	-16.98	AV	305.21	100	V	Pass

WIFI5GB1-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10.48.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case: FCC Part 15E FCC 15.407(SG BAND 1), Switzerland



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.86	1.71	74.0	-31.14	Peak	228.89	100	H	Pass
1**	5150.000	36.01	1.71	54.0	-17.99	AV	228.89	100	H	Pass
2	5350.000	42.24	1.46	74.0	-31.76	Peak	199.42	100	H	Pass
2**	5350.000	36.35	1.46	54.0	-17.65	AV	199.42	100	H	Pass


WIFI5GB1-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_10:50:13

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.25	1.71	74.0	-31.75	Peak	151.32	100	V	Pass
1**	5150.000	36.51	1.71	54.0	-17.49	AV	151.32	100	V	Pass
2	5350.000	42.01	1.46	74.0	-31.99	Peak	299.53	100	V	Pass
2**	5350.000	36.41	1.46	54.0	-17.59	AV	299.53	100	V	Pass

WIFI5GB1-Bandedge –AC40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.28.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC_Part 15E_FCC 15.403(SG BAND 1), Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	41.70	1.71	74.0	-32.30	Peak	317.91	100	H	Pass
1**	5150.000	36.18	1.71	54.0	-17.82	AV	317.91	100	H	Pass

WIFI5GB1-Bandedge –AC40-Low channel- Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_17.26.42

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	

REmission Test case_FCC Part 15E FCC 15.407(SG BAND 1) bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.92	1.71	74.0	-31.08	Peak	168.50	100	V	Pass
1**	5150.000	36.17	1.71	54.0	-17.83	AV	168.50	100	V	Pass

WIFI5GB1-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.42.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

REmission Test case: FCC Part 15E FCC 15.407(SG BAND 1) bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	41.91	1.46	74.0	-32.09	Peak	266.29	100	H	Pass
1**	5350.000	35.94	1.46	54.0	-18.06	AV	266.29	100	H	Pass


WIFI5GB1-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.45.07

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Temp.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	42.59	1.46	74.0	-31.41	Peak	1.30	100	V	Pass
1**	5350.000	36.12	1.46	54.0	-17.88	AV	1.30	100	V	Pass

WiFi5GB1-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17:49:09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.57	1.71	74.0	-31.43	Peak	114.97	100	H	Pass
1**	5150.000	37.45	1.71	54.0	-16.55	AV	114.97	100	H	Pass
2	5350.000	42.10	1.46	74.0	-31.90	Peak	85.27	100	H	Pass
2**	5350.000	36.55	1.46	54.0	-17.45	AV	85.27	100	H	Pass


WIFI5GB1-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_17.47.35

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	42.07	1.71	74.0	-31.93	Peak	213.77	100	V	Pass
1**	5150.000	36.01	1.71	54.0	-17.99	AV	213.77	100	V	Pass
2	5350.000	43.02	1.46	74.0	-30.98	Peak	136.88	100	V	Pass
2**	5350.000	36.55	1.46	54.0	-17.45	AV	136.88	100	V	Pass


WIFI5GB4-Bandedge -A-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.26.29

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.18	2.16	122.2	-68.02	Peak	63.08	100	H	Pass

WiFi5GB4-Bandedge -A-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_18.28.53

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.09	2.16	122.2	-68.11	Peak	242.08	100	V	Pass

WIFI5GB4-Bandedge -A-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.01.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case_FCC Part 15E_FCC 15.407/55.956_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.76	2.16	122.2	-68.44	Peak	205.32	100	H	Pass

WiFi5GB4-Bandedge -A-High channel-Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_19.00.05

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

REmission Test case_FCC_Part 15E_FCC 15.407(SG)SS_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	54.04	2.16	122.2	-68.16	Peak	301.00	100	V	Pass

WiFi5GB4-Bandedge –N20-Low channel-Horizontal-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_19.04.37

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

REmission Test case_FCC Part 15E FCC 15.407(S)(5) Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.95	2.16	122.2	-69.25	Peak	317.24	100	H	Pass


WIFI5GB4-Bandedge –N20-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.06.27

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.27	2.16	122.2	-67.93	Peak	309.00	100	V	Pass

WIFI5GB4-Bandedge –N20-High channel- Horizontal-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_19:37:19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	

REmission Test case: FCC_Part 15E FCC 15.407(SG)SG_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	54.54	2.16	122.2	-67.66	Peak	226.20	100	H	Pass


WIFI5GB4-Bandedge –N20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.35.10

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.91	2.16	122.2	-68.29	Peak	288.92	100	V	Pass

WiFi5GB4-Bandedge –N40-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.26.37

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case: FCC_Part 15E FCC 15.403(SG)SS_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.31	2.16	122.2	-65.89	Peak	34.71	100	H	Pass


WIFI5GB4-Bandedge –N40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.23.19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.01	2.16	122.2	-67.19	Peak	74.18	100	V	Pass


WiFi5GB4-Bandedge –N40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.38.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	54.55	2.16	122.2	-67.65	Peak	99.49	100	H	Pass


WIFI5GB4-Bandedge –N40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.40.30

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	54.17	2.16	122.2	-68.03	Peak	139.45	100	V	Pass


WiFi5GB4-Bandedge –AC20-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-23_19.40.19

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.42	2.16	122.2	-68.78	Peak	105.63	100	H	Pass

WiFi5GB4-Bandedge –AC20-Low channel- Vertical-TX


Test result

Project Number: Certification

Test Time: 2020-11-23_19.41.59

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	

REmission Test class FCC Part 15E FCC 15.403(S)(5) Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.45	2.16	122.2	-67.75	Peak	111.20	100	V	Pass

WIFI5GB4-Bandedge –AC20-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10.40.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case: FCC_Part 15E_FCC 15.407(SG/SO)_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.91	2.16	122.2	-68.29	Peak	180.33	100	H	Pass


WIFI5GB4-Bandedge –AC20-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10.41.48

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Additon:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.65	2.16	122.2	-68.55	Peak	184.34	100	V	Pass

WIFI5GB4-Bandedge –AC40-Low channel-Horizontal-TX


Test result

Project Number: Certification

Test Time: 2020-11-24_10.56.55

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	

Remission Test case: FCC_Part 15E_FCC 15.407/50/55_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.13	2.16	122.2	-67.07	Peak	316.33	100	H	Pass


WIFI5GB4-Bandedge –AC40-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10:55:21

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.48	2.16	122.2	-61.72	Peak	324.19	100	V	Pass

WIFI5GB4-Bandedge –AC40-High channel- Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_10:59:17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	54.06	2.16	122.2	-68.14	Peak	221.96	100	H	Pass

WIFI5GB4-Bandedge –AC40-High channel-Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.21.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

REmission Test case: FCC_Part 15E_FCC 15.407(SG)SS_Band4_Bandedge



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.000	53.89	2.16	122.2	-68.31	Peak	170.37	100	V	Pass

WIFI5GB4-Bandedge –AC80-Low channel-Horizontal-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.44.41

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.26	2.16	122.2	-65.94	Peak	81.31	100	H	Pass
2	5850.000	53.70	2.16	122.2	-68.50	Peak	196.83	100	H	Pass

WIFI5GB4-Bandedge –AC80-Low channel- Vertical-TX

Test result

Project Number: Certification

Test Time: 2020-11-24_13.43.11

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Lim it (dBuV/m)	Over Lim it (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.82	2.16	122.2	-66.38	Peak	84.12	100	V	Pass
2	5850.000	53.43	2.16	122.2	-68.77	Peak	159.64	100	V	Pass

Document number : SHE20100021-02CE