

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

1. GPRS 850

1.1 GPRS 850 LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13.07.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal


Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-78.64	-10.77	-13.0	-65.64	252.50	Horizontal	Vertical	Pass
95.944	-68.72	-13.10	-13.0	-55.72	254.30	Horizontal	Vertical	Pass
172.797	-78.85	-16.83	-13.0	-65.85	117.50	Horizontal	Vertical	Pass
345.414	-70.11	-7.82	-13.0	-57.11	314.30	Horizontal	Vertical	Pass
869.083	-59.23	4.38	-13.0	-46.23	123.00	Horizontal	Vertical	Pass
2280.180	-56.70	-2.93	-13.0	-43.70	38.10	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7191.952	-66.75	7.07	-13.0	-53.75	14.50	Horizontal	Vertical	Pass
7752.812	-65.24	8.16	-13.0	-52.24	332.00	Horizontal	Vertical	Pass
8150.962	-64.72	9.52	-13.0	-51.72	0.30	Horizontal	Vertical	Pass
8639.090	-65.25	9.15	-13.0	-52.25	298.20	Horizontal	Vertical	Pass
9231.442	-60.18	13.53	-13.0	-47.18	124.20	Horizontal	Vertical	Pass
9907.023	-60.67	13.84	-13.0	-47.67	107.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_13.04.06

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-64.24	-19.90	-13.0	-51.24	360.00	Vertical	Vertical	Pass
95.944	-71.66	-13.10	-13.0	-58.66	2.10	Vertical	Vertical	Pass
345.414	-71.28	-7.82	-13.0	-58.28	261.80	Vertical	Vertical	Pass
460.572	-69.17	-3.69	-13.0	-56.17	358.80	Vertical	Vertical	Pass
869.083	-55.84	4.38	-13.0	-42.84	208.50	Vertical	Vertical	Pass
4108.723	-42.95	0.90	-13.0	-29.95	77.70	Vertical	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7216.696	-66.91	6.95	-13.0	-53.91	93.40	Vertical	Vertical	Pass
7742.314	-65.71	8.08	-13.0	-52.71	353.60	Vertical	Vertical	Pass
7893.777	-64.53	9.65	-13.0	-51.53	179.70	Vertical	Vertical	Pass
8369.908	-67.01	7.47	-13.0	-54.01	145.80	Vertical	Vertical	Pass
8840.040	-62.66	11.48	-13.0	-49.66	16.80	Vertical	Vertical	Pass
9413.647	-59.33	15.03	-13.0	-46.33	207.30	Vertical	Vertical	Pass

1.2 GPRS 850 MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13.24.20

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:


Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-77.36	-10.61	-13.0	-64.36	25.80	Horizontal	Vertical	Pass
108.550	-83.97	-12.06	-13.0	-70.97	13.70	Horizontal	Vertical	Pass
249.893	-71.96	-5.84	-13.0	-58.96	312.80	Horizontal	Vertical	Pass
797.563	-66.17	-0.52	-13.0	-53.17	134.70	Horizontal	Vertical	Pass
881.447	-61.48	2.28	-13.0	-48.48	126.10	Horizontal	Vertical	Pass
2293.177	-57.47	-2.66	-13.0	-44.47	248.60	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7214.446	-67.45	6.98	-13.0	-54.45	20.70	Horizontal	Vertical	Pass
7603.599	-66.91	7.03	-13.0	-53.91	28.10	Horizontal	Vertical	Pass
7920.770	-65.23	9.33	-13.0	-52.23	291.80	Horizontal	Vertical	Pass
8540.115	-66.28	7.59	-13.0	-53.28	178.40	Horizontal	Vertical	Pass
8823.544	-62.91	11.29	-13.0	-49.91	282.70	Horizontal	Vertical	Pass
9426.393	-59.34	14.77	-13.0	-46.34	310.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_13.27.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-78.57	-10.67	-13.0	-65.57	0.40	Vertical	Vertical	Pass
99.095	-80.75	-12.56	-13.0	-67.75	352.90	Vertical	Vertical	Pass
240.922	-75.25	-3.56	-13.0	-62.25	111.60	Vertical	Vertical	Pass
345.414	-74.42	-7.82	-13.0	-61.42	360.00	Vertical	Vertical	Pass
881.447	-58.58	2.28	-13.0	-45.58	186.50	Vertical	Vertical	Pass
2288.178	-57.14	-2.64	-13.0	-44.14	70.50	Vertical	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7212.197	-68.01	7.02	-13.0	-55.01	188.00	Vertical	Vertical	Pass
7778.305	-66.06	8.16	-13.0	-53.06	180.30	Vertical	Vertical	Pass
8038.490	-65.51	9.15	-13.0	-52.51	346.20	Vertical	Vertical	Pass
8321.170	-66.90	8.34	-13.0	-53.90	38.30	Vertical	Vertical	Pass
8804.799	-62.77	11.07	-13.0	-49.77	156.10	Vertical	Vertical	Pass
9347.663	-59.85	14.54	-13.0	-46.85	340.70	Vertical	Vertical	Pass

1.3 GPRS 850 HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13.37.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-77.71	-10.77	-13.0	-64.71	144.90	Horizontal	Vertical	Pass
249.893	-72.90	-5.84	-13.0	-59.90	42.70	Horizontal	Vertical	Pass
733.559	-64.27	-1.16	-13.0	-51.27	109.00	Horizontal	Vertical	Pass
848.718	-52.01	5.72	-13.0	-39.01	311.40	Horizontal	Vertical	Pass
893.812	-65.05	1.56	-13.0	-52.05	117.90	Horizontal	Vertical	Pass
2288.678	-56.79	-2.62	-13.0	-43.79	212.80	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7481.380	-68.11	7.14	-13.0	-55.11	291.20	Horizontal	Vertical	Pass
7875.781	-65.50	9.29	-13.0	-52.50	358.30	Horizontal	Vertical	Pass
8299.425	-66.97	8.85	-13.0	-53.97	216.30	Horizontal	Vertical	Pass
8857.286	-61.92	11.41	-13.0	-48.92	223.70	Horizontal	Vertical	Pass
9211.197	-59.09	13.70	-13.0	-46.09	21.20	Horizontal	Vertical	Pass
9397.901	-58.96	15.28	-13.0	-45.96	274.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_13.34.14

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-79.02	-10.88	-13.0	-66.02	14.50	Vertical	Vertical	Pass
98.125	-80.51	-12.72	-13.0	-67.51	238.60	Vertical	Vertical	Pass
345.414	-74.50	-7.82	-13.0	-61.50	350.50	Vertical	Vertical	Pass
383.962	-73.95	-9.75	-13.0	-60.95	327.80	Vertical	Vertical	Pass
848.718	-64.84	5.72	-13.0	-51.84	40.00	Vertical	Vertical	Pass
893.569	-64.25	1.54	-13.0	-51.25	251.20	Vertical	Vertical	Pass
2291.177	-57.19	-2.61	-13.0	-44.19	164.40	Vertical	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7396.651	-67.91	7.46	-13.0	-54.91	34.60	Vertical	Vertical	Pass
7772.307	-66.13	8.16	-13.0	-53.13	221.40	Vertical	Vertical	Pass
8119.470	-65.28	9.96	-13.0	-52.28	320.50	Vertical	Vertical	Pass
8577.606	-66.82	7.97	-13.0	-53.82	340.70	Vertical	Vertical	Pass
9206.698	-60.19	13.73	-13.0	-47.19	324.20	Vertical	Vertical	Pass
9706.823	-60.64	14.06	-13.0	-47.64	66.20	Vertical	Vertical	Pass

2. EGPRS 850

2.1 EGPRS 850 LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13:58:35

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:


Templ.(oC):

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-76.18	-10.99	-13.0	-63.18	284.30	Horizontal	Vertical	Pass
107.338	-84.21	-12.35	-13.0	-71.21	296.60	Horizontal	Vertical	Pass
249.893	-73.62	-5.84	-13.0	-60.62	18.60	Horizontal	Vertical	Pass
721.195	-68.34	-1.48	-13.0	-55.34	286.00	Horizontal	Vertical	Pass
869.083	-54.50	4.38	-13.0	-41.50	124.60	Horizontal	Vertical	Pass
2290.177	-57.01	-2.58	-13.0	-44.01	103.40	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7392.152	-67.52	7.42	-13.0	-54.52	197.70	Horizontal	Vertical	Pass
7870.532	-65.02	9.19	-13.0	-52.02	104.50	Horizontal	Vertical	Pass
8076.731	-64.89	9.75	-13.0	-51.89	235.00	Horizontal	Vertical	Pass
8571.607	-66.61	7.91	-13.0	-53.61	11.10	Horizontal	Vertical	Pass
9042.489	-63.33	11.60	-13.0	-50.33	58.30	Horizontal	Vertical	Pass
9400.900	-59.78	15.29	-13.0	-46.78	360.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_14.02.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-77.85	-11.20	-13.0	-64.85	258.20	Vertical	Vertical	Pass
98.610	-80.36	-12.64	-13.0	-67.36	225.40	Vertical	Vertical	Pass
345.414	-74.74	-7.82	-13.0	-61.74	0.50	Vertical	Vertical	Pass
460.572	-73.08	-3.69	-13.0	-60.08	322.20	Vertical	Vertical	Pass
869.083	-51.33	4.38	-13.0	-38.33	60.00	Vertical	Vertical	Pass
2297.676	-56.77	-2.78	-13.0	-43.77	150.40	Vertical	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7417.646	-67.33	7.35	-13.0	-54.33	359.40	Vertical	Vertical	Pass
7889.278	-65.14	9.56	-13.0	-52.14	227.00	Vertical	Vertical	Pass
8539.365	-67.01	7.59	-13.0	-54.01	198.80	Vertical	Vertical	Pass
8833.292	-62.97	11.40	-13.0	-49.97	133.60	Vertical	Vertical	Pass
9413.647	-58.90	15.03	-13.0	-45.90	286.00	Vertical	Vertical	Pass
9820.045	-60.82	12.86	-13.0	-47.82	256.10	Vertical	Vertical	Pass

2.2 EGPRS 850 MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13.54.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal


Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-77.82	-10.94	-13.0	-64.82	89.20	Horizontal	Vertical	Pass
112.672	-84.06	-11.41	-13.0	-71.06	164.30	Horizontal	Vertical	Pass
249.893	-74.06	-5.84	-13.0	-61.06	169.50	Horizontal	Vertical	Pass
460.572	-74.51	-3.69	-13.0	-61.51	314.80	Horizontal	Vertical	Pass
836.596	-65.09	4.39	-13.0	-52.09	67.40	Horizontal	Vertical	Pass
881.447	-56.62	2.28	-13.0	-43.62	116.10	Horizontal	Vertical	Pass
2291.677	-56.83	-2.62	-13.0	-43.83	355.40	Horizontal	Vertical	Pass

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7194.951	-67.23	7.12	-13.0	-54.23	118.10	Horizontal	Vertical	Pass
7821.045	-65.32	8.42	-13.0	-52.32	116.40	Horizontal	Vertical	Pass
8106.723	-65.06	10.14	-13.0	-52.06	105.00	Horizontal	Vertical	Pass
8294.926	-66.52	8.76	-13.0	-53.52	6.60	Horizontal	Vertical	Pass
8825.044	-62.46	11.30	-13.0	-49.46	0.00	Horizontal	Vertical	Pass
9392.652	-59.41	15.21	-13.0	-46.41	245.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_13.51.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal


Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-77.90	-10.72	-13.0	-64.90	0.60	Vertical	Vertical	Pass
98.368	-81.15	-12.68	-13.0	-68.15	118.50	Vertical	Vertical	Pass
249.893	-75.87	-5.84	-13.0	-62.87	132.90	Vertical	Vertical	Pass
345.414	-74.17	-7.82	-13.0	-61.17	34.80	Vertical	Vertical	Pass
855.749	-61.37	5.44	-13.0	-48.37	0.60	Vertical	Vertical	Pass
881.447	-53.91	2.28	-13.0	-40.91	188.70	Vertical	Vertical	Pass
2288.178	-57.38	-2.64	-13.0	-44.38	187.50	Vertical	Vertical	Pass

RSE Test case_CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7195.701	-67.41	7.14	-13.0	-54.41	325.70	Vertical	Vertical	Pass
7819.545	-65.64	8.40	-13.0	-52.64	75.40	Vertical	Vertical	Pass
8137.466	-65.72	9.71	-13.0	-52.72	128.00	Vertical	Vertical	Pass
8843.039	-62.76	11.51	-13.0	-49.76	146.30	Vertical	Vertical	Pass
9381.405	-58.87	15.05	-13.0	-45.87	271.10	Vertical	Vertical	Pass
9675.331	-60.92	13.52	-13.0	-47.92	178.10	Vertical	Vertical	Pass

2.3 EGPRS 850 HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_13.42.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):


Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-77.84	-10.88	-13.0	-64.84	147.30	Horizontal	Vertical	Pass
95.944	-84.59	-13.10	-13.0	-71.59	329.10	Horizontal	Vertical	Pass
249.893	-70.33	-5.84	-13.0	-57.33	0.60	Horizontal	Vertical	Pass
893.812	-56.05	1.56	-13.0	-43.05	117.40	Horizontal	Vertical	Pass
1194.451	-58.08	-3.84	-13.0	-45.08	176.20	Horizontal	Vertical	Pass
4299.675	-44.22	0.55	-13.0	-31.22	99.40	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7362.909	-67.45	7.10	-13.0	-54.45	130.60	Horizontal	Vertical	Pass
7755.061	-65.94	8.16	-13.0	-52.94	209.60	Horizontal	Vertical	Pass
8099.975	-65.01	10.23	-13.0	-52.01	29.80	Horizontal	Vertical	Pass
8487.628	-66.29	7.35	-13.0	-53.29	177.60	Horizontal	Vertical	Pass
8806.298	-62.85	11.08	-13.0	-49.85	295.80	Horizontal	Vertical	Pass
9418.895	-59.27	14.93	-13.0	-46.27	69.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_13.46.44

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal


Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-77.31	-10.72	-13.0	-64.31	188.10	Vertical	Vertical	Pass
101.762	-81.90	-12.58	-13.0	-68.90	100.70	Vertical	Vertical	Pass
240.195	-75.23	-3.37	-13.0	-62.23	110.10	Vertical	Vertical	Pass
345.414	-74.24	-7.82	-13.0	-61.24	359.00	Vertical	Vertical	Pass
893.569	-55.54	1.54	-13.0	-42.54	198.80	Vertical	Vertical	Pass
2334.666	-55.77	-3.64	-13.0	-42.77	257.30	Vertical	Vertical	Pass

RSE Test case_CE FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA 7-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7353.912	-67.76	7.00	-13.0	-54.76	245.60	Vertical	Vertical	Pass
7903.524	-64.51	9.70	-13.0	-51.51	213.80	Vertical	Vertical	Pass
8137.466	-64.80	9.71	-13.0	-51.80	168.80	Vertical	Vertical	Pass
8511.622	-66.21	7.38	-13.0	-53.21	268.10	Vertical	Vertical	Pass
8981.755	-62.77	11.75	-13.0	-49.77	107.30	Vertical	Vertical	Pass
9421.145	-59.04	14.88	-13.0	-46.04	85.50	Vertical	Vertical	Pass

3. GPRS 1900

3.1 GPRS 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_17.01.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-79.50	-10.93	-13.0	-66.50	235.70	Horizontal	Vertical	Pass
152.432	-81.56	-16.10	-13.0	-68.56	65.40	Horizontal	Vertical	Pass
249.893	-73.35	-6.15	-13.0	-60.35	49.40	Horizontal	Vertical	Pass
345.414	-75.26	-8.21	-13.0	-62.26	45.70	Horizontal	Vertical	Pass
845.324	-67.76	4.16	-13.0	-54.76	47.40	Horizontal	Vertical	Pass
1930.267	-58.01	-8.28	-13.0	-45.01	115.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.36.42

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7885.279	-65.99	9.48	-13.0	-52.99	298.20	Horizontal	Vertical	Pass
9394.651	-59.83	15.23	-13.0	-46.83	119.70	Horizontal	Vertical	Pass
10838.040	-56.81	16.80	-13.0	-43.81	137.90	Horizontal	Vertical	Pass
12086.228	-59.57	14.75	-13.0	-46.57	154.00	Horizontal	Vertical	Pass
14810.797	-47.57	25.72	-13.0	-34.57	310.30	Horizontal	Vertical	Pass
16490.627	-46.81	24.65	-13.0	-33.81	196.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_17.06.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-80.22	-10.87	-13.0	-67.22	193.90	Vertical	Vertical	Pass
98.368	-81.68	-12.83	-13.0	-68.68	165.80	Vertical	Vertical	Pass
239.953	-75.01	-3.57	-13.0	-62.01	26.30	Vertical	Vertical	Pass
383.962	-67.53	-9.98	-13.0	-54.53	303.10	Vertical	Vertical	Pass
848.233	-68.43	4.45	-13.0	-55.43	232.20	Vertical	Vertical	Pass
1929.768	-57.84	-8.28	-13.0	-44.84	112.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.42.59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8028.243	-66.02	9.11	-13.0	-53.02	62.00	Vertical	Vertical	Pass
9405.649	-58.80	15.20	-13.0	-45.80	309.10	Vertical	Vertical	Pass
10549.363	-57.77	16.15	-13.0	-44.77	268.90	Vertical	Vertical	Pass
11489.628	-57.04	16.39	-13.0	-44.04	355.40	Vertical	Vertical	Pass
13191.452	-56.69	15.89	-13.0	-43.69	42.00	Vertical	Vertical	Pass
14687.078	-48.03	25.23	-13.0	-35.03	347.40	Vertical	Vertical	Pass

3.2 GPRS 1900 MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_16.58.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-77.46	-11.03	-13.0	-64.46	329.50	Horizontal	Vertical	Pass
152.189	-83.76	-16.11	-13.0	-70.76	69.40	Horizontal	Vertical	Pass
345.414	-75.26	-8.21	-13.0	-62.26	31.60	Horizontal	Vertical	Pass
847.991	-68.50	4.42	-13.0	-55.50	256.60	Horizontal	Vertical	Pass
1959.760	-58.10	-8.31	-13.0	-45.10	104.20	Horizontal	Vertical	Pass
3028.993	-55.69	-1.39	-13.0	-42.69	147.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.44.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8028.243	-66.02	9.11	-13.0	-53.02	62.00	Horizontal	Vertical	Pass
9405.649	-58.80	15.20	-13.0	-45.80	309.10	Horizontal	Vertical	Pass
10893.027	-57.37	16.38	-13.0	-44.37	222.40	Horizontal	Vertical	Pass
11489.628	-57.04	16.39	-13.0	-44.04	355.40	Horizontal	Vertical	Pass
14739.315	-47.43	25.13	-13.0	-34.43	254.80	Horizontal	Vertical	Pass
16845.289	-46.06	26.10	-13.0	-33.06	157.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16:54:51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-78.84	-11.03	-13.0	-65.84	35.80	Vertical	Vertical	Pass
98.368	-81.28	-12.83	-13.0	-68.28	89.20	Vertical	Vertical	Pass
239.953	-75.04	-3.57	-13.0	-62.04	49.70	Vertical	Vertical	Pass
383.962	-67.74	-9.98	-13.0	-54.74	310.60	Vertical	Vertical	Pass
853.567	-67.64	4.50	-13.0	-54.64	44.00	Vertical	Vertical	Pass
1959.760	-57.74	-8.31	-13.0	-44.74	97.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.41.30

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8157.461	-65.44	9.45	-13.0	-52.44	341.20	Vertical	Vertical	Pass
9364.409	-59.87	14.81	-13.0	-46.87	188.20	Vertical	Vertical	Pass
11187.203	-57.16	15.92	-13.0	-44.16	355.30	Vertical	Vertical	Pass
12724.069	-58.55	14.61	-13.0	-45.55	171.60	Vertical	Vertical	Pass
14852.037	-48.43	25.63	-13.0	-35.43	220.40	Vertical	Vertical	Pass
16672.082	-47.20	25.35	-13.0	-34.20	12.90	Vertical	Vertical	Pass

3.3 GPRS 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_16.47.47

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
98.368	-81.83	-12.83	-13.0	-68.83	313.50	Horizontal	Vertical	Pass
239.953	-74.48	-3.57	-13.0	-61.48	49.30	Horizontal	Vertical	Pass
383.962	-67.71	-9.98	-13.0	-54.71	307.30	Horizontal	Vertical	Pass
663.252	-71.73	-0.20	-13.0	-58.73	275.70	Horizontal	Vertical	Pass
1989.753	-57.45	-7.84	-13.0	-44.45	92.20	Horizontal	Vertical	Pass
5136.466	-51.28	2.73	-13.0	-38.28	27.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16:38:02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7885.279	-65.76	9.48	-13.0	-52.76	360.00	Horizontal	Vertical	Pass
9408.398	-59.88	15.14	-13.0	-46.88	24.50	Horizontal	Vertical	Pass
10989.253	-57.53	16.91	-13.0	-44.53	288.40	Horizontal	Vertical	Pass
13235.441	-56.60	15.86	-13.0	-43.60	34.60	Horizontal	Vertical	Pass
14535.866	-47.68	24.24	-13.0	-34.68	306.70	Horizontal	Vertical	Pass
16740.815	-47.51	25.04	-13.0	-34.51	310.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16:51:49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-77.41	-10.98	-13.0	-64.41	139.40	Vertical	Vertical	Pass
98.368	-82.50	-12.83	-13.0	-69.50	340.50	Vertical	Vertical	Pass
239.953	-75.04	-3.57	-13.0	-62.04	127.30	Vertical	Vertical	Pass
345.414	-69.38	-8.21	-13.0	-56.38	312.40	Vertical	Vertical	Pass
383.962	-67.08	-9.98	-13.0	-54.08	300.80	Vertical	Vertical	Pass
1989.753	-57.80	-7.84	-13.0	-44.80	91.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.39.36

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.510	-65.35	8.76	-13.0	-52.35	107.70	Vertical	Vertical	Pass
9372.657	-59.85	14.92	-13.0	-46.85	137.80	Vertical	Vertical	Pass
10785.804	-57.45	16.38	-13.0	-44.45	212.60	Vertical	Vertical	Pass
11616.096	-57.97	16.12	-13.0	-44.97	316.10	Vertical	Vertical	Pass
13180.455	-56.11	15.65	-13.0	-43.11	23.20	Vertical	Vertical	Pass
14824.544	-47.73	25.71	-13.0	-34.73	202.50	Vertical	Vertical	Pass

4. EGPRS 1900

4.1 EGPRS 1900 LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_16.12.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.152	-79.95	-11.03	-13.0	-66.95	226.10	Horizontal	Vertical	Pass
141.037	-81.25	-16.10	-13.0	-68.25	63.00	Horizontal	Vertical	Pass
239.953	-72.57	-3.57	-13.0	-59.57	1.70	Horizontal	Vertical	Pass
345.414	-73.61	-8.21	-13.0	-60.61	43.00	Horizontal	Vertical	Pass
853.809	-67.89	4.49	-13.0	-54.89	122.00	Horizontal	Vertical	Pass
2278.180	-57.36	-2.89	-13.0	-44.36	331.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.28.57

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-65.40	10.17	-13.0	-52.40	357.80	Horizontal	Vertical	Pass
9411.147	-59.29	15.08	-13.0	-46.29	104.80	Horizontal	Vertical	Pass
10788.553	-57.67	16.36	-13.0	-44.67	161.40	Horizontal	Vertical	Pass
11478.630	-57.67	16.27	-13.0	-44.67	359.70	Horizontal	Vertical	Pass
12759.810	-58.76	14.78	-13.0	-45.76	32.60	Horizontal	Vertical	Pass
14629.343	-48.07	24.92	-13.0	-35.07	96.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.08.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.576	-76.88	-11.46	-13.0	-63.88	48.50	Vertical	Vertical	Pass
99.095	-79.21	-12.69	-13.0	-66.21	162.90	Vertical	Vertical	Pass
239.953	-73.98	-3.57	-13.0	-60.98	32.70	Vertical	Vertical	Pass
383.962	-67.74	-9.98	-13.0	-54.74	313.10	Vertical	Vertical	Pass
1930.267	-60.80	-8.28	-13.0	-47.80	317.90	Vertical	Vertical	Pass
3000.000	-57.24	-0.94	-13.0	-44.24	22.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.34.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8149.213	-65.43	9.55	-13.0	-52.43	345.40	Vertical	Vertical	Pass
9380.905	-59.33	15.04	-13.0	-46.33	290.80	Vertical	Vertical	Pass
10840.790	-56.61	16.84	-13.0	-43.61	139.90	Vertical	Vertical	Pass
12146.713	-59.74	14.71	-13.0	-46.74	230.30	Vertical	Vertical	Pass
14739.315	-47.83	25.13	-13.0	-34.83	292.80	Vertical	Vertical	Pass
16861.785	-46.00	26.20	-13.0	-33.00	172.00	Vertical	Vertical	Pass

4.2 EGPRS 1900 MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_16.16.36

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-78.54	-10.98	-13.0	-65.54	213.20	Horizontal	Vertical	Pass
141.037	-82.13	-16.10	-13.0	-69.13	74.10	Horizontal	Vertical	Pass
249.893	-72.53	-6.15	-13.0	-59.53	38.00	Horizontal	Vertical	Pass
345.414	-74.08	-8.21	-13.0	-61.08	48.20	Horizontal	Vertical	Pass
652.584	-71.02	-0.38	-13.0	-58.02	235.10	Horizontal	Vertical	Pass
1959.760	-57.92	-8.31	-13.0	-44.92	104.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.35.08

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8149.213	-65.43	9.55	-13.0	-52.43	345.40	Horizontal	Vertical	Pass
9380.905	-59.33	15.04	-13.0	-46.33	290.80	Horizontal	Vertical	Pass
10840.790	-56.61	16.84	-13.0	-43.61	139.90	Horizontal	Vertical	Pass
12839.540	-58.36	14.74	-13.0	-45.36	99.60	Horizontal	Vertical	Pass
14739.315	-47.83	25.13	-13.0	-34.83	292.80	Horizontal	Vertical	Pass
16861.785	-46.00	26.20	-13.0	-33.00	172.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.20.05

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-79.77	-10.87	-13.0	-66.77	92.10	Vertical	Vertical	Pass
101.762	-82.73	-12.77	-13.0	-69.73	219.40	Vertical	Vertical	Pass
239.953	-75.85	-3.57	-13.0	-62.85	12.00	Vertical	Vertical	Pass
383.962	-67.56	-9.98	-13.0	-54.56	305.70	Vertical	Vertical	Pass
855.506	-67.81	4.43	-13.0	-54.81	142.30	Vertical	Vertical	Pass
1959.760	-57.60	-8.31	-13.0	-44.60	97.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.33.07

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7965.009	-65.91	8.79	-13.0	-52.91	314.50	Vertical	Vertical	Pass
9408.398	-59.65	15.14	-13.0	-46.65	284.40	Vertical	Vertical	Pass
10502.624	-57.47	16.50	-13.0	-44.47	149.50	Vertical	Vertical	Pass
12146.713	-59.13	14.71	-13.0	-46.13	232.50	Vertical	Vertical	Pass
14819.045	-48.08	25.71	-13.0	-35.08	343.10	Vertical	Vertical	Pass
16493.377	-47.80	24.75	-13.0	-34.80	0.00	Vertical	Vertical	Pass

4.3 EGPRS 1900 HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_16.27.15

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-77.85	-10.87	-13.0	-64.85	147.00	Horizontal	Vertical	Pass
141.037	-81.57	-16.10	-13.0	-68.57	29.50	Horizontal	Vertical	Pass
249.893	-73.23	-6.15	-13.0	-60.23	324.20	Horizontal	Vertical	Pass
345.414	-74.04	-8.21	-13.0	-61.04	35.40	Horizontal	Vertical	Pass
1989.753	-57.17	-7.84	-13.0	-44.17	118.40	Horizontal	Vertical	Pass
3001.000	-55.08	-0.66	-13.0	-42.08	234.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.29.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8096.976	-65.40	10.17	-13.0	-52.40	357.80	Horizontal	Vertical	Pass
9411.147	-59.29	15.08	-13.0	-46.29	104.80	Horizontal	Vertical	Pass
11200.950	-57.19	16.01	-13.0	-44.19	344.60	Horizontal	Vertical	Pass
13224.444	-57.61	15.93	-13.0	-44.61	120.90	Horizontal	Vertical	Pass
14753.062	-48.29	25.14	-13.0	-35.29	70.60	Horizontal	Vertical	Pass
17353.912	-44.78	29.30	-13.0	-31.78	145.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.23.54

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.819	-77.55	-11.42	-13.0	-64.55	20.50	Vertical	Vertical	Pass
98.368	-82.97	-12.83	-13.0	-69.97	316.70	Vertical	Vertical	Pass
239.953	-73.14	-3.57	-13.0	-60.14	51.90	Vertical	Vertical	Pass
383.962	-67.41	-9.98	-13.0	-54.41	310.70	Vertical	Vertical	Pass
1989.753	-58.06	-7.84	-13.0	-45.06	117.70	Vertical	Vertical	Pass
4162.709	-54.59	0.08	-13.0	-41.59	0.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_16.31.40

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8151.962	-65.47	9.51	-13.0	-52.47	20.90	Vertical	Vertical	Pass
9391.902	-59.53	15.20	-13.0	-46.53	131.60	Vertical	Vertical	Pass
11041.490	-57.33	16.31	-13.0	-44.33	222.30	Vertical	Vertical	Pass
12138.465	-59.65	14.75	-13.0	-46.65	0.60	Vertical	Vertical	Pass
14689.828	-47.86	25.23	-13.0	-34.86	59.20	Vertical	Vertical	Pass
16881.030	-46.26	26.20	-13.0	-33.26	340.60	Vertical	Vertical	Pass

Document number: SHE20100021-02AE

5. WCDMA Band II

5.1 WCDMA Band II LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_09.56.21

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.667	-75.51	-10.93	-13.0	-62.51	201.90	Horizontal	Vertical	Pass
95.944	-68.06	-13.29	-13.0	-55.06	98.40	Horizontal	Vertical	Pass
249.893	-70.90	-6.15	-13.0	-57.90	38.10	Horizontal	Vertical	Pass
345.414	-74.27	-8.21	-13.0	-61.27	317.70	Horizontal	Vertical	Pass
1840.790	-47.98	-7.89	-13.0	-34.98	1.60	Horizontal	Vertical	Pass
1932.267	-32.90	-8.29	-13.0	-19.90	281.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.20.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7863.284	-65.05	9.04	-13.0	-52.05	1.30	Horizontal	Vertical	Pass
9394.651	-59.79	15.23	-13.0	-46.79	204.10	Horizontal	Vertical	Pass
10543.864	-57.80	16.19	-13.0	-44.80	352.60	Horizontal	Vertical	Pass
11616.096	-57.14	16.12	-13.0	-44.14	57.60	Horizontal	Vertical	Pass
14802.549	-47.40	25.72	-13.0	-34.40	311.30	Horizontal	Vertical	Pass
16523.619	-47.31	24.22	-13.0	-34.31	0.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_09.50.25

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-64.23	-20.18	-13.0	-51.23	359.20	Vertical	Vertical	Pass
95.944	-71.16	-13.29	-13.0	-58.16	6.30	Vertical	Vertical	Pass
345.414	-73.05	-8.21	-13.0	-60.05	265.00	Vertical	Vertical	Pass
537.426	-73.94	-5.40	-13.0	-60.94	52.70	Vertical	Vertical	Pass
1841.290	-48.03	-7.89	-13.0	-35.03	170.20	Vertical	Vertical	Pass
1932.267	-32.56	-8.29	-13.0	-19.56	69.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.20.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7863.284	-65.05	9.04	-13.0	-52.05	1.30	Vertical	Vertical	Pass
9394.651	-59.79	15.23	-13.0	-46.79	204.10	Vertical	Vertical	Pass
10543.864	-57.80	16.19	-13.0	-44.80	352.60	Vertical	Vertical	Pass
11616.096	-57.14	16.12	-13.0	-44.14	57.60	Vertical	Vertical	Pass
14802.549	-47.40	25.72	-13.0	-34.40	311.30	Vertical	Vertical	Pass
16523.619	-47.31	24.22	-13.0	-34.31	0.70	Vertical	Vertical	Pass

Document number: SHE20100021-02AE

5.2 WCDMA Band II MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_10.00.04

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.425	-78.69	-10.87	-13.0	-65.69	0.20	Horizontal	Vertical	Pass
95.944	-68.37	-13.29	-13.0	-55.37	264.70	Horizontal	Vertical	Pass
200.192	-72.69	-9.17	-13.0	-59.69	230.80	Horizontal	Vertical	Pass
345.414	-73.72	-8.21	-13.0	-60.72	318.00	Horizontal	Vertical	Pass
1879.280	-49.61	-8.18	-13.0	-36.61	1.60	Horizontal	Vertical	Pass
1958.760	-30.59	-8.31	-13.0	-17.59	94.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.13.20

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.68	9.76	-13.0	-52.68	84.70	Horizontal	Vertical	Pass
9402.899	-60.02	15.25	-13.0	-47.02	159.30	Horizontal	Vertical	Pass
10829.793	-57.72	16.68	-13.0	-44.72	357.80	Horizontal	Vertical	Pass
13196.951	-57.40	16.01	-13.0	-44.40	105.20	Horizontal	Vertical	Pass
14645.839	-47.79	25.12	-13.0	-34.79	250.00	Horizontal	Vertical	Pass
16889.278	-46.61	26.19	-13.0	-33.61	353.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.04.03

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-64.59	-20.19	-13.0	-51.59	359.40	Vertical	Vertical	Pass
95.944	-71.05	-13.29	-13.0	-58.05	58.70	Vertical	Vertical	Pass
242.377	-74.00	-4.18	-13.0	-61.00	23.30	Vertical	Vertical	Pass
345.414	-72.24	-8.21	-13.0	-59.24	254.90	Vertical	Vertical	Pass
1879.280	-49.59	-8.18	-13.0	-36.59	0.00	Vertical	Vertical	Pass
1960.260	-31.35	-8.30	-13.0	-18.35	94.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.17.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7932.017	-65.89	9.09	-13.0	-52.89	0.30	Vertical	Vertical	Pass
9369.908	-59.77	14.89	-13.0	-46.77	97.80	Vertical	Vertical	Pass
10510.872	-57.95	16.44	-13.0	-44.95	228.10	Vertical	Vertical	Pass
12251.187	-59.62	14.18	-13.0	-46.62	246.90	Vertical	Vertical	Pass
14687.078	-47.68	25.23	-13.0	-34.68	279.30	Vertical	Vertical	Pass
16498.875	-47.31	24.97	-13.0	-34.31	295.80	Vertical	Vertical	Pass

Document number: SHE20100021-02AE

5.3 WCDMA Band II HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_10.11.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-75.79	-11.20	-13.0	-62.79	333.50	Horizontal	Vertical	Pass
95.944	-69.10	-13.29	-13.0	-56.10	101.20	Horizontal	Vertical	Pass
249.893	-70.97	-6.15	-13.0	-57.97	181.60	Horizontal	Vertical	Pass
537.426	-72.74	-5.40	-13.0	-59.74	312.00	Horizontal	Vertical	Pass
1905.774	-47.84	-8.32	-13.0	-34.84	0.70	Horizontal	Vertical	Pass
1986.753	-31.24	-7.92	-13.0	-18.24	50.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.25.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8061.235	-65.32	9.42	-13.0	-52.32	292.30	Horizontal	Vertical	Pass
9350.662	-59.61	14.61	-13.0	-46.61	299.70	Horizontal	Vertical	Pass
10524.619	-58.16	16.34	-13.0	-45.16	183.80	Horizontal	Vertical	Pass
11797.551	-58.59	14.17	-13.0	-45.59	142.50	Horizontal	Vertical	Pass
14810.797	-48.35	25.72	-13.0	-35.35	191.20	Horizontal	Vertical	Pass
16826.043	-46.46	25.68	-13.0	-33.46	358.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.07.49

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.094	-64.39	-20.18	-13.0	-51.39	357.80	Vertical	Vertical	Pass
95.944	-71.65	-13.29	-13.0	-58.65	36.10	Vertical	Vertical	Pass
345.414	-73.21	-8.21	-13.0	-60.21	257.20	Vertical	Vertical	Pass
647.251	-72.91	-0.66	-13.0	-59.91	155.90	Vertical	Vertical	Pass
1906.273	-48.01	-8.32	-13.0	-35.01	6.80	Vertical	Vertical	Pass
1986.753	-31.83	-7.92	-13.0	-18.83	51.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.22.49

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7882.529	-65.76	9.43	-13.0	-52.76	25.70	Vertical	Vertical	Pass
9400.150	-59.76	15.31	-13.0	-46.76	240.80	Vertical	Vertical	Pass
10783.054	-57.78	16.40	-13.0	-44.78	229.70	Vertical	Vertical	Pass
12094.476	-59.01	14.86	-13.0	-46.01	298.90	Vertical	Vertical	Pass
14689.828	-47.53	25.23	-13.0	-34.53	265.30	Vertical	Vertical	Pass
16487.878	-47.56	24.54	-13.0	-34.56	246.70	Vertical	Vertical	Pass

6. WCDMA Band IV

6.1 WCDMA Band IV LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_11.13.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case: CE FCC PART22&24&27 FCC PART 27_1700_WCDMA 848LTE 848B95



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.82	-11.85	-13.0	-53.82	261.40	Horizontal	Vertical	Pass
238.983	-68.99	-2.09	-13.0	-55.99	221.90	Horizontal	Vertical	Pass
453.542	-73.47	-1.25	-13.0	-60.47	113.20	Horizontal	Vertical	Pass
851.870	-66.84	5.17	-13.0	-53.84	57.60	Horizontal	Vertical	Pass
1701.912	-54.76	-9.82	-13.0	-41.76	10.00	Horizontal	Vertical	Pass
2111.361	-27.59	-5.53	-13.0	-14.59	355.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.39.15

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.52	9.76	-13.0	-52.52	47.30	Horizontal	Vertical	Pass
9389.153	-59.77	15.16	-13.0	-46.77	267.20	Horizontal	Vertical	Pass
10488.878	-57.92	16.47	-13.0	-44.92	280.30	Horizontal	Vertical	Pass
12757.061	-59.16	14.77	-13.0	-46.16	57.00	Horizontal	Vertical	Pass
14816.296	-47.45	25.71	-13.0	-34.45	210.50	Horizontal	Vertical	Pass
17469.383	-41.58	31.02	-13.0	-28.58	195.20	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-21_11.09.49

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.52	-11.85	-13.0	-55.52	0.90	Vertical	Vertical	Pass
345.414	-71.85	-7.33	-13.0	-58.85	258.50	Vertical	Vertical	Pass
851.385	-66.59	5.09	-13.0	-53.59	193.70	Vertical	Vertical	Pass
1701.912	-55.52	-9.82	-13.0	-42.52	10.50	Vertical	Vertical	Pass
2111.861	-28.21	-5.52	-13.0	-15.21	352.30	Vertical	Vertical	Pass
5404.199	-39.22	2.49	-13.0	-26.22	100.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.36.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7780.805	-65.52	8.16	-13.0	-52.52	205.50	Vertical	Vertical	Pass
9416.646	-60.30	14.97	-13.0	-47.30	0.00	Vertical	Vertical	Pass
10832.542	-57.60	16.72	-13.0	-44.60	137.40	Vertical	Vertical	Pass
12099.975	-58.88	14.93	-13.0	-45.88	327.30	Vertical	Vertical	Pass
14808.048	-48.07	25.72	-13.0	-35.07	211.40	Vertical	Vertical	Pass
17205.449	-46.14	26.61	-13.0	-33.14	62.10	Vertical	Vertical	Pass

Document number: SHE20100021-02AE

6.2 WCDMA Band IV MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_11.17.16

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-77.50	-11.72	-13.0	-64.50	289.60	Horizontal	Vertical	Pass
95.944	-66.13	-11.85	-13.0	-53.13	273.50	Horizontal	Vertical	Pass
200.920	-71.86	-8.99	-13.0	-58.86	252.00	Horizontal	Vertical	Pass
345.414	-73.85	-7.33	-13.0	-60.85	320.30	Horizontal	Vertical	Pass
849.445	-67.39	4.66	-13.0	-54.39	58.80	Horizontal	Vertical	Pass
2133.358	-27.93	-5.10	-13.0	-14.93	265.30	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-21_11.31.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7896.276	-65.55	9.71	-13.0	-52.55	27.50	Horizontal	Vertical	Pass
9281.930	-61.13	13.34	-13.0	-48.13	351.50	Horizontal	Vertical	Pass
10458.635	-57.70	16.35	-13.0	-44.70	99.40	Horizontal	Vertical	Pass
11627.093	-58.38	15.84	-13.0	-45.38	35.20	Horizontal	Vertical	Pass
14810.797	-48.17	25.72	-13.0	-35.17	14.20	Horizontal	Vertical	Pass
16674.831	-46.62	25.39	-13.0	-33.62	331.00	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-21_11.20.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-63.25	-18.67	-13.0	-50.25	360.00	Vertical	Vertical	Pass
241.892	-71.95	-2.51	-13.0	-58.95	19.90	Vertical	Vertical	Pass
345.414	-71.76	-7.33	-13.0	-58.76	255.80	Vertical	Vertical	Pass
855.506	-65.68	4.85	-13.0	-52.68	196.50	Vertical	Vertical	Pass
2132.608	-28.02	-5.11	-13.0	-15.02	22.30	Vertical	Vertical	Pass
5044.744	-41.39	2.81	-13.0	-28.39	0.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.36.13

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7780.805	-65.52	8.16	-13.0	-52.52	205.50	Vertical	Vertical	Pass
9416.646	-60.30	14.97	-13.0	-47.30	0.00	Vertical	Vertical	Pass
10447.638	-58.14	16.29	-13.0	-45.14	323.30	Vertical	Vertical	Pass
12099.975	-58.88	14.93	-13.0	-45.88	327.30	Vertical	Vertical	Pass
14533.117	-49.02	24.24	-13.0	-36.02	60.10	Vertical	Vertical	Pass
16699.575	-47.18	25.79	-13.0	-34.18	309.70	Vertical	Vertical	Pass

6.3 WCDMA Band IV HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_11.28.38

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.96	-11.85	-13.0	-53.96	104.50	Horizontal	Vertical	Pass
240.437	-69.68	-1.68	-13.0	-56.68	68.00	Horizontal	Vertical	Pass
345.414	-72.82	-7.33	-13.0	-59.82	334.90	Horizontal	Vertical	Pass
854.294	-66.54	4.97	-13.0	-53.54	171.60	Horizontal	Vertical	Pass
1752.656	-60.44	-9.11	-13.0	-47.44	267.30	Horizontal	Vertical	Pass
2153.356	-26.34	-4.91	-13.0	-13.34	289.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.34.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8154.711	-66.07	9.48	-13.0	-53.07	64.90	Horizontal	Vertical	Pass
9400.150	-60.06	15.31	-13.0	-47.06	184.00	Horizontal	Vertical	Pass
10862.784	-57.54	16.79	-13.0	-44.54	185.70	Horizontal	Vertical	Pass
13246.438	-57.51	15.80	-13.0	-44.51	81.70	Horizontal	Vertical	Pass
14992.252	-49.56	23.10	-13.0	-36.56	274.70	Horizontal	Vertical	Pass
17430.892	-42.07	30.15	-13.0	-29.07	157.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.24.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.60	-11.85	-13.0	-55.60	29.90	Vertical	Vertical	Pass
239.953	-73.20	-1.47	-13.0	-60.20	8.40	Vertical	Vertical	Pass
345.414	-71.06	-7.33	-13.0	-58.06	267.80	Vertical	Vertical	Pass
674.889	-69.86	0.32	-13.0	-56.86	340.20	Vertical	Vertical	Pass
2152.106	-26.84	-4.91	-13.0	-13.84	352.00	Vertical	Vertical	Pass
4962.255	-41.78	2.44	-13.0	-28.78	296.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11:38.22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.52	9.76	-13.0	-52.52	47.30	Vertical	Vertical	Pass
9389.153	-59.77	15.16	-13.0	-46.77	267.20	Vertical	Vertical	Pass
10488.878	-57.92	16.47	-13.0	-44.92	280.30	Vertical	Vertical	Pass
11044.239	-57.21	16.28	-13.0	-44.21	310.00	Vertical	Vertical	Pass
14816.296	-47.45	25.71	-13.0	-34.45	210.50	Vertical	Vertical	Pass
16919.520	-46.04	26.35	-13.0	-33.04	32.30	Vertical	Vertical	Pass

7. WCDMA Band V

7.1 WCDMA Band V LCH

Test result

Project Number: Certification

Test Time: 2020-11-21_10.29.29

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.880	-76.12	-10.94	-13.0	-63.12	47.20	Horizontal	Vertical	Pass
95.944	-68.16	-13.10	-13.0	-55.16	101.80	Horizontal	Vertical	Pass
249.893	-71.55	-5.84	-13.0	-58.55	223.10	Horizontal	Vertical	Pass
345.414	-73.79	-7.82	-13.0	-60.79	327.40	Horizontal	Vertical	Pass
827.383	-44.20	2.72	-13.0	-31.20	68.20	Horizontal	Vertical	Pass
870.780	-31.13	4.15	-13.0	-18.13	121.60	Horizontal	Vertical	Pass
1650.337	-54.83	-9.58	-13.0	-41.83	295.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.02.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.16	9.44	-13.0	-52.16	91.60	Horizontal	Vertical	Pass
9246.188	-60.75	13.41	-13.0	-47.75	262.80	Horizontal	Vertical	Pass
10791.302	-57.79	16.33	-13.0	-44.79	18.30	Horizontal	Vertical	Pass
11580.355	-57.61	16.25	-13.0	-44.61	1.20	Horizontal	Vertical	Pass
14810.797	-48.15	25.72	-13.0	-35.15	236.40	Horizontal	Vertical	Pass
16471.382	-48.84	23.90	-13.0	-35.84	334.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.33.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-64.51	-19.90	-13.0	-51.51	357.80	Vertical	Vertical	Pass
95.944	-70.85	-13.10	-13.0	-57.85	0.00	Vertical	Vertical	Pass
269.288	-73.58	-7.26	-13.0	-60.58	163.30	Vertical	Vertical	Pass
345.414	-73.94	-7.82	-13.0	-60.94	254.30	Vertical	Vertical	Pass
827.868	-49.82	2.78	-13.0	-36.82	54.60	Vertical	Vertical	Pass
870.052	-27.86	4.29	-13.0	-14.86	67.20	Vertical	Vertical	Pass
1650.337	-54.25	-9.58	-13.0	-41.25	299.20	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_11.03.51

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.16	9.44	-13.0	-52.16	91.60	Horizontal	Vertical	Pass
9378.155	-60.04	15.00	-13.0	-47.04	3.10	Horizontal	Vertical	Pass
11151.462	-56.35	15.63	-13.0	-43.35	158.90	Horizontal	Vertical	Pass
13485.629	-56.99	17.40	-13.0	-43.99	163.10	Horizontal	Vertical	Pass
14810.797	-48.15	25.72	-13.0	-35.15	236.40	Horizontal	Vertical	Pass
16787.553	-46.94	25.05	-13.0	-33.94	358.00	Horizontal	Vertical	Pass

7.2 WCDMA Band V MCH

Test result

Project Number: Certification

Test Time: 2020-11-21_10.43.02

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.910	-78.64	-10.72	-13.0	-65.64	174.40	Horizontal	Vertical	Pass
95.944	-67.95	-13.10	-13.0	-54.95	278.00	Horizontal	Vertical	Pass
241.650	-70.71	-3.74	-13.0	-57.71	68.10	Horizontal	Vertical	Pass
838.050	-54.67	4.68	-13.0	-41.67	70.10	Horizontal	Vertical	Pass
881.205	-33.10	2.30	-13.0	-20.10	128.70	Horizontal	Vertical	Pass
1674.331	-53.20	-10.13	-13.0	-40.20	292.10	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-21_10.57.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.527	-65.46	9.65	-13.0	-52.46	302.10	Horizontal	Vertical	Pass
9411.147	-60.27	15.08	-13.0	-47.27	50.10	Horizontal	Vertical	Pass
10777.556	-57.58	16.45	-13.0	-44.58	139.50	Horizontal	Vertical	Pass
13235.441	-57.36	15.86	-13.0	-44.36	217.60	Horizontal	Vertical	Pass
14794.301	-48.18	25.65	-13.0	-35.18	139.50	Horizontal	Vertical	Pass
16848.038	-45.95	26.16	-13.0	-32.95	93.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.37.16

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.094	-64.60	-19.89	-13.0	-51.60	360.00	Vertical	Vertical	Pass
239.468	-74.77	-3.51	-13.0	-61.77	340.00	Vertical	Vertical	Pass
345.414	-72.82	-7.82	-13.0	-59.82	255.00	Vertical	Vertical	Pass
838.293	-59.36	4.73	-13.0	-46.36	64.80	Vertical	Vertical	Pass
881.205	-30.36	2.30	-13.0	-17.36	263.70	Vertical	Vertical	Pass
1675.331	-53.19	-10.16	-13.0	-40.19	297.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.53.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7967.758	-65.63	8.81	-13.0	-52.63	358.30	Vertical	Vertical	Pass
9386.403	-60.07	15.12	-13.0	-47.07	165.30	Vertical	Vertical	Pass
10821.545	-57.09	16.56	-13.0	-44.09	289.10	Vertical	Vertical	Pass
12806.548	-58.79	14.85	-13.0	-45.79	263.00	Vertical	Vertical	Pass
14832.792	-47.86	25.71	-13.0	-34.86	212.60	Vertical	Vertical	Pass
16908.523	-46.09	26.26	-13.0	-33.09	272.60	Vertical	Vertical	Pass

Document number: SHE20100021-02AE

7.3 WCDMA Band V HCH

Test result

Project Number: Certification

Test Time: 2020-11-21_10.46.50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
41.637	-77.21	-10.88	-13.0	-64.21	263.70	Horizontal	Vertical	Pass
95.944	-68.31	-13.10	-13.0	-55.31	83.40	Horizontal	Vertical	Pass
241.407	-71.48	-3.68	-13.0	-58.48	226.00	Horizontal	Vertical	Pass
851.870	-23.64	5.69	-13.0	-10.64	65.30	Horizontal	Vertical	Pass
892.599	-31.66	1.47	-13.0	-18.66	115.30	Horizontal	Vertical	Pass
1695.826	-58.04	-10.94	-13.0	-45.04	297.60	Horizontal	Vertical	Pass

Document number: SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-21_10:59:19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7893.527	-65.46	9.65	-13.0	-52.46	302.10	Horizontal	Vertical	Pass
9411.147	-60.27	15.08	-13.0	-47.27	50.10	Horizontal	Vertical	Pass
10442.139	-58.16	16.22	-13.0	-45.16	18.00	Horizontal	Vertical	Pass
11497.876	-56.88	16.49	-13.0	-43.88	47.90	Horizontal	Vertical	Pass
14794.301	-48.18	25.65	-13.0	-35.18	139.50	Horizontal	Vertical	Pass
16848.038	-45.95	26.16	-13.0	-32.95	93.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.50.18

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-64.57	-19.90	-13.0	-51.57	360.00	Vertical	Vertical	Pass
155.826	-82.60	-15.73	-13.0	-69.60	156.90	Vertical	Vertical	Pass
460.572	-71.08	-3.69	-13.0	-58.08	340.80	Vertical	Vertical	Pass
852.112	-29.33	5.68	-13.0	-16.33	0.00	Vertical	Vertical	Pass
890.175	-31.02	1.31	-13.0	-18.02	4.70	Vertical	Vertical	Pass
1695.326	-57.79	-10.92	-13.0	-44.79	297.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_10.54.33

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8088.728	-65.93	10.00	-13.0	-52.93	167.00	Vertical	Vertical	Pass
9400.150	-60.47	15.31	-13.0	-47.47	91.60	Vertical	Vertical	Pass
10791.302	-57.74	16.33	-13.0	-44.74	5.40	Vertical	Vertical	Pass
11602.349	-58.09	16.48	-13.0	-45.09	213.00	Vertical	Vertical	Pass
14794.301	-47.53	25.65	-13.0	-34.53	44.90	Vertical	Vertical	Pass
16504.374	-47.91	24.86	-13.0	-34.91	282.90	Vertical	Vertical	Pass