

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

LTE-B2-20-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-18_10.28.09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.91	-13.29	-13.0	-54.91	105.50	Horizontal	Vertical	Pass
199.950	-73.48	-9.11	-13.0	-60.48	326.20	Horizontal	Vertical	Pass
345.414	-61.70	-8.21	-13.0	-48.70	338.30	Horizontal	Vertical	Pass
460.572	-71.99	-3.99	-13.0	-58.99	292.30	Horizontal	Vertical	Pass
1838.790	-36.47	-7.99	-13.0	-23.47	287.90	Horizontal	Vertical	Pass
1938.265	-38.92	-8.33	-13.0	-25.92	240.90	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-18_10:36:30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-64.74	9.56	-13.0	-51.74	211.80	Horizontal	Vertical	Pass
9411.147	-60.39	15.08	-13.0	-47.39	291.60	Horizontal	Vertical	Pass
10472.382	-57.57	16.41	-13.0	-44.57	230.50	Horizontal	Vertical	Pass
13213.447	-56.90	16.00	-13.0	-43.90	359.00	Horizontal	Vertical	Pass
14786.053	-47.47	25.55	-13.0	-34.47	325.40	Horizontal	Vertical	Pass
16870.032	-46.10	26.20	-13.0	-33.10	200.40	Horizontal	Vertical	Pass

LTE-B2-20-MCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-18_10.24.13

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.71	-13.29	-13.0	-55.71	118.60	Horizontal	Vertical	Pass
199.950	-72.64	-9.11	-13.0	-59.64	333.70	Horizontal	Vertical	Pass
345.414	-61.83	-8.21	-13.0	-48.83	337.40	Horizontal	Vertical	Pass
460.572	-72.54	-3.99	-13.0	-59.54	142.00	Horizontal	Vertical	Pass
1840.290	-45.49	-7.89	-13.0	-32.49	265.50	Horizontal	Vertical	Pass
1954.761	-38.53	-8.31	-13.0	-25.53	238.60	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-18_10:34:49

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-65.32	10.22	-13.0	-52.32	0.00	Horizontal	Vertical	Pass
9369.908	-59.45	14.89	-13.0	-46.45	287.10	Horizontal	Vertical	Pass
10871.032	-57.34	16.68	-13.0	-44.34	199.60	Horizontal	Vertical	Pass
13205.199	-56.88	16.05	-13.0	-43.88	359.60	Horizontal	Vertical	Pass
14711.822	-46.96	25.21	-13.0	-33.96	341.50	Horizontal	Vertical	Pass
16724.319	-46.59	25.35	-13.0	-33.59	273.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10.44.47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01

RSE Test case: CE_FCC_PART226/248/27_FCC_PART 34_1900_GSM 1900B/WCDMA B2/B3/CDMA B2/B3/TE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.07	-13.29	-13.0	-56.07	114.40	Horizontal	Vertical	Pass
240.437	-71.96	-3.67	-13.0	-58.96	0.00	Horizontal	Vertical	Pass
345.414	-61.56	-8.21	-13.0	-48.56	331.60	Horizontal	Vertical	Pass
460.572	-71.70	-3.99	-13.0	-58.70	54.10	Horizontal	Vertical	Pass
1895.776	-52.28	-8.30	-13.0	-39.28	266.70	Horizontal	Vertical	Pass
1978.255	-38.36	-8.08	-13.0	-25.36	247.20	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10.40.53

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7912.772	-64.92	9.50	-13.0	-51.92	305.30	Horizontal	Vertical	Pass
9402.899	-59.42	15.25	-13.0	-46.42	311.20	Horizontal	Vertical	Pass
10513.622	-57.61	16.42	-13.0	-44.61	254.40	Horizontal	Vertical	Pass
11651.837	-58.43	15.22	-13.0	-45.43	276.90	Horizontal	Vertical	Pass
14667.833	-47.54	25.20	-13.0	-34.54	17.80	Horizontal	Vertical	Pass
17370.407	-44.12	29.27	-13.0	-31.12	155.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10.31.33

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01

RSE Test case CE FCC PART23&24&27 FCC PART 24 1906 GSM 1900B WCDMA B2&B3 WCDMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.518	-66.11	-18.08	-13.0	-53.11	206.20	Vertical	Vertical	Pass
95.944	-70.29	-13.29	-13.0	-57.29	342.50	Vertical	Vertical	Pass
345.414	-62.91	-8.21	-13.0	-49.91	268.30	Vertical	Vertical	Pass
460.572	-69.70	-3.99	-13.0	-56.70	32.30	Vertical	Vertical	Pass
1839.290	-36.86	-7.94	-13.0	-23.86	269.00	Vertical	Vertical	Pass
1937.766	-38.97	-8.33	-13.0	-25.97	236.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10:37:57

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-65.78	9.76	-13.0	-52.78	254.50	Vertical	Vertical	Pass
9378.155	-59.67	15.00	-13.0	-46.67	93.10	Vertical	Vertical	Pass
10840.790	-56.88	16.84	-13.0	-43.88	330.10	Vertical	Vertical	Pass
12781.805	-58.83	14.83	-13.0	-45.83	210.50	Vertical	Vertical	Pass
14513.872	-48.04	24.24	-13.0	-35.04	246.80	Vertical	Vertical	Pass
16487.878	-46.93	24.54	-13.0	-33.93	206.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10.20.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01

RSE Test case: CE_FCC_PART23&24&27_FCC PART 24_1906_GSM 1900B/HCDMA B2&BCMA BC1&LTE B2



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
69.033	-65.01	-17.89	-13.0	-52.01	154.40	Vertical	Vertical	Pass
200.435	-73.76	-9.30	-13.0	-60.76	9.60	Vertical	Vertical	Pass
345.414	-63.55	-8.21	-13.0	-50.55	262.40	Vertical	Vertical	Pass
1840.290	-43.77	-7.89	-13.0	-30.77	285.80	Vertical	Vertical	Pass
1879.780	-56.11	-8.18	-13.0	-43.11	267.50	Vertical	Vertical	Pass
1953.262	-39.32	-8.31	-13.0	-26.32	240.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10:33:06

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-65.31	9.56	-13.0	-52.31	358.60	Vertical	Vertical	Pass
9367.158	-59.86	14.85	-13.0	-46.86	276.80	Vertical	Vertical	Pass
10865.534	-56.26	16.76	-13.0	-43.26	336.60	Vertical	Vertical	Pass
13158.460	-56.52	15.17	-13.0	-43.52	149.20	Vertical	Vertical	Pass
14755.811	-47.94	25.17	-13.0	-34.94	168.00	Vertical	Vertical	Pass
16872.782	-45.84	26.20	-13.0	-32.84	42.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10.48.17

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
39.455	-69.69	-10.86	-13.0	-56.69	66.90	Vertical	Vertical	Pass
95.944	-71.34	-13.29	-13.0	-58.34	359.80	Vertical	Vertical	Pass
200.920	-75.06	-9.57	-13.0	-62.06	3.10	Vertical	Vertical	Pass
345.414	-63.20	-8.21	-13.0	-50.20	266.00	Vertical	Vertical	Pass
1896.276	-52.15	-8.31	-13.0	-39.15	265.80	Vertical	Vertical	Pass
1983.254	-38.50	-8.01	-13.0	-25.50	235.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10:39:28

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7921.020	-64.94	9.33	-13.0	-51.94	349.70	Vertical	Vertical	Pass
9391.902	-59.92	15.20	-13.0	-46.92	102.80	Vertical	Vertical	Pass
10959.010	-57.35	16.95	-13.0	-44.35	74.80	Vertical	Vertical	Pass
11624.344	-57.97	15.91	-13.0	-44.97	355.30	Vertical	Vertical	Pass
14846.538	-47.38	25.70	-13.0	-34.38	186.30	Vertical	Vertical	Pass
16504.374	-46.68	24.86	-13.0	-33.68	297.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.01.07

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.42	-11.85	-13.0	-54.42	105.20	Horizontal	Vertical	Pass
240.195	-69.21	-1.55	-13.0	-56.21	0.60	Horizontal	Vertical	Pass
345.414	-60.91	-7.33	-13.0	-47.91	337.30	Horizontal	Vertical	Pass
729.438	-69.86	-0.28	-13.0	-56.86	278.00	Horizontal	Vertical	Pass
1702.412	-32.35	-9.82	-13.0	-19.35	22.30	Horizontal	Vertical	Pass
2124.609	-36.26	-5.27	-13.0	-23.26	169.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11:24:38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-65.37	9.39	-13.0	-52.37	4.00	Horizontal	Vertical	Pass
9402.899	-60.12	15.25	-13.0	-47.12	275.50	Horizontal	Vertical	Pass
10854.536	-56.99	16.90	-13.0	-43.99	217.00	Horizontal	Vertical	Pass
13246.438	-57.32	15.80	-13.0	-44.32	331.90	Horizontal	Vertical	Pass
14714.571	-47.94	25.21	-13.0	-34.94	343.20	Horizontal	Vertical	Pass
16509.873	-47.29	24.68	-13.0	-34.29	311.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10:57.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.33	-11.85	-13.0	-54.33	111.10	Horizontal	Vertical	Pass
239.468	-70.34	-1.78	-13.0	-57.34	353.40	Horizontal	Vertical	Pass
345.414	-60.88	-7.33	-13.0	-47.88	330.50	Horizontal	Vertical	Pass
729.438	-69.46	-0.28	-13.0	-56.46	300.10	Horizontal	Vertical	Pass
1701.662	-46.61	-9.83	-13.0	-33.61	21.10	Horizontal	Vertical	Pass
2124.359	-35.99	-5.27	-13.0	-22.99	167.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11:16:47

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7918.270	-65.20	9.39	-13.0	-52.20	281.40	Horizontal	Vertical	Pass
9397.401	-60.02	15.27	-13.0	-47.02	322.50	Horizontal	Vertical	Pass
10461.385	-57.92	16.36	-13.0	-44.92	89.60	Horizontal	Vertical	Pass
11616.096	-57.76	16.12	-13.0	-44.76	334.10	Horizontal	Vertical	Pass
14758.560	-47.67	25.21	-13.0	-34.67	161.00	Horizontal	Vertical	Pass
16520.870	-46.20	24.31	-13.0	-33.20	351.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.15.22

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.22	-11.85	-13.0	-54.22	114.70	Horizontal	Vertical	Pass
172.797	-75.85	-16.21	-13.0	-62.85	326.10	Horizontal	Vertical	Pass
345.414	-60.84	-7.33	-13.0	-47.84	337.00	Horizontal	Vertical	Pass
729.438	-69.39	-0.28	-13.0	-56.39	282.40	Horizontal	Vertical	Pass
1702.162	-51.79	-9.82	-13.0	-38.79	274.00	Horizontal	Vertical	Pass
2153.106	-34.71	-4.91	-13.0	-21.71	250.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.18.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.67	9.44	-13.0	-52.67	108.90	Horizontal	Vertical	Pass
9397.401	-60.02	15.27	-13.0	-47.02	223.80	Horizontal	Vertical	Pass
10873.782	-57.39	16.64	-13.0	-44.39	290.00	Horizontal	Vertical	Pass
12825.794	-57.87	14.78	-13.0	-44.87	103.30	Horizontal	Vertical	Pass
14791.552	-47.87	25.62	-13.0	-34.87	0.30	Horizontal	Vertical	Pass
16834.291	-46.14	25.86	-13.0	-33.14	1.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.05.34

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.73	-11.85	-13.0	-55.73	319.70	Vertical	Vertical	Pass
239.953	-71.54	-1.47	-13.0	-58.54	44.20	Vertical	Vertical	Pass
345.414	-62.72	-7.33	-13.0	-49.72	279.70	Vertical	Vertical	Pass
1701.912	-32.05	-9.82	-13.0	-19.05	13.70	Vertical	Vertical	Pass
1792.901	-56.83	-8.55	-13.0	-43.83	282.20	Vertical	Vertical	Pass
2128.359	-36.26	-5.18	-13.0	-23.26	206.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.23.12

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7890.777	-65.07	9.59	-13.0	-52.07	17.40	Vertical	Vertical	Pass
9361.660	-59.76	14.77	-13.0	-46.76	312.40	Vertical	Vertical	Pass
10472.382	-57.53	16.41	-13.0	-44.53	243.20	Vertical	Vertical	Pass
12743.314	-57.85	14.72	-13.0	-44.85	23.10	Vertical	Vertical	Pass
14513.872	-48.07	24.24	-13.0	-35.07	148.10	Vertical	Vertical	Pass
16498.875	-47.08	24.97	-13.0	-34.08	64.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_10:53:16

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.30	-11.85	-13.0	-55.30	359.00	Vertical	Vertical	Pass
200.920	-75.26	-8.99	-13.0	-62.26	1.40	Vertical	Vertical	Pass
345.414	-62.86	-7.33	-13.0	-49.86	273.00	Vertical	Vertical	Pass
1702.162	-47.34	-9.82	-13.0	-34.34	22.10	Vertical	Vertical	Pass
1791.651	-54.68	-8.57	-13.0	-41.68	271.20	Vertical	Vertical	Pass
2138.608	-36.29	-5.03	-13.0	-23.29	256.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.19.46

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-65.46	10.12	-13.0	-52.46	158.50	Vertical	Vertical	Pass
9402.899	-59.88	15.25	-13.0	-46.88	302.50	Vertical	Vertical	Pass
10846.288	-57.33	16.91	-13.0	-44.33	171.60	Vertical	Vertical	Pass
13199.700	-56.98	16.07	-13.0	-43.98	21.30	Vertical	Vertical	Pass
14852.037	-47.79	25.63	-13.0	-34.79	179.10	Vertical	Vertical	Pass
16886.528	-45.94	26.19	-13.0	-32.94	268.80	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-18_11.11.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.33	-11.85	-13.0	-56.33	327.50	Vertical	Vertical	Pass
239.710	-71.68	-1.63	-13.0	-58.68	339.90	Vertical	Vertical	Pass
345.414	-63.17	-7.33	-13.0	-50.17	267.20	Vertical	Vertical	Pass
851.142	-68.15	5.04	-13.0	-55.15	247.70	Vertical	Vertical	Pass
1702.162	-51.39	-9.82	-13.0	-38.39	24.50	Vertical	Vertical	Pass
1793.901	-53.93	-8.54	-13.0	-40.93	289.90	Vertical	Vertical	Pass
2150.606	-34.98	-4.91	-13.0	-21.98	248.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.21.10

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8107.973	-65.46	10.12	-13.0	-52.46	158.50	Vertical	Vertical	Pass
9402.899	-59.88	15.25	-13.0	-46.88	302.50	Vertical	Vertical	Pass
10846.288	-57.33	16.91	-13.0	-44.33	171.60	Vertical	Vertical	Pass
13199.700	-56.98	16.07	-13.0	-43.98	21.30	Vertical	Vertical	Pass
14852.037	-47.79	25.63	-13.0	-34.79	179.10	Vertical	Vertical	Pass
16482.379	-47.82	24.33	-13.0	-34.82	280.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.43.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load


Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.43	-13.10	-13.0	-55.43	102.60	Horizontal	Vertical	Pass
172.797	-78.08	-16.83	-13.0	-65.08	141.40	Horizontal	Vertical	Pass
345.414	-61.50	-7.82	-13.0	-48.50	335.80	Horizontal	Vertical	Pass
827.141	-53.01	2.68	-13.0	-40.01	83.30	Horizontal	Vertical	Pass
873.689	-39.31	3.61	-13.0	-26.31	79.90	Horizontal	Vertical	Pass
2358.160	-57.43	-4.22	-13.0	-44.43	267.40	Horizontal	Vertical	Pass

RSE Test case_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA T-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7398.900	-68.03	7.49	-13.0	-55.03	301.00	Horizontal	Vertical	Pass
7858.535	-65.11	8.95	-13.0	-52.11	224.40	Horizontal	Vertical	Pass
8564.109	-66.88	7.83	-13.0	-53.88	178.20	Horizontal	Vertical	Pass
8848.288	-62.20	11.57	-13.0	-49.20	349.70	Horizontal	Vertical	Pass
9388.903	-59.20	15.15	-13.0	-46.20	344.00	Horizontal	Vertical	Pass
9726.318	-61.45	13.89	-13.0	-48.45	276.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.32.40

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load


Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.58	-13.10	-13.0	-55.58	295.30	Horizontal	Vertical	Pass
172.797	-78.20	-16.83	-13.0	-65.20	126.60	Horizontal	Vertical	Pass
345.414	-61.54	-7.82	-13.0	-48.54	329.20	Horizontal	Vertical	Pass
854.294	-47.28	5.54	-13.0	-34.28	73.50	Horizontal	Vertical	Pass
877.568	-40.20	2.89	-13.0	-27.20	73.50	Horizontal	Vertical	Pass
1672.832	-59.69	-10.07	-13.0	-46.69	357.40	Horizontal	Vertical	Pass
5424.394	-39.58	2.39	-13.0	-26.58	97.20	Horizontal	Vertical	Pass

RSE Test case_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA T-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7403.399	-67.91	7.47	-13.0	-54.91	1.70	Horizontal	Vertical	Pass
7866.783	-65.02	9.11	-13.0	-52.02	128.60	Horizontal	Vertical	Pass
8201.950	-66.66	8.90	-13.0	-53.66	111.80	Horizontal	Vertical	Pass
8838.540	-62.12	11.46	-13.0	-49.12	231.30	Horizontal	Vertical	Pass
9257.686	-60.57	13.37	-13.0	-47.57	126.80	Horizontal	Vertical	Pass
9415.896	-59.27	14.99	-13.0	-46.27	162.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.47.56

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1


Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.22	-13.10	-13.0	-55.22	126.10	Horizontal	Vertical	Pass
199.465	-74.89	-9.34	-13.0	-61.89	328.90	Horizontal	Vertical	Pass
345.414	-61.62	-7.82	-13.0	-48.62	332.60	Horizontal	Vertical	Pass
851.870	-33.18	5.69	-13.0	-20.18	71.20	Horizontal	Vertical	Pass
889.933	-41.86	1.31	-13.0	-28.86	71.20	Horizontal	Vertical	Pass
2287.678	-57.07	-2.66	-13.0	-44.07	357.20	Horizontal	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7215.196	-66.85	6.97	-13.0	-53.85	38.30	Horizontal	Vertical	Pass
7647.088	-67.29	7.89	-13.0	-54.29	278.60	Horizontal	Vertical	Pass
7909.523	-65.40	9.57	-13.0	-52.40	164.80	Horizontal	Vertical	Pass
8189.953	-66.25	9.06	-13.0	-53.25	333.00	Horizontal	Vertical	Pass
8845.289	-62.07	11.54	-13.0	-49.07	21.50	Horizontal	Vertical	Pass
9344.664	-58.22	14.47	-13.0	-45.22	267.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.40.08

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load


Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.122	-70.48	-10.99	-13.0	-57.48	66.20	Vertical	Vertical	Pass
95.944	-70.88	-13.10	-13.0	-57.88	333.00	Vertical	Vertical	Pass
345.414	-62.97	-7.82	-13.0	-49.97	276.40	Vertical	Vertical	Pass
828.110	-55.76	2.82	-13.0	-42.76	303.10	Vertical	Vertical	Pass
871.022	-35.89	4.11	-13.0	-22.89	182.80	Vertical	Vertical	Pass
2285.179	-57.54	-2.75	-13.0	-44.54	331.50	Vertical	Vertical	Pass

RSE Test case_CE_FCC_PART22&24&27_FCC_GSM&CDMA<E&WCDMA_T-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7201.700	-67.55	7.18	-13.0	-54.55	304.90	Vertical	Vertical	Pass
7756.561	-65.91	8.16	-13.0	-52.91	207.80	Vertical	Vertical	Pass
8108.223	-65.00	10.12	-13.0	-52.00	183.80	Vertical	Vertical	Pass
8528.868	-66.68	7.51	-13.0	-53.68	308.60	Vertical	Vertical	Pass
8837.041	-62.83	11.44	-13.0	-49.83	262.20	Vertical	Vertical	Pass
9395.651	-59.61	15.25	-13.0	-46.61	359.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.36.25

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1


Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.37	-13.10	-13.0	-57.37	336.10	Vertical	Vertical	Pass
239.953	-73.98	-3.34	-13.0	-60.98	75.60	Vertical	Vertical	Pass
345.414	-63.09	-7.82	-13.0	-50.09	266.60	Vertical	Vertical	Pass
855.021	-48.74	5.49	-13.0	-35.74	295.80	Vertical	Vertical	Pass
880.962	-38.05	2.33	-13.0	-25.05	256.00	Vertical	Vertical	Pass
2289.678	-57.26	-2.59	-13.0	-44.26	239.00	Vertical	Vertical	Pass



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7206.198	-67.30	7.11	-13.0	-54.30	282.90	Vertical	Vertical	Pass
7452.887	-67.74	7.07	-13.0	-54.74	15.80	Vertical	Vertical	Pass
7837.541	-64.34	8.62	-13.0	-51.34	21.20	Vertical	Vertical	Pass
8687.078	-64.24	9.73	-13.0	-51.24	275.20	Vertical	Vertical	Pass
8835.541	-62.09	11.43	-13.0	-49.09	6.40	Vertical	Vertical	Pass
9415.146	-59.31	15.00	-13.0	-46.31	228.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_11.51.15

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load


Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.01	-13.10	-13.0	-57.01	334.10	Vertical	Vertical	Pass
239.710	-73.91	-3.43	-13.0	-60.91	34.30	Vertical	Vertical	Pass
345.414	-63.20	-7.82	-13.0	-50.20	264.40	Vertical	Vertical	Pass
851.870	-33.86	5.69	-13.0	-20.86	298.30	Vertical	Vertical	Pass
891.630	-37.93	1.41	-13.0	-24.93	252.00	Vertical	Vertical	Pass
2287.178	-56.64	-2.68	-13.0	-43.64	183.90	Vertical	Vertical	Pass

RSE Test case_FCC_FCC PART22&24&27_FCC GSM&CDMA<E&WCDMA T-10G



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7204.699	-67.39	7.14	-13.0	-54.39	122.10	Vertical	Vertical	Pass
7828.543	-66.27	8.51	-13.0	-53.27	9.70	Vertical	Vertical	Pass
8147.213	-65.36	9.57	-13.0	-52.36	285.40	Vertical	Vertical	Pass
8820.545	-62.77	11.25	-13.0	-49.77	123.80	Vertical	Vertical	Pass
9380.655	-59.65	15.04	-13.0	-46.65	123.80	Vertical	Vertical	Pass
9669.333	-61.18	13.37	-13.0	-48.18	22.80	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13.13.30

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.15	-12.16	-25.0	-43.15	114.00	Horizontal	Vertical	Pass
172.554	-77.65	-15.74	-25.0	-52.65	146.20	Horizontal	Vertical	Pass
345.414	-61.32	-6.53	-25.0	-36.32	332.20	Horizontal	Vertical	Pass
1194.451	-56.50	-2.01	-25.0	-31.50	150.10	Horizontal	Vertical	Pass
2486.628	-37.44	1.84	-25.0	-12.44	350.80	Horizontal	Vertical	Pass
5023.494	-51.58	2.89	-25.0	-26.58	353.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_09.02.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8091.477	-65.57	10.05	-13.0	-52.57	333.40	Horizontal	Vertical	Pass
9386.403	-59.39	15.12	-13.0	-46.39	314.70	Horizontal	Vertical	Pass
10546.613	-57.08	16.17	-13.0	-44.08	360.00	Horizontal	Vertical	Pass
12556.361	-59.16	13.64	-13.0	-46.16	320.30	Horizontal	Vertical	Pass
14640.340	-48.12	25.05	-13.0	-35.12	119.10	Horizontal	Vertical	Pass
16820.545	-46.86	25.56	-13.0	-33.86	162.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_12.05.59

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.94	-12.16	-25.0	-42.94	95.80	Horizontal	Vertical	Pass
172.797	-76.96	-15.76	-25.0	-51.96	154.10	Horizontal	Vertical	Pass
345.414	-61.18	-6.53	-25.0	-36.18	334.00	Horizontal	Vertical	Pass
614.279	-71.04	-1.32	-25.0	-46.04	85.20	Horizontal	Vertical	Pass
2526.618	-46.68	2.48	-25.0	-21.68	350.50	Horizontal	Vertical	Pass
2987.503	-54.01	2.11	-25.0	-29.01	295.90	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13:26:31

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7959.510	-65.83	8.76	-13.0	-52.83	278.50	Horizontal	Vertical	Pass
9342.414	-59.68	14.41	-13.0	-46.68	198.90	Horizontal	Vertical	Pass
10497.126	-57.43	16.51	-13.0	-44.43	325.40	Horizontal	Vertical	Pass
12638.840	-59.17	14.46	-13.0	-46.17	168.50	Horizontal	Vertical	Pass
14527.618	-46.93	24.24	-13.0	-33.93	42.30	Horizontal	Vertical	Pass
16908.523	-46.56	26.26	-13.0	-33.56	278.50	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13.24.50

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01

RSE Test case: CE FCC PART 22&24&27 FCC PART 27_2535 LTE B7



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
43.819	-76.41	-10.66	-25.0	-51.41	177.10	Horizontal	Vertical	Pass
95.944	-67.16	-12.16	-25.0	-42.16	105.20	Horizontal	Vertical	Pass
172.797	-75.12	-15.76	-25.0	-50.12	160.80	Horizontal	Vertical	Pass
345.414	-61.44	-6.53	-25.0	-36.44	342.00	Horizontal	Vertical	Pass
852.597	-66.82	6.87	-25.0	-41.82	349.20	Horizontal	Vertical	Pass
2560.610	-47.12	1.80	-25.0	-22.12	190.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13:28:00

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7846.788	-65.06	8.74	-13.0	-52.06	216.70	Horizontal	Vertical	Pass
9350.662	-59.96	14.61	-13.0	-46.96	303.70	Horizontal	Vertical	Pass
10970.007	-57.64	16.93	-13.0	-44.64	75.90	Horizontal	Vertical	Pass
13240.940	-56.92	15.83	-13.0	-43.92	49.90	Horizontal	Vertical	Pass
14645.839	-47.84	25.12	-13.0	-34.84	222.40	Horizontal	Vertical	Pass
16658.335	-46.55	25.13	-13.0	-33.55	6.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13:17:32

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.10	-12.16	-25.0	-45.10	313.60	Vertical	Vertical	Pass
239.710	-72.58	-2.14	-25.0	-47.58	65.50	Vertical	Vertical	Pass
345.414	-63.48	-6.53	-25.0	-38.48	280.00	Vertical	Vertical	Pass
847.991	-67.42	6.76	-25.0	-42.42	76.10	Vertical	Vertical	Pass
2488.628	-37.90	2.63	-25.0	-12.90	356.30	Vertical	Vertical	Pass
4988.503	-51.98	2.82	-25.0	-26.98	177.60	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_09.04.09

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7888.028	-65.26	9.54	-13.0	-52.26	268.80	Vertical	Vertical	Pass
9215.946	-61.10	13.66	-13.0	-48.10	327.10	Vertical	Vertical	Pass
10750.062	-57.78	16.68	-13.0	-44.78	189.80	Vertical	Vertical	Pass
12806.548	-57.70	14.85	-13.0	-44.70	244.60	Vertical	Vertical	Pass
14703.574	-47.80	25.24	-13.0	-34.80	146.50	Vertical	Vertical	Pass
16779.305	-46.59	25.01	-13.0	-33.59	76.90	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-18_12.02.23

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.20	-12.16	-25.0	-45.20	319.50	Vertical	Vertical	Pass
236.801	-74.01	-3.25	-25.0	-49.01	319.50	Vertical	Vertical	Pass
345.414	-63.54	-6.53	-25.0	-38.54	269.60	Vertical	Vertical	Pass
847.506	-67.34	6.69	-25.0	-42.34	326.40	Vertical	Vertical	Pass
2526.618	-47.97	2.48	-25.0	-22.97	356.00	Vertical	Vertical	Pass
2994.501	-52.85	2.15	-25.0	-27.85	318.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13:29:41

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-65.87	9.56	-13.0	-52.87	177.20	Vertical	Vertical	Pass
9361.660	-60.17	14.77	-13.0	-47.17	16.10	Vertical	Vertical	Pass
10524.619	-57.99	16.34	-13.0	-44.99	205.60	Vertical	Vertical	Pass
13188.703	-57.58	15.83	-13.0	-44.58	47.70	Vertical	Vertical	Pass
14791.552	-47.90	25.62	-13.0	-34.90	279.20	Vertical	Vertical	Pass
16878.280	-46.40	26.20	-13.0	-33.40	66.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-18_13.21.11

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.40	-12.16	-25.0	-44.40	313.20	Vertical	Vertical	Pass
240.922	-74.37	-2.25	-25.0	-49.37	343.60	Vertical	Vertical	Pass
345.414	-63.19	-6.53	-25.0	-38.19	263.60	Vertical	Vertical	Pass
850.172	-66.35	7.02	-25.0	-41.35	173.40	Vertical	Vertical	Pass
2561.110	-46.98	1.79	-25.0	-21.98	189.70	Vertical	Vertical	Pass
4990.502	-51.72	2.85	-25.0	-26.72	216.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-21_09.05.46

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8080.480	-65.56	9.82	-13.0	-52.56	14.00	Vertical	Vertical	Pass
9402.899	-59.23	15.25	-13.0	-46.23	236.40	Vertical	Vertical	Pass
11189.953	-57.00	15.94	-13.0	-44.00	44.40	Vertical	Vertical	Pass
13194.201	-56.71	15.95	-13.0	-43.71	59.20	Vertical	Vertical	Pass
14786.053	-47.67	25.55	-13.0	-34.67	93.30	Vertical	Vertical	Pass
16496.126	-47.04	24.86	-13.0	-34.04	242.10	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14.22.22

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.12	-13.10	-13.0	-56.12	246.50	Horizontal	Vertical	Pass
239.953	-67.55	-3.34	-13.0	-54.55	37.50	Horizontal	Vertical	Pass
345.414	-69.16	-7.82	-13.0	-56.16	332.20	Horizontal	Vertical	Pass
701.072	-6.61	-1.97	-13.0	6.39	100.20	Horizontal	Vertical	N.A
1400.400	-31.35	-5.83	-13.0	-18.35	15.40	Horizontal	Vertical	Pass
2110.722	-43.31	-5.32	-13.0	-30.31	17.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.35.27

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8105.224	-65.49	10.16	-13.0	-52.49	154.70	Horizontal	Vertical	Pass
9427.643	-59.86	14.75	-13.0	-46.86	126.00	Horizontal	Vertical	Pass
10752.812	-57.69	16.66	-13.0	-44.69	360.00	Horizontal	Vertical	Pass
13191.452	-57.29	15.89	-13.0	-44.29	0.00	Horizontal	Vertical	Pass
14497.376	-48.62	24.16	-13.0	-35.62	268.60	Horizontal	Vertical	Pass
16798.550	-46.29	25.10	-13.0	-33.29	4.50	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14.06.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.54	-13.10	-13.0	-56.54	235.40	Horizontal	Vertical	Pass
239.225	-66.19	-3.60	-13.0	-53.19	36.70	Horizontal	Vertical	Pass
345.414	-71.02	-7.82	-13.0	-58.02	48.40	Horizontal	Vertical	Pass
711.012	-4.97	-1.66	-13.0	8.03	358.30	Horizontal	Vertical	N.A
825.201	-28.40	2.41	-13.0	-15.40	278.40	Horizontal	Vertical	Pass
1419.395	-29.24	-6.72	-13.0	-16.24	31.20	Horizontal	Vertical	Pass
2132.717	-39.52	-5.00	-13.0	-26.52	51.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.23.52

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7923.769	-65.58	9.27	-13.0	-52.58	110.80	Horizontal	Vertical	Pass
9416.646	-60.09	14.97	-13.0	-47.09	137.00	Horizontal	Vertical	Pass
10846.288	-56.91	16.91	-13.0	-43.91	20.40	Horizontal	Vertical	Pass
11442.889	-57.87	15.96	-13.0	-44.87	212.60	Horizontal	Vertical	Pass
14659.585	-47.74	25.19	-13.0	-34.74	235.60	Horizontal	Vertical	Pass
16955.261	-45.14	26.43	-13.0	-32.14	170.90	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14.10.32

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.76	-13.10	-13.0	-57.76	236.00	Horizontal	Vertical	Pass
240.195	-66.36	-3.37	-13.0	-53.36	31.80	Horizontal	Vertical	Pass
714.891	-6.25	-1.60	-13.0	6.75	214.70	Horizontal	Vertical	N.A
825.686	-28.69	2.48	-13.0	-15.69	116.80	Horizontal	Vertical	Pass
1421.895	-29.88	-6.83	-13.0	-16.88	58.90	Horizontal	Vertical	Pass
2132.717	-40.26	-5.00	-13.0	-27.26	15.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.25.47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8182.204	-65.39	9.15	-13.0	-52.39	173.20	Horizontal	Vertical	Pass
9378.155	-59.56	15.00	-13.0	-46.56	167.00	Horizontal	Vertical	Pass
10516.371	-57.76	16.40	-13.0	-44.76	173.20	Horizontal	Vertical	Pass
11167.958	-57.54	15.76	-13.0	-44.54	58.30	Horizontal	Vertical	Pass
14791.552	-47.55	25.62	-13.0	-34.55	188.00	Horizontal	Vertical	Pass
16848.038	-46.49	26.16	-13.0	-33.49	351.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.18.35

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-70.49	-13.10	-13.0	-57.49	13.60	Vertical	Vertical	Pass
198.495	-71.88	-10.25	-13.0	-58.88	290.80	Vertical	Vertical	Pass
345.414	-69.97	-7.82	-13.0	-56.97	254.00	Vertical	Vertical	Pass
707.376	-6.98	-1.77	-13.0	6.02	347.30	Vertical	Vertical	N.A
1400.400	-31.09	-5.83	-13.0	-18.09	12.30	Vertical	Vertical	Pass
2115.221	-42.44	-5.23	-13.0	-29.44	10.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.29.56

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7929.268	-65.46	9.15	-13.0	-52.46	150.20	Vertical	Vertical	Pass
9353.412	-59.87	14.65	-13.0	-46.87	358.10	Vertical	Vertical	Pass
10876.531	-56.90	16.61	-13.0	-43.90	326.20	Vertical	Vertical	Pass
11583.104	-57.18	16.29	-13.0	-44.18	328.40	Vertical	Vertical	Pass
14819.045	-48.20	25.71	-13.0	-35.20	129.20	Vertical	Vertical	Pass
16504.374	-47.18	24.86	-13.0	-34.18	129.20	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14.01.11

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.821	-60.36	-19.91	-13.0	-47.36	358.00	Vertical	Vertical	Pass
95.944	-70.76	-13.10	-13.0	-57.76	39.80	Vertical	Vertical	Pass
237.771	-70.50	-4.14	-13.0	-57.50	352.70	Vertical	Vertical	Pass
345.414	-70.55	-7.82	-13.0	-57.55	240.00	Vertical	Vertical	Pass
711.012	-5.64	-1.66	-13.0	7.36	191.60	Vertical	Vertical	N.A
1419.395	-28.78	-6.72	-13.0	-15.78	19.70	Vertical	Vertical	Pass
2130.217	-38.77	-5.02	-13.0	-25.77	48.10	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.27.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7835.791	-66.02	8.60	-13.0	-53.02	61.30	Vertical	Vertical	Pass
8853.037	-63.48	11.52	-13.0	-50.48	90.20	Vertical	Vertical	Pass
9400.150	-59.19	15.31	-13.0	-46.19	253.50	Vertical	Vertical	Pass
10928.768	-57.24	16.68	-13.0	-44.24	0.00	Vertical	Vertical	Pass
14788.803	-47.38	25.58	-13.0	-34.38	47.40	Vertical	Vertical	Pass
16864.534	-45.83	26.20	-13.0	-32.83	152.90	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.14.49

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:


Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
75.336	-62.37	-19.90	-13.0	-49.37	360.00	Vertical	Vertical	Pass
95.944	-69.96	-13.10	-13.0	-56.96	27.30	Vertical	Vertical	Pass
239.225	-69.04	-3.60	-13.0	-56.04	256.70	Vertical	Vertical	Pass
711.982	-6.12	-1.65	-13.0	6.88	31.00	Vertical	Vertical	N.A
1421.895	-30.07	-6.83	-13.0	-17.07	46.00	Vertical	Vertical	Pass
2132.717	-39.87	-5.00	-13.0	-26.87	51.40	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.32.26

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.28	9.44	-13.0	-52.28	243.50	Vertical	Vertical	Pass
9405.649	-59.64	15.20	-13.0	-46.64	311.00	Vertical	Vertical	Pass
10510.872	-57.95	16.44	-13.0	-44.95	288.80	Vertical	Vertical	Pass
11613.347	-57.44	16.20	-13.0	-44.44	67.90	Vertical	Vertical	Pass
14577.106	-47.16	24.42	-13.0	-34.16	64.20	Vertical	Vertical	Pass
16861.785	-45.03	26.20	-13.0	-32.03	73.60	Vertical	Vertical	Pass