

EXHIBIT E- RADIATED SPURIOUS EMISSION DATA

Note : Transmit frequency is ignore ,mark →

LTE-B41-20-LCH-H-TX

Test result

Project Number: Certification

Test Time: 2020-11-27_16.37.32

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.90	-12.16	-25.0	-43.90	122.10	Horizontal	Vertical	Pass
249.893	-70.48	-4.43	-25.0	-45.48	52.70	Horizontal	Vertical	Pass
345.414	-70.17	-6.53	-25.0	-45.17	298.80	Horizontal	Vertical	Pass
850.172	-64.80	7.02	-25.0	-39.80	199.90	Horizontal	Vertical	Pass
2488.128	-29.09	2.43	-25.0	-4.09	38.40	Horizontal	Vertical	Pass
4996.501	-50.16	2.94	-25.0	-25.16	37.30	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-28_15:40:45

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
8099.725	-65.44	10.22	-25.0	-40.44	156.10	Horizontal	Vertical	Pass
9331.417	-59.77	14.13	-25.0	-34.77	103.70	Horizontal	Vertical	Pass
10499.875	-57.56	16.52	-25.0	-32.56	235.70	Horizontal	Vertical	Pass
14522.119	-47.76	24.24	-25.0	-22.76	335.80	Horizontal	Vertical	Pass
14799.800	-47.41	25.72	-25.0	-22.41	165.50	Horizontal	Vertical	Pass
17887.278	-33.21	39.12	-25.0	-8.21	159.80	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-27_16.27.54

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A

Work Addition: normal


Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RE01-E20100021-01#01

RSE Test case: CE_FCC_FCC_PART23&24&27_FCC_LTE_B41



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-67.30	-12.16	-25.0	-42.30	183.00	Horizontal	Vertical	Pass
199.708	-63.96	-7.95	-25.0	-38.96	214.90	Horizontal	Vertical	Pass
345.414	-69.76	-6.53	-25.0	-44.76	42.20	Horizontal	Vertical	Pass
849.930	-64.86	7.02	-25.0	-39.86	285.20	Horizontal	Vertical	Pass
1404.899	-57.55	-4.03	-25.0	-32.55	9.70	Horizontal	Vertical	Pass
2587.103	-48.63	1.26	-25.0	-23.63	273.10	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-28_15.43.44

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
8113.472	-64.77	10.04	-25.0	-39.77	170.70	Horizontal	Vertical	Pass
9400.150	-59.86	15.31	-25.0	-34.86	75.30	Horizontal	Vertical	Pass
10488.878	-56.89	16.47	-25.0	-31.89	187.50	Horizontal	Vertical	Pass
13141.965	-57.11	14.95	-25.0	-32.11	357.70	Horizontal	Vertical	Pass
14670.582	-47.67	25.20	-25.0	-22.67	357.70	Horizontal	Vertical	Pass
16716.071	-45.97	25.50	-25.0	-20.97	352.60	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-27_16:49:09

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-69.34	-12.16	-25.0	-44.34	88.90	Horizontal	Vertical	Pass
252.802	-67.61	-5.00	-25.0	-42.61	187.50	Horizontal	Vertical	Pass
345.414	-70.00	-6.53	-25.0	-45.00	90.60	Horizontal	Vertical	Pass
845.809	-64.79	6.46	-25.0	-39.79	136.60	Horizontal	Vertical	Pass
2696.576	-33.00	-0.73	-25.0	-8.00	46.40	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-28_15.42.17

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8083.229	-65.32	9.88	-25.0	-40.32	113.10	Horizontal	Vertical	Pass
9391.902	-58.89	15.20	-25.0	-33.89	105.70	Horizontal	Vertical	Pass
10483.379	-57.47	16.45	-25.0	-32.47	190.00	Horizontal	Vertical	Pass
13224.444	-56.93	15.93	-25.0	-31.93	334.10	Horizontal	Vertical	Pass
14717.321	-47.62	25.20	-25.0	-22.62	359.80	Horizontal	Vertical	Pass
16493.377	-47.23	24.75	-25.0	-22.23	38.50	Horizontal	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-27_16.40.52

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-72.74	-12.16	-25.0	-47.74	303.40	Vertical	Vertical	Pass
199.950	-72.74	-7.73	-25.0	-47.74	313.70	Vertical	Vertical	Pass
345.414	-69.14	-6.53	-25.0	-44.14	294.50	Vertical	Vertical	Pass
383.962	-73.10	-8.27	-25.0	-48.10	249.00	Vertical	Vertical	Pass
665.434	-68.07	1.66	-25.0	-43.07	1.00	Vertical	Vertical	Pass
2489.128	-28.12	2.82	-25.0	-3.12	123.70	Vertical	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-11-28_15:47:35

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01

RSE Test case: CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G 87.841



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7775.306	-65.20	8.16	-25.0	-40.20	332.30	Vertical	Vertical	Pass
9369.908	-59.00	14.89	-25.0	-34.00	253.70	Vertical	Vertical	Pass
10821.545	-56.89	16.56	-25.0	-31.89	274.40	Vertical	Vertical	Pass
14632.092	-48.01	24.96	-25.0	-23.01	345.60	Vertical	Vertical	Pass
16496.126	-47.00	24.86	-25.0	-22.00	349.50	Vertical	Vertical	Pass
17884.529	-32.90	38.98	-25.0	-7.90	10.30	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-27_16.20.38

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
77.518	-59.85	-19.05	-25.0	-34.85	219.40	Vertical	Vertical	Pass
95.944	-66.44	-12.16	-25.0	-41.44	18.70	Vertical	Vertical	Pass
238.255	-71.86	-2.69	-25.0	-46.86	295.00	Vertical	Vertical	Pass
422.267	-71.71	-5.72	-25.0	-46.71	243.80	Vertical	Vertical	Pass
861.325	-65.34	6.27	-25.0	-40.34	251.00	Vertical	Vertical	Pass
2586.603	-48.25	1.27	-25.0	-23.25	263.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-28_15.49.18

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7877.031	-65.37	9.32	-25.0	-40.37	150.70	Vertical	Vertical	Pass
9375.406	-59.57	14.96	-25.0	-34.57	207.00	Vertical	Vertical	Pass
11019.495	-57.18	16.62	-25.0	-32.18	287.90	Vertical	Vertical	Pass
14497.376	-48.34	24.16	-25.0	-23.34	197.60	Vertical	Vertical	Pass
14769.558	-48.00	25.34	-25.0	-23.00	328.90	Vertical	Vertical	Pass
17881.780	-33.53	38.84	-25.0	-8.53	256.00	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-27_16.45.37

EUT Name: N.A

Test Engineer: XCJ

Manufacturer: N.A

Test Standard: FCC

Model: N.A


Work Addition: normal

Temp.(oC): 20.1

Load: full load

Hum.: 54

Remark: DR-RSE01-E20100021-01#01



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
95.944	-72.59	-12.16	-25.0	-47.59	8.10	Vertical	Vertical	Pass
345.414	-68.93	-6.53	-25.0	-43.93	308.20	Vertical	Vertical	Pass
383.962	-73.41	-8.27	-25.0	-48.41	246.80	Vertical	Vertical	Pass
845.809	-65.07	6.46	-25.0	-40.07	44.90	Vertical	Vertical	Pass
2694.576	-30.52	-0.69	-25.0	-5.52	43.80	Vertical	Vertical	Pass
5114.471	-50.37	2.64	-25.0	-25.37	227.00	Vertical	Vertical	Pass


Test result

Project Number: Certification

Test Time: 2020-11-28_15.45.59

EUT Name:	N.A	Test Engineer:	XCJ
Manufacturer:	N.A	Test Standard:	FCC
Model:	N.A	Work Addition:	normal
Temp.(oC):	20.1	Load:	full load
Hum.:	54	Remark:	DR-RSE01-E20100021-01#01

RSE Test case: CE FCC PART22&24&27 FCC GSM&CDMA<E&WCDMA 7-19G 87.541



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Lim it (dBm)	Over Lim it (dB)	Table (o)	ANT	EUT	Verdict
7893.527	-65.49	9.65	-25.0	-40.49	7.20	Vertical	Vertical	Pass
9397.401	-58.41	15.27	-25.0	-33.41	190.00	Vertical	Vertical	Pass
10983.754	-57.11	16.91	-25.0	-32.11	24.00	Vertical	Vertical	Pass
14799.800	-47.08	25.72	-25.0	-22.08	191.80	Vertical	Vertical	Pass
16878.280	-46.35	26.20	-25.0	-21.35	360.00	Vertical	Vertical	Pass
17881.780	-33.38	38.84	-25.0	-8.38	227.30	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_15.08.09

EUT Name: N.A

Manufacturer: N.A

Model: N.A

Temp.(oC): 20.1

Hum.: 54

Test Engineer: XCJ

Test Standard: FCC

Work Addition: normal

Load: full load

Remark: DR-RSE01-E20100021-01#01

Name:

Project Template:

Manufacture:

Model Name:

Templ.(oC):

Hum:

Work Additon:

RSE Test case: CE_FCC_PCC_PART22824827_FCC_PART_27_1705_WCDMA_B4BLTE_B4B896



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
35.819	-68.07	-10.75	-13.0	-55.07	69.40	Horizontal	Vertical	Pass
95.944	-67.38	-11.85	-13.0	-54.38	229.60	Horizontal	Vertical	Pass
172.554	-76.63	-16.18	-13.0	-63.63	81.80	Horizontal	Vertical	Pass
345.414	-68.06	-7.33	-13.0	-55.06	321.50	Horizontal	Vertical	Pass
1792.651	-41.04	-8.55	-13.0	-28.04	307.40	Horizontal	Vertical	Pass
2173.853	-37.66	-4.80	-13.0	-24.66	279.00	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.42.00

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8116.221	-65.69	10.00	-13.0	-52.69	70.70	Horizontal	Vertical	Pass
9389.153	-59.85	15.16	-13.0	-46.85	255.30	Horizontal	Vertical	Pass
10532.867	-58.01	16.27	-13.0	-45.01	337.30	Horizontal	Vertical	Pass
12102.724	-59.18	14.92	-13.0	-46.18	169.10	Horizontal	Vertical	Pass
14824.544	-46.84	25.71	-13.0	-33.84	83.10	Horizontal	Vertical	Pass
16850.787	-45.79	26.20	-13.0	-32.79	349.70	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.57.17

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case: CE_FCC_FCC PART228&24&27_FCC PART 27_1700_MHCONA 84&8666



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.46	-11.85	-13.0	-53.46	258.40	Horizontal	Vertical	Pass
239.468	-66.25	-1.78	-13.0	-53.25	40.20	Horizontal	Vertical	Pass
456.936	-70.50	-1.35	-13.0	-57.50	230.20	Horizontal	Vertical	Pass
1702.662	-37.06	-9.81	-13.0	-24.06	194.80	Horizontal	Vertical	Pass
2118.610	-37.64	-5.40	-13.0	-24.64	228.20	Horizontal	Vertical	Pass
5374.203	-40.04	2.00	-13.0	-27.04	0.30	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.45.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
8129.968	-65.20	9.81	-13.0	-52.20	32.60	Horizontal	Vertical	Pass
9383.654	-59.74	15.08	-13.0	-46.74	18.00	Horizontal	Vertical	Pass
10785.804	-57.94	16.38	-13.0	-44.94	308.10	Horizontal	Vertical	Pass
12649.838	-59.60	14.59	-13.0	-46.60	92.70	Horizontal	Vertical	Pass
14687.078	-47.96	25.23	-13.0	-34.96	94.60	Horizontal	Vertical	Pass
16512.622	-47.36	24.59	-13.0	-34.36	234.20	Horizontal	Vertical	Pass

LTE-B66-20-HCH-H-TX

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14:53:50

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case CE FCC FCC PART22804&27 FCC PART 27_1700_WCDMA BASELINE BARBBS



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.63	-11.85	-13.0	-53.63	247.60	Horizontal	Vertical	Pass
241.165	-65.30	-2.10	-13.0	-52.30	23.00	Horizontal	Vertical	Pass
345.414	-69.44	-7.33	-13.0	-56.44	51.40	Horizontal	Vertical	Pass
1701.912	-54.80	-9.82	-13.0	-41.80	195.00	Horizontal	Vertical	Pass
1793.401	-55.71	-8.54	-13.0	-42.71	40.10	Horizontal	Vertical	Pass
2138.608	-37.59	-5.03	-13.0	-24.59	289.80	Horizontal	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14:36:59

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Addition:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7910.022	-65.98	9.56	-13.0	-52.98	242.10	Horizontal	Vertical	Pass
9353.412	-60.28	14.65	-13.0	-47.28	228.20	Horizontal	Vertical	Pass
10862.784	-57.68	16.79	-13.0	-44.68	335.70	Horizontal	Vertical	Pass
12176.956	-59.50	14.24	-13.0	-46.50	84.30	Horizontal	Vertical	Pass
14819.045	-47.38	25.71	-13.0	-34.38	8.10	Horizontal	Vertical	Pass
16839.790	-46.04	25.98	-13.0	-33.04	351.80	Horizontal	Vertical	Pass

LTE-B66-20-LCH-V-TX

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_15:00:47

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Additon:

RSE Test case CE FCC FCC PART22824827 FCC PART 27 1710 WCDMA 848LTE 848B86



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.93	-11.85	-13.0	-53.93	1.30	Vertical	Vertical	Pass
239.468	-69.36	-1.78	-13.0	-56.36	319.80	Vertical	Vertical	Pass
345.414	-68.93	-7.33	-13.0	-55.93	244.10	Vertical	Vertical	Pass
852.354	-66.01	5.16	-13.0	-53.01	86.70	Vertical	Vertical	Pass
1702.662	-37.13	-9.81	-13.0	-24.13	326.90	Vertical	Vertical	Pass
2125.859	-37.65	-5.24	-13.0	-24.65	258.50	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14.40.19

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7967.758	-65.69	8.81	-13.0	-52.69	86.00	Vertical	Vertical	Pass
9416.646	-59.23	14.97	-13.0	-46.23	298.40	Vertical	Vertical	Pass
10453.137	-56.27	16.33	-13.0	-43.27	109.00	Vertical	Vertical	Pass
12160.460	-59.64	14.51	-13.0	-46.64	149.80	Vertical	Vertical	Pass
14747.563	-48.17	25.11	-13.0	-35.17	258.70	Vertical	Vertical	Pass
16496.126	-47.00	24.86	-13.0	-34.00	256.40	Vertical	Vertical	Pass

Document number : SHE20100021-02AE

Test result

Project Number: Certification

Test Time: 2020-11-24_14:50:22

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-68.07	-11.85	-13.0	-55.07	4.20	Vertical	Vertical	Pass
239.710	-69.29	-1.63	-13.0	-56.29	298.30	Vertical	Vertical	Pass
345.414	-69.19	-7.33	-13.0	-56.19	252.60	Vertical	Vertical	Pass
645.069	-70.31	1.20	-13.0	-57.31	33.60	Vertical	Vertical	Pass
1702.162	-51.79	-9.82	-13.0	-38.79	329.80	Vertical	Vertical	Pass
1793.151	-55.90	-8.55	-13.0	-42.90	12.70	Vertical	Vertical	Pass
2149.106	-35.95	-4.91	-13.0	-22.95	249.70	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14.47.01

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:


Test Standard: FCC

Templ.(oC):

Work Addition: normal

Hum:

Work Additon:



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7915.521	-65.28	9.44	-13.0	-52.28	153.20	Vertical	Vertical	Pass
9375.406	-58.95	14.96	-13.0	-45.95	304.90	Vertical	Vertical	Pass
10475.131	-58.04	16.42	-13.0	-45.04	159.10	Vertical	Vertical	Pass
11231.192	-57.83	15.72	-13.0	-44.83	41.50	Vertical	Vertical	Pass
14805.299	-48.13	25.72	-13.0	-35.13	306.90	Vertical	Vertical	Pass
16493.377	-47.26	24.75	-13.0	-34.26	269.30	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_15.04.31

EUT Name: N.A

Load: full load

Manufacturer: N.A

Remark: DR-RSE01-E20100021-01#01

Model: N.A

Name:

Temp.(oC): 20.1

Project Template:

Hum.: 54

Manufacture:

Test Engineer: XCJ

Model Name:

Test Standard: FCC


Templ.(oC):

Work Addition: normal

Hum:

Work Addition:

RSE Test case: CE_FCC_PABT22804827_FCC PART 27_1700_WCDMA B46LTE B46B66



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
95.944	-66.68	-11.85	-13.0	-53.68	0.00	Vertical	Vertical	Pass
238.740	-69.04	-2.25	-13.0	-56.04	311.80	Vertical	Vertical	Pass
345.414	-69.14	-7.33	-13.0	-56.14	265.80	Vertical	Vertical	Pass
1701.662	-58.18	-9.83	-13.0	-45.18	330.00	Vertical	Vertical	Pass
1793.651	-42.36	-8.54	-13.0	-29.36	209.90	Vertical	Vertical	Pass
2165.604	-37.50	-4.91	-13.0	-24.50	249.50	Vertical	Vertical	Pass

Test result

Project Number: Certification

Test Time: 2020-11-24_14:38:52

EUT Name:	N.A	Load:	full load
Manufacturer:	N.A	Remark:	DR-RSE01-E20100021-01#01
Model:	N.A	Name:	
Temp.(oC):	20.1	Project Template:	
Hum.:	54	Manufacture:	
Test Engineer:	XCJ	Model Name:	
Test Standard:	FCC	Templ.(oC):	
Work Addition:	normal	Hum:	
		Work Addition:	



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
7899.025	-64.69	9.76	-13.0	-51.69	260.90	Vertical	Vertical	Pass
9386.403	-59.92	15.12	-13.0	-46.92	207.40	Vertical	Vertical	Pass
10469.633	-58.08	16.40	-13.0	-45.08	211.40	Vertical	Vertical	Pass
11481.380	-58.08	16.30	-13.0	-45.08	233.60	Vertical	Vertical	Pass
14500.125	-48.07	24.24	-13.0	-35.07	137.30	Vertical	Vertical	Pass
16850.787	-45.95	26.20	-13.0	-32.95	285.60	Vertical	Vertical	Pass