



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: AELOS LITE

Test Model: ALS-EL-C1.C

Environmental Conditions

Temperature:	23.5°C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng





A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.955	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.941	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.965	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.291	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.283	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.317	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.291	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.295	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.295	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.91	0	-0.91	21	Pass
NVNT	1-DH5	2441	Ant1	-0.51	0	-0.51	21	Pass
NVNT	1-DH5	2480	Ant1	-1.66	0	-1.66	21	Pass
NVNT	2-DH5	2402	Ant1	1.07	0	1.07	21	Pass
NVNT	2-DH5	2441	Ant1	1.18	0	1.18	21	Pass
NVNT	2-DH5	2480	Ant1	0.04	0	0.04	21	Pass
NVNT	3-DH5	2402	Ant1	1.43	0	1.43	21	Pass
NVNT	3-DH5	2441	Ant1	1.62	0	1.62	21	Pass
NVNT	3-DH5	2480	Ant1	0.41	0	0.41	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.978	2402.85	0.872	0.643	Pass
NVNT	2-DH5	Ant1	2402.03	2403.016	0.986	0.878	Pass
NVNT	3-DH5	Ant1	2402.03	2403.15	1.12	0.863	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	314.172	108	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	307.188	106	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	281.009	97	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-56.02	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.41	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-50.68	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-54.67	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.9	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.78	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission



**(Hopping)**

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.98	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-52.89	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-52.11	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.89	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.51	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.22	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.65	-20	Pass
NVNT	1-DH5	2441	Ant1	-53.69	-20	Pass
NVNT	1-DH5	2480	Ant1	-52.78	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.99	-20	Pass
NVNT	2-DH5	2441	Ant1	-54.34	-20	Pass
NVNT	2-DH5	2480	Ant1	-50.91	-20	Pass
NVNT	3-DH5	2402	Ant1	-51.68	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.23	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.37	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.85	2	-	46.41	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.88	2	1.1	39.48	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2330.832	-47.58	2	-	49.68	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2377.008	-57.74	2	1.1	40.62	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.17	2	-	47.09	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.85	2	1.1	39.51	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-51.16	2	-	46.1	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.16	2	1.1	40.2	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2487.064	-47.23	2	-	50.03	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2487.04	-57.33	2	1.1	41.03	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.88	2	-	47.38	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.24	2	1.1	40.12	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.66	2	-	47.6	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.12	2	1.12	40.26	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2369.232	-47.34	2	-	49.92	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2375.184	-57.92	2	1.12	40.46	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.03	2	-	47.23	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.28	2	1.12	40.1	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.21	2	-	48.05	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.18	2	1.12	41.2	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2486.824	-45.51	2	-	51.75	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.536	-57.16	2	1.12	41.22	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-50.42	2	-	46.84	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-58.06	2	1.12	40.32	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.75	2	-	46.51	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-59.02	2	1.12	39.36	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2350.992	-47.16	2	-	50.1	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2389.968	-57.79	2	1.12	40.59	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-49.88	2	-	47.38	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.79	2	1.12	40.59	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-47.51	2	-	49.75	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.48	2	1.12	40.9	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2489.8	-46.74	2	-	50.52	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.52	-57.37	2	1.12	41.01	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.77	2	-	47.49	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.16	2	1.12	40.22	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

