
Smart tv box

Instructions

2 Connections









TurboTV DeviceX1



RemoteX1



Power AdapteX1



HDMI Cable X1

3 Installations

01 Connect to TV

Connect TurboTV to your television with HDMI/AV Cable.

02 Plug into power

Plug TurboTV into power,then the status light will glow.

Blue stands for operating mode while red for standby mode.

If you plan to use Ethemet, connect TurboTV to your router with an Ethemet cable.

03 Set TV signal sources

Select"HDMI" for HDMI connection and "AV" for AV connection.

4 Network Settings

Ethernet Connection: Connect TurboTV to your router with an Ethernet Cable.

Wi-Fi Connection:Search for the available Wi-Fi hotspot in Network Settings and enter the password(if needed) to connect Wi-Fi.

5 Maintenance

Note

- In order to prolong the service life of TurboTV, please read the following items carefully.
 Using connectors and ports.
- Never force a connector into a port. If the connector and port don't join with ease, please check for obstructions on the port and make sure that the connector matches the port.
- Use TurboTV where the ambient temperature is between 0° and 40° C (32° to 104° F)
 Keeping the outside of TurboTV clean.
- To clean TurboTV, please unplug the power cord and all cables, then wipe with a soft, moist, lint-free cloth.Avoid getting moisture in openings.Don't use window cleaners, household cleaners, aerosol sprays, solvents, alcohol, ammonia, or abrasives to clean TurboTV.

Warnings

- Please do not use TurboTV in the open air in case of product damage.
- Please do not use TurboTV in a damp environment in case of product damage.
- Please do not pull out the external storage device (like USB disk) when playing its contents in case of system corruption.
- Please do not press too frequent on the keys of TurboTV remote in case of any slow-down in response.
- Please do not open TurboTV's casing when the power is on. For maintenance, please contact our customer service.
- Please do not wipe your TurboTV in a charged state in case of electrical shock or product damage.

6 Safety Instructions

- The maximum load current of USB is 0.5A.
- The device can work normally in tropical climate condition.
- The apparatus shall not be exposed to dripping or splashing. No object filled with liquids, such as vases shall be placed on the apparatus.

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.