


A.5. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.08	-13	Pass	401
0.15	30	0.01	Peak	0.25	-54.08	-13	Pass	2985
30	500	0.1	Peak	402.779	-41.81	-13	Pass	4700
500	1000	0.1	Peak	824.265	32.03	-13	N/A	5000
1000	10000	1	Peak	7737.822	-21.2	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-53.67	-13	Pass	401
0.15	30	0.01	Peak	19.647	-52.33	-13	Pass	2985
30	500	0.1	Peak	307.559	-41.58	-13	Pass	4700
500	1000	0.1	Peak	836.567	32.05	-13	N/A	5000
1000	10000	1	Peak	7788.829	-21.22	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.19	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.84	-13	Pass	2985
30	500	0.1	Peak	489.198	-41.84	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.22	-13	N/A	5000
1000	10000	1	Peak	6983.73	-19.55	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.17	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.05	-13	Pass	2985
30	1000	0.1	Peak	465.153	-40.43	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.56	-13	N/A	2000
3000	20000	1	Peak	19804.683	-17.38	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-54.71	-13	Pass	401
0.15	30	0.01	Peak	3.741	-53.43	-13	Pass	2985
30	1000	0.1	Peak	737.886	-41.13	-13	Pass	9699
1000	3000	1	Peak	1880.44	29.19	-13	N/A	2000
3000	20000	1	Peak	19793.665	-16.57	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.6	-13	Pass	401
0.15	30	0.01	Peak	0.25	-52.66	-13	Pass	2985
30	1000	0.1	Peak	845.7	-40.62	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.24	-13	N/A	2000
3000	20000	1	Peak	19794.667	-17.2	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.2	-13	Pass	2985
30	500	0.1	Peak	387.076	-42.06	-13	Pass	4700
500	1000	0.1	Peak	824.165	28.57	-13	N/A	5000
1000	10000	1	Peak	7993.854	-20.36	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.77	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.76	-13	Pass	2985
30	500	0.1	Peak	450.089	-41.51	-13	Pass	4700
500	1000	0.1	Peak	836.567	28.52	-13	N/A	5000
1000	10000	1	Peak	8021.857	-21.22	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.59	-13	Pass	401
0.15	30	0.01	Peak	0.21	-52.64	-13	Pass	2985
30	500	0.1	Peak	417.582	-41.77	-13	Pass	4700
500	1000	0.1	Peak	848.87	28.16	-13	N/A	5000
1000	10000	1	Peak	8859.959	-20.72	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.77	-13	Pass	401
0.15	30	0.01	Peak	1.48	-53.1	-13	Pass	2985
30	1000	0.1	Peak	874.233	-41.32	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.87	-13	N/A	2000
3000	20000	1	Peak	19782.647	-16.76	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-53.5	-13	Pass	401
0.15	30	0.01	Peak	0.22	-52.01	-13	Pass	2985
30	1000	0.1	Peak	826.797	-41.38	-13	Pass	9699
1000	3000	1	Peak	1880.44	27.89	-13	N/A	2000
3000	20000	1	Peak	19813.698	-16.79	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-53.98	-13	Pass	401
0.15	30	0.01	Peak	0.22	-53.26	-13	Pass	2985
30	1000	0.1	Peak	903.071	-41.17	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.64	-13	N/A	2000
3000	20000	1	Peak	19828.722	-17.35	-13	Pass	17000



5. CDMA


5.1. CDMA BC0_L Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.04	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.62	-13	Pass	2985
30	500	0.1	Peak	487.397	-43.9	-13	Pass	4700
500	1000	0.1	Peak	824.765	22.25	-13	N/A	5000
1000	10000	1	Peak	6712.697	-22.94	-13	Pass	9000




5.1 CDMA BC0_M Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.97	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.86	-13	Pass	2985
30	500	0.1	Peak	469.494	-43.43	-13	Pass	4700
500	1000	0.1	Peak	836.467	23.27	-13	N/A	5000
1000	10000	1	Peak	6994.732	-23.18	-13	Pass	9000



5.3 CDMA BC0_H Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.3	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.21	-13	Pass	2985
30	500	0.1	Peak	431.285	-44.23	-13	Pass	4700
500	1000	0.1	Peak	848.67	22.95	-13	N/A	5000
1000	10000	1	Peak	6946.726	-23.16	-13	Pass	9000



6. EVDO BC0_L


6.1. EVDO BC0_L Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.72	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.7	-13	Pass	2985
30	500	0.1	Peak	406.78	-43.9	-13	Pass	4700
500	1000	0.1	Peak	824.965	23.83	-13	N/A	5000
1000	10000	1	Peak	7443.787	-23.09	-13	Pass	9000




6.2 EVDO BC0_M Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.32	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.92	-13	Pass	2985
30	500	0.1	Peak	430.785	-43.56	-13	Pass	4700
500	1000	0.1	Peak	836.267	23.81	-13	N/A	5000
1000	10000	1	Peak	7170.753	-22.56	-13	Pass	9000



6.3 EVDO BC0_H Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57	-13	Pass	401
0.15	30	0.01	Peak	0.25	-54.1	-13	Pass	2985
30	500	0.1	Peak	478.495	-44.01	-13	Pass	4700
500	1000	0.1	Peak	847.97	23.71	-13	N/A	5000
1000	10000	1	Peak	3394.292	-21.12	-13	Pass	9000



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.68	-13	Pass	401
0.15	30	0.01	Peak	12.514	-63.22	-13	Pass	2985
30	1000	0.1	Peak	853.906	-51.66	-13	Pass	9699
1000	3000	1	Peak	1853.427	22.19	-13	N/A	2000
3000	20000	1	Peak	19815.701	-23.65	-13	Pass	17000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.19	-61.86	-13	Pass	2985
30	1000	0.1	Peak	350.139	-51.57	-13	Pass	9699
1000	3000	1	Peak	1878.439	21.94	-13	N/A	2000
3000	20000	1	Peak	19626.393	-23.64	-13	Pass	17000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.82	-13	Pass	401
0.15	30	0.01	Peak	24.678	-63.44	-13	Pass	2985
30	1000	0.1	Peak	712.683	-51.85	-13	Pass	9699
1000	3000	1	Peak	1906.453	21.95	-13	N/A	2000
3000	20000	1	Peak	19819.707	-23.76	-13	Pass	17000



8. WCDMA_Band5


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.49	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.54	-13	Pass	2985
30	500	0.1	Peak	454.99	-52.23	-13	Pass	4700
500	1000	0.1	Peak	826.965	18.06	-13	N/A	5000
1000	10000	1	Peak	6723.699	-31.17	-13	Pass	9000




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.78	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.68	-13	Pass	2985
30	500	0.1	Peak	462.192	-52.27	-13	Pass	4700
500	1000	0.1	Peak	836.967	18.58	-13	N/A	5000
1000	10000	1	Peak	8746.946	-31.18	-13	Pass	9000



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.8	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.31	-13	Pass	2985
30	500	0.1	Peak	358.07	-52.09	-13	Pass	4700
500	1000	0.1	Peak	845.769	18.49	-13	N/A	5000
1000	10000	1	Peak	7684.816	-31.14	-13	Pass	9000



9. LTE_Band2


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.93	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.7	-13	Pass	2985
30	1000	0.1	Peak	855.108	-53.1	-13	Pass	9699
1000	1840	1	Peak	1832.992	-38.94	-13	Pass	840
1840	1920	1	Peak	1850.2	26.82	60	Pass	401
1920	3000	1	Peak	2950.955	-38.61	-13	Pass	1080
3000	12000	1	Peak	11781.73	-32.94	-13	Pass	9000
12000	20000	1	Peak	15502.438	-25.24	-13	Pass	8000




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-70.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.19	-13	Pass	2985
30	1000	0.1	Peak	945.027	-53.94	-13	Pass	9699
1000	1840	1	Peak	1840	-42.4	-13	Pass	840
1840	1920	1	Peak	1850.2	26.55	60	Pass	401
1920	3000	1	Peak	2951.956	-38.84	-13	Pass	1080
3000	12000	1	Peak	11982.979	-33	-13	Pass	9000
12000	20000	1	Peak	19441.93	-24.57	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.78	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.38	-13	Pass	2985
30	1000	0.1	Peak	512.759	-54.33	-13	Pass	9699
1000	1840	1	Peak	1712.849	-42.15	-13	Pass	840
1840	1920	1	Peak	1879.6	26.04	60	Pass	401
1920	3000	1	Peak	2839.852	-38.8	-13	Pass	1080
3000	12000	1	Peak	11795.747	-32.65	-13	Pass	9000
12000	20000	1	Peak	15509.439	-25.18	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.71	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.68	-13	Pass	2985
30	1000	0.1	Peak	596.969	-54.03	-13	Pass	9699
1000	1840	1	Peak	1825.983	-41.75	-13	Pass	840
1840	1920	1	Peak	1879.4	26.15	60	Pass	401
1920	3000	1	Peak	2967.97	-38.58	-13	Pass	1080
3000	12000	1	Peak	11596.501	-33.17	-13	Pass	9000
12000	20000	1	Peak	19433.929	-25.51	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.44	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.36	-13	Pass	2985
30	1000	0.1	Peak	993.592	-53.61	-13	Pass	9699
1000	1840	1	Peak	1801.955	-42.2	-13	Pass	840
1840	1920	1	Peak	1908.8	26.16	60	Pass	401
1920	3000	1	Peak	2957.961	-38.28	-13	Pass	1080
3000	12000	1	Peak	11986.984	-32.95	-13	Pass	9000
12000	20000	1	Peak	19851.981	-25.93	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-69.42	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.57	-13	Pass	2985
30	1000	0.1	Peak	920.795	-54.31	-13	Pass	9699
1000	1840	1	Peak	1744.887	-41.93	-13	Pass	840
1840	1920	1	Peak	1908.8	25.89	60	Pass	401
1920	3000	1	Peak	2968.971	-38.54	-13	Pass	1080
3000	12000	1	Peak	11909.888	-33.34	-13	Pass	9000
12000	20000	1	Peak	15153.394	-25.73	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.66	-13	Pass	2985
30	1000	0.1	Peak	499.257	-54.33	-13	Pass	9699
1000	1840	1	Peak	1801.955	-41.55	-13	Pass	840
1840	1920	1	Peak	1850.2	26.68	60	Pass	401
1920	3000	1	Peak	2793.809	-38.46	-13	Pass	1080
3000	12000	1	Peak	11979.975	-32.8	-13	Pass	9000
12000	20000	1	Peak	16009.501	-25.19	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.66	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.29	-13	Pass	2985
30	1000	0.1	Peak	864.12	-53.86	-13	Pass	9699
1000	1840	1	Peak	1652.777	-42.26	-13	Pass	840
1840	1920	1	Peak	1850.2	26.56	60	Pass	401
1920	3000	1	Peak	2911.918	-39.04	-13	Pass	1080
3000	12000	1	Peak	11802.756	-33.05	-13	Pass	9000
12000	20000	1	Peak	15483.435	-25.42	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.18	-13	Pass	401
0.15	30	0.01	Peak	0.35	-66.13	-13	Pass	2985
30	1000	0.1	Peak	870.028	-54.2	-13	Pass	9699
1000	1840	1	Peak	1666.794	-42.04	-13	Pass	840
1840	1920	1	Peak	1878.8	26.24	60	Pass	401
1920	3000	1	Peak	2872.882	-38.72	-13	Pass	1080
3000	12000	1	Peak	11657.576	-32.53	-13	Pass	9000
12000	20000	1	Peak	19427.928	-24.84	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-69.4	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.92	-13	Pass	2985
30	1000	0.1	Peak	505.958	-53.91	-13	Pass	9699
1000	1840	1	Peak	1840	-42.24	-13	Pass	840
1840	1920	1	Peak	1878.8	26.39	60	Pass	401
1920	3000	1	Peak	2971.974	-39.19	-13	Pass	1080
3000	12000	1	Peak	11780.729	-31.93	-13	Pass	9000
12000	20000	1	Peak	16000.5	-25.01	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.86	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.21	-13	Pass	2985
30	1000	0.1	Peak	973.064	-54.06	-13	Pass	9699
1000	1840	1	Peak	1826.985	-41.26	-13	Pass	840
1840	1920	1	Peak	1907.2	26.11	60	Pass	401
1920	3000	1	Peak	2921.928	-38.9	-13	Pass	1080
3000	12000	1	Peak	11807.762	-33.16	-13	Pass	9000
12000	20000	1	Peak	16019.502	-25.26	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.72	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.97	-13	Pass	2985
30	1000	0.1	Peak	504.558	-54.4	-13	Pass	9699
1000	1840	1	Peak	1795.948	-41.78	-13	Pass	840
1840	1920	1	Peak	1907.2	26.35	60	Pass	401
1920	3000	1	Peak	2944.949	-37.76	-13	Pass	1080
3000	12000	1	Peak	11788.739	-32.83	-13	Pass	9000
12000	20000	1	Peak	15996.5	-25	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-69.67	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.93	-13	Pass	2985
30	1000	0.1	Peak	859.514	-54.49	-13	Pass	9699
1000	1840	1	Peak	1840	-41.44	-13	Pass	840
1840	1920	1	Peak	1850.4	26.77	60	Pass	401
1920	3000	1	Peak	2944.949	-38.44	-13	Pass	1080
3000	12000	1	Peak	11919.901	-32.91	-13	Pass	9000
12000	20000	1	Peak	15497.437	-25.21	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.98	-13	Pass	2985
30	1000	0.1	Peak	316.535	-53.67	-13	Pass	9699
1000	1840	1	Peak	1814.97	-42.24	-13	Pass	840
1840	1920	1	Peak	1850.2	26.43	60	Pass	401
1920	3000	1	Peak	2960.964	-39.22	-13	Pass	1080
3000	12000	1	Peak	11798.751	-32.43	-13	Pass	9000
12000	20000	1	Peak	15499.437	-25.74	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.68	-13	Pass	2985
30	1000	0.1	Peak	912.584	-53.53	-13	Pass	9699
1000	1840	1	Peak	1830.989	-42.28	-13	Pass	840
1840	1920	1	Peak	1877.8	25.92	60	Pass	401
1920	3000	1	Peak	2843.855	-38.3	-13	Pass	1080
3000	12000	1	Peak	11806.761	-33.4	-13	Pass	9000
12000	20000	1	Peak	19446.931	-25.49	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.13	-13	Pass	401
0.15	30	0.01	Peak	0.24	-65.07	-13	Pass	2985
30	1000	0.1	Peak	765.99	-53.84	-13	Pass	9699
1000	1840	1	Peak	1800.954	-42.18	-13	Pass	840
1840	1920	1	Peak	1877.8	26.32	60	Pass	401
1920	3000	1	Peak	2861.872	-38.69	-13	Pass	1080
3000	12000	1	Peak	11991.99	-33.25	-13	Pass	9000
12000	20000	1	Peak	15513.439	-25.3	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.7	-13	Pass	2985
30	1000	0.1	Peak	808.995	-54.02	-13	Pass	9699
1000	1840	1	Peak	1825.983	-41.77	-13	Pass	840
1840	1920	1	Peak	1905.4	26.22	60	Pass	401
1920	3000	1	Peak	2848.86	-38.68	-13	Pass	1080
3000	12000	1	Peak	11781.73	-32.4	-13	Pass	9000
12000	20000	1	Peak	16048.506	-25.24	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.93	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.59	-13	Pass	2985
30	1000	0.1	Peak	940.321	-53.3	-13	Pass	9699
1000	1840	1	Peak	1090.107	-42.27	-13	Pass	840
1840	1920	1	Peak	1905.4	25.96	60	Pass	401
1920	3000	1	Peak	2792.808	-37.93	-13	Pass	1080
3000	12000	1	Peak	11718.652	-32.53	-13	Pass	9000
12000	20000	1	Peak	16030.504	-24.88	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.43	-13	Pass	401
0.15	30	0.01	Peak	0.46	-65.87	-13	Pass	2985
30	1000	0.1	Peak	446.551	-53.92	-13	Pass	9699
1000	1840	1	Peak	1832.992	-34.08	-13	Pass	840
1840	1920	1	Peak	1850.6	26.84	60	Pass	401
1920	3000	1	Peak	2939.944	-38.32	-13	Pass	1080
3000	12000	1	Peak	11789.74	-33.04	-13	Pass	9000
12000	20000	1	Peak	15501.438	-25.45	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.17	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.25	-13	Pass	2985
30	1000	0.1	Peak	581.567	-53.92	-13	Pass	9699
1000	1840	1	Peak	1832.992	-31.92	-13	Pass	840
1840	1920	1	Peak	1850.6	27.03	60	Pass	401
1920	3000	1	Peak	2937.943	-39.13	-13	Pass	1080
3000	12000	1	Peak	7439.542	-32.92	-13	Pass	9000
12000	20000	1	Peak	15164.396	-25.09	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.42	-13	Pass	2985
30	1000	0.1	Peak	827.797	-54.31	-13	Pass	9699
1000	1840	1	Peak	1836.996	-42.15	-13	Pass	840
1840	1920	1	Peak	1875.6	26.2	60	Pass	401
1920	3000	1	Peak	2970.973	-38.48	-13	Pass	1080
3000	12000	1	Peak	11796.748	-32.6	-13	Pass	9000
12000	20000	1	Peak	15501.438	-25.14	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-68.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.6	-13	Pass	2985
30	1000	0.1	Peak	957.744	-53.78	-13	Pass	9699
1000	1840	1	Peak	1748.892	-41.99	-13	Pass	840
1840	1920	1	Peak	1875.6	26.42	60	Pass	401
1920	3000	1	Peak	2757.776	-38.48	-13	Pass	1080
3000	12000	1	Peak	11807.762	-33.39	-13	Pass	9000
12000	20000	1	Peak	15992.499	-25.36	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.68	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.94	-13	Pass	2985
30	1000	0.1	Peak	822.497	-53.85	-13	Pass	9699
1000	1840	1	Peak	1835.995	-42.52	-13	Pass	840
1840	1920	1	Peak	1900.6	26.39	60	Pass	401
1920	3000	1	Peak	2919.926	-39.13	-13	Pass	1080
3000	12000	1	Peak	11802.756	-32.58	-13	Pass	9000
12000	20000	1	Peak	19656.957	-24.83	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.8	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.12	-13	Pass	2985
30	1000	0.1	Peak	431.749	-53.7	-13	Pass	9699
1000	1840	1	Peak	1827.986	-42.78	-13	Pass	840
1840	1920	1	Peak	1900.6	26.33	60	Pass	401
1920	3000	1	Peak	2933.939	-38.17	-13	Pass	1080
3000	12000	1	Peak	11802.756	-32.86	-13	Pass	9000
12000	20000	1	Peak	19408.926	-25.39	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.96	-13	Pass	401
0.15	30	0.01	Peak	0.62	-66.07	-13	Pass	2985
30	1000	0.1	Peak	472.254	-53.57	-13	Pass	9699
1000	1840	1	Peak	1831.99	-25.16	-13	Pass	840
1840	1920	1	Peak	1850.8	27.09	60	Pass	401
1920	3000	1	Peak	2755.774	-38.88	-13	Pass	1080
3000	12000	1	Peak	11805.76	-33.04	-13	Pass	9000
12000	20000	1	Peak	14704.338	-25.9	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.38	-13	Pass	401
0.15	30	0.01	Peak	0.41	-65.07	-13	Pass	2985
30	1000	0.1	Peak	851.703	-53.54	-13	Pass	9699
1000	1840	1	Peak	1837.998	-22.91	-13	Pass	840
1840	1920	1	Peak	1850.8	27.16	60	Pass	401
1920	3000	1	Peak	2921.928	-38.1	-13	Pass	1080
3000	12000	1	Peak	11794.746	-32.39	-13	Pass	9000
12000	20000	1	Peak	19424.928	-25.68	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.92	-13	Pass	401
0.15	30	0.01	Peak	0.4	-65.57	-13	Pass	2985
30	1000	0.1	Peak	875.735	-53.48	-13	Pass	9699
1000	1840	1	Peak	1764.911	-42.37	-13	Pass	840
1840	1920	1	Peak	1873.4	26.13	60	Pass	401
1920	3000	1	Peak	2960.964	-38.64	-13	Pass	1080
3000	12000	1	Peak	11794.746	-33.08	-13	Pass	9000
12000	20000	1	Peak	15495.437	-25.5	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-69.13	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.97	-13	Pass	2985
30	1000	0.1	Peak	705.983	-53.35	-13	Pass	9699
1000	1840	1	Peak	1814.97	-42.01	-13	Pass	840
1840	1920	1	Peak	1873.4	26.36	60	Pass	401
1920	3000	1	Peak	2945.95	-39.03	-13	Pass	1080
3000	12000	1	Peak	11772.719	-33.04	-13	Pass	9000
12000	20000	1	Peak	15515.439	-25.51	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.29	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.41	-13	Pass	2985
30	1000	0.1	Peak	373.842	-53.94	-13	Pass	9699
1000	1840	1	Peak	1778.927	-42.09	-13	Pass	840
1840	1920	1	Peak	1895.8	26.31	60	Pass	401
1920	3000	1	Peak	2831.844	-38.75	-13	Pass	1080
3000	12000	1	Peak	11804.758	-32.91	-13	Pass	9000
12000	20000	1	Peak	19858.982	-25.63	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-68.91	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.08	-13	Pass	2985
30	1000	0.1	Peak	793.893	-53.83	-13	Pass	9699
1000	1840	1	Peak	1837.998	-41.57	-13	Pass	840
1840	1920	1	Peak	1895.8	26.19	60	Pass	401
1920	3000	1	Peak	2930.936	-39.15	-13	Pass	1080
3000	12000	1	Peak	11801.755	-32.43	-13	Pass	9000
12000	20000	1	Peak	15965.496	-25.61	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-69.39	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.22	-13	Pass	2985
30	1000	0.1	Peak	794.493	-53.55	-13	Pass	9699
1000	1840	1	Peak	1840	-19.77	-13	Pass	840
1840	1920	1	Peak	1851.2	26.99	60	Pass	401
1920	3000	1	Peak	2958.962	-38.67	-13	Pass	1080
3000	12000	1	Peak	11991.99	-33.13	-13	Pass	9000
12000	20000	1	Peak	15490.436	-24.95	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.79	-13	Pass	401
0.15	30	0.01	Peak	0.18	-66.11	-13	Pass	2985
30	1000	0.1	Peak	824.297	-53.96	-13	Pass	9699
1000	1840	1	Peak	1832.992	-23.73	-13	Pass	840
1840	1920	1	Peak	1851	26.99	60	Pass	401
1920	3000	1	Peak	2834.847	-38.82	-13	Pass	1080
3000	12000	1	Peak	11593.497	-33.01	-13	Pass	9000
12000	20000	1	Peak	15494.437	-25.32	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.91	-13	Pass	2985
30	1000	0.1	Peak	743.287	-54	-13	Pass	9699
1000	1840	1	Peak	1834.994	-39.13	-13	Pass	840
1840	1920	1	Peak	1871	26.51	60	Pass	401
1920	3000	1	Peak	2973.976	-38.12	-13	Pass	1080
3000	12000	1	Peak	7213.514	-33.24	-13	Pass	9000
12000	20000	1	Peak	15505.438	-25.47	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.03	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.6	-13	Pass	2985
30	1000	0.1	Peak	868.726	-53.75	-13	Pass	9699
1000	1840	1	Peak	1835.995	-42.25	-13	Pass	840
1840	1920	1	Peak	1871.2	25.91	60	Pass	401
1920	3000	1	Peak	2977.98	-38.32	-13	Pass	1080
3000	12000	1	Peak	6960.483	-32.02	-13	Pass	9000
12000	20000	1	Peak	15475.434	-25.24	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.36	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.05	-13	Pass	2985
30	1000	0.1	Peak	722.985	-54.39	-13	Pass	9699
1000	1840	1	Peak	1777.926	-42.59	-13	Pass	840
1840	1920	1	Peak	1891	26.24	60	Pass	401
1920	3000	1	Peak	2955.959	-39.03	-13	Pass	1080
3000	12000	1	Peak	7309.526	-33.06	-13	Pass	9000
12000	20000	1	Peak	15495.437	-25.14	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.73	-13	Pass	401
0.15	30	0.01	Peak	0.17	-66.07	-13	Pass	2985
30	1000	0.1	Peak	915.788	-53.89	-13	Pass	9699
1000	1840	1	Peak	1224.267	-42.36	-13	Pass	840
1840	1920	1	Peak	1891.2	26.12	60	Pass	401
1920	3000	1	Peak	2934.94	-38.57	-13	Pass	1080
3000	12000	1	Peak	11792.743	-33.3	-13	Pass	9000
12000	20000	1	Peak	15153.394	-25.7	-13	Pass	8000



10. LTE_Band4


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.29	-13	Pass	9699
1000	1700	1	RMS	1700	-52.74	-13	Pass	700
1700	1765	1	RMS	1710.238	23.15	60	Pass	401
1765	3000	1	RMS	2947.958	-49.77	-13	Pass	1235
3000	12000	1	RMS	3420.051	-39.81	-13	Pass	9000
12000	20000	1	RMS	15499.437	-36.38	-13	Pass	8000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2985
30	1000	0.1	RMS	742.087	-64.35	-13	Pass	9699
1000	1700	1	RMS	1700	-53.09	-13	Pass	700
1700	1765	1	RMS	1710.238	22.3	60	Pass	401
1765	3000	1	RMS	2944.955	-49.76	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.44	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.32	-13	Pass	8000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	Pass	2985
30	1000	0.1	RMS	841.899	-64.35	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.62	-13	Pass	700
1700	1765	1	RMS	1732.013	23.19	60	Pass	401
1765	3000	1	RMS	2945.956	-49.81	-13	Pass	1235
3000	12000	1	RMS	3464.057	-38.78	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.44	-13	Pass	8000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	Pass	2985
30	1000	0.1	RMS	837.699	-64.36	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.55	-13	Pass	700
1700	1765	1	RMS	1732.013	22.51	60	Pass	401
1765	3000	1	RMS	2954.964	-49.86	-13	Pass	1235
3000	12000	1	RMS	3464.057	-39.82	-13	Pass	9000
12000	20000	1	RMS	15503.438	-36.43	-13	Pass	8000




**10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2985
30	1000	0.1	RMS	831.098	-63.7	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.65	-13	Pass	700
1700	1765	1	RMS	1753.788	23.24	60	Pass	401
1765	3000	1	RMS	2947.958	-49.76	-13	Pass	1235
3000	12000	1	RMS	3508.062	-42.65	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.49	-13	Pass	8000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2985
30	1000	0.1	RMS	852.905	-64.28	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.66	-13	Pass	700
1700	1765	1	RMS	1753.95	22.46	60	Pass	401
1765	3000	1	RMS	2944.955	-49.88	-13	Pass	1235
3000	12000	1	RMS	3508.062	-43.09	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.5	-13	Pass	8000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.37	-71.73	-13	Pass	2985
30	1000	0.1	RMS	915.288	-64.16	-13	Pass	9699
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1765	1	RMS	1710.238	22.69	60	Pass	401
1765	3000	1	RMS	2947.958	-49.84	-13	Pass	1235
3000	12000	1	RMS	3420.051	-39.99	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.39	-13	Pass	8000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2985
30	1000	0.1	RMS	825.997	-64.36	-13	Pass	9699
1000	1700	1	RMS	1700	-53.38	-13	Pass	700
1700	1765	1	RMS	1710.238	21.89	60	Pass	401
1765	3000	1	RMS	2949.959	-49.91	-13	Pass	1235
3000	12000	1	RMS	3420.051	-40.89	-13	Pass	9000
12000	20000	1	RMS	15149.394	-36.41	-13	Pass	8000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.12	-13	Pass	2985
30	1000	0.1	RMS	862.618	-64.29	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.65	-13	Pass	700
1700	1765	1	RMS	1731.2	23.2	60	Pass	401
1765	3000	1	RMS	2944.955	-49.78	-13	Pass	1235
3000	12000	1	RMS	3462.056	-39.9	-13	Pass	9000
12000	20000	1	RMS	15503.438	-36.53	-13	Pass	8000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	1000	0.1	RMS	856.41	-64.45	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.63	-13	Pass	700
1700	1765	1	RMS	1731.2	22.86	60	Pass	401
1765	3000	1	RMS	2947.958	-49.85	-13	Pass	1235
3000	12000	1	RMS	3462.056	-40.46	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.43	-13	Pass	8000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2985
30	1000	0.1	RMS	840.099	-64.3	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.65	-13	Pass	700
1700	1765	1	RMS	1752.325	22.9	60	Pass	401
1765	3000	1	RMS	2945.956	-49.89	-13	Pass	1235
3000	12000	1	RMS	3504.062	-43.27	-13	Pass	9000
12000	20000	1	RMS	15493.437	-36.54	-13	Pass	8000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.97	-13	Pass	2985
30	1000	0.1	RMS	836.198	-64.28	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.69	-13	Pass	700
1700	1765	1	RMS	1752.325	22.12	60	Pass	401
1765	3000	1	RMS	2946.957	-49.82	-13	Pass	1235
3000	12000	1	RMS	3504.062	-43.63	-13	Pass	9000
12000	20000	1	RMS	15502.438	-36.25	-13	Pass	8000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	Pass	2985
30	1000	0.1	RMS	838.399	-64.23	-13	Pass	9699
1000	1700	1	RMS	1700	-52.84	-13	Pass	700
1700	1765	1	RMS	1710.4	22.65	60	Pass	401
1765	3000	1	RMS	2943.955	-49.78	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.77	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.45	-13	Pass	8000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.24	-13	Pass	2985
30	1000	0.1	RMS	821.197	-64.42	-13	Pass	9699
1000	1700	1	RMS	1700	-53.1	-13	Pass	700
1700	1765	1	RMS	1710.238	21.52	60	Pass	401
1765	3000	1	RMS	2951.961	-49.89	-13	Pass	1235
3000	12000	1	RMS	3421.051	-40.49	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.38	-13	Pass	8000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.08	-13	Pass	2985
30	1000	0.1	RMS	849.901	-64.42	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.6	-13	Pass	700
1700	1765	1	RMS	1730.388	23.09	60	Pass	401
1765	3000	1	RMS	2951.961	-49.83	-13	Pass	1235
3000	12000	1	RMS	3461.056	-39.55	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.43	-13	Pass	8000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	838.999	-64.29	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.51	-13	Pass	700
1700	1765	1	RMS	1730.388	22.54	60	Pass	401
1765	3000	1	RMS	2952.962	-49.83	-13	Pass	1235
3000	12000	1	RMS	3461.056	-40.3	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.42	-13	Pass	8000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.1	-13	Pass	2985
30	1000	0.1	RMS	851.904	-64.07	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.63	-13	Pass	700
1700	1765	1	RMS	1750.375	23.05	60	Pass	401
1765	3000	1	RMS	2949.959	-49.78	-13	Pass	1235
3000	12000	1	RMS	3501.061	-42.73	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.39	-13	Pass	8000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2985
30	1000	0.1	RMS	836.598	-64.31	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.59	-13	Pass	700
1700	1765	1	RMS	1750.375	22.02	60	Pass	401
1765	3000	1	RMS	2954.964	-49.81	-13	Pass	1235
3000	12000	1	RMS	3501.061	-43.72	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.46	-13	Pass	8000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.73	-13	Pass	2985
30	1000	0.1	RMS	860.815	-64.34	-13	Pass	9699
1000	1700	1	RMS	1700	-52.75	-13	Pass	700
1700	1765	1	RMS	1710.563	22.75	60	Pass	401
1765	3000	1	RMS	2959.968	-49.8	-13	Pass	1235
3000	12000	1	RMS	3421.051	-38.91	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.45	-13	Pass	8000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.9	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.39	-13	Pass	9699
1000	1700	1	RMS	1700	-52.92	-13	Pass	700
1700	1765	1	RMS	1710.563	21.65	60	Pass	401
1765	3000	1	RMS	2944.955	-49.86	-13	Pass	1235
3000	12000	1	RMS	3421.051	-39.97	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.45	-13	Pass	8000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.41	-72.5	-13	Pass	2985
30	1000	0.1	RMS	835.798	-64.29	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.58	-13	Pass	700
1700	1765	1	RMS	1728.113	23.18	60	Pass	401
1765	3000	1	RMS	2957.966	-49.85	-13	Pass	1235
3000	12000	1	RMS	3456.056	-38.7	-13	Pass	9000
12000	20000	1	RMS	15494.437	-36.44	-13	Pass	8000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	871.83	-64.31	-13	Pass	9699
1000	1700	1	RMS	1691.989	-53.66	-13	Pass	700
1700	1765	1	RMS	1728.113	22.75	60	Pass	401
1765	3000	1	RMS	2951.961	-49.78	-13	Pass	1235
3000	12000	1	RMS	3456.056	-39.47	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.36	-13	Pass	8000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	845.5	-64.34	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.67	-13	Pass	700
1700	1765	1	RMS	1745.663	23.14	60	Pass	401
1765	3000	1	RMS	2950.96	-49.84	-13	Pass	1235
3000	12000	1	RMS	3491.06	-41.23	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.42	-13	Pass	8000




**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.72	-13	Pass	2985
30	1000	0.1	RMS	848.7	-64.37	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.69	-13	Pass	700
1700	1765	1	RMS	1745.5	22.12	60	Pass	401
1765	3000	1	RMS	2945.956	-49.87	-13	Pass	1235
3000	12000	1	RMS	3491.06	-42.17	-13	Pass	9000
12000	20000	1	RMS	15153.394	-36.56	-13	Pass	8000




**10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	Pass	2985
30	1000	0.1	RMS	839.299	-64.31	-13	Pass	9699
1000	1700	1	RMS	1697.997	-37.24	-13	Pass	700
1700	1765	1	RMS	1710.888	22.83	60	Pass	401
1765	3000	1	RMS	2953.963	-49.84	-13	Pass	1235
3000	12000	1	RMS	3422.052	-39.87	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.31	-13	Pass	8000




**10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	1000	0.1	RMS	827.697	-64.22	-13	Pass	9699
1000	1700	1	RMS	1696.996	-47.39	-13	Pass	700
1700	1765	1	RMS	1710.888	21.78	60	Pass	401
1765	3000	1	RMS	2950.96	-49.72	-13	Pass	1235
3000	12000	1	RMS	3422.052	-40.67	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.45	-13	Pass	8000




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2985
30	1000	0.1	RMS	864.62	-64.32	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.57	-13	Pass	700
1700	1765	1	RMS	1725.838	23.01	60	Pass	401
1765	3000	1	RMS	2959.968	-49.82	-13	Pass	1235
3000	12000	1	RMS	3452.055	-39.46	-13	Pass	9000
12000	20000	1	RMS	15500.438	-36.38	-13	Pass	8000




**10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	832.498	-64.24	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.7	-13	Pass	700
1700	1765	1	RMS	1725.838	22.45	60	Pass	401
1765	3000	1	RMS	2944.955	-49.77	-13	Pass	1235
3000	12000	1	RMS	3452.055	-40.07	-13	Pass	9000
12000	20000	1	RMS	15497.437	-36.45	-13	Pass	8000




**10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	1000	0.1	RMS	954.74	-64.23	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.65	-13	Pass	700
1700	1765	1	RMS	1740.788	23.27	60	Pass	401
1765	3000	1	RMS	1767.002	-39.2	-13	Pass	1235
3000	12000	1	RMS	3482.059	-40.77	-13	Pass	9000
12000	20000	1	RMS	15496.437	-36.27	-13	Pass	8000




**10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	973.665	-64.15	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.61	-13	Pass	700
1700	1765	1	RMS	1740.788	22.34	60	Pass	401
1765	3000	1	RMS	1767.002	-40.95	-13	Pass	1235
3000	12000	1	RMS	3482.059	-41.61	-13	Pass	9000
12000	20000	1	RMS	15496.437	-36.42	-13	Pass	8000




**10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.35	-13	Pass	2985
30	1000	0.1	RMS	846.4	-64.2	-13	Pass	9699
1000	1700	1	RMS	1692.99	-40.24	-13	Pass	700
1700	1765	1	RMS	1711.05	22.93	60	Pass	401
1765	3000	1	RMS	2948.959	-49.79	-13	Pass	1235
3000	12000	1	RMS	3422.052	-38.72	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.38	-13	Pass	8000




**10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.02	-13	Pass	2985
30	1000	0.1	RMS	921.596	-64.31	-13	Pass	9699
1000	1700	1	RMS	1692.99	-41.85	-13	Pass	700
1700	1765	1	RMS	1711.05	22.32	60	Pass	401
1765	3000	1	RMS	2943.955	-49.79	-13	Pass	1235
3000	12000	1	RMS	3422.052	-39.28	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.46	-13	Pass	8000




**10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.92	-13	Pass	2985
30	1000	0.1	RMS	817.796	-64.17	-13	Pass	9699
1000	1700	1	RMS	1687.983	-53.42	-13	Pass	700
1700	1765	1	RMS	1723.563	23.19	60	Pass	401
1765	3000	1	RMS	2946.957	-49.83	-13	Pass	1235
3000	12000	1	RMS	3447.055	-38.4	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.34	-13	Pass	8000




**10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.41	-13	Pass	2985
30	1000	0.1	RMS	861.717	-64.42	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.57	-13	Pass	700
1700	1765	1	RMS	1723.563	22.32	60	Pass	401
1765	3000	1	RMS	2946.957	-49.8	-13	Pass	1235
3000	12000	1	RMS	3447.055	-39.36	-13	Pass	9000
12000	20000	1	RMS	15498.437	-36.34	-13	Pass	8000




**10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2985
30	1000	0.1	RMS	839.899	-64.4	-13	Pass	9699
1000	1700	1	RMS	1700	-49.64	-13	Pass	700
1700	1765	1	RMS	1736.075	23.55	60	Pass	401
1765	3000	1	RMS	1772.006	-33.96	-13	Pass	1235
3000	12000	1	RMS	3472.058	-39.39	-13	Pass	9000
12000	20000	1	RMS	15496.437	-36.42	-13	Pass	8000



**10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2985
30	1000	0.1	RMS	851.203	-64.22	-13	Pass	9699
1000	1700	1	RMS	1700	-50.26	-13	Pass	700
1700	1765	1	RMS	1736.075	22.57	60	Pass	401
1765	3000	1	RMS	1772.006	-35.48	-13	Pass	1235
3000	12000	1	RMS	3472.058	-40.2	-13	Pass	9000
12000	20000	1	RMS	15501.438	-36.36	-13	Pass	8000



11. LTE_Band5


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.5	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.94	-13	Pass	2985
30	814	0.1	Peak	367.543	-54.07	-13	Pass	7840
814	860	0.1	Peak	824.222	24.87	60	Pass	460
860	1000	0.1	Peak	914.339	-54.22	-13	Pass	1400
1000	3000	1	Peak	1648.324	-35.57	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.47	-13	Pass	7000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.3	-13	Pass	2985
30	814	0.1	Peak	564.068	-53.73	-13	Pass	7840
814	860	0.1	Peak	824.322	25.81	60	Pass	460
860	1000	0.1	Peak	947.462	-54.02	-13	Pass	1400
1000	3000	1	Peak	1648.324	-35.31	-13	Pass	2000
3000	10000	1	Peak	4121.16	-30.8	-13	Pass	7000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.28	-13	Pass	2985
30	814	0.1	Peak	346.04	-54.28	-13	Pass	7840
814	860	0.1	Peak	836.048	24.73	60	Pass	460
860	1000	0.1	Peak	928.649	-54.7	-13	Pass	1400
1000	3000	1	Peak	2820.91	-38.86	-13	Pass	2000
3000	10000	1	Peak	3344.049	-32.26	-13	Pass	7000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.32	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.43	-13	Pass	2985
30	814	0.1	Peak	692.685	-54.62	-13	Pass	7840
814	860	0.1	Peak	836.048	25.48	60	Pass	460
860	1000	0.1	Peak	945.661	-53	-13	Pass	1400
1000	3000	1	Peak	2947.974	-38.53	-13	Pass	2000
3000	10000	1	Peak	4180.169	-31.24	-13	Pass	7000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.67	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.9	-13	Pass	2985
30	814	0.1	Peak	370.543	-54.41	-13	Pass	7840
814	860	0.1	Peak	847.773	24.92	60	Pass	460
860	1000	0.1	Peak	878.613	-54.51	-13	Pass	1400
1000	3000	1	Peak	2795.898	-38.71	-13	Pass	2000
3000	10000	1	Peak	3392.056	-30.16	-13	Pass	7000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.89	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.64	-13	Pass	2985
30	814	0.1	Peak	750.592	-54.16	-13	Pass	7840
814	860	0.1	Peak	847.773	25.01	60	Pass	460
860	1000	0.1	Peak	924.946	-54.45	-13	Pass	1400
1000	3000	1	Peak	2977.989	-38.56	-13	Pass	2000
3000	10000	1	Peak	3391.056	-30.78	-13	Pass	7000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-69.6	-13	Pass	401
0.15	30	0.01	Peak	0.62	-65.64	-13	Pass	2985
30	814	0.1	Peak	740.991	-54.2	-13	Pass	7840
814	860	0.1	Peak	824.222	24.32	60	Pass	460
860	1000	0.1	Peak	926.648	-54.31	-13	Pass	1400
1000	3000	1	Peak	1648.324	-35.98	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.45	-13	Pass	7000




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.48	-13	Pass	2985
30	814	0.1	Peak	378.945	-53.97	-13	Pass	7840
814	860	0.1	Peak	824.222	24.64	60	Pass	460
860	1000	0.1	Peak	868.806	-54.17	-13	Pass	1400
1000	3000	1	Peak	1648.324	-35.67	-13	Pass	2000
3000	10000	1	Peak	4121.16	-31.51	-13	Pass	7000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.41	-13	Pass	401
0.15	30	0.01	Peak	0.49	-65.7	-13	Pass	2985
30	814	0.1	Peak	732.89	-53.91	-13	Pass	7840
814	860	0.1	Peak	835.246	24.99	60	Pass	460
860	1000	0.1	Peak	934.453	-54.22	-13	Pass	1400
1000	3000	1	Peak	2977.989	-39.06	-13	Pass	2000
3000	10000	1	Peak	4176.168	-32.19	-13	Pass	7000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-69.21	-13	Pass	401
0.15	30	0.01	Peak	0.34	-66.04	-13	Pass	2985
30	814	0.1	Peak	808.099	-53.6	-13	Pass	7840
814	860	0.1	Peak	835.246	25.76	60	Pass	460
860	1000	0.1	Peak	957.37	-53.67	-13	Pass	1400
1000	3000	1	Peak	2940.97	-38.76	-13	Pass	2000
3000	10000	1	Peak	3341.049	-31.88	-13	Pass	7000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.08	-13	Pass	401
0.15	30	0.01	Peak	0.19	-66.03	-13	Pass	2985
30	814	0.1	Peak	550.366	-53.56	-13	Pass	7840
814	860	0.1	Peak	846.27	25.18	60	Pass	460
860	1000	0.1	Peak	964.074	-54.22	-13	Pass	1400
1000	3000	1	Peak	1692.346	-38.24	-13	Pass	2000
3000	10000	1	Peak	3385.055	-30.12	-13	Pass	7000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.57	-13	Pass	401
0.15	30	0.01	Peak	0.25	-64.72	-13	Pass	2985
30	814	0.1	Peak	664.681	-53.78	-13	Pass	7840
814	860	0.1	Peak	846.17	24.91	60	Pass	460
860	1000	0.1	Peak	868.706	-54.12	-13	Pass	1400
1000	3000	1	Peak	1692.346	-38.66	-13	Pass	2000
3000	10000	1	Peak	4231.176	-31.53	-13	Pass	7000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.07	-13	Pass	401
0.15	30	0.01	Peak	0.47	-64.55	-13	Pass	2985
30	814	0.1	Peak	660.98	-54.1	-13	Pass	7840
814	860	0.1	Peak	824.322	24.31	60	Pass	460
860	1000	0.1	Peak	861.201	-53.87	-13	Pass	1400
1000	3000	1	Peak	1648.324	-34.73	-13	Pass	2000
3000	10000	1	Peak	4122.16	-31.53	-13	Pass	7000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-68.87	-13	Pass	401
0.15	30	0.01	Peak	0.46	-64.04	-13	Pass	2985
30	814	0.1	Peak	643.478	-53.32	-13	Pass	7840
814	860	0.1	Peak	824.322	24.72	60	Pass	460
860	1000	0.1	Peak	979.185	-54.75	-13	Pass	1400
1000	3000	1	Peak	1648.324	-36.34	-13	Pass	2000
3000	10000	1	Peak	4122.16	-31.36	-13	Pass	7000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-69.86	-13	Pass	401
0.15	30	0.01	Peak	0.28	-65.11	-13	Pass	2985
30	814	0.1	Peak	668.781	-54.04	-13	Pass	7840
814	860	0.1	Peak	834.344	25.08	60	Pass	460
860	1000	0.1	Peak	920.343	-54.18	-13	Pass	1400
1000	3000	1	Peak	2956.978	-38.69	-13	Pass	2000
3000	10000	1	Peak	4172.167	-32.17	-13	Pass	7000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-69.21	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.34	-13	Pass	2985
30	814	0.1	Peak	539.165	-54.01	-13	Pass	7840
814	860	0.1	Peak	834.344	24.99	60	Pass	460
860	1000	0.1	Peak	963.574	-54.41	-13	Pass	1400
1000	3000	1	Peak	2968.984	-39.08	-13	Pass	2000
3000	10000	1	Peak	4172.167	-32.2	-13	Pass	7000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.04	-13	Pass	2985
30	814	0.1	Peak	395.047	-54.46	-13	Pass	7840
814	860	0.1	Peak	844.366	24.89	60	Pass	460
860	1000	0.1	Peak	986.59	-54.4	-13	Pass	1400
1000	3000	1	Peak	1688.344	-35.99	-13	Pass	2000
3000	10000	1	Peak	4222.175	-31.21	-13	Pass	7000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-68.61	-13	Pass	401
0.15	30	0.01	Peak	0.56	-65.68	-13	Pass	2985
30	814	0.1	Peak	681.183	-54.43	-13	Pass	7840
814	860	0.1	Peak	844.266	24.8	60	Pass	460
860	1000	0.1	Peak	931.651	-54.3	-13	Pass	1400
1000	3000	1	Peak	1689.345	-37.14	-13	Pass	2000
3000	10000	1	Peak	4222.175	-31.61	-13	Pass	7000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.18	-13	Pass	401
0.15	30	0.01	Peak	0.19	-65.47	-13	Pass	2985
30	814	0.1	Peak	499.36	-53.48	-13	Pass	7840
814	860	0.1	Peak	824.523	24.41	60	Pass	460
860	1000	0.1	Peak	959.871	-54.37	-13	Pass	1400
1000	3000	1	Peak	1649.325	-35.12	-13	Pass	2000
3000	10000	1	Peak	4123.16	-31.29	-13	Pass	7000




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.6	-13	Pass	401
0.15	30	0.01	Peak	0.18	-65.1	-13	Pass	2985
30	814	0.1	Peak	406.948	-53.92	-13	Pass	7840
814	860	0.1	Peak	824.623	24.91	60	Pass	460
860	1000	0.1	Peak	945.661	-54.55	-13	Pass	1400
1000	3000	1	Peak	1649.325	-36.2	-13	Pass	2000
3000	10000	1	Peak	3299.043	-31.44	-13	Pass	7000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.52	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.88	-13	Pass	2985
30	814	0.1	Peak	367.743	-54.59	-13	Pass	7840
814	860	0.1	Peak	832.039	25.03	60	Pass	460
860	1000	0.1	Peak	998.499	-54.7	-13	Pass	1400
1000	3000	1	Peak	2941.971	-38.97	-13	Pass	2000
3000	10000	1	Peak	4160.166	-31.41	-13	Pass	7000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.58	-13	Pass	2985
30	814	0.1	Peak	748.892	-54.16	-13	Pass	7840
814	860	0.1	Peak	832.039	24.64	60	Pass	460
860	1000	0.1	Peak	869.807	-53.19	-13	Pass	1400
1000	3000	1	Peak	2907.954	-39.43	-13	Pass	2000
3000	10000	1	Peak	4160.166	-31.6	-13	Pass	7000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-68.5	-13	Pass	401
0.15	30	0.01	Peak	0.64	-65.47	-13	Pass	2985
30	814	0.1	Peak	730.789	-53.84	-13	Pass	7840
814	860	0.1	Peak	839.556	24.56	60	Pass	460
860	1000	0.1	Peak	973.181	-54.74	-13	Pass	1400
1000	3000	1	Peak	1679.34	-36.31	-13	Pass	2000
3000	10000	1	Peak	3358.051	-31.85	-13	Pass	7000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-70.35	-13	Pass	401
0.15	30	0.01	Peak	0.34	-65.58	-13	Pass	2985
30	814	0.1	Peak	466.856	-53.92	-13	Pass	7840
814	860	0.1	Peak	839.556	25.12	60	Pass	460
860	1000	0.1	Peak	869.207	-54.21	-13	Pass	1400
1000	3000	1	Peak	1679.34	-36.28	-13	Pass	2000
3000	10000	1	Peak	4198.171	-31.48	-13	Pass	7000



12. LTE_Band7


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-25	Pass	2985
30	1000	0.1	RMS	832.598	-64.33	-25	Pass	9699
1000	2490	1	RMS	2490	-50.94	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.36	60	Pass	401
2580	3000	1	RMS	2951.885	-49.89	-25	Pass	420
3000	12000	1	RMS	11800.753	-43.77	-25	Pass	9000
12000	26500	1	RMS	25799.889	-30.44	-25	Pass	14500




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.72	-25	Pass	2985
30	1000	0.1	RMS	930.408	-64.16	-25	Pass	9699
1000	2490	1	RMS	2490	-51.05	-25	Pass	1490
2490	2580	1	RMS	2500.35	21.18	60	Pass	401
2580	3000	1	RMS	2943.866	-49.85	-25	Pass	420
3000	12000	1	RMS	11799.752	-43.76	-25	Pass	9000
12000	26500	1	RMS	25797.889	-30.45	-25	Pass	14500




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.04	-25	Pass	2985
30	1000	0.1	RMS	572.166	-64.17	-25	Pass	9699
1000	2490	1	RMS	2490	-51.37	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.34	60	Pass	401
2580	3000	1	RMS	2953.89	-49.78	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.73	-25	Pass	9000
12000	26500	1	RMS	25783.886	-30.48	-25	Pass	14500




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.78	-25	Pass	2985
30	1000	0.1	RMS	977.17	-64.25	-25	Pass	9699
1000	2490	1	RMS	2481.995	-51.44	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.7	60	Pass	401
2580	3000	1	RMS	2948.878	-49.82	-25	Pass	420
3000	12000	1	RMS	11794.746	-43.68	-25	Pass	9000
12000	26500	1	RMS	25803.89	-30.45	-25	Pass	14500




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.9	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.98	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.57	-25	Pass	1490
2490	2580	1	RMS	2565.375	22.34	60	Pass	401
2580	3000	1	RMS	2948.878	-49.81	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.76	-25	Pass	9000
12000	26500	1	RMS	26029.925	-30.4	-25	Pass	14500




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.12	-25	Pass	2985
30	1000	0.1	RMS	604.67	-62.94	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.46	-25	Pass	1490
2490	2580	1	RMS	2565.375	21.09	60	Pass	401
2580	3000	1	RMS	2943.866	-49.81	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.72	-25	Pass	9000
12000	26500	1	RMS	25400.826	-30.52	-25	Pass	14500




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-25	Pass	2985
30	1000	0.1	RMS	844.499	-64.09	-25	Pass	9699
1000	2490	1	RMS	2482.995	-47.68	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.65	60	Pass	401
2580	3000	1	RMS	2951.885	-49.82	-25	Pass	420
3000	12000	1	RMS	11800.753	-43.67	-25	Pass	9000
12000	26500	1	RMS	25783.886	-30.47	-25	Pass	14500




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	Pass	2985
30	1000	0.1	RMS	864.921	-64.35	-25	Pass	9699
1000	2490	1	RMS	2482.995	-48.92	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.63	60	Pass	401
2580	3000	1	RMS	2944.869	-49.87	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.74	-25	Pass	9000
12000	26500	1	RMS	25988.919	-30.41	-25	Pass	14500




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.31	-71.5	-25	Pass	2985
30	1000	0.1	RMS	842.499	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-51.47	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.48	60	Pass	401
2580	3000	1	RMS	2945.871	-49.8	-25	Pass	420
3000	12000	1	RMS	11797.75	-43.72	-25	Pass	9000
12000	26500	1	RMS	25761.883	-30.43	-25	Pass	14500




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	Pass	2985
30	1000	0.1	RMS	839.899	-64.12	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.46	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.9	60	Pass	401
2580	3000	1	RMS	2944.869	-49.84	-25	Pass	420
3000	12000	1	RMS	11799.752	-43.74	-25	Pass	9000
12000	26500	1	RMS	25741.88	-30.48	-25	Pass	14500




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-25	Pass	2985
30	1000	0.1	RMS	599.87	-61.91	-25	Pass	9699
1000	2490	1	RMS	2490	-51.46	-25	Pass	1490
2490	2580	1	RMS	2560.65	22.46	60	Pass	401
2580	3000	1	RMS	2949.881	-49.76	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.68	-25	Pass	9000
12000	26500	1	RMS	25983.918	-30.53	-25	Pass	14500




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-25	Pass	2985
30	1000	0.1	RMS	599.87	-62.73	-25	Pass	9699
1000	2490	1	RMS	2490	-51.47	-25	Pass	1490
2490	2580	1	RMS	2560.65	21.95	60	Pass	401
2580	3000	1	RMS	2949.881	-49.8	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.75	-25	Pass	9000
12000	26500	1	RMS	25998.921	-30.41	-25	Pass	14500




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	Pass	2985
30	1000	0.1	RMS	911.983	-64.23	-25	Pass	9699
1000	2490	1	RMS	2487.999	-33.2	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.45	60	Pass	401
2580	3000	1	RMS	2951.885	-49.78	-25	Pass	420
3000	12000	1	RMS	11799.752	-43.77	-25	Pass	9000
12000	26500	1	RMS	25828.894	-30.44	-25	Pass	14500




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-25	Pass	2985
30	1000	0.1	RMS	814.396	-64.23	-25	Pass	9699
1000	2490	1	RMS	2486.998	-35.32	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.54	60	Pass	401
2580	3000	1	RMS	2948.878	-49.79	-25	Pass	420
3000	12000	1	RMS	11801.755	-43.69	-25	Pass	9000
12000	26500	1	RMS	25966.915	-30.45	-25	Pass	14500




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.49	-25	Pass	2985
30	1000	0.1	RMS	842.299	-64.19	-25	Pass	9699
1000	2490	1	RMS	2490	-51.37	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.44	60	Pass	401
2580	3000	1	RMS	2951.885	-49.88	-25	Pass	420
3000	12000	1	RMS	11801.755	-43.73	-25	Pass	9000
12000	26500	1	RMS	25738.879	-30.48	-25	Pass	14500




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.65	-25	Pass	2985
30	1000	0.1	RMS	842.299	-64.17	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.45	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.77	60	Pass	401
2580	3000	1	RMS	2956.897	-49.83	-25	Pass	420
3000	12000	1	RMS	11797.75	-43.7	-25	Pass	9000
12000	26500	1	RMS	25785.887	-30.46	-25	Pass	14500




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-74.1	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.26	-25	Pass	9699
1000	2490	1	RMS	2490	-51.58	-25	Pass	1490
2490	2580	1	RMS	2555.925	22.32	60	Pass	401
2580	3000	1	RMS	2582.005	-44.01	-25	Pass	420
3000	12000	1	RMS	11797.75	-43.72	-25	Pass	9000
12000	26500	1	RMS	25785.887	-30.47	-25	Pass	14500




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-25	Pass	401
0.15	30	0.01	RMS	0.4	-72.27	-25	Pass	2985
30	1000	0.1	RMS	595.169	-62.88	-25	Pass	9699
1000	2490	1	RMS	2490	-51.47	-25	Pass	1490
2490	2580	1	RMS	2555.925	21.25	60	Pass	401
2580	3000	1	RMS	2582.005	-46.48	-25	Pass	420
3000	12000	1	RMS	11794.746	-43.71	-25	Pass	9000
12000	26500	1	RMS	25785.887	-30.38	-25	Pass	14500




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-25	Pass	401
0.15	30	0.01	RMS	0.23	-72.11	-25	Pass	2985
30	1000	0.1	RMS	975.868	-64.12	-25	Pass	9699
1000	2490	1	RMS	2482.995	-36.92	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.73	60	Pass	401
2580	3000	1	RMS	2956.897	-49.8	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.73	-25	Pass	9000
12000	26500	1	RMS	26009.922	-30.44	-25	Pass	14500




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.43	-71.87	-25	Pass	2985
30	1000	0.1	RMS	839.899	-64.2	-25	Pass	9699
1000	2490	1	RMS	2482.995	-37.89	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.04	60	Pass	401
2580	3000	1	RMS	2953.89	-49.81	-25	Pass	420
3000	12000	1	RMS	11798.751	-43.73	-25	Pass	9000
12000	26500	1	RMS	25802.889	-30.44	-25	Pass	14500




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-25	Pass	2985
30	1000	0.1	RMS	963.351	-64.23	-25	Pass	9699
1000	2490	1	RMS	2490	-47.79	-25	Pass	1490
2490	2580	1	RMS	2526	21.82	60	Pass	401
2580	3000	1	RMS	2954.893	-49.82	-25	Pass	420
3000	12000	1	RMS	11796.748	-43.74	-25	Pass	9000
12000	26500	1	RMS	25786.887	-30.43	-25	Pass	14500




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-25	Pass	401
0.15	30	0.01	RMS	0.51	-72.64	-25	Pass	2985
30	1000	0.1	RMS	840.699	-64.16	-25	Pass	9699
1000	2490	1	RMS	2490	-48.87	-25	Pass	1490
2490	2580	1	RMS	2526	20.99	60	Pass	401
2580	3000	1	RMS	2947.876	-49.83	-25	Pass	420
3000	12000	1	RMS	11800.753	-43.76	-25	Pass	9000
12000	26500	1	RMS	25820.892	-30.45	-25	Pass	14500




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.69	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.46	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.5	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.22	60	Pass	401
2580	3000	1	RMS	2587.017	-43.72	-25	Pass	420
3000	12000	1	RMS	11801.755	-43.67	-25	Pass	9000
12000	26500	1	RMS	25801.889	-30.41	-25	Pass	14500



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.82	-25	Pass	2985
30	1000	0.1	RMS	590.368	-62.5	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.56	-25	Pass	1490
2490	2580	1	RMS	2551.2	21.63	60	Pass	401
2580	3000	1	RMS	2587.017	-44.58	-25	Pass	420
3000	12000	1	RMS	11799.752	-43.82	-25	Pass	9000
12000	26500	1	RMS	25823.893	-30.29	-25	Pass	14500



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.67	-13	Pass	2985
30	695	0.1	RMS	694.1	-63.66	-13	Pass	6650
695	725	0.1	RMS	704.3	18.83	60	Pass	401
725	1000	0.1	RMS	825.537	-64.25	-13	Pass	2750
1000	3000	1	RMS	2816.908	-46.01	-13	Pass	2000
3000	10000	1	RMS	3522.075	-44.1	-13	Pass	7000




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.21	-13	Pass	2985
30	695	0.1	RMS	694.1	-64.69	-13	Pass	6650
695	725	0.1	RMS	704.3	17.55	60	Pass	401
725	1000	0.1	RMS	835.24	-64.2	-13	Pass	2750
1000	3000	1	RMS	2816.908	-46.78	-13	Pass	2000
3000	10000	1	RMS	6949.564	-44.66	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.66	-13	Pass	2985
30	695	0.1	RMS	694.1	-64.3	-13	Pass	6650
695	725	0.1	RMS	707.825	19.06	60	Pass	401
725	1000	0.1	RMS	835.74	-64.26	-13	Pass	2750
1000	3000	1	RMS	2830.915	-46.07	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.55	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.52	-13	Pass	2985
30	695	0.1	RMS	694.2	-64.71	-13	Pass	6650
695	725	0.1	RMS	707.825	18.73	60	Pass	401
725	1000	0.1	RMS	833.539	-64.37	-13	Pass	2750
1000	3000	1	RMS	2830.915	-46.36	-13	Pass	2000
3000	10000	1	RMS	3539.077	-43.12	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.79	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.93	-13	Pass	2985
30	695	0.1	RMS	692.2	-62.74	-13	Pass	6650
695	725	0.1	RMS	711.35	19.16	60	Pass	401
725	1000	0.1	RMS	855.748	-64.42	-13	Pass	2750
1000	3000	1	RMS	2844.922	-45.73	-13	Pass	2000
3000	10000	1	RMS	3557.08	-42.46	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.63	-13	Pass	2985
30	695	0.1	RMS	692.2	-63.2	-13	Pass	6650
695	725	0.1	RMS	711.35	18.61	60	Pass	401
725	1000	0.1	RMS	828.538	-64.21	-13	Pass	2750
1000	3000	1	RMS	2844.922	-46.52	-13	Pass	2000
3000	10000	1	RMS	6952.565	-44.71	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.76	-13	Pass	2985
30	695	0.1	RMS	694.4	-63.89	-13	Pass	6650
695	725	0.1	RMS	704.6	19.56	60	Pass	401
725	1000	0.1	RMS	841.842	-64.22	-13	Pass	2750
1000	3000	1	RMS	2817.909	-45.97	-13	Pass	2000
3000	10000	1	RMS	3523.075	-41.26	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.22	-13	Pass	2985
30	695	0.1	RMS	694.4	-64.28	-13	Pass	6650
695	725	0.1	RMS	704.6	18.32	60	Pass	401
725	1000	0.1	RMS	845.944	-64.3	-13	Pass	2750
1000	3000	1	RMS	2817.909	-46.68	-13	Pass	2000
3000	10000	1	RMS	3523.075	-44.16	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.82	-13	Pass	2985
30	695	0.1	RMS	693.7	-63.93	-13	Pass	6650
695	725	0.1	RMS	705.575	19.43	60	Pass	401
725	1000	0.1	RMS	845.444	-64.43	-13	Pass	2750
1000	3000	1	RMS	2821.911	-45.87	-13	Pass	2000
3000	10000	1	RMS	3528.075	-42.45	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	Pass	2985
30	695	0.1	RMS	693.7	-64.44	-13	Pass	6650
695	725	0.1	RMS	705.575	18.78	60	Pass	401
725	1000	0.1	RMS	858.749	-64.52	-13	Pass	2750
1000	3000	1	RMS	2821.911	-45.89	-13	Pass	2000
3000	10000	1	RMS	3528.075	-43.25	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.43	-13	Pass	2985
30	695	0.1	RMS	694.7	-63.4	-13	Pass	6650
695	725	0.1	RMS	706.625	19.11	60	Pass	401
725	1000	0.1	RMS	839.742	-64.32	-13	Pass	2750
1000	3000	1	RMS	2825.913	-45.63	-13	Pass	2000
3000	10000	1	RMS	3533.076	-42.27	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.75	-71.54	-13	Pass	2985
30	695	0.1	RMS	694.7	-64.09	-13	Pass	6650
695	725	0.1	RMS	706.625	17.65	60	Pass	401
725	1000	0.1	RMS	833.94	-64.23	-13	Pass	2750
1000	3000	1	RMS	2825.913	-46.97	-13	Pass	2000
3000	10000	1	RMS	6954.565	-44.77	-13	Pass	7000



14. LTE_Band41


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.63	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.29	-25	Pass	2985
30	1000	0.1	RMS	936.393	-60.48	-25	Pass	9700
1000	2485	1	RMS	2485	-49.45	-25	Pass	1485
2485	2700	1	RMS	2555.109	16.92	60	Pass	691
2700	3000	1	RMS	2980	-47.79	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.48	-25	Pass	9000
12000	28000	1	RMS	20112.507	-33.4	-25	Pass	16000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.37	-25	Pass	691
0.15	30	0.01	RMS	0.31	-71.44	-25	Pass	2985
30	1000	0.1	RMS	894.089	-60.42	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.45	-25	Pass	1485
2485	2700	1	RMS	2555.42	16.97	60	Pass	691
2700	3000	1	RMS	2980.435	-47.78	-25	Pass	691
3000	12000	1	RMS	11818.98	-37.54	-25	Pass	9000
12000	28000	1	RMS	20108.507	-33.35	-25	Pass	16000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.34	-25	Pass	691
0.15	30	0.01	RMS	25.869	-71.92	-25	Pass	2985
30	1000	0.1	RMS	926.092	-60.57	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.47	-25	Pass	1485
2485	2700	1	RMS	2602.783	17.77	60	Pass	691
2700	3000	1	RMS	2980.87	-47.8	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.44	-25	Pass	9000
12000	28000	1	RMS	20114.507	-33.39	-25	Pass	16000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.74	-25	Pass	691
0.15	30	0.01	RMS	21.987	-71.57	-25	Pass	2985
30	1000	0.1	RMS	903.79	-60.56	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.48	-25	Pass	1485
2485	2700	1	RMS	2602.783	16.92	60	Pass	691
2700	3000	1	RMS	2980.87	-47.73	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.53	-25	Pass	9000
12000	28000	1	RMS	20107.507	-33.34	-25	Pass	16000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.61	-25	Pass	691
0.15	30	0.01	RMS	29.77	-71.33	-25	Pass	2985
30	1000	0.1	RMS	897.389	-60.39	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.47	-25	Pass	1485
2485	2700	1	RMS	2650.457	17.95	60	Pass	691
2700	3000	1	RMS	2983.913	-47.78	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.49	-25	Pass	9000
12000	28000	1	RMS	20108.507	-33.37	-25	Pass	16000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	26.009	-71.34	-25	Pass	2985
30	1000	0.1	RMS	966.797	-60.6	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.49	-25	Pass	1485
2485	2700	1	RMS	2650.457	16.86	60	Pass	691
2700	3000	1	RMS	2983.913	-47.76	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.46	-25	Pass	9000
12000	28000	1	RMS	20110.507	-33.35	-25	Pass	16000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.32	-25	Pass	691
0.15	30	0.01	RMS	25.498	-71.1	-25	Pass	2985
30	1000	0.1	RMS	905.29	-60.41	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.46	-25	Pass	1485
2485	2700	1	RMS	2555.42	17.39	60	Pass	691
2700	3000	1	RMS	2980.435	-47.81	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.54	-25	Pass	9000
12000	28000	1	RMS	20114.507	-33.37	-25	Pass	16000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.26	-25	Pass	691
0.15	30	0.01	RMS	26.049	-71.62	-25	Pass	2985
30	1000	0.1	RMS	987.999	-60.49	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.48	-25	Pass	1485
2485	2700	1	RMS	2555.42	16.09	60	Pass	691
2700	3000	1	RMS	2983.043	-47.77	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.52	-25	Pass	9000
12000	28000	1	RMS	20106.507	-33.36	-25	Pass	16000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.56	-25	Pass	691
0.15	30	0.01	RMS	28.51	-72.01	-25	Pass	2985
30	1000	0.1	RMS	978.198	-60.51	-25	Pass	9700
1000	2485	1	RMS	2485	-49.46	-25	Pass	1485
2485	2700	1	RMS	2600.601	17.89	60	Pass	691
2700	3000	1	RMS	2979.13	-47.78	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.54	-25	Pass	9000
12000	28000	1	RMS	20113.507	-33.36	-25	Pass	16000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.74	-25	Pass	691
0.15	30	0.01	RMS	22.367	-72.16	-25	Pass	2985
30	1000	0.1	RMS	950.495	-60.62	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.43	-25	Pass	1485
2485	2700	1	RMS	2600.601	17.51	60	Pass	691
2700	3000	1	RMS	2979.565	-47.76	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.5	-25	Pass	9000
12000	28000	1	RMS	20109.507	-33.36	-25	Pass	16000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.64	-25	Pass	691
0.15	30	0.01	RMS	22.948	-71.89	-25	Pass	2985
30	1000	0.1	RMS	941.694	-60.51	-25	Pass	9700
1000	2485	1	RMS	2477.995	-49.42	-25	Pass	1485
2485	2700	1	RMS	2645.783	17.89	60	Pass	691
2700	3000	1	RMS	2981.304	-47.74	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.5	-25	Pass	9000
12000	28000	1	RMS	20108.507	-33.38	-25	Pass	16000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.52	-25	Pass	691
0.15	30	0.01	RMS	22.658	-71.88	-25	Pass	2985
30	1000	0.1	RMS	983.898	-60.52	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.48	-25	Pass	1485
2485	2700	1	RMS	2645.783	17.47	60	Pass	691
2700	3000	1	RMS	2981.739	-47.78	-25	Pass	691
3000	12000	1	RMS	11818.98	-37.46	-25	Pass	9000
12000	28000	1	RMS	20110.507	-33.34	-25	Pass	16000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.72	-25	Pass	691
0.15	30	0.01	RMS	27.539	-71.76	-25	Pass	2985
30	1000	0.1	RMS	908.291	-60.66	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.45	-25	Pass	1485
2485	2700	1	RMS	2555.732	17.51	60	Pass	691
2700	3000	1	RMS	2982.174	-47.79	-25	Pass	691
3000	12000	1	RMS	11817.98	-37.56	-25	Pass	9000
12000	28000	1	RMS	20111.507	-33.36	-25	Pass	16000




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.48	-25	Pass	691
0.15	30	0.01	RMS	26.029	-71.84	-25	Pass	2985
30	1000	0.1	RMS	909.091	-60.49	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.4	-25	Pass	1485
2485	2700	1	RMS	2555.732	16.42	60	Pass	691
2700	3000	1	RMS	2986.087	-47.76	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.46	-25	Pass	9000
12000	28000	1	RMS	20110.507	-33.34	-25	Pass	16000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.7	-25	Pass	691
0.15	30	0.01	RMS	27.629	-71.62	-25	Pass	2985
30	1000	0.1	RMS	966.597	-60.56	-25	Pass	9700
1000	2485	1	RMS	2485	-49.45	-25	Pass	1485
2485	2700	1	RMS	2598.42	17.88	60	Pass	691
2700	3000	1	RMS	2979.565	-47.78	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.46	-25	Pass	9000
12000	28000	1	RMS	20115.507	-33.34	-25	Pass	16000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.75	-25	Pass	691
0.15	30	0.01	RMS	28.349	-71.43	-25	Pass	2985
30	1000	0.1	RMS	976.098	-60.36	-25	Pass	9700
1000	2485	1	RMS	2478.996	-49.48	-25	Pass	1485
2485	2700	1	RMS	2598.42	16.65	60	Pass	691
2700	3000	1	RMS	2978.696	-47.78	-25	Pass	691
3000	12000	1	RMS	11818.98	-37.54	-25	Pass	9000
12000	28000	1	RMS	20112.507	-33.36	-25	Pass	16000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	920.092	-60.39	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.48	-25	Pass	1485
2485	2700	1	RMS	2640.797	17.94	60	Pass	691
2700	3000	1	RMS	2981.739	-47.75	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.47	-25	Pass	9000
12000	28000	1	RMS	20114.507	-33.37	-25	Pass	16000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.63	-25	Pass	691
0.15	30	0.01	RMS	0.22	-71.7	-25	Pass	2985
30	1000	0.1	RMS	974.297	-60.29	-25	Pass	9700
1000	2485	1	RMS	2478.996	-49.44	-25	Pass	1485
2485	2700	1	RMS	2640.797	17.19	60	Pass	691
2700	3000	1	RMS	2988.696	-47.78	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.49	-25	Pass	9000
12000	28000	1	RMS	20109.507	-33.34	-25	Pass	16000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.54	-25	Pass	691
0.15	30	0.01	RMS	0.17	-72.01	-25	Pass	2985
30	1000	0.1	RMS	913.391	-60.41	-25	Pass	9700
1000	2485	1	RMS	2481.998	-49.47	-25	Pass	1485
2485	2700	1	RMS	2556.043	17.38	60	Pass	691
2700	3000	1	RMS	2979.565	-47.78	-25	Pass	691
3000	12000	1	RMS	11820.98	-37.53	-25	Pass	9000
12000	28000	1	RMS	20111.507	-33.37	-25	Pass	16000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.43	-25	Pass	691
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2985
30	1000	0.1	RMS	968.297	-60.57	-25	Pass	9700
1000	2485	1	RMS	2482.999	-49.48	-25	Pass	1485
2485	2700	1	RMS	2556.043	17.2	60	Pass	691
2700	3000	1	RMS	2982.174	-47.79	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.44	-25	Pass	9000
12000	28000	1	RMS	20111.507	-33.33	-25	Pass	16000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.69	-25	Pass	691
0.15	30	0.01	RMS	25.218	-71.43	-25	Pass	2985
30	1000	0.1	RMS	922.892	-60.43	-25	Pass	9700
1000	2485	1	RMS	2479.997	-49.41	-25	Pass	1485
2485	2700	1	RMS	2596.239	17.72	60	Pass	691
2700	3000	1	RMS	2979.565	-47.76	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.48	-25	Pass	9000
12000	28000	1	RMS	20111.507	-33.33	-25	Pass	16000




**14.22 LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.51	-25	Pass	691
0.15	30	0.01	RMS	25.518	-71.78	-25	Pass	2985
30	1000	0.1	RMS	936.893	-60.53	-25	Pass	9700
1000	2485	1	RMS	2477.995	-49.48	-25	Pass	1485
2485	2700	1	RMS	2595.928	16.68	60	Pass	691
2700	3000	1	RMS	2981.304	-47.76	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.41	-25	Pass	9000
12000	28000	1	RMS	20110.507	-33.34	-25	Pass	16000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.33	-25	Pass	691
0.15	30	0.01	RMS	0.23	-71.83	-25	Pass	2985
30	1000	0.1	RMS	936.893	-60.34	-25	Pass	9700
1000	2485	1	RMS	2483.999	-49.45	-25	Pass	1485
2485	2700	1	RMS	2636.123	18.25	60	Pass	691
2700	3000	1	RMS	2980.435	-47.77	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.45	-25	Pass	9000
12000	28000	1	RMS	20109.507	-33.35	-25	Pass	16000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	691
0.15	30	0.01	RMS	0.15	-71.82	-25	Pass	2985
30	1000	0.1	RMS	947.495	-60.62	-25	Pass	9700
1000	2485	1	RMS	2480.997	-49.48	-25	Pass	1485
2485	2700	1	RMS	2636.123	17.72	60	Pass	691
2700	3000	1	RMS	2977.391	-47.78	-25	Pass	691
3000	12000	1	RMS	11819.98	-37.51	-25	Pass	9000
12000	28000	1	RMS	20112.507	-33.34	-25	Pass	16000



END