

Model Name: NX-SP201 Input Voltage: AC 110V - 240V

Output: 16A Maximum Load Wireless Type: 2.4GHz, 1T1R App Support: iOS /Android Supported Load Types:

Coffee Maker: 800 W Desk Lamp: 235.2 W

Humidifier: 260 W Iron: 1500 W Toaster: 850 W

Heater: 1500 W

Tower Fan: 50 W



Simplified steps to install App on your smart device and pair with Amazon Alexa and Google Assistant using Smart Life App on Apple Store / Google Play Store Works with Amazon Alexa. Compatible with any smart phone or tablet including any Android devices and Apple

How to connect Smart Plug Mini to Wi-Fi network

choose email you will then create a password

1. Make sure quick mode configuration is initiated: Download or scan the OR code and install the Smart Life App for either iOS or Android. the indicator light blinks blue rapidly (twice per Once downloaded, the app will ask second). If it blinks blue slowly (once every 3 vou to register your device. Enter your phone number or seconds), press and hold the power button on email which ever one makes you feel comfortable and

> indicator light blinks rapidly. 2. Tap the icon"+"on the top right comer of



Attention: There's no Registration Code needed if email method chosen.

se note there're two modes configurations(Quick de/AP Mode) available for you to choose before adding e device to app. Quick Mode is recommended. Quick Mode Configuration (Common)

the Mini Smart Plug for 6 seconds until the select the country you live in. If phone number selected you will receive a text with a registration code. If you

> "Smart your smart life", choose your device type and enter into "Add Device"



A O

5. Follow the in-app instructions to connect the Smart Plug to your Wi-Fi network.



4. Once connected, the App will prompt the connection, and click "Done".

5. Now you can control the Mini Smart Plug through Smart Life APP.

successfully, the indicator light will turn to solid blue and the device will be added to the "Device List".

AP Mode Configuration

. Make sure AP mode configuration is initiated: the indicator light blinks blue slowly (once every 3 seconds). If it blinks blue rapidly (twice per second), press and hold the power button on the Mini Smart Plug for 6 seconds until the indicator light blinks slowly.

"Start your smart life" tab and then click "AP Mode" at the top right corner of "Add



6. Once the configuration is completed

How to make indicator rapidly blink

Indicator light is in other status

2. Tap the icon "+" at the top right corner of 3. Follow the in-app instructions to connect the Mini Smart Plug to your Wi-Fi network.




through Smart Life APP.

connection, and click "Done". 5. Now you can control the Mini Smart Plug

successfully, the indicator light will turn Welcomet to solid blue and the device will be added to the "Device List".

How to connect Smart Plug Mini to Amazon Alexa 1. Launch Smart Life App. sign in your account



6. Once the configuration is completed

Please note: you can add the Smart Plug Mini to Echo/Google Home following this instructions below. Or the one on the app (Open Smart Life App. go to "Profile" -> "Integration",tap"amazon echo"or"Google Home"and install).


make sure you have at least one Alexa voice-controlled device installed like Echo, Echo dot, etc. In the upper left corner of Home page k 🗮 button to show App menu. Then

> on Supported Alesa Peasanys and Reptionality. Follow: the Intil Insion to customize your Alexa experience. CUSTOMOZNI ALEXA

and make sure Mini Smart Plug is in device list. 2. Modify device name so that Alexa can easily recognize, such as: Living room Light, Bedroom Light, etc. 3. Minimize Smart Life App, then launch the Alexa App and sign in your Alexa account and

6. Enable Smart Life Smart Skill then sign in your

Smart Life account to complete the account



5. Type in "Smart Life" in the search and click the search button next to it.



discovery, Alexa will show all the discovered devices.



. .

Account Binding


of a sponsorarifymacom

Please choose the app you're swing now


7. After successful account linking, ask Alexa to


Smart Life

discover devices. After a 20-second device 9. In Smart Home page, you can group you devices for different categories. Your Smart Life APP has been skilled with Alexa, Now you can control your Smart Plug through Alexa




Launch the Google Home App and make sure





8. Back to Menu by clicking 🗮 button, and then | How to connect Smart Plug Mini to Google Home

- Google Home speaker is installed. If not,please follow Google Home speaker installation instruction to complete the installation.
- left corner of App Home page, click button to show App menu. Then clicks "Home Control" in the menu.



. After successful account linking, in Google

On "Add devices" page, scroll down to find "Smart Life" and then click it. Sign in Smart Life App with your Smart Life App account

X & http://px1.us.wgire.com

Smart Life App in the dropdown menu to complete the account linking.

Add devices

USHAM DUMITH (US)

and password choose



Home App you can see all the smart devices from your Smart Life App account. You can assign rooms for each device.

5. Now you can use Google Home to control your smart devices, you can say like:

> Ok Google, turn on/off wall light Ok Google, set bedroom light to red

> > Assign rooms cour 1 6

2.0

2. What should I do when I cannot turn Mini Smart Plug on or off?

Plug are connected to the same Wi-Fi network. Make sure the devices connected to the Mini Smart Plug are turned on.

process has failed? (twice per second) for quick mode configuration,

You could:

Plug's specifications.

- Check whether the Mini Smart Plug is powered on or not.
- Check whether your mobile device is connected to 2.4GHz Wi-Fi network
- Check your network connectivity. Make sure the router is working properly:
- If the router is dual-band router, select 2.4G network and then add Mini Smart Plug.
- Enable the router's broadcasting function The Mini Smart Plug and the mobile device are
- Configure the encryption method as WPA2-P and authorization type as AES, or set both as auto.
- Wireless mode cannot be 11n only.

Troubleshooting and FAQ

You can control lights, fans, portable heaters, and a

small appliances in accordance with the Mini Smart

Make sure your mobile devices and the Mini Sma

1. What devices can I control with the Mini Smart Check whether the router's connected device

reach the amount limit. Please try to turn off some devices' Wi-Fi function and configure Smart Plug again. ■ Check if router's wireless MAC filtering function

■ Check for Wi-Fi interference or relocate the Mini

Smart Plug to another location within the signal

is enabled. Remove the device from filter list and make sure the router is not prohibiting Min Smart Plug from connection.

 Make sure the password of your Wi-Fi network entered in App is correct when adding Mini Smart Plug.

What should I do when device configuration Make sure the Mini Smart Plug is in ready for App-Config: the indicator light is guick blinking b

slow blinking blue (once every 3 seconds) for AF

mode configuration. Repeat the App-Config process.

Factory reset the Mini Smart Plug and try to a

it again.

4. Can I control device through 2G/3G/40 cellular network?

required to be under same Wi-Fi network when addir the Mini Smart Plug for the first time. After successful device configuration, you can remotely control the device through 2G/3G/4G cellular network.

no Wi-Fi network.

power button once again.

to the Wi-Fi network.

5. How can I share my device with family?

device with added family members.

6. How to reset this device?

Lighting pattern:

Open App. go to "Profile" -> "Device Sharing" ->

Factory reset: After Mini Smart Plug is plugged

the power button for factory reset until the

indicator light blinks blue rapidly. Indicator

mode configuration is initiated.

AP mode configuration is initiated.

into a power socket, press and hold(for 6 seconds)

Quick blinking blue (twice per second): Quick

Slow blinking blue (once every 3 seconds):

Solid blue: The Mini Smart Plug is connected

Solid red: Power socket of the Mini Smart

turn to solid red from any other status

the previous status from solid red status

(power socket is switched off) by pressing

Off: The Mini Smart Plug is switched off and

Plug is switched on. The indicator light could

(guick/slow blinking blue, solid blue or off) by

pressing the power button once and return to

"Sent", tap "Add Sharing", now you can share the

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.