





Follow us on Facebook

Note 16 Pro

Quick Guide

[EN]





1. Nano SIM + Nano SIM.

2. Nano SIM + TF Card.

SIM slot 2 can be otherwise used as TF card slot, while SIM card and TF card can't be placed in the same slot.

Network Bands:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Face Unlock:

Setting>Face Unlock


Network Connection

WiFi: Setting>Network & Internet>WiFi


Hotspot:Setting>Network & Internet>

Hotspot&tethering





①



②



1. Nano Sim + Nano Sim.
2. Nano SIM + TF -Karte. SIM -Steckplatz 2 kann ansonsten als TF -Kartensteckplatz verwendet werden, während die SIM -Karte und die TF -Karte nicht in denselben Steckplatz platziert werden können.

Netzwerkbander

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Gesichts Entsperrung:

Einstellung > Face UnLock


Netzwerkverbindung

WiFi: Einstellung > Netzwerk & Internet > WiFi

Hotspot: Einstellung > Netzwerk & Internet >

Hotspot-Tethering





1. Nano Sim + Nano Sim.
2. Carte Nano Sim + TF.SIM Slot 2 peut être utilisé autrement comme emplacement de carte TF, tandis que la carte SIM et la carte TF ne peuvent pas être placées dans la même machine à sous.

Bandes de réseau

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Déverrouillage du visage:


Paramétrage > Sécurité & Location >
Déverrouillage du visage

Connexion réseau

WiFi: Paramétrage > Réseau & Internet > WiFi

Hotspot: Paramétrage > Réseau et Internet >
Hotspot et modem





1. Nano Sim + Nano Sim.

2. Tarjeta Nano SIM + TF. SIM Slot 2 se puede usar como ranura para tarjeta TF, mientras que la tarjeta SIM y la tarjeta TF no se pueden colocar en la misma ranura.

Bandas de red

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Desbloqueo de la cara:

Configuraciones > Desbloqueo de la cara


Conexión de red

WiFi: Configuraciones > Redes e Internet > WiFi


Hotspot: Configuración > Red e Internet >

Hotspot y módem





①



②



1. Nano Sim + Nano Sim.
2. Nano SIM + TF Card. SIM Slot 2 può essere altrimenti utilizzato come slot per scheda TF, mentre la scheda SIM e la scheda TF non possono essere posizionate nello stesso slot.

Bande di rete

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Sbloccare la faccia:

Impostazioni > Sblocco del viso


Connessione di rete

WiFi: Impostazioni > Rete e Internet > WiFi

Hotspot: Impostazioni > Rete e Internet >

Hotspot e modem





RU

1. Nano Sim + Nano Sim. 2. Nano SIM -карта + TF Card. SIM -слот 2 может использоваться в качестве слота для карты TF, в то время как SIM -карта и карта TF не могут быть размещены в одном слоте.

Глобальные Диапазоны:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Распознавание Лица:

Настройки > Распознавание Лица


Подключение к сети

WiFi: Настройки > Сети & Интернет > WiFi

Хот-спот: Настройки > Сети & Интернет >

Хот-спот & ограничение





1. Nano Sim + Nano Sim.
2. Nano SIM + TF -карта. SIM -слот 2 можна використовувати в іншому випадку як слот для карт TF, тоді як SIM -карта та карта TF не можуть бути розміщені в одному слоті.

Стандарти мереж, що підтримуються:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

Розпізнавання обличчя:

Налаштування > Розпізнавання обличчя

Підключення до мережі:


WiFi: Налаштування > Мережі та інтернет > WiFi

Хот-спот: Налаштування > Мережі та інтернет >

Хот-спот та обмеження

[JP]





1. Nano Sim + Nano Sim。
2. Nano Sim + TFカード。SIMスロット2はTFカードスロットとして使用できますが、SIMカードとTFカードを同じスロットに配置することはできません。

ネットワーク帯域

GSM: B2/3/5/8

WCDMA: B1/2/4/5/8

LTE-FDD: B1/2/3/4/5/7/8/12/17/19/20/28A/28B/66

LTE-TDD: B34/38/39/40/41

フェイスロック解除：

設定> フェイスロック解除

ネットワーク接続

WiFi>設定>ネットワークとインターネット>WiFi

ホットスポット：設定>ネットワークとインターネット>ホットスポットとテザリング

CE Warning

1. Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss.

2. CAUTION:
RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

3. The product shall only be connected to a USB interface of version USB2.0.

4. Adapter shall be installed near the equipment and shall be easily accessible.

5. Operation temperature: -10~40C

6. The plug considered as disconnect device of adapter.

7. SAR:

The device complies with RF specifications when the device used at 5mm from your body (SAR limit 2.0W/Kg), The device is in compliance with the requirements.




This information has to be presented in such a way that the user can readily understand it. Typically, this will necessitate translation into every local language (required by national consumer laws) of the markets where the equipment is intended to be sold. Illustrations, pictograms and using international abbreviations for country names may help reduce the need for translation.

Restrictions in the 5 GHz band:

According to Article 10 (10) of Directive 2014/53/EU, the packaging shows that this radio equipment will be subject to some restrictions when placed on the market in Belgium (BE), Bulgaria (BG), the Czech Republic (CZ), Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain(ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania(LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria(AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK),Finland (FI), Sweden (SE), the United Kingdom (UK), Turkey (TR), Norway(NO), Switzerland (CH), Iceland (IS), and Liechtenstein (LI).

The WLAN function for this device is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range.



ES	LU	RO	CZ	FR
HU	SI	DK	HR	BE
BG	DE	EE	IE	EL
IT	CY	LV	LT	SK
MT	NL	AT	PL	PT
FI	SE	UK	TR	NO
CH	IS	LI		

FCC Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This Product meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health

FCC RF Exposure Information and Statement the SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of this Device GQ3106 (FCC ID: 2AOWK-3106) has been tested against this SAR limit. SAR information on this can be viewed on-line at <http://www.fcc.gov/oet/ea/fccid/>. Please use the device FCC ID number for search. This device was tested for typical operations 10mm from the body. To maintain compliance with FCC RF exposure requirements, 10mm separation distance should maintained to the user's bodies

NOTE

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radiofrequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

IC Caution

EN

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

FR

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

1. L'appareil ne doit pas produire de brouillage;
2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

SAR Statement: Mobile Phone has been tested and meets applicable limits for radio frequency (RF) exposure. Specific Absorption Rate (SAR) refers to the rate at which the body absorbs RF energy. The SAR limit is 1.6 watts per kilogram in Canada that set the limit averaged over 1 gram of tissue. During testing, Mobile Phone (IC: 12564A-3106) radios are set to their highest transmission levels and placed in positions that simulate uses against the head, with no separation, and when worn or carried against the torso of the body, with 10mm separation. To reduce exposure to RF energy, use a hands-free option, such as the built-in speaker phone, the supplied headphones, or other similar accessories. Cases with metal parts may change the RF performance of the device, including its compliance with RF exposure guidelines, in a manner that has not been tested or certified. Although this device has been tested to determine SAR in each band of operation, not all bands are available in all areas. Bands are dependent on your service provider's wireless and roaming networks. The WLAN function for this device is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range.

ulefone®
All Rights Reserved

The information contained herein is subject to change without notice. The only warranties for Ulefone products and services are set forth in the express warranty statements accompanying such products and services.

Nothing herein should be construed as constituting an additional warranty. Ulefone shall not be liable for technical or editorial errors or omissions contained herein.

Shenzhen Gotron Electronic CO., LTD.
Address: Floor 7, Building A, Block 1, Anhongji
Tianyao Plaza, Longhua District, Shenzhen City,
Guangdong Province China

Service Center
Email : service@ulefone.com



RF Specification:

Function	Operation Frequency	Max RF outputpower:
BT(BR+EDR)	2402MHz~2480MHz	<10dBm
BLE	2402MHz~2480MHz	<10dBm
WIFI 802.11b/g/n(HT20,HT40)	802.11b/g/n(20MHz): 2412~2472MHz; 802.11n(40MHz):2422~2462MHz	<20dBm
Wi-Fi 5.2G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5180MHz~5240MHz 802.11 n40/ac40:5190MHz~5230MHz 802.11ac80:5210MHz	<20dBm
Wi-Fi 5.8G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5745MHz~5825MHz 802.11 n40/ac40:5755MHz~5795MHz 802.11ac80:5775MHz	<13.98dBm
GSM/GPRS/EGPRS 900	TX(Uplink):880M - 915MHZ; RX(Downlink):925M - 960MHZ	<36dBm
GSM/GPRS/EGPRS 1800	TX(Uplink):1710M - 1785MHZ; RX(Downlink):1805M - 1880MHZ	<33dBm
WCDMA B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	<25.7dBm
WCDMA B8	TX(Uplink): 880-915MHz; RX(Downlink):925-960MHz	<25.7dBm
LTE FDD B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	<25dBm
LTE FDD B3	TX(Uplink) :1710-1785MHz; RX(Downlink):1805-1880MHz	<25dBm
<i>LTE FDD B7</i>	TX(Uplink) :2500-2570MHz; RX(Downlink):2620-2690MHz	<25dBm
<i>LTE FDD B8</i>	TX(Uplink): 880MHz to 915 MHz RX(Downlink): 925 MHz to 960 MHz	<25dBm
<i>LTE FDD B20</i>	TX(Uplink): 832MHz~862MHz; RX(Downlink): 791MHz~821MHz	<25dBm
LTE FDD B28	TX(Uplink) 703 MHz to 748MHz RX(Downlink) 758 MHz to 803 MHz	<25 dBm
LTE TDD B40	Uplink & Downlink: 2300 MHz to 2400 MHz	<25 dBm
FM	Rx(Downlink): 87.5MHz~108MHz	--
GPS	Rx(Downlink): 1.57542GHz	--