


5.2G:

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	98.16	0.08	0.74
NVNT	a	5200	Ant1	98.13	0.08	0.74
NVNT	a	5240	Ant1	98.16	0.08	0.74
NVNT	n20	5180	Ant1	97.99	0.09	0.79
NVNT	n20	5200	Ant1	98	0.09	0.78
NVNT	n20	5240	Ant1	98.02	0.09	0.79
NVNT	n40	5190	Ant1	96.24	0.17	1.59
NVNT	n40	5230	Ant1	96.25	0.17	1.59
NVNT	ac20	5180	Ant1	98.03	0.09	0.78
NVNT	ac20	5200	Ant1	98.03	0.09	0.78
NVNT	ac20	5240	Ant1	98.04	0.09	0.78
NVNT	ac40	5190	Ant1	96.28	0.16	1.56
NVNT	ac40	5230	Ant1	95.98	0.18	1.56
NVNT	ac80	5210	Ant1	93.01	0.31	3.12


Test Graphs


Duty Cycle NVNT a 5180MHz Ant1





Duty Cycle NVNT a 5200MHz Ant1

















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.51	0.08	9.59	24	Pass
NVNT	a	5200	Ant1	9.26	0.08	9.34	24	Pass
NVNT	a	5240	Ant1	9.54	0.08	9.62	24	Pass
NVNT	n20	5180	Ant1	9.93	0.09	10.02	24	Pass
NVNT	n20	5200	Ant1	9.23	0.09	9.32	24	Pass
NVNT	n20	5240	Ant1	9.34	0.09	9.43	24	Pass
NVNT	n40	5190	Ant1	9.65	0.17	9.82	24	Pass
NVNT	n40	5230	Ant1	9.82	0.17	9.99	24	Pass
NVNT	ac20	5180	Ant1	9.5	0.09	9.59	24	Pass
NVNT	ac20	5200	Ant1	10.19	0.09	10.28	24	Pass
NVNT	ac20	5240	Ant1	10	0.09	10.09	24	Pass
NVNT	ac40	5190	Ant1	9.62	0.16	9.78	24	Pass
NVNT	ac40	5230	Ant1	9.86	0.18	10.04	24	Pass
NVNT	ac80	5210	Ant1	9.66	0.31	9.97	24	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.608	Pass
NVNT	a	5200	Ant1	19.992	Pass
NVNT	a	5240	Ant1	20.145	Pass
NVNT	n20	5180	Ant1	20.502	Pass
NVNT	n20	5200	Ant1	20.094	Pass
NVNT	n20	5240	Ant1	20.193	Pass
NVNT	n40	5190	Ant1	40.434	Pass
NVNT	n40	5230	Ant1	41.1	Pass
NVNT	ac20	5180	Ant1	20.115	Pass
NVNT	ac20	5200	Ant1	20.364	Pass
NVNT	ac20	5240	Ant1	20.22	Pass
NVNT	ac40	5190	Ant1	40.596	Pass
NVNT	ac40	5230	Ant1	40.854	Pass
NVNT	ac80	5210	Ant1	80.868	Pass


Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.81 dB RBW 300 kHz
 Att 30 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
 SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.1814579 GHz	2.21 dBm		
M2	1		5.170172 GHz	-23.79 dBm		
M3	1		5.18978 GHz	-23.80 dBm		

-26dB Bandwidth NVNT a 5200MHz Ant1

Spectrum


Ref Level 20.00 dBm Offset 9.67 dB RBW 300 kHz
 Att 30 dB SWT 25.4 μ s VBW 1 MHz Mode Auto FFT
 SGL Count 100/100


1Pk Max





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		5.2027087 GHz	1.73 dBm		
M2	1		5.189836 GHz	-24.23 dBm		
M3	1		5.209828 GHz	-24.27 dBm		















Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.306
NVNT	a	5200	Ant1	16.384
NVNT	a	5240	Ant1	16.39
NVNT	n20	5180	Ant1	17.533
NVNT	n20	5200	Ant1	17.464
NVNT	n20	5240	Ant1	17.485
NVNT	n40	5190	Ant1	36.008
NVNT	n40	5230	Ant1	36.02
NVNT	ac20	5180	Ant1	17.596
NVNT	ac20	5200	Ant1	17.479
NVNT	ac20	5240	Ant1	17.566
NVNT	ac40	5190	Ant1	35.978
NVNT	ac40	5230	Ant1	35.996
NVNT	ac80	5210	Ant1	75.112


Test Graphs


OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1


















Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.95	0.08	-0.87	11	Pass
NVNT	a	5200	Ant1	-2.24	0.08	-2.16	11	Pass
NVNT	a	5240	Ant1	-1.4	0.08	-1.32	11	Pass
NVNT	n20	5180	Ant1	0.24	0.09	0.33	11	Pass
NVNT	n20	5200	Ant1	-2.72	0.09	-2.63	11	Pass
NVNT	n20	5240	Ant1	-1.96	0.09	-1.87	11	Pass
NVNT	n40	5190	Ant1	-5.39	0.17	-5.22	11	Pass
NVNT	n40	5230	Ant1	-3.11	0.17	-2.94	11	Pass
NVNT	ac20	5180	Ant1	-1.31	0.09	-1.22	11	Pass
NVNT	ac20	5200	Ant1	-1.67	0.09	-1.58	11	Pass
NVNT	ac20	5240	Ant1	-0.1	0.09	-0.01	11	Pass
NVNT	ac40	5190	Ant1	-5.25	0.16	-5.09	11	Pass
NVNT	ac40	5230	Ant1	-4.97	0.18	-4.79	11	Pass
NVNT	ac80	5210	Ant1	-10.4	0.31	-10.09	11	Pass


Test Graphs


PSD NVNT a 5180MHz Ant1





PSD NVNT a 5200MHz Ant1


















Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.79	-27	Pass
NVNT	a	5240	Ant1	-40.26	-27	Pass
NVNT	n20	5180	Ant1	-38.44	-27	Pass
NVNT	n20	5240	Ant1	-39.68	-27	Pass
NVNT	n40	5190	Ant1	-33.19	-27	Pass
NVNT	n40	5230	Ant1	-35.98	-27	Pass
NVNT	ac20	5180	Ant1	-38.4	-27	Pass
NVNT	ac20	5240	Ant1	-39.9	-27	Pass
NVNT	ac40	5190	Ant1	-35.94	-27	Pass
NVNT	ac40	5230	Ant1	-39.92	-27	Pass
NVNT	ac80	5210	Ant1	-40.68	-27	Pass


Test Graphs


Band Edge NVNT a 5180MHz Low Ant1





Band Edge NVNT a 5240MHz High Ant1















Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.99	-27	Pass
NVNT	a	5200	Ant1	-32.41	-27	Pass
NVNT	a	5240	Ant1	-34.52	-27	Pass
NVNT	n20	5180	Ant1	-27.45	-27	Pass
NVNT	n20	5200	Ant1	-34.25	-27	Pass
NVNT	n20	5240	Ant1	-35.36	-27	Pass
NVNT	n40	5190	Ant1	-35.77	-27	Pass
NVNT	n40	5230	Ant1	-34.68	-27	Pass
NVNT	ac20	5180	Ant1	-36.23	-27	Pass
NVNT	ac20	5200	Ant1	-36.26	-27	Pass
NVNT	ac20	5240	Ant1	-34.64	-27	Pass
NVNT	ac40	5190	Ant1	-27.2	-27	Pass
NVNT	ac40	5230	Ant1	-27.87	-27	Pass
NVNT	ac80	5210	Ant1	-36.33	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5180MHz Ant1 Emission



Tx. Spurious NVNT a 5200MHz Ant1 Emission

