






Follow us on Facebook

GQ5009TH

Quick Guide

[EN]





Card Slot Specifications:

Card Slot 1: SIM 1

Card Slot 2: SIM 2/TF Card

Network Bands:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Face Unlock:



Setting>Face Unlock


Network Connection

WiFi: Setting>Network & Internet> WiFi

Hotspot: Setting>Network & Internet>

Hotspot&tethering





Kartenslot-Spezifikationen:

Kartensteckplatz 1: SIM 1

Kartensteckplatz 2: SIM 2/TF Card

Netzwerkbander

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/

25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Gesichts Entsperrung:


Einstellung > Face UnLock



Netzwerkverbindung

WiFi: Einstellung > Netzwerk & Internet > WiFi

Hotspot: Einstellung > Netzwerk & Internet >

Hotspot-Tethering





Spécifications de l'emplacement de la carte:

Fente de carte 1: SIM 1

Fente de carte 2: SIM 2/TF Card

Bandes de réseau

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Déverrouillage du visage:

Paramétrage > Sécurité & Location >



Déverrouillage du visage


Connexion réseau

WiFi: Paramétrage > Réseau & Internet > WiFi

Hotspot: Paramétrage > Réseau et Internet >

Hotspot et modem





Especificaciones de la Ranura para Tarjetas:

Ranura de tarjeta 1: SIM 1

Ranura de tarjeta 2: SIM 2/TF Card

Bandas de red

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Desbloqueo de la cara:


Configuraciones>Desbloqueo de la cara



Conexión de red

WiFi: Configuraciones> Redes e Internet> WiFi

Hotspot: Configuración> Red e Internet>

Hotspot y módem





Specifiche dello slot per schede:

Slot per scheda 1: SIM 1

Slot per scheda 2: SIM 2/TF Card

Bande di rete

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41



Sbloccare la faccia:


Impostazioni > Sblocco del viso

Connessione di rete

WiFi: Impostazioni > Rete e Internet > WiFi

Hotspot: Impostazioni > Rete e Internet >
Hotspot e modem





Спецификации слота для карты:

Слот для карты 1: SIM 1

Слот для карты 2: SIM 2/TF Card

Глобальные Диапазоны:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Распознавание Лица:


Настройки> Распознавание Лица



Подключение к сети

WiFi: Настройки>Сети & Интернет>WiFi

Хот-спот: Настройки>Сети & Интернет>

Хот-спот&ограничение





Специфікації слоту для картки:

Слот для картки 1: SIM 1

Слот для картки 2: SIM 2/TF Card

Стандарти мереж, що підтримуються:

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/

25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

Розпізнавання обличчя:



Налаштування> Розпізнавання обличчя


Підключення до мережі:

WiFi: Налаштування>Мережі та інтернет>WiFi

Хот-спот: Налаштування>Мережі та інтернет>

Хот-спот та обмеження





カードスロットの仕様:

カードスロット 1: SIM 1

カードスロット 2: SIM 2/TF Card

ネットワーク帯域

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/
25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

フェイスロック解除:


設定> フェイスロック解除



ネットワーク接続

WiFi>設定>ネットワークとインターネット> WiFi

ホットスポット : 設定>ネットワークとインターネット>

ホットスポットとテザリング





ترجم إلى العربية

فتحة بطاقة 1: SIM 1

فتحة بطاقة 2: SIM 2/TF Card

روابط الشبكة

GSM: B2/3/5/8

WCDMA: B1/2/4/5/6/8/19

CDMA: BC0/BC1/BC10

LTE-FDD: B1/2/3/4/5/7/8/12/13/17/18/19/20/

25/26/28A/28B/66/71

LTE- TDD: B34/38/39/40/41

فتح القفل عن طريق الوجه

الضبط > فتح القفل عن طريق الوجه

اتصال الشبكة

WiFi > الضبط > الشبكة و الإنترنت > WiFi

ضبط نقطة اتصال > الشبكة و الإنترنت > الاتصال والربط

CE Warning

1. Use carefully with the earphone may be possible excessive sound pressure from earphones and headphones can cause hearing loss.

2. CAUTION:

RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

3. The product shall only be connected to a USB interface of version USB2.0.

4. Adapter shall be installed near the equipment and shall be easily accessible.

5. Operation temperature: -10~40°C

6. The plug considered as disconnect device of adapter.

7. SAR:

The device complies with RF specifications when the device used at 5mm from your body (SAR limit 2.0W/Kg). The device is in compliance with the requirements.



This information has to be presented in such a way that the user can readily understand it. Typically, this will necessitate translation into every local language (required by national consumer laws) of the markets where the equipment is intended to be sold. Illustrations, pictograms and using international abbreviations for country names may help reduce the need for translation.

Restrictions in the 5 GHz band:

According to Article 10 (10) of Directive 2014/53/EU, the packaging shows that this radio equipment will be subject to some restrictions when placed on the market in Belgium (BE), Bulgaria (BG), the Czech Republic (CZ), Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain (ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania (LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria (AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK), Finland (FI), Sweden (SE), the United Kingdom (UK), Turkey (TR), Norway (NO), Switzerland (CH), Iceland (IS), and Liechtenstein (LI).

The WLAN function for this device is restricted to indoor use only when operating in the 5150 to 5250 MHz frequency range.



ES	LU	RO	CZ	FR
HU	SI	DK	HR	BE
BG	DE	EE	IE	EL
IT	CY	LV	LT	SK
MT	NL	AT	PL	PT
FI	SE	UK	TR	NO
CH	IS	LI		

FCC Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired
operation.

This Product meets the government's requirements for
exposure to radio waves. The guidelines are based on
standards that were developed by independent scientific
organizations through periodic and thorough evaluation
of scientific studies. The standards include a substantial
safety margin designed to assure the safety of all
persons regardless of age or health.

FCC RF Exposure Information and Statement the SAR
limit of USA (FCC) is 1.6 W/kg averaged over one gram
of this Device GQ5009 (FCC ID: 2AOWK-5009) has
been tested against this SAR limit. SAR information on
this can be viewed on-line at
<http://www.fcc.gov/oet/ea/fccid/>. Please use the device
FCC ID number for search. This device was tested for
typical operations 10mm from the body. To maintain
compliance with FCC RF exposure requirements, 10mm
separation distance should be maintained to the user's
bodies

NOTE:

This equipment has been tested and found to comply
with the limits for a Class B digital device, pursuant to
Part 15 of the FCC Rules. These limits are designed to
provide reasonable protection against harmful
interference in a residential installation. This equipment
generates, uses and can radiate radiofrequency energy
and, if not installed and used in accordance with the
instructions, may cause harmful interference to radio
communications.

However, there is no guarantee that interference will not
occur in a particular installation. If this equipment does
cause harmful interference to radio or television
reception, which can be determined by turning the
equipment off and on, the user is encouraged to try to
correct the interference by one or more of the following
measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and
receiver.
- Connect the equipment into an outlet on a circuit
different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV
technician for help.

ulefone®
All Rights Reserved

The information contained herein is subject to change without notice. The only warranties for Ulefone products and services are set forth in the express warranty statements accompanying such products and services.

Nothing herein should be construed as constituting an additional warranty. Ulefone shall not be liable for technical or editorial errors or omissions contained herein.

Shenzhen Gotron Electronic CO., LTD.
Address: 7B01, Building A, Block 1, Anhongji
Tianyao Plaza, Longhua District, Shenzhen City,
Guangdong Province, China
Service Center
Email : service@ulefone.com



RF Specification:

Function	Operation Frequency	Max RF output power:
BLE	2402MHz~2480MHz	3.62 dBm
BT(BR+EDR)	2402MHz~2480MHz	5.03 dBm
WIFI 802.11b/g/n(HT20/40)	802.11b/g/n(20MHz): 2412~2472MHz; 802.11n(40MHz):2422~2462MHz	15.21 dBm
Wi-Fi 5.2G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5180MHz~5240MHz 802.11 n40/ac40:5190MHz~5230MHz 802.11 ac80:5210MHz	9.40 dBm
Wi-Fi 5.8G(802.11a/n20/n40/ac20/ac40/ac80)	802.11a/ n20/ac20:5745MHz~5825MHz 802.11 n40/ac40:5755MHz~5795MHz 802.11 ac80:57750MHz	9.41 dBm
GSM/GPRS/EGPRS 900	TX(Uplink):880M-915MHZ; RX(Downlink):925M-960MHZ	32.82 dBm
GSM/GPRS/EGPRS 1800	TX(Uplink):1710M-1785MHZ; RX(Downlink):1805M-1880MHZ	28.77 dBm
WCDMA B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	22.99 dBm
WCDMA B8	TX(Uplink): 880-915MHz; RX(Downlink):925-960MHz	22.91 dBm
LTE FDD B1	TX(Uplink):1920-1980MHz; RX(Downlink):2110-2170MHz	23.80 dBm
LTE FDD B3	TX(Uplink) :1710-1785MHz; RX(Downlink):1805-1880MHz	23.33 dBm
LTE FDD B7	TX(Uplink) :2500-2570MHz; RX(Downlink):2620-2690MHz	22.89 dBm
LTE FDD B8	TX(Uplink): 880MHz to 915 MHz RX(Downlink): 925 MHz to 960 MHz	23.35 dBm
LTE FDD B20	TX(Uplink): 832MHz~862MHz; RX(Downlink):791MHz~821MHz	23.25 dBm
LTE FDD B28	TX(Uplink): 703 MHz to 748MHz RX(Downlink): 758 MHz to 803 MHz	23.54 dBm
LTE TDD B38	Uplink & Downlink: 2570 MHz to 2620 MHz	23.18 dBm
LTE TDD B40	Uplink & Downlink: 2300 MHz to 2400 MHz	23.27 dBm
NFC	13.56MHz	10.29 dBuA/m@10m
FM	Rx(Downlink): 87.5MHz~108MHz	--
GPS	Rx(Downlink): 1.57542GHz	--

Canadian regulatory statement

This device complies with Innovation, Science, and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

SAR Statement: This product meets the government's requirements for exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health. IC RF Exposure Information and Statement the SAR limit of Canada (IC) is 1.6 W/kg averaged over one gram of tissue. Device types: Mobile Phone(IC: 12564A-5009) has also been tested against this SAR limit.

This device was tested for typical body-worn operations with the back of the handset kept 10mm from the body. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 10mm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided. Body-worn Operation This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 10mm must be maintained between the user's body and the handset, including the antenna. Third-party belt clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.