





























Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-3.32	0.13	-3.19	30	Pass
NVNT	a	5785	Ant1	-0.5	0.14	-0.36	30	Pass
NVNT	a	5825	Ant1	-1.85	0.05	-1.8	30	Pass
NVNT	a	5745	Ant2	-3.22	0.13	-3.09	30	Pass
NVNT	a	5785	Ant2	-3.58	0.13	-3.45	30	Pass
NVNT	a	5825	Ant2	-3.34	0.14	-3.2	30	Pass
NVNT	n20	5745	Ant1	-2.84	0.14	-2.7	30	Pass
NVNT	n20	5785	Ant1	-1.3	0.14	-1.16	30	Pass
NVNT	n20	5825	Ant1	-1.78	0.06	-1.72	30	Pass
NVNT	n20	5745	Ant2	-3.16	0.14	-3.02	30	Pass
NVNT	n20	5785	Ant2	-3.63	0.14	-3.49	30	Pass
NVNT	n20	5825	Ant2	-4.23	0.14	-4.09	30	Pass
NVNT	n40	5755	Ant1	-5.85	0.14	-5.71	30	Pass
NVNT	n40	5795	Ant1	-5.26	0.12	-5.14	30	Pass
NVNT	n40	5755	Ant2	-7.12	0.26	-6.86	30	Pass
NVNT	n40	5795	Ant2	-8.07	0.29	-7.78	30	Pass
NVNT	ac20	5745	Ant1	-13.98	1.04	-12.94	30	Pass
NVNT	ac20	5785	Ant1	-9.71	1.04	-8.67	30	Pass
NVNT	ac20	5825	Ant1	-9.37	0	-9.37	30	Pass
NVNT	ac20	5745	Ant2	-2.89	0.14	-2.75	30	Pass
NVNT	ac20	5785	Ant2	-3.4	0.14	-3.26	30	Pass
NVNT	ac20	5825	Ant2	-4.39	0.14	-4.25	30	Pass
NVNT	ac40	5755	Ant1	-19.03	1.5	-17.53	30	Pass
NVNT	ac40	5795	Ant1	-16.15	1.49	-14.66	30	Pass
NVNT	ac40	5755	Ant2	-7.33	0.27	-7.06	30	Pass
NVNT	ac40	5795	Ant2	-7.19	0.27	-6.92	30	Pass
NVNT	ac80	5775	Ant1	-25.19	1.99	-23.2	30	Pass
NVNT	ac80	5775	Ant2	-13.76	0.53	-13.23	30	Pass
NVNT	ax20	5745	Ant1	-12.47	1.11	-11.36	30	Pass
NVNT	ax20	5785	Ant1	-12.4	1.11	-11.29	30	Pass
NVNT	ax20	5825	Ant1	-12.38	1.11	-11.27	30	Pass
NVNT	ax20	5745	Ant2	-3.64	0.18	-3.46	30	Pass
NVNT	ax20	5785	Ant2	-4.06	0.18	-3.88	30	Pass
NVNT	ax20	5825	Ant2	-4.22	0.18	-4.04	30	Pass
NVNT	ax40	5755	Ant1	-18.41	1.44	-16.97	30	Pass
NVNT	ax40	5795	Ant1	-17	1.44	-15.56	30	Pass
NVNT	ax40	5755	Ant2	-7.55	0.33	-7.22	30	Pass
NVNT	ax40	5795	Ant2	-8.33	0.32	-8.01	30	Pass
NVNT	ax80	5775	Ant1	-20.88	1.67	-19.21	30	Pass
NVNT	ax80	5775	Ant2	-13.32	0.54	-12.78	30	Pass


Test Graphs


PSD NVNT a 5745MHz Ant1





PSD NVNT a 5785MHz Ant1
























































Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-28.49	Pass
NVNT	a	5825	Ant1	-32.43	Pass
NVNT	a	5745	Ant2	-31.96	Pass
NVNT	a	5825	Ant2	-39.01	Pass
NVNT	n20	5745	Ant1	-19.28	Pass
NVNT	n20	5825	Ant1	-30.33	Pass
NVNT	n20	5745	Ant2	-32.68	Pass
NVNT	n20	5825	Ant2	-39.29	Pass
NVNT	n40	5755	Ant1	-18.03	Pass
NVNT	n40	5795	Ant1	-32.07	Pass
NVNT	n40	5755	Ant2	-29.43	Pass
NVNT	n40	5795	Ant2	-35.95	Pass
NVNT	ac20	5745	Ant1	-16.26	Pass
NVNT	ac20	5825	Ant1	-26.48	Pass
NVNT	ac20	5745	Ant2	-30.54	Pass
NVNT	ac20	5825	Ant2	-38.49	Pass
NVNT	ac40	5755	Ant1	-9.38	Pass
NVNT	ac40	5795	Ant1	-22.02	Pass
NVNT	ac40	5755	Ant2	-31.63	Pass
NVNT	ac40	5795	Ant2	-36.21	Pass
NVNT	ac80	5775	Ant1	-16.2	Pass
NVNT	ac80	5775	Ant1	-13.95	Pass
NVNT	ac80	5775	Ant2	-29.17	Pass
NVNT	ac80	5775	Ant2	-24.3	Pass
NVNT	ax20	5745	Ant1	-11.69	Pass
NVNT	ax20	5825	Ant1	-16.5	Pass
NVNT	ax20	5745	Ant2	-26.93	Pass
NVNT	ax20	5825	Ant2	-30.97	Pass
NVNT	ax40	5755	Ant1	-10.57	Pass
NVNT	ax40	5795	Ant1	-23.49	Pass
NVNT	ax40	5755	Ant2	-23.43	Pass
NVNT	ax40	5795	Ant2	-35.54	Pass
NVNT	ax80	5775	Ant1	-15.05	Pass
NVNT	ax80	5775	Ant1	-12.87	Pass
NVNT	ax80	5775	Ant2	-26.73	Pass
NVNT	ax80	5775	Ant2	-20.83	Pass


Test Graphs

Band Edge NVNT a 5745MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.25 dB RBW 1 MHz
 Att 35 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
 SGL Count 100/100

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.74692 GHz	8.34 dBm		
M2	1	1	5.725 GHz	-30.62 dBm		
M3	1	1	5.7244 GHz	-28.50 dBm		

Band Edge NVNT a 5825MHz High Ant1

Spectrum

Ref Level 20.00 dBm Offset 4.22 dB RBW 1 MHz
 Att 35 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
 SGL Count 100/100

1Pk Max



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1	1	5.82308 GHz	10.08 dBm		
M2	1	1	5.85 GHz	-33.89 dBm		
M3	1	1	5.8522 GHz	-32.43 dBm		

