





























































































































## 2.1047 Modulation characteristics

### TestResult

| Band | Bandwidth | SCS   | Channel | TestID | TestConfig     | Value (dBm) | Up Limit (dBm) | Result |
|------|-----------|-------|---------|--------|----------------|-------------|----------------|--------|
| n66  | 5MHz      | 15kHz | 422500  | 1      | 23.0dBm:Power  | 21.63       | 30.0           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | 23.0dBm:EVM    | 1.36        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | 23.0dBm:RSEVM  | 1.04        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | -37.8dBm:Power | -37.21      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | -37.8dBm:EVM   | 1.16        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 1      | -37.8dBm:RSEVM | 0.82        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | 23.0dBm:Power  | 21.18       | 30.0           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | 23.0dBm:EVM    | 1.31        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | 23.0dBm:RSEVM  | 0.96        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | -37.8dBm:Power | -37.17      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | -37.8dBm:EVM   | 1.32        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 2      | -37.8dBm:RSEVM | 0.93        | 30.00          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | 23.0dBm:Power  | 21.70       | 30.0           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | 23.0dBm:EVM    | 2.24        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | 23.0dBm:RSEVM  | 1.18        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | -37.8dBm:Power | -37.33      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | -37.8dBm:EVM   | 1.32        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 3      | -37.8dBm:RSEVM | 0.88        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | 23.0dBm:Power  | 20.64       | 30.0           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | 23.0dBm:EVM    | 1.51        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | 23.0dBm:RSEVM  | 0.94        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | -37.8dBm:Power | -37.02      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | -37.8dBm:EVM   | 1.34        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 4      | -37.8dBm:RSEVM | 0.93        | 17.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | 23.0dBm:Power  | 20.64       | 30.0           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | 23.0dBm:EVM    | 2.16        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | 23.0dBm:RSEVM  | 0.92        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | -37.8dBm:Power | -37.30      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | -37.8dBm:EVM   | 1.32        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 5      | -37.8dBm:RSEVM | 0.83        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | 23.0dBm:Power  | 19.69       | NONE           | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | 23.0dBm:EVM    | 1.70        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | 23.0dBm:RSEVM  | 0.96        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | -37.8dBm:Power | -37.72      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | -37.8dBm:EVM   | 1.39        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 6      | -37.8dBm:RSEVM | 0.98        | 12.50          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | 23.0dBm:Power  | 19.20       | NONE           | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | 23.0dBm:EVM    | 1.72        | 8.00           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | 23.0dBm:RSEVM  | 0.96        | 8.00           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | -37.8dBm:Power | -37.05      | -36.6          | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | -37.8dBm:EVM   | 1.39        | 8.00           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 7      | -37.8dBm:RSEVM | 0.93        | 8.00           | PASS   |
| n66  | 5MHz      | 15kHz | 422500  | 8      | 23.0dBm:Power  | 17.10       | NONE           | NONE   |
| n66  | 5MHz      | 15kHz | 422500  | 8      | 23.0dBm:EVM    | 1.84        | 3.80           | PASS   |

|     |      |       |        |    |                |        |       |      |
|-----|------|-------|--------|----|----------------|--------|-------|------|
| n66 | 5MHz | 15kHz | 422500 | 8  | 23.0dBm:RSEVM  | 0.98   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 8  | -27.8dBm:Power | -27.74 | -26.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 8  | -27.8dBm:EVM   | 1.20   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 8  | -27.8dBm:RSEVM | 0.79   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | 23.0dBm:Power  | 20.13  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | 23.0dBm:EVM    | 3.57   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | 23.0dBm:RSEVM  | 3.35   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | -37.8dBm:Power | -37.02 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | -37.8dBm:EVM   | 1.16   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 9  | -37.8dBm:RSEVM | 0.84   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 10 | 23.0dBm:Power  | 18.68  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 422500 | 10 | 23.0dBm:EVM    | 2.38   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 10 | 23.0dBm:RSEVM  | 2.45   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 10 | -37.8dBm:Power | -37.20 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 10 | -37.8dBm:EVM   | 1.41   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 10 | -37.8dBm:RSEVM | 0.96   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | 23.0dBm:Power  | 19.63  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | 23.0dBm:EVM    | 3.63   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | 23.0dBm:RSEVM  | 2.88   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | -37.8dBm:Power | -38.06 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | -37.8dBm:EVM   | 1.30   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 11 | -37.8dBm:RSEVM | 0.88   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 12 | 23.0dBm:Power  | 18.74  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 422500 | 12 | 23.0dBm:EVM    | 2.25   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 12 | 23.0dBm:RSEVM  | 2.42   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 12 | -37.8dBm:Power | -37.74 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 12 | -37.8dBm:EVM   | 1.41   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 12 | -37.8dBm:RSEVM | 1.02   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 13 | 23.0dBm:Power  | 18.26  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 422500 | 13 | 23.0dBm:EVM    | 2.31   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 13 | 23.0dBm:RSEVM  | 2.28   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 13 | -37.8dBm:Power | -37.78 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 13 | -37.8dBm:EVM   | 1.40   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 13 | -37.8dBm:RSEVM | 0.96   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 14 | 23.0dBm:Power  | 15.18  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 422500 | 14 | 23.0dBm:EVM    | 2.28   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 14 | 23.0dBm:RSEVM  | 2.09   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 14 | -27.8dBm:Power | -27.78 | -26.6 | PASS |
| n66 | 5MHz | 15kHz | 422500 | 14 | -27.8dBm:EVM   | 1.23   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 422500 | 14 | -27.8dBm:RSEVM | 0.83   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | 23.0dBm:Power  | 21.74  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | 23.0dBm:EVM    | 1.68   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | 23.0dBm:RSEVM  | 1.23   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | -37.8dBm:Power | -36.96 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | -37.8dBm:EVM   | 1.19   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 1  | -37.8dBm:RSEVM | 0.82   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | 23.0dBm:Power  | 21.27  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | 23.0dBm:EVM    | 1.29   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | 23.0dBm:RSEVM  | 0.82   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | -37.8dBm:Power | -37.08 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | -37.8dBm:EVM   | 1.44   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 2  | -37.8dBm:RSEVM | 1.00   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3  | 23.0dBm:Power  | 21.80  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3  | 23.0dBm:EVM    | 2.83   | 17.50 | PASS |

|     |      |       |        |    |                |        |       |      |
|-----|------|-------|--------|----|----------------|--------|-------|------|
| n66 | 5MHz | 15kHz | 429000 | 3  | 23.0dBm:RSEVM  | 1.39   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3  | -37.8dBm:Power | -37.00 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3  | -37.8dBm:EVM   | 1.27   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 3  | -37.8dBm:RSEVM | 0.84   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | 23.0dBm:Power  | 20.74  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | 23.0dBm:EVM    | 1.75   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | 23.0dBm:RSEVM  | 0.89   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | -37.8dBm:Power | -36.79 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | -37.8dBm:EVM   | 1.33   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 4  | -37.8dBm:RSEVM | 0.95   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | 23.0dBm:Power  | 20.70  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | 23.0dBm:EVM    | 2.50   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | 23.0dBm:RSEVM  | 0.96   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | -37.8dBm:Power | -36.82 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | -37.8dBm:EVM   | 1.20   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 5  | -37.8dBm:RSEVM | 0.79   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6  | 23.0dBm:Power  | 19.71  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 6  | 23.0dBm:EVM    | 1.69   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6  | 23.0dBm:RSEVM  | 0.84   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6  | -37.8dBm:Power | -37.58 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6  | -37.8dBm:EVM   | 1.38   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 6  | -37.8dBm:RSEVM | 0.96   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 7  | 23.0dBm:Power  | 19.25  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 7  | 23.0dBm:EVM    | 1.54   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 7  | 23.0dBm:RSEVM  | 0.89   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 7  | -37.8dBm:Power | -37.64 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 7  | -37.8dBm:EVM   | 1.39   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 7  | -37.8dBm:RSEVM | 0.98   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 8  | 23.0dBm:Power  | 17.26  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 8  | 23.0dBm:EVM    | 1.61   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 8  | 23.0dBm:RSEVM  | 0.88   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 8  | -27.8dBm:Power | -27.66 | -26.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 8  | -27.8dBm:EVM   | 1.26   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 8  | -27.8dBm:RSEVM | 0.80   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | 23.0dBm:Power  | 20.15  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | 23.0dBm:EVM    | 4.38   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | 23.0dBm:RSEVM  | 4.04   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | -37.8dBm:Power | -37.70 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | -37.8dBm:EVM   | 1.29   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 9  | -37.8dBm:RSEVM | 0.86   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 10 | 23.0dBm:Power  | 18.88  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 10 | 23.0dBm:EVM    | 2.51   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 10 | 23.0dBm:RSEVM  | 2.54   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 10 | -37.8dBm:Power | -36.79 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 10 | -37.8dBm:EVM   | 1.40   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 10 | -37.8dBm:RSEVM | 0.98   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | 23.0dBm:Power  | 19.70  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | 23.0dBm:EVM    | 4.18   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | 23.0dBm:RSEVM  | 3.37   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | -37.8dBm:Power | -37.61 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | -37.8dBm:EVM   | 1.34   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 11 | -37.8dBm:RSEVM | 0.87   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 12 | 23.0dBm:Power  | 18.81  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 12 | 23.0dBm:EVM    | 2.28   | 12.50 | PASS |

|     |      |       |        |    |                |        |       |      |
|-----|------|-------|--------|----|----------------|--------|-------|------|
| n66 | 5MHz | 15kHz | 429000 | 12 | 23.0dBm:RSEVM  | 2.51   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 12 | -37.8dBm:Power | -37.70 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 12 | -37.8dBm:EVM   | 1.46   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 12 | -37.8dBm:RSEVM | 1.03   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 13 | 23.0dBm:Power  | 18.36  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 13 | 23.0dBm:EVM    | 2.30   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 13 | 23.0dBm:RSEVM  | 2.28   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 13 | -37.8dBm:Power | -37.06 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 13 | -37.8dBm:EVM   | 1.49   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 13 | -37.8dBm:RSEVM | 1.01   | 8.00  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 14 | 23.0dBm:Power  | 15.28  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 429000 | 14 | 23.0dBm:EVM    | 1.96   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 14 | 23.0dBm:RSEVM  | 1.85   | 3.80  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 14 | -27.8dBm:Power | -27.74 | -26.6 | PASS |
| n66 | 5MHz | 15kHz | 429000 | 14 | -27.8dBm:EVM   | 1.20   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 429000 | 14 | -27.8dBm:RSEVM | 0.80   | 4.60  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | 23.0dBm:Power  | 21.80  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | 23.0dBm:EVM    | 1.59   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | 23.0dBm:RSEVM  | 1.21   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | -37.8dBm:Power | -36.82 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | -37.8dBm:EVM   | 1.23   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 1  | -37.8dBm:RSEVM | 0.84   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | 23.0dBm:Power  | 21.29  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | 23.0dBm:EVM    | 1.27   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | 23.0dBm:RSEVM  | 0.74   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | -37.8dBm:Power | -37.72 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | -37.8dBm:EVM   | 1.43   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 2  | -37.8dBm:RSEVM | 1.02   | 30.00 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | 23.0dBm:Power  | 21.86  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | 23.0dBm:EVM    | 2.91   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | 23.0dBm:RSEVM  | 1.41   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | -37.8dBm:Power | -36.83 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | -37.8dBm:EVM   | 1.27   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 3  | -37.8dBm:RSEVM | 0.83   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | 23.0dBm:Power  | 20.83  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | 23.0dBm:EVM    | 1.67   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | 23.0dBm:RSEVM  | 0.77   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | -37.8dBm:Power | -37.66 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | -37.8dBm:EVM   | 1.45   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 4  | -37.8dBm:RSEVM | 0.98   | 17.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | 23.0dBm:Power  | 20.77  | 30.0  | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | 23.0dBm:EVM    | 2.59   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | 23.0dBm:RSEVM  | 0.97   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | -37.8dBm:Power | -36.85 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | -37.8dBm:EVM   | 1.18   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 5  | -37.8dBm:RSEVM | 0.81   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 6  | 23.0dBm:Power  | 19.76  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 435500 | 6  | 23.0dBm:EVM    | 1.56   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 6  | 23.0dBm:RSEVM  | 0.82   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 6  | -37.8dBm:Power | -37.66 | -36.6 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 6  | -37.8dBm:EVM   | 1.38   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 6  | -37.8dBm:RSEVM | 0.97   | 12.50 | PASS |
| n66 | 5MHz | 15kHz | 435500 | 7  | 23.0dBm:Power  | 19.36  | NONE  | NONE |
| n66 | 5MHz | 15kHz | 435500 | 7  | 23.0dBm:EVM    | 1.43   | 8.00  | PASS |