

2.1051.3 Out of band emissions

TestResult

Band	Bandwidth	SCS	Channel	TestID	TestConfig	Value (dBm)	UpLimit (dBm)	Result
n66	5MHz	15kHz	422500	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.94	30.0	NONE
n66	5MHz	15kHz	422500	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-29.92	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(1756MHz-2801MHz 1MHz)@2704.500MHz	-56.31	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(2799MHz-3201MHz 1MHz)@3147.568MHz	-54.64	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(3199MHz-5200MHz 1MHz)@3566.500MHz	-50.67	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.42	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(7198MHz-9200MHz 1MHz)@8077.500MHz	-74.99	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.00	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(11198MHz-13200MHz 1MHz)@11869.500MHz	-74.34	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(13198MHz-15200MHz 1MHz)@13734.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(15198MHz-17200MHz 1MHz)@15275.500MHz	-72.92	-13.00	PASS
n66	5MHz	15kHz	422500	1	SA(17198MHz-17800MHz 1MHz)@17752.021MHz	-72.42	-13.00	PASS
n66	5MHz	15kHz	422500	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.78	30.0	NONE
n66	5MHz	15kHz	422500	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-31.77	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(1756MHz-2801MHz 1MHz)@2696.500MHz	-54.15	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(2799MHz-3201MHz 1MHz)@3107.869MHz	-52.41	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(3199MHz-5200MHz 1MHz)@3581.500MHz	-48.42	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(5198MHz-7200MHz 1MHz)@7141.500MHz	-45.26	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-74.94	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(9198MHz-11200MHz 1MHz)@10950.500MHz	-73.94	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(11198MHz-13200MHz 1MHz)@11797.500MHz	-74.41	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(13198MHz-15200MHz 1MHz)@13718.500MHz	-72.99	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-72.97	-13.00	PASS
n66	5MHz	15kHz	422500	2	SA(17198MHz-17800MHz 1MHz)@17764.041MHz	-72.49	-13.00	PASS
n66	5MHz	15kHz	422500	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.15	30.0	NONE
n66	5MHz	15kHz	422500	3	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-46.60	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(1756MHz-2801MHz 1MHz)@2689.500MHz	-56.36	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(2799MHz-3201MHz 1MHz)@3178.846MHz	-54.44	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(3199MHz-5200MHz 1MHz)@3575.500MHz	-50.61	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(5198MHz-7200MHz 1MHz)@6187.500MHz	-47.41	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(7198MHz-9200MHz 1MHz)@8118.500MHz	-75.07	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(9198MHz-11200MHz 1MHz)@10963.500MHz	-74.01	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(11198MHz-13200MHz 1MHz)@11873.500MHz	-74.37	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(13198MHz-15200MHz 1MHz)@13730.500MHz	-72.95	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-73.02	-13.00	PASS
n66	5MHz	15kHz	422500	3	SA(17198MHz-17800MHz 1MHz)@17759.233MHz	-72.46	-13.00	PASS
n66	5MHz	15kHz	422500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	22.05	30.0	NONE
n66	5MHz	15kHz	422500	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-27.62	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(1756MHz-2801MHz 1MHz)@2714.500MHz	-56.36	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(2799MHz-3201MHz 1MHz)@3199.297MHz	-54.64	-13.00	PASS

n66	5MHz	15kHz	422500	4	SA(3199MHz-5200MHz 1MHz)@3568.500MHz	-50.69	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(5198MHz-7200MHz 1MHz)@6199.500MHz	-47.43	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(7198MHz-9200MHz 1MHz)@8074.500MHz	-75.04	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(9198MHz-11200MHz 1MHz)@10975.500MHz	-74.05	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.34	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(13198MHz-15200MHz 1MHz)@13735.500MHz	-72.97	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(15198MHz-17200MHz 1MHz)@15275.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	422500	4	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.52	-13.00	PASS
n66	5MHz	15kHz	422500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	22.22	30.0	NONE
n66	5MHz	15kHz	422500	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-32.45	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(1756MHz-2801MHz 1MHz)@2715.500MHz	-56.36	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(2799MHz-3201MHz 1MHz)@3139.949MHz	-54.58	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(3199MHz-5200MHz 1MHz)@3574.500MHz	-50.63	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(5198MHz-7200MHz 1MHz)@6182.500MHz	-47.51	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.07	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(9198MHz-11200MHz 1MHz)@10991.500MHz	-73.99	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(11198MHz-13200MHz 1MHz)@11792.500MHz	-74.34	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-73.05	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(15198MHz-17200MHz 1MHz)@15263.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	422500	5	SA(17198MHz-17800MHz 1MHz)@17771.253MHz	-72.41	-13.00	PASS
n66	5MHz	15kHz	422500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.52	30.0	NONE
n66	5MHz	15kHz	422500	6	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-46.66	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(1756MHz-2801MHz 1MHz)@2698.500MHz	-56.37	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(2799MHz-3201MHz 1MHz)@3144.761MHz	-54.65	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.72	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(5198MHz-7200MHz 1MHz)@6180.500MHz	-47.47	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(7198MHz-9200MHz 1MHz)@8084.500MHz	-75.03	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.02	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(11198MHz-13200MHz 1MHz)@11890.500MHz	-74.40	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(13198MHz-15200MHz 1MHz)@13757.500MHz	-73.06	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(15198MHz-17200MHz 1MHz)@15293.500MHz	-73.04	-13.00	PASS
n66	5MHz	15kHz	422500	6	SA(17198MHz-17800MHz 1MHz)@17742.405MHz	-72.46	-13.00	PASS
n66	5MHz	15kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	22.01	30.0	NONE
n66	5MHz	15kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.38	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-44.43	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3134.736MHz	-54.58	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3586.500MHz	-50.57	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.46	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8108.500MHz	-75.09	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10954.500MHz	-74.03	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11881.500MHz	-74.30	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13758.500MHz	-72.97	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15263.500MHz	-72.93	-13.00	PASS
n66	5MHz	15kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17767.647MHz	-72.45	-13.00	PASS
n66	5MHz	15kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.54	30.0	NONE
n66	5MHz	15kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.43	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@2703.500MHz	-56.39	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.52	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.59	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6166.500MHz	-47.36	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8119.500MHz	-75.10	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-74.08	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.29	-13.00	PASS

n66	5MHz	15kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13758.500MHz	-72.99	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15277.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17756.228MHz	-72.53	-13.00	PASS
n66	5MHz	15kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.38	30.0	NONE
n66	5MHz	15kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-60.56	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@2693.500MHz	-56.20	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3199.297MHz	-54.63	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.58	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6159.500MHz	-47.46	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8074.500MHz	-75.03	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10988.500MHz	-74.04	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.35	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13773.500MHz	-73.05	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-72.98	-13.00	PASS
n66	5MHz	15kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17771.253MHz	-72.43	-13.00	PASS
n66	5MHz	15kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.49	30.0	NONE
n66	5MHz	15kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-60.47	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-40.28	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3162.405MHz	-54.60	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.64	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6127.500MHz	-47.48	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8074.500MHz	-75.05	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10945.500MHz	-73.98	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11801.500MHz	-74.20	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-73.02	-13.00	PASS
n66	5MHz	15kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17770.051MHz	-72.40	-13.00	PASS
n66	5MHz	15kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.00	30.0	NONE
n66	5MHz	15kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-60.37	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@2711.500MHz	-56.28	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3195.287MHz	-54.62	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3557.500MHz	-50.66	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.44	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8086.500MHz	-75.10	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10976.500MHz	-73.94	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11801.500MHz	-74.38	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-73.03	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-73.04	-13.00	PASS
n66	5MHz	15kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17758.632MHz	-72.49	-13.00	PASS
n66	5MHz	15kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.79	30.0	NONE
n66	5MHz	15kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1703.500MHz	-60.56	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@2723.500MHz	-56.35	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3180.851MHz	-54.62	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3580.500MHz	-50.61	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6188.500MHz	-47.52	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@9034.500MHz	-75.02	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10991.500MHz	-74.10	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11880.500MHz	-74.36	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-73.01	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15284.500MHz	-72.91	-13.00	PASS
n66	5MHz	15kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17749.617MHz	-72.31	-13.00	PASS
n66	5MHz	15kHz	435500	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.21	30.0	NONE
n66	5MHz	15kHz	435500	1	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-59.97	-13.00	PASS

n66	5MHz	15kHz	435500	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-27.21	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(2799MHz-3201MHz 1MHz)@3152.380MHz	-54.59	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(3199MHz-5200MHz 1MHz)@3587.500MHz	-50.70	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(5198MHz-7200MHz 1MHz)@6132.500MHz	-47.47	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(7198MHz-9200MHz 1MHz)@8100.500MHz	-75.13	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(9198MHz-11200MHz 1MHz)@10975.500MHz	-74.07	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(11198MHz-13200MHz 1MHz)@11894.500MHz	-74.42	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(13198MHz-15200MHz 1MHz)@13730.500MHz	-72.98	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(15198MHz-17200MHz 1MHz)@15241.500MHz	-73.07	-13.00	PASS
n66	5MHz	15kHz	435500	1	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.48	-13.00	PASS
n66	5MHz	15kHz	435500	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.14	30.0	NONE
n66	5MHz	15kHz	435500	2	SA(30MHz-1754MHz 1MHz)@1750.500MHz	-59.90	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-43.11	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(2799MHz-3201MHz 1MHz)@3166.415MHz	-54.64	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.67	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(5198MHz-7200MHz 1MHz)@6170.500MHz	-47.49	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(7198MHz-9200MHz 1MHz)@8081.500MHz	-75.03	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(9198MHz-11200MHz 1MHz)@10971.500MHz	-74.03	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(11198MHz-13200MHz 1MHz)@11787.500MHz	-74.38	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(13198MHz-15200MHz 1MHz)@13756.500MHz	-73.07	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(15198MHz-17200MHz 1MHz)@15255.500MHz	-72.93	-13.00	PASS
n66	5MHz	15kHz	435500	2	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.37	-13.00	PASS
n66	5MHz	15kHz	435500	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.18	30.0	NONE
n66	5MHz	15kHz	435500	3	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-60.08	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-29.22	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(2799MHz-3201MHz 1MHz)@3195.688MHz	-54.62	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.72	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(5198MHz-7200MHz 1MHz)@6143.500MHz	-47.50	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(7198MHz-9200MHz 1MHz)@8083.500MHz	-75.07	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-74.04	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(11198MHz-13200MHz 1MHz)@11791.500MHz	-74.33	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(13198MHz-15200MHz 1MHz)@13753.500MHz	-72.95	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-72.98	-13.00	PASS
n66	5MHz	15kHz	435500	3	SA(17198MHz-17800MHz 1MHz)@17772.455MHz	-72.51	-13.00	PASS
n66	5MHz	15kHz	435500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.71	30.0	NONE
n66	5MHz	15kHz	435500	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-58.99	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-23.51	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(2799MHz-3201MHz 1MHz)@3176.841MHz	-54.69	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(3199MHz-5200MHz 1MHz)@3583.500MHz	-50.64	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(5198MHz-7200MHz 1MHz)@6178.500MHz	-47.40	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(7198MHz-9200MHz 1MHz)@8081.500MHz	-75.11	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(9198MHz-11200MHz 1MHz)@10950.500MHz	-74.02	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(11198MHz-13200MHz 1MHz)@11797.500MHz	-74.26	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-72.97	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-72.96	-13.00	PASS
n66	5MHz	15kHz	435500	4	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.48	-13.00	PASS
n66	5MHz	15kHz	435500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.57	30.0	NONE
n66	5MHz	15kHz	435500	5	SA(30MHz-1754MHz 1MHz)@1746.500MHz	-60.13	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-43.45	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(2799MHz-3201MHz 1MHz)@3168.821MHz	-54.59	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.53	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(5198MHz-7200MHz 1MHz)@6171.500MHz	-47.47	-13.00	PASS

n66	5MHz	15kHz	435500	5	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.00	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(9198MHz-11200MHz 1MHz)@10970.500MHz	-74.00	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(11198MHz-13200MHz 1MHz)@11815.500MHz	-74.28	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(13198MHz-15200MHz 1MHz)@13728.500MHz	-72.97	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-72.91	-13.00	PASS
n66	5MHz	15kHz	435500	5	SA(17198MHz-17800MHz 1MHz)@17774.859MHz	-72.50	-13.00	PASS
n66	5MHz	15kHz	435500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.65	30.0	NONE
n66	5MHz	15kHz	435500	6	SA(30MHz-1754MHz 1MHz)@1747.500MHz	-60.04	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-29.77	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(2799MHz-3201MHz 1MHz)@3108.270MHz	-54.60	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.67	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(5198MHz-7200MHz 1MHz)@6160.500MHz	-47.42	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-75.09	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-74.10	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(11198MHz-13200MHz 1MHz)@11789.500MHz	-74.28	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-73.05	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.02	-13.00	PASS
n66	5MHz	15kHz	435500	6	SA(17198MHz-17800MHz 1MHz)@17772.455MHz	-72.43	-13.00	PASS
n66	10MHz	15kHz	423000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	22.07	30.0	NONE
n66	10MHz	15kHz	423000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-32.80	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(1756MHz-2801MHz 1MHz)@2709.500MHz	-54.12	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(2799MHz-3201MHz 1MHz)@3196.490MHz	-52.45	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(3199MHz-5200MHz 1MHz)@3559.500MHz	-48.39	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(5198MHz-7200MHz 1MHz)@6178.500MHz	-45.21	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(7198MHz-9200MHz 1MHz)@8087.500MHz	-74.94	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(9198MHz-11200MHz 1MHz)@10963.500MHz	-73.98	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(11198MHz-13200MHz 1MHz)@11811.500MHz	-74.38	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(13198MHz-15200MHz 1MHz)@13733.500MHz	-72.93	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(15198MHz-17200MHz 1MHz)@15263.500MHz	-73.07	-13.00	PASS
n66	10MHz	15kHz	423000	1	SA(17198MHz-17800MHz 1MHz)@17770.051MHz	-72.43	-13.00	PASS
n66	10MHz	15kHz	423000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.71	30.0	NONE
n66	10MHz	15kHz	423000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-34.78	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(1756MHz-2801MHz 1MHz)@2710.500MHz	-54.07	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(2799MHz-3201MHz 1MHz)@2984.762MHz	-52.45	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(3199MHz-5200MHz 1MHz)@3567.500MHz	-48.37	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(5198MHz-7200MHz 1MHz)@6194.500MHz	-45.30	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.11	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(9198MHz-11200MHz 1MHz)@10958.500MHz	-74.04	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.34	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(13198MHz-15200MHz 1MHz)@13726.500MHz	-72.95	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.02	-13.00	PASS
n66	10MHz	15kHz	423000	2	SA(17198MHz-17800MHz 1MHz)@17756.829MHz	-72.45	-13.00	PASS
n66	10MHz	15kHz	423000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.24	30.0	NONE
n66	10MHz	15kHz	423000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.98	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(1756MHz-2801MHz 1MHz)@2701.500MHz	-54.06	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(2799MHz-3201MHz 1MHz)@3195.688MHz	-52.42	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-48.35	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(5198MHz-7200MHz 1MHz)@6185.500MHz	-45.23	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(7198MHz-9200MHz 1MHz)@9031.500MHz	-75.10	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(9198MHz-11200MHz 1MHz)@10991.500MHz	-74.00	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(11198MHz-13200MHz 1MHz)@11807.500MHz	-74.37	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-73.06	-13.00	PASS

n66	10MHz	15kHz	423000	3	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-73.02	-13.00	PASS
n66	10MHz	15kHz	423000	3	SA(17198MHz-17800MHz 1MHz)@17773.657MHz	-72.48	-13.00	PASS
n66	10MHz	15kHz	423000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.54	30.0	NONE
n66	10MHz	15kHz	423000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-30.77	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-54.92	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(2799MHz-3201MHz 1MHz)@3192.881MHz	-54.62	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(3199MHz-5200MHz 1MHz)@3581.500MHz	-50.67	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(5198MHz-7200MHz 1MHz)@7168.500MHz	-47.53	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(7198MHz-9200MHz 1MHz)@8134.500MHz	-75.13	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(9198MHz-11200MHz 1MHz)@10961.500MHz	-73.98	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(11198MHz-13200MHz 1MHz)@11796.500MHz	-74.33	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-72.89	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(15198MHz-17200MHz 1MHz)@15263.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	423000	4	SA(17198MHz-17800MHz 1MHz)@17756.829MHz	-72.48	-13.00	PASS
n66	10MHz	15kHz	423000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	22.17	30.0	NONE
n66	10MHz	15kHz	423000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-36.24	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(1756MHz-2801MHz 1MHz)@2702.500MHz	-56.39	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(2799MHz-3201MHz 1MHz)@3199.297MHz	-54.53	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.52	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.47	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-75.02	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(9198MHz-11200MHz 1MHz)@10964.500MHz	-74.03	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(11198MHz-13200MHz 1MHz)@11882.500MHz	-74.32	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(13198MHz-15200MHz 1MHz)@13730.500MHz	-73.00	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(15198MHz-17200MHz 1MHz)@15270.500MHz	-73.01	-13.00	PASS
n66	10MHz	15kHz	423000	5	SA(17198MHz-17800MHz 1MHz)@17758.031MHz	-72.43	-13.00	PASS
n66	10MHz	15kHz	423000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.61	30.0	NONE
n66	10MHz	15kHz	423000	6	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.81	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(1756MHz-2801MHz 1MHz)@2698.500MHz	-56.19	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(2799MHz-3201MHz 1MHz)@3184.460MHz	-54.65	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.50	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(5198MHz-7200MHz 1MHz)@6199.500MHz	-47.46	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(7198MHz-9200MHz 1MHz)@8087.500MHz	-74.92	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(9198MHz-11200MHz 1MHz)@10951.500MHz	-73.97	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(11198MHz-13200MHz 1MHz)@11886.500MHz	-74.36	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(13198MHz-15200MHz 1MHz)@13757.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(15198MHz-17200MHz 1MHz)@15260.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	423000	6	SA(17198MHz-17800MHz 1MHz)@17739.400MHz	-72.45	-13.00	PASS
n66	10MHz	15kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	22.00	30.0	NONE
n66	10MHz	15kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-56.82	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-29.60	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-52.42	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-48.41	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6199.500MHz	-45.19	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8086.500MHz	-75.10	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-74.01	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.36	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13742.500MHz	-73.02	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15266.500MHz	-73.02	-13.00	PASS
n66	10MHz	15kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17741.203MHz	-72.44	-13.00	PASS
n66	10MHz	15kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.31	30.0	NONE
n66	10MHz	15kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-58.26	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-48.11	-13.00	PASS

n66	10MHz	15kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3157.994MHz	-52.30	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3588.500MHz	-48.36	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6162.500MHz	-45.26	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8069.500MHz	-75.04	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10954.500MHz	-74.00	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11792.500MHz	-74.30	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13719.500MHz	-73.04	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17748.415MHz	-72.50	-13.00	PASS
n66	10MHz	15kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.56	30.0	NONE
n66	10MHz	15kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.57	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-50.72	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.67	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.53	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6149.500MHz	-47.54	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8081.500MHz	-75.04	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10964.500MHz	-74.04	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11803.500MHz	-74.24	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13726.500MHz	-72.91	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15277.500MHz	-73.00	-13.00	PASS
n66	10MHz	15kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17762.839MHz	-72.48	-13.00	PASS
n66	10MHz	15kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.52	30.0	NONE
n66	10MHz	15kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-55.84	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-27.62	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.61	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.59	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6183.500MHz	-47.38	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8091.500MHz	-75.07	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10976.500MHz	-74.04	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11871.500MHz	-74.16	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13733.500MHz	-72.90	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-73.00	-13.00	PASS
n66	10MHz	15kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17747.814MHz	-72.49	-13.00	PASS
n66	10MHz	15kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.82	30.0	NONE
n66	10MHz	15kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-60.52	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-47.49	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3185.262MHz	-54.53	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.49	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6146.500MHz	-47.47	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.11	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10980.500MHz	-74.02	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.38	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13748.500MHz	-72.96	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15279.500MHz	-72.92	-13.00	PASS
n66	10MHz	15kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17759.233MHz	-72.44	-13.00	PASS
n66	10MHz	15kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.93	30.0	NONE
n66	10MHz	15kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-60.51	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-50.94	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.60	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3581.500MHz	-50.65	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6185.500MHz	-47.37	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.03	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10962.500MHz	-74.15	-13.00	PASS

n66	10MHz	15kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11831.500MHz	-74.24	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13727.500MHz	-72.92	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15262.500MHz	-72.97	-13.00	PASS
n66	10MHz	15kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17764.041MHz	-72.36	-13.00	PASS
n66	10MHz	15kHz	435000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.42	30.0	NONE
n66	10MHz	15kHz	435000	1	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-46.80	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-29.18	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(2799MHz-3201MHz 1MHz)@3162.806MHz	-54.59	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.50	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.48	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.00	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-74.03	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(11198MHz-13200MHz 1MHz)@11789.500MHz	-74.34	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(13198MHz-15200MHz 1MHz)@13737.500MHz	-73.03	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(15198MHz-17200MHz 1MHz)@15272.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	435000	1	SA(17198MHz-17800MHz 1MHz)@17761.036MHz	-72.43	-13.00	PASS
n66	10MHz	15kHz	435000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.11	30.0	NONE
n66	10MHz	15kHz	435000	2	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-59.65	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-39.82	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(2799MHz-3201MHz 1MHz)@3162.004MHz	-54.61	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.61	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(5198MHz-7200MHz 1MHz)@6167.500MHz	-47.45	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(7198MHz-9200MHz 1MHz)@8095.500MHz	-75.10	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.00	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(11198MHz-13200MHz 1MHz)@11876.500MHz	-74.34	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-73.00	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-73.07	-13.00	PASS
n66	10MHz	15kHz	435000	2	SA(17198MHz-17800MHz 1MHz)@17767.046MHz	-72.47	-13.00	PASS
n66	10MHz	15kHz	435000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.24	30.0	NONE
n66	10MHz	15kHz	435000	3	SA(30MHz-1754MHz 1MHz)@1743.500MHz	-59.00	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-32.96	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(2799MHz-3201MHz 1MHz)@3162.806MHz	-54.64	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.65	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(5198MHz-7200MHz 1MHz)@6183.500MHz	-47.45	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(7198MHz-9200MHz 1MHz)@8124.500MHz	-75.09	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(9198MHz-11200MHz 1MHz)@10951.500MHz	-74.05	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(11198MHz-13200MHz 1MHz)@11893.500MHz	-74.33	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-72.97	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.00	-13.00	PASS
n66	10MHz	15kHz	435000	3	SA(17198MHz-17800MHz 1MHz)@17763.440MHz	-72.48	-13.00	PASS
n66	10MHz	15kHz	435000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.97	30.0	NONE
n66	10MHz	15kHz	435000	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-42.81	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-25.38	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(2799MHz-3201MHz 1MHz)@3174.435MHz	-54.53	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(3199MHz-5200MHz 1MHz)@3563.500MHz	-50.57	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(5198MHz-7200MHz 1MHz)@6152.500MHz	-47.47	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(7198MHz-9200MHz 1MHz)@8070.500MHz	-75.04	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(9198MHz-11200MHz 1MHz)@10970.500MHz	-74.09	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.32	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(13198MHz-15200MHz 1MHz)@13733.500MHz	-72.98	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-72.99	-13.00	PASS
n66	10MHz	15kHz	435000	4	SA(17198MHz-17800MHz 1MHz)@17761.637MHz	-72.53	-13.00	PASS

n66	10MHz	15kHz	435000	5	DFT-s-OFDM QPSK^Edge_1RB_Left:PC3:Power	21.63	30.0	NONE
n66	10MHz	15kHz	435000	5	SA(30MHz-1754MHz_1MHz)@1751.500MHz	-59.68	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(1781MHz-2801MHz_1MHz)@1781.500MHz	-39.82	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(2799MHz-3201MHz_1MHz)@3194.886MHz	-54.56	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(3199MHz-5200MHz_1MHz)@3587.500MHz	-50.58	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(5198MHz-7200MHz_1MHz)@6182.500MHz	-47.43	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(7198MHz-9200MHz_1MHz)@8080.500MHz	-75.12	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(9198MHz-11200MHz_1MHz)@10988.500MHz	-74.09	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(11198MHz-13200MHz_1MHz)@11795.500MHz	-74.42	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(13198MHz-15200MHz_1MHz)@13744.500MHz	-73.06	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(15198MHz-17200MHz_1MHz)@15267.500MHz	-73.07	-13.00	PASS
n66	10MHz	15kHz	435000	5	SA(17198MHz-17800MHz_1MHz)@17750.819MHz	-72.51	-13.00	PASS
n66	10MHz	15kHz	435000	6	DFT-s-OFDM QPSK^Edge_1RB_Right:PC3:Power	20.67	30.0	NONE
n66	10MHz	15kHz	435000	6	SA(30MHz-1754MHz_1MHz)@1743.500MHz	-57.59	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(1781MHz-2801MHz_1MHz)@1781.500MHz	-32.61	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(2799MHz-3201MHz_1MHz)@3162.405MHz	-54.62	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(3199MHz-5200MHz_1MHz)@3587.500MHz	-50.56	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(5198MHz-7200MHz_1MHz)@6139.500MHz	-47.47	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(7198MHz-9200MHz_1MHz)@8124.500MHz	-75.06	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(9198MHz-11200MHz_1MHz)@10974.500MHz	-74.00	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(11198MHz-13200MHz_1MHz)@11867.500MHz	-74.33	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(13198MHz-15200MHz_1MHz)@13734.500MHz	-72.88	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(15198MHz-17200MHz_1MHz)@15282.500MHz	-73.01	-13.00	PASS
n66	10MHz	15kHz	435000	6	SA(17198MHz-17800MHz_1MHz)@17768.849MHz	-72.54	-13.00	PASS
n66	15MHz	15kHz	423500	1	DFT-s-OFDM PI/2 BPSK^Outer_Full:PC3:Power	21.76	30.0	NONE
n66	15MHz	15kHz	423500	1	SA(30MHz-1709MHz_1MHz)@1708.500MHz	-35.56	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(1756MHz-2801MHz_1MHz)@1756.500MHz	-51.02	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(2799MHz-3201MHz_1MHz)@3200.500MHz	-52.25	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(3199MHz-5200MHz_1MHz)@3572.500MHz	-48.29	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(5198MHz-7200MHz_1MHz)@6142.500MHz	-45.31	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(7198MHz-9200MHz_1MHz)@8096.500MHz	-75.14	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(9198MHz-11200MHz_1MHz)@10978.500MHz	-74.07	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(11198MHz-13200MHz_1MHz)@11825.500MHz	-74.39	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(13198MHz-15200MHz_1MHz)@13735.500MHz	-72.89	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(15198MHz-17200MHz_1MHz)@15280.500MHz	-73.03	-13.00	PASS
n66	15MHz	15kHz	423500	1	SA(17198MHz-17800MHz_1MHz)@17764.041MHz	-72.41	-13.00	PASS
n66	15MHz	15kHz	423500	2	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Left:PC3:Power	22.72	30.0	NONE
n66	15MHz	15kHz	423500	2	SA(30MHz-1709MHz_1MHz)@1708.500MHz	-38.02	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(1756MHz-2801MHz_1MHz)@2712.500MHz	-53.99	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(2799MHz-3201MHz_1MHz)@3200.500MHz	-52.37	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(3199MHz-5200MHz_1MHz)@3591.500MHz	-48.28	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(5198MHz-7200MHz_1MHz)@6189.500MHz	-45.30	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(7198MHz-9200MHz_1MHz)@8097.500MHz	-75.07	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(9198MHz-11200MHz_1MHz)@10959.500MHz	-73.99	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(11198MHz-13200MHz_1MHz)@11804.500MHz	-74.42	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(13198MHz-15200MHz_1MHz)@13746.500MHz	-72.99	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(15198MHz-17200MHz_1MHz)@15266.500MHz	-73.06	-13.00	PASS
n66	15MHz	15kHz	423500	2	SA(17198MHz-17800MHz_1MHz)@17756.829MHz	-72.40	-13.00	PASS
n66	15MHz	15kHz	423500	3	DFT-s-OFDM PI/2 BPSK^Edge_1RB_Right:PC3:Power	21.21	30.0	NONE
n66	15MHz	15kHz	423500	3	SA(30MHz-1709MHz_1MHz)@1707.500MHz	-43.20	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(1756MHz-2801MHz_1MHz)@2704.500MHz	-54.04	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(2799MHz-3201MHz_1MHz)@3174.034MHz	-52.35	-13.00	PASS

n66	15MHz	15kHz	423500	3	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-48.41	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(5198MHz-7200MHz 1MHz)@6142.500MHz	-45.31	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(7198MHz-9200MHz 1MHz)@8102.500MHz	-75.10	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.01	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(11198MHz-13200MHz 1MHz)@11829.500MHz	-74.36	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(13198MHz-15200MHz 1MHz)@13725.500MHz	-73.05	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-73.08	-13.00	PASS
n66	15MHz	15kHz	423500	3	SA(17198MHz-17800MHz 1MHz)@17765.844MHz	-72.46	-13.00	PASS
n66	15MHz	15kHz	423500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.32	30.0	NONE
n66	15MHz	15kHz	423500	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-33.14	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-46.15	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(2799MHz-3201MHz 1MHz)@3190.475MHz	-54.67	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(3199MHz-5200MHz 1MHz)@3557.500MHz	-50.61	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(5198MHz-7200MHz 1MHz)@6139.500MHz	-47.49	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(7198MHz-9200MHz 1MHz)@8083.500MHz	-74.98	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-73.99	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(11198MHz-13200MHz 1MHz)@11868.500MHz	-74.40	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-72.99	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-72.95	-13.00	PASS
n66	15MHz	15kHz	423500	4	SA(17198MHz-17800MHz 1MHz)@17752.622MHz	-72.53	-13.00	PASS
n66	15MHz	15kHz	423500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	22.24	30.0	NONE
n66	15MHz	15kHz	423500	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-38.72	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(1756MHz-2801MHz 1MHz)@2689.500MHz	-56.32	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(2799MHz-3201MHz 1MHz)@3162.405MHz	-54.54	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.58	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(5198MHz-7200MHz 1MHz)@6192.500MHz	-47.47	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(7198MHz-9200MHz 1MHz)@8094.500MHz	-75.08	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-74.04	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(11198MHz-13200MHz 1MHz)@11833.500MHz	-74.30	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-73.09	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	423500	5	SA(17198MHz-17800MHz 1MHz)@17762.839MHz	-72.50	-13.00	PASS
n66	15MHz	15kHz	423500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.06	30.0	NONE
n66	15MHz	15kHz	423500	6	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-43.45	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(1756MHz-2801MHz 1MHz)@2697.500MHz	-56.35	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(2799MHz-3201MHz 1MHz)@3156.791MHz	-54.56	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.57	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(5198MHz-7200MHz 1MHz)@6173.500MHz	-47.48	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(7198MHz-9200MHz 1MHz)@9031.500MHz	-75.10	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(9198MHz-11200MHz 1MHz)@10972.500MHz	-73.97	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(11198MHz-13200MHz 1MHz)@11794.500MHz	-74.43	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-72.95	-13.00	PASS
n66	15MHz	15kHz	423500	6	SA(17198MHz-17800MHz 1MHz)@17766.445MHz	-72.48	-13.00	PASS
n66	15MHz	15kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	22.03	30.0	NONE
n66	15MHz	15kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-55.79	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-30.11	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@2987.970MHz	-52.39	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3566.500MHz	-48.34	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6191.500MHz	-45.34	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@9025.500MHz	-75.08	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10953.500MHz	-73.96	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11807.500MHz	-74.36	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13739.500MHz	-72.94	-13.00	PASS

n66	15MHz	15kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15258.500MHz	-73.04	-13.00	PASS
n66	15MHz	15kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17752.622MHz	-72.45	-13.00	PASS
n66	15MHz	15kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.48	30.0	NONE
n66	15MHz	15kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-58.46	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.00	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3166.014MHz	-52.34	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-48.34	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6176.500MHz	-45.16	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8122.500MHz	-75.02	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10980.500MHz	-73.96	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11831.500MHz	-74.35	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13729.500MHz	-72.96	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-73.12	-13.00	PASS
n66	15MHz	15kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17761.036MHz	-72.41	-13.00	PASS
n66	15MHz	15kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.21	30.0	NONE
n66	15MHz	15kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1697.500MHz	-58.43	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1758.500MHz	-40.93	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@2985.163MHz	-52.37	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3589.500MHz	-48.40	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6149.500MHz	-45.28	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8133.500MHz	-75.09	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10989.500MHz	-74.01	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.36	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13736.500MHz	-72.89	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-72.93	-13.00	PASS
n66	15MHz	15kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17767.046MHz	-72.36	-13.00	PASS
n66	15MHz	15kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.52	30.0	NONE
n66	15MHz	15kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-50.69	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-28.33	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3199.698MHz	-54.56	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3590.500MHz	-50.64	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-47.46	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@9048.500MHz	-75.14	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10971.500MHz	-74.07	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11792.500MHz	-74.22	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.02	-13.00	PASS
n66	15MHz	15kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17760.435MHz	-72.42	-13.00	PASS
n66	15MHz	15kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.93	30.0	NONE
n66	15MHz	15kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.32	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.02	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3140.350MHz	-54.63	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3570.500MHz	-50.53	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.43	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@9029.500MHz	-75.07	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10975.500MHz	-74.05	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11886.500MHz	-74.35	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-72.99	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15298.500MHz	-73.03	-13.00	PASS
n66	15MHz	15kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17753.223MHz	-72.50	-13.00	PASS
n66	15MHz	15kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.59	30.0	NONE
n66	15MHz	15kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1696.500MHz	-60.55	-13.00	PASS