

n66	15MHz	15kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1758.500MHz	-41.33	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3196.891MHz	-54.59	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.60	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6187.500MHz	-47.46	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8103.500MHz	-75.08	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10968.500MHz	-74.04	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11882.500MHz	-74.37	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13742.500MHz	-73.01	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-72.91	-13.00	PASS
n66	15MHz	15kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17756.228MHz	-72.41	-13.00	PASS
n66	15MHz	15kHz	434500	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.85	30.0	NONE
n66	15MHz	15kHz	434500	1	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-38.46	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-29.05	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(2799MHz-3201MHz 1MHz)@3196.891MHz	-54.55	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.60	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(5198MHz-7200MHz 1MHz)@6181.500MHz	-47.41	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(7198MHz-9200MHz 1MHz)@8081.500MHz	-75.17	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(9198MHz-11200MHz 1MHz)@10979.500MHz	-74.00	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(11198MHz-13200MHz 1MHz)@11837.500MHz	-74.39	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.98	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-72.99	-13.00	PASS
n66	15MHz	15kHz	434500	1	SA(17198MHz-17800MHz 1MHz)@17750.218MHz	-72.46	-13.00	PASS
n66	15MHz	15kHz	434500	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.19	30.0	NONE
n66	15MHz	15kHz	434500	2	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-54.33	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-39.29	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(2799MHz-3201MHz 1MHz)@3196.891MHz	-54.52	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.68	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-47.47	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.05	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.02	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(11198MHz-13200MHz 1MHz)@11807.500MHz	-74.36	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-72.94	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-72.97	-13.00	PASS
n66	15MHz	15kHz	434500	2	SA(17198MHz-17800MHz 1MHz)@17756.829MHz	-72.46	-13.00	PASS
n66	15MHz	15kHz	434500	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.22	30.0	NONE
n66	15MHz	15kHz	434500	3	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-52.96	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-35.75	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(2799MHz-3201MHz 1MHz)@3143.157MHz	-54.63	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.44	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(5198MHz-7200MHz 1MHz)@7150.500MHz	-47.43	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(7198MHz-9200MHz 1MHz)@8137.500MHz	-75.08	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(9198MHz-11200MHz 1MHz)@10981.500MHz	-74.08	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(11198MHz-13200MHz 1MHz)@11903.500MHz	-74.26	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(13198MHz-15200MHz 1MHz)@13752.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(15198MHz-17200MHz 1MHz)@15264.500MHz	-72.94	-13.00	PASS
n66	15MHz	15kHz	434500	3	SA(17198MHz-17800MHz 1MHz)@17758.031MHz	-72.43	-13.00	PASS
n66	15MHz	15kHz	434500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.35	30.0	NONE
n66	15MHz	15kHz	434500	4	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-35.74	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-27.76	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(2799MHz-3201MHz 1MHz)@3143.558MHz	-54.59	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(3199MHz-5200MHz 1MHz)@3580.500MHz	-50.51	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(5198MHz-7200MHz 1MHz)@6166.500MHz	-47.55	-13.00	PASS

n66	15MHz	15kHz	434500	4	SA(7198MHz-9200MHz 1MHz)@8098.500MHz	-75.12	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(9198MHz-11200MHz 1MHz)@10966.500MHz	-73.93	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(11198MHz-13200MHz 1MHz)@11865.500MHz	-74.37	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(13198MHz-15200MHz 1MHz)@13736.500MHz	-73.04	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(15198MHz-17200MHz 1MHz)@15272.500MHz	-73.08	-13.00	PASS
n66	15MHz	15kHz	434500	4	SA(17198MHz-17800MHz 1MHz)@17755.026MHz	-72.41	-13.00	PASS
n66	15MHz	15kHz	434500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.61	30.0	NONE
n66	15MHz	15kHz	434500	5	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-54.72	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-39.09	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(2799MHz-3201MHz 1MHz)@3133.533MHz	-54.59	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(3199MHz-5200MHz 1MHz)@3581.500MHz	-50.66	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-47.41	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(7198MHz-9200MHz 1MHz)@8072.500MHz	-75.13	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(9198MHz-11200MHz 1MHz)@10983.500MHz	-73.99	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(11198MHz-13200MHz 1MHz)@11807.500MHz	-74.29	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(13198MHz-15200MHz 1MHz)@13735.500MHz	-73.02	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	434500	5	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.45	-13.00	PASS
n66	15MHz	15kHz	434500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.71	30.0	NONE
n66	15MHz	15kHz	434500	6	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-52.67	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-36.12	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(2799MHz-3201MHz 1MHz)@3198.896MHz	-54.59	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.67	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(5198MHz-7200MHz 1MHz)@6142.500MHz	-47.42	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(7198MHz-9200MHz 1MHz)@8082.500MHz	-75.08	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(9198MHz-11200MHz 1MHz)@10978.500MHz	-73.97	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(11198MHz-13200MHz 1MHz)@11904.500MHz	-74.35	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(13198MHz-15200MHz 1MHz)@13756.500MHz	-73.00	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(15198MHz-17200MHz 1MHz)@15277.500MHz	-73.03	-13.00	PASS
n66	15MHz	15kHz	434500	6	SA(17198MHz-17800MHz 1MHz)@17750.218MHz	-72.49	-13.00	PASS
n66	20MHz	15kHz	424000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.76	30.0	NONE
n66	20MHz	15kHz	424000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-37.68	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.98	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(2799MHz-3201MHz 1MHz)@3153.182MHz	-52.35	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-48.29	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(5198MHz-7200MHz 1MHz)@6154.500MHz	-45.30	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(7198MHz-9200MHz 1MHz)@8098.500MHz	-75.06	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-74.01	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(11198MHz-13200MHz 1MHz)@11894.500MHz	-74.33	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(13198MHz-15200MHz 1MHz)@13726.500MHz	-73.01	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(15198MHz-17200MHz 1MHz)@15268.500MHz	-73.12	-13.00	PASS
n66	20MHz	15kHz	424000	1	SA(17198MHz-17800MHz 1MHz)@17742.405MHz	-72.41	-13.00	PASS
n66	20MHz	15kHz	424000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.71	30.0	NONE
n66	20MHz	15kHz	424000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-39.78	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(1756MHz-2801MHz 1MHz)@2690.500MHz	-54.10	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(2799MHz-3201MHz 1MHz)@3194.485MHz	-52.39	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(3199MHz-5200MHz 1MHz)@3583.500MHz	-48.38	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(5198MHz-7200MHz 1MHz)@6173.500MHz	-45.33	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(7198MHz-9200MHz 1MHz)@8102.500MHz	-75.02	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(9198MHz-11200MHz 1MHz)@10973.500MHz	-74.07	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.42	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(13198MHz-15200MHz 1MHz)@13752.500MHz	-73.01	-13.00	PASS
n66	20MHz	15kHz	424000	2	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-72.94	-13.00	PASS

n66	20MHz	15kHz	424000	2	SA(17198MHz-17800MHz 1MHz)@17761.637MHz	-72.46	-13.00	PASS
n66	20MHz	15kHz	424000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.60	30.0	NONE
n66	20MHz	15kHz	424000	3	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-44.08	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(1756MHz-2801MHz 1MHz)@2698.500MHz	-56.20	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(2799MHz-3201MHz 1MHz)@3192.480MHz	-54.62	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.67	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(5198MHz-7200MHz 1MHz)@6129.500MHz	-47.49	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(7198MHz-9200MHz 1MHz)@8068.500MHz	-75.08	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(9198MHz-11200MHz 1MHz)@10967.500MHz	-74.06	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(11198MHz-13200MHz 1MHz)@11797.500MHz	-74.41	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(13198MHz-15200MHz 1MHz)@13737.500MHz	-73.01	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-73.04	-13.00	PASS
n66	20MHz	15kHz	424000	3	SA(17198MHz-17800MHz 1MHz)@17765.243MHz	-72.46	-13.00	PASS
n66	20MHz	15kHz	424000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.29	30.0	NONE
n66	20MHz	15kHz	424000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-35.00	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-42.50	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(2799MHz-3201MHz 1MHz)@3144.761MHz	-54.61	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.63	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(5198MHz-7200MHz 1MHz)@6180.500MHz	-47.39	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(7198MHz-9200MHz 1MHz)@8071.500MHz	-75.12	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(9198MHz-11200MHz 1MHz)@10955.500MHz	-74.06	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(11198MHz-13200MHz 1MHz)@11878.500MHz	-74.35	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-73.04	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(15198MHz-17200MHz 1MHz)@15296.500MHz	-72.97	-13.00	PASS
n66	20MHz	15kHz	424000	4	SA(17198MHz-17800MHz 1MHz)@17748.415MHz	-72.50	-13.00	PASS
n66	20MHz	15kHz	424000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	22.22	30.0	NONE
n66	20MHz	15kHz	424000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-40.12	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(1756MHz-2801MHz 1MHz)@2706.500MHz	-56.31	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(2799MHz-3201MHz 1MHz)@3198.094MHz	-54.58	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.57	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(5198MHz-7200MHz 1MHz)@6164.500MHz	-47.37	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.06	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(9198MHz-11200MHz 1MHz)@10918.500MHz	-74.13	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(11198MHz-13200MHz 1MHz)@11815.500MHz	-74.35	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(13198MHz-15200MHz 1MHz)@13756.500MHz	-73.05	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.10	-13.00	PASS
n66	20MHz	15kHz	424000	5	SA(17198MHz-17800MHz 1MHz)@17770.652MHz	-72.44	-13.00	PASS
n66	20MHz	15kHz	424000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.96	30.0	NONE
n66	20MHz	15kHz	424000	6	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-44.47	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(1756MHz-2801MHz 1MHz)@2704.500MHz	-56.26	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(2799MHz-3201MHz 1MHz)@3191.277MHz	-54.55	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.58	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.42	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-75.05	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.02	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(11198MHz-13200MHz 1MHz)@11879.500MHz	-74.36	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-72.90	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-73.04	-13.00	PASS
n66	20MHz	15kHz	424000	6	SA(17198MHz-17800MHz 1MHz)@17760.435MHz	-72.48	-13.00	PASS
n66	20MHz	15kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	22.01	30.0	NONE
n66	20MHz	15kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-49.25	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-28.36	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3182.856MHz	-52.42	-13.00	PASS

n66	20MHz	15kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3596.500MHz	-48.37	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6185.500MHz	-45.27	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.12	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10949.500MHz	-74.09	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11903.500MHz	-74.31	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13757.500MHz	-72.95	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-72.97	-13.00	PASS
n66	20MHz	15kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17770.051MHz	-72.48	-13.00	PASS
n66	20MHz	15kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.74	30.0	NONE
n66	20MHz	15kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-58.28	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1758.500MHz	-38.24	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3172.430MHz	-52.41	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3573.500MHz	-48.38	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6209.500MHz	-45.27	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.05	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-74.00	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11810.500MHz	-74.36	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13731.500MHz	-73.02	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-73.03	-13.00	PASS
n66	20MHz	15kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17762.839MHz	-72.47	-13.00	PASS
n66	20MHz	15kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.64	30.0	NONE
n66	20MHz	15kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.41	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-37.01	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3195.287MHz	-54.53	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3582.500MHz	-50.63	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6195.500MHz	-47.33	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8092.500MHz	-75.12	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10971.500MHz	-74.05	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11912.500MHz	-74.40	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-73.05	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15269.500MHz	-72.98	-13.00	PASS
n66	20MHz	15kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17755.026MHz	-72.46	-13.00	PASS
n66	20MHz	15kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.51	30.0	NONE
n66	20MHz	15kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-47.91	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-27.32	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3194.485MHz	-54.60	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3589.500MHz	-50.56	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6198.500MHz	-47.44	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8136.500MHz	-75.06	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-74.04	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.32	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-72.95	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15270.500MHz	-73.02	-13.00	PASS
n66	20MHz	15kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17756.829MHz	-72.52	-13.00	PASS
n66	20MHz	15kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.28	30.0	NONE
n66	20MHz	15kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-60.34	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1758.500MHz	-38.46	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3133.533MHz	-54.62	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.56	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6182.500MHz	-47.47	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8138.500MHz	-75.01	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10959.500MHz	-74.02	-13.00	PASS

n66	20MHz	15kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11833.500MHz	-74.37	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-72.91	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15285.500MHz	-73.05	-13.00	PASS
n66	20MHz	15kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17743.006MHz	-72.39	-13.00	PASS
n66	20MHz	15kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.07	30.0	NONE
n66	20MHz	15kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-60.43	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-37.55	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3153.984MHz	-54.61	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.60	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6153.500MHz	-47.55	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8132.500MHz	-75.16	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10979.500MHz	-74.03	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11850.500MHz	-74.39	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13755.500MHz	-73.03	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15295.500MHz	-73.05	-13.00	PASS
n66	20MHz	15kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17764.041MHz	-72.50	-13.00	PASS
n66	20MHz	15kHz	434000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.83	30.0	NONE
n66	20MHz	15kHz	434000	1	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-34.56	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-29.09	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(2799MHz-3201MHz 1MHz)@3199.698MHz	-54.61	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(3199MHz-5200MHz 1MHz)@3574.500MHz	-50.59	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(5198MHz-7200MHz 1MHz)@6172.500MHz	-47.46	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-74.89	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(9198MHz-11200MHz 1MHz)@10970.500MHz	-74.08	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.41	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-72.94	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-73.02	-13.00	PASS
n66	20MHz	15kHz	434000	1	SA(17198MHz-17800MHz 1MHz)@17776.061MHz	-72.50	-13.00	PASS
n66	20MHz	15kHz	434000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.30	30.0	NONE
n66	20MHz	15kHz	434000	2	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-47.73	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(1781MHz-2801MHz 1MHz)@1783.500MHz	-40.66	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(2799MHz-3201MHz 1MHz)@3183.257MHz	-54.59	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(3199MHz-5200MHz 1MHz)@3565.500MHz	-50.59	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-47.50	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(7198MHz-9200MHz 1MHz)@8139.500MHz	-75.10	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(9198MHz-11200MHz 1MHz)@10983.500MHz	-74.10	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(11198MHz-13200MHz 1MHz)@11801.500MHz	-74.32	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.95	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-73.08	-13.00	PASS
n66	20MHz	15kHz	434000	2	SA(17198MHz-17800MHz 1MHz)@17761.637MHz	-72.47	-13.00	PASS
n66	20MHz	15kHz	434000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.26	30.0	NONE
n66	20MHz	15kHz	434000	3	SA(30MHz-1754MHz 1MHz)@1750.500MHz	-41.88	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-37.72	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(2799MHz-3201MHz 1MHz)@3155.187MHz	-54.56	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(3199MHz-5200MHz 1MHz)@3597.500MHz	-50.53	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(5198MHz-7200MHz 1MHz)@6168.500MHz	-47.52	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(7198MHz-9200MHz 1MHz)@9025.500MHz	-75.11	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(9198MHz-11200MHz 1MHz)@10978.500MHz	-73.95	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(11198MHz-13200MHz 1MHz)@11894.500MHz	-74.36	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(13198MHz-15200MHz 1MHz)@13747.500MHz	-73.06	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(15198MHz-17200MHz 1MHz)@15276.500MHz	-73.06	-13.00	PASS
n66	20MHz	15kHz	434000	3	SA(17198MHz-17800MHz 1MHz)@17736.996MHz	-72.50	-13.00	PASS

n66	20MHz	15kHz	434000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.33	30.0	NONE
n66	20MHz	15kHz	434000	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-33.19	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-27.85	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(2799MHz-3201MHz 1MHz)@3160.400MHz	-54.55	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(3199MHz-5200MHz 1MHz)@3575.500MHz	-50.55	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-47.47	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(7198MHz-9200MHz 1MHz)@8104.500MHz	-75.11	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(9198MHz-11200MHz 1MHz)@10990.500MHz	-73.98	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.40	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-72.92	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(15198MHz-17200MHz 1MHz)@15264.500MHz	-73.03	-13.00	PASS
n66	20MHz	15kHz	434000	4	SA(17198MHz-17800MHz 1MHz)@17771.253MHz	-72.43	-13.00	PASS
n66	20MHz	15kHz	434000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.78	30.0	NONE
n66	20MHz	15kHz	434000	5	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-48.21	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(1781MHz-2801MHz 1MHz)@1783.500MHz	-40.67	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(2799MHz-3201MHz 1MHz)@3164.009MHz	-54.52	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(3199MHz-5200MHz 1MHz)@3575.500MHz	-50.58	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(5198MHz-7200MHz 1MHz)@6216.500MHz	-47.57	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.08	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(9198MHz-11200MHz 1MHz)@10976.500MHz	-74.09	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.34	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(13198MHz-15200MHz 1MHz)@13742.500MHz	-72.92	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(15198MHz-17200MHz 1MHz)@15285.500MHz	-73.06	-13.00	PASS
n66	20MHz	15kHz	434000	5	SA(17198MHz-17800MHz 1MHz)@17762.238MHz	-72.48	-13.00	PASS
n66	20MHz	15kHz	434000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.68	30.0	NONE
n66	20MHz	15kHz	434000	6	SA(30MHz-1754MHz 1MHz)@1750.500MHz	-42.51	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-37.78	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.51	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(3199MHz-5200MHz 1MHz)@3588.500MHz	-50.62	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.48	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(7198MHz-9200MHz 1MHz)@8086.500MHz	-75.09	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(9198MHz-11200MHz 1MHz)@10970.500MHz	-74.12	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(11198MHz-13200MHz 1MHz)@11871.500MHz	-74.39	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-72.96	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(15198MHz-17200MHz 1MHz)@15296.500MHz	-73.10	-13.00	PASS
n66	20MHz	15kHz	434000	6	SA(17198MHz-17800MHz 1MHz)@17747.814MHz	-72.51	-13.00	PASS
n66	40MHz	15kHz	426000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.97	30.0	NONE
n66	40MHz	15kHz	426000	1	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-38.85	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(1756MHz-2801MHz 1MHz)@1767.500MHz	-29.62	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(2799MHz-3201MHz 1MHz)@3199.297MHz	-52.39	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(3199MHz-5200MHz 1MHz)@3563.500MHz	-48.28	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(5198MHz-7200MHz 1MHz)@6189.500MHz	-45.27	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.07	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(9198MHz-11200MHz 1MHz)@10959.500MHz	-73.96	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.43	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-72.90	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(15198MHz-17200MHz 1MHz)@15285.500MHz	-73.01	-13.00	PASS
n66	40MHz	15kHz	426000	1	SA(17198MHz-17800MHz 1MHz)@17770.652MHz	-72.50	-13.00	PASS
n66	40MHz	15kHz	426000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.67	30.0	NONE
n66	40MHz	15kHz	426000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-41.96	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-36.72	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(2799MHz-3201MHz 1MHz)@2975.138MHz	-52.41	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-48.22	-13.00	PASS

n66	40MHz	15kHz	426000	2	SA(5198MHz-7200MHz 1MHz)@6199.500MHz	-45.31	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.19	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(9198MHz-11200MHz 1MHz)@10942.500MHz	-73.99	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(11198MHz-13200MHz 1MHz)@11881.500MHz	-74.39	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(13198MHz-15200MHz 1MHz)@13729.500MHz	-72.98	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(15198MHz-17200MHz 1MHz)@15282.500MHz	-72.98	-13.00	PASS
n66	40MHz	15kHz	426000	2	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.52	-13.00	PASS
n66	40MHz	15kHz	426000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.17	30.0	NONE
n66	40MHz	15kHz	426000	3	SA(30MHz-1709MHz 1MHz)@1703.500MHz	-47.21	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-44.70	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(2799MHz-3201MHz 1MHz)@3136.741MHz	-52.37	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(3199MHz-5200MHz 1MHz)@3587.500MHz	-48.19	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(5198MHz-7200MHz 1MHz)@6157.500MHz	-45.28	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(7198MHz-9200MHz 1MHz)@8078.500MHz	-75.08	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(9198MHz-11200MHz 1MHz)@10975.500MHz	-73.99	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(11198MHz-13200MHz 1MHz)@11805.500MHz	-74.36	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(13198MHz-15200MHz 1MHz)@13760.500MHz	-73.06	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-72.99	-13.00	PASS
n66	40MHz	15kHz	426000	3	SA(17198MHz-17800MHz 1MHz)@17760.435MHz	-72.47	-13.00	PASS
n66	40MHz	15kHz	426000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.50	30.0	NONE
n66	40MHz	15kHz	426000	4	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-37.67	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-29.06	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(2799MHz-3201MHz 1MHz)@3198.094MHz	-54.56	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.63	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(5198MHz-7200MHz 1MHz)@6173.500MHz	-47.54	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(7198MHz-9200MHz 1MHz)@8087.500MHz	-75.08	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.00	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(11198MHz-13200MHz 1MHz)@11881.500MHz	-74.41	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-73.03	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(15198MHz-17200MHz 1MHz)@15271.500MHz	-73.09	-13.00	PASS
n66	40MHz	15kHz	426000	4	SA(17198MHz-17800MHz 1MHz)@17756.829MHz	-72.43	-13.00	PASS
n66	40MHz	15kHz	426000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	22.16	30.0	NONE
n66	40MHz	15kHz	426000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-40.97	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-37.16	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(2799MHz-3201MHz 1MHz)@3175.638MHz	-54.62	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(3199MHz-5200MHz 1MHz)@3586.500MHz	-50.58	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(5198MHz-7200MHz 1MHz)@6151.500MHz	-47.54	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(7198MHz-9200MHz 1MHz)@8086.500MHz	-75.14	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(9198MHz-11200MHz 1MHz)@10972.500MHz	-73.99	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.35	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.94	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(15198MHz-17200MHz 1MHz)@15264.500MHz	-73.07	-13.00	PASS
n66	40MHz	15kHz	426000	5	SA(17198MHz-17800MHz 1MHz)@17775.460MHz	-72.55	-13.00	PASS
n66	40MHz	15kHz	426000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.48	30.0	NONE
n66	40MHz	15kHz	426000	6	SA(30MHz-1709MHz 1MHz)@1703.500MHz	-47.50	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(1756MHz-2801MHz 1MHz)@1768.500MHz	-45.97	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(2799MHz-3201MHz 1MHz)@3167.618MHz	-54.62	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(3199MHz-5200MHz 1MHz)@3582.500MHz	-50.65	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(5198MHz-7200MHz 1MHz)@6215.500MHz	-47.51	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.02	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(9198MHz-11200MHz 1MHz)@10960.500MHz	-74.04	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(11198MHz-13200MHz 1MHz)@11887.500MHz	-74.34	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-72.99	-13.00	PASS

n66	40MHz	15kHz	426000	6	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-73.00	-13.00	PASS
n66	40MHz	15kHz	426000	6	SA(17198MHz-17800MHz 1MHz)@17746.011MHz	-72.45	-13.00	PASS
n66	40MHz	15kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.89	30.0	NONE
n66	40MHz	15kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-37.33	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(1781MHz-2801MHz 1MHz)@1790.500MHz	-33.61	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@2977.544MHz	-52.29	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3583.500MHz	-48.35	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6175.500MHz	-45.35	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8075.500MHz	-75.14	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10981.500MHz	-74.07	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11798.500MHz	-74.41	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-73.00	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15283.500MHz	-72.99	-13.00	PASS
n66	40MHz	15kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17770.051MHz	-72.42	-13.00	PASS
n66	40MHz	15kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.70	30.0	NONE
n66	40MHz	15kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-48.94	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(1781MHz-2801MHz 1MHz)@1784.500MHz	-47.66	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3149.172MHz	-54.59	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.53	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6168.500MHz	-47.41	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8089.500MHz	-75.11	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.08	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11805.500MHz	-74.39	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-73.00	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15261.500MHz	-73.06	-13.00	PASS
n66	40MHz	15kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17770.652MHz	-72.45	-13.00	PASS
n66	40MHz	15kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	22.10	30.0	NONE
n66	40MHz	15kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-51.46	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(1781MHz-2801MHz 1MHz)@1783.500MHz	-43.68	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3155.187MHz	-52.35	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3597.500MHz	-48.44	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6201.500MHz	-45.30	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.01	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10983.500MHz	-74.14	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11881.500MHz	-74.38	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13748.500MHz	-72.96	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.04	-13.00	PASS
n66	40MHz	15kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.40	-13.00	PASS
n66	40MHz	15kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.40	30.0	NONE
n66	40MHz	15kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-40.35	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-34.08	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3143.959MHz	-54.56	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3587.500MHz	-50.60	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.49	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8076.500MHz	-75.05	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.01	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11902.500MHz	-74.37	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-73.03	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15292.500MHz	-73.04	-13.00	PASS
n66	40MHz	15kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17764.642MHz	-72.48	-13.00	PASS
n66	40MHz	15kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.15	30.0	NONE
n66	40MHz	15kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-49.53	-13.00	PASS

n66	40MHz	15kHz	429000	5	SA(1781MHz-2801MHz 1MHz)@1784.500MHz	-47.87	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3155.588MHz	-54.67	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3569.500MHz	-50.65	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6175.500MHz	-47.48	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8111.500MHz	-75.09	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.01	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11808.500MHz	-74.39	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13757.500MHz	-73.06	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15265.500MHz	-72.92	-13.00	PASS
n66	40MHz	15kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17771.253MHz	-72.41	-13.00	PASS
n66	40MHz	15kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.48	30.0	NONE
n66	40MHz	15kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-52.31	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(1781MHz-2801MHz 1MHz)@1783.500MHz	-46.42	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3199.698MHz	-54.59	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3565.500MHz	-50.54	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6164.500MHz	-47.47	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8094.500MHz	-75.01	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10984.500MHz	-74.05	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11807.500MHz	-74.37	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13747.500MHz	-72.97	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15269.500MHz	-73.06	-13.00	PASS
n66	40MHz	15kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17771.854MHz	-72.50	-13.00	PASS
n66	40MHz	15kHz	432000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	21.90	30.0	NONE
n66	40MHz	15kHz	432000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-40.75	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(1781MHz-2801MHz 1MHz)@1788.500MHz	-32.01	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(2799MHz-3201MHz 1MHz)@3189.272MHz	-54.64	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(3199MHz-5200MHz 1MHz)@3564.500MHz	-50.67	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(5198MHz-7200MHz 1MHz)@6139.500MHz	-47.52	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.12	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(9198MHz-11200MHz 1MHz)@10980.500MHz	-74.08	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(11198MHz-13200MHz 1MHz)@11802.500MHz	-74.33	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(13198MHz-15200MHz 1MHz)@13739.500MHz	-73.00	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-73.08	-13.00	PASS
n66	40MHz	15kHz	432000	1	SA(17198MHz-17800MHz 1MHz)@17748.415MHz	-72.42	-13.00	PASS
n66	40MHz	15kHz	432000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.43	30.0	NONE
n66	40MHz	15kHz	432000	2	SA(30MHz-1709MHz 1MHz)@1701.500MHz	-55.42	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(1781MHz-2801MHz 1MHz)@1787.500MHz	-41.03	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(2799MHz-3201MHz 1MHz)@3190.876MHz	-52.33	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(3199MHz-5200MHz 1MHz)@3590.500MHz	-48.39	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(5198MHz-7200MHz 1MHz)@6148.500MHz	-45.31	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(7198MHz-9200MHz 1MHz)@8077.500MHz	-75.11	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(9198MHz-11200MHz 1MHz)@10949.500MHz	-74.00	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(11198MHz-13200MHz 1MHz)@11890.500MHz	-74.43	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(13198MHz-15200MHz 1MHz)@13731.500MHz	-72.98	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-72.96	-13.00	PASS
n66	40MHz	15kHz	432000	2	SA(17198MHz-17800MHz 1MHz)@17753.824MHz	-72.52	-13.00	PASS
n66	40MHz	15kHz	432000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.27	30.0	NONE
n66	40MHz	15kHz	432000	3	SA(30MHz-1709MHz 1MHz)@1702.500MHz	-58.27	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-39.14	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(2799MHz-3201MHz 1MHz)@3144.360MHz	-54.50	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.59	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(5198MHz-7200MHz 1MHz)@6197.500MHz	-47.46	-13.00	PASS

n66	40MHz	15kHz	432000	3	SA(7198MHz-9200MHz 1MHz)@8111.500MHz	-75.10	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-73.90	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(11198MHz-13200MHz 1MHz)@11893.500MHz	-74.45	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(13198MHz-15200MHz 1MHz)@13735.500MHz	-72.94	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(15198MHz-17200MHz 1MHz)@15290.500MHz	-73.04	-13.00	PASS
n66	40MHz	15kHz	432000	3	SA(17198MHz-17800MHz 1MHz)@17768.849MHz	-72.46	-13.00	PASS
n66	40MHz	15kHz	432000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	21.40	30.0	NONE
n66	40MHz	15kHz	432000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-40.02	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-30.19	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(2799MHz-3201MHz 1MHz)@3198.094MHz	-54.61	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(3199MHz-5200MHz 1MHz)@3589.500MHz	-50.56	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(5198MHz-7200MHz 1MHz)@6175.500MHz	-47.48	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(7198MHz-9200MHz 1MHz)@9044.500MHz	-75.17	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(9198MHz-11200MHz 1MHz)@10962.500MHz	-74.07	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(11198MHz-13200MHz 1MHz)@11894.500MHz	-74.34	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-72.96	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-73.12	-13.00	PASS
n66	40MHz	15kHz	432000	4	SA(17198MHz-17800MHz 1MHz)@17766.445MHz	-72.35	-13.00	PASS
n66	40MHz	15kHz	432000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.82	30.0	NONE
n66	40MHz	15kHz	432000	5	SA(30MHz-1709MHz 1MHz)@1701.500MHz	-56.76	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(1781MHz-2801MHz 1MHz)@1786.500MHz	-41.27	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(2799MHz-3201MHz 1MHz)@3136.741MHz	-54.58	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.63	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(5198MHz-7200MHz 1MHz)@6174.500MHz	-47.53	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.04	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(9198MHz-11200MHz 1MHz)@10953.500MHz	-73.99	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(11198MHz-13200MHz 1MHz)@11869.500MHz	-74.37	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(13198MHz-15200MHz 1MHz)@13720.500MHz	-73.05	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(15198MHz-17200MHz 1MHz)@15260.500MHz	-73.06	-13.00	PASS
n66	40MHz	15kHz	432000	5	SA(17198MHz-17800MHz 1MHz)@17758.031MHz	-72.50	-13.00	PASS
n66	40MHz	15kHz	432000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.68	30.0	NONE
n66	40MHz	15kHz	432000	6	SA(30MHz-1709MHz 1MHz)@1701.500MHz	-58.39	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-39.45	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(2799MHz-3201MHz 1MHz)@3131.929MHz	-54.67	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.56	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(5198MHz-7200MHz 1MHz)@6138.500MHz	-47.33	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-75.13	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(9198MHz-11200MHz 1MHz)@10957.500MHz	-74.09	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(11198MHz-13200MHz 1MHz)@11871.500MHz	-74.32	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-72.97	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-72.95	-13.00	PASS
n66	40MHz	15kHz	432000	6	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.50	-13.00	PASS

Band	Bandwidth	SCS	Channel	TestID	TestConfig	Value (dBm)	UpLimit (dBm)	Result
n66	10MHz	30kHz	423000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.68	30.0	NONE
n66	10MHz	30kHz	423000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-31.67	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(1756MHz-2801MHz 1MHz)@2705.500MHz	-56.35	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(2799MHz-3201MHz 1MHz)@3191.678MHz	-54.61	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.63	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(5198MHz-7200MHz 1MHz)@6176.500MHz	-47.52	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(7198MHz-9200MHz 1MHz)@9032.500MHz	-75.00	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(9198MHz-11200MHz 1MHz)@10983.500MHz	-73.98	-13.00	PASS

n66	10MHz	30kHz	423000	1	SA(11198MHz-13200MHz 1MHz)@11802.500MHz	-74.39	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-73.01	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-73.08	-13.00	PASS
n66	10MHz	30kHz	423000	1	SA(17198MHz-17800MHz 1MHz)@17768.849MHz	-72.39	-13.00	PASS
n66	10MHz	30kHz	423000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.04	30.0	NONE
n66	10MHz	30kHz	423000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.05	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(1756MHz-2801MHz 1MHz)@2700.500MHz	-56.28	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.61	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.61	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(5198MHz-7200MHz 1MHz)@6167.500MHz	-47.40	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(7198MHz-9200MHz 1MHz)@8091.500MHz	-75.11	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.03	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(11198MHz-13200MHz 1MHz)@11823.500MHz	-74.41	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-73.01	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-72.97	-13.00	PASS
n66	10MHz	30kHz	423000	2	SA(17198MHz-17800MHz 1MHz)@17759.834MHz	-72.41	-13.00	PASS
n66	10MHz	30kHz	423000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	19.71	30.0	NONE
n66	10MHz	30kHz	423000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-48.82	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(1756MHz-2801MHz 1MHz)@2701.500MHz	-56.23	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(2799MHz-3201MHz 1MHz)@3157.192MHz	-54.66	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.61	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(5198MHz-7200MHz 1MHz)@6199.500MHz	-47.51	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(7198MHz-9200MHz 1MHz)@8069.500MHz	-75.11	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(9198MHz-11200MHz 1MHz)@10971.500MHz	-74.07	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.38	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.92	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-73.06	-13.00	PASS
n66	10MHz	30kHz	423000	3	SA(17198MHz-17800MHz 1MHz)@17763.440MHz	-72.32	-13.00	PASS
n66	10MHz	30kHz	423000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.08	30.0	NONE
n66	10MHz	30kHz	423000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-29.45	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-56.03	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(2799MHz-3201MHz 1MHz)@3147.969MHz	-54.63	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.56	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(5198MHz-7200MHz 1MHz)@7186.500MHz	-47.51	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(7198MHz-9200MHz 1MHz)@8107.500MHz	-74.95	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(9198MHz-11200MHz 1MHz)@10979.500MHz	-74.06	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.37	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(13198MHz-15200MHz 1MHz)@13755.500MHz	-73.01	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-72.99	-13.00	PASS
n66	10MHz	30kHz	423000	4	SA(17198MHz-17800MHz 1MHz)@17758.031MHz	-72.52	-13.00	PASS
n66	10MHz	30kHz	423000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.52	30.0	NONE
n66	10MHz	30kHz	423000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.93	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(1756MHz-2801MHz 1MHz)@2694.500MHz	-56.26	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(2799MHz-3201MHz 1MHz)@3155.187MHz	-54.66	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.60	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(5198MHz-7200MHz 1MHz)@6152.500MHz	-47.52	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(7198MHz-9200MHz 1MHz)@8073.500MHz	-75.13	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(9198MHz-11200MHz 1MHz)@10956.500MHz	-74.07	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(11198MHz-13200MHz 1MHz)@11808.500MHz	-74.31	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(13198MHz-15200MHz 1MHz)@13735.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(15198MHz-17200MHz 1MHz)@15261.500MHz	-73.04	-13.00	PASS
n66	10MHz	30kHz	423000	5	SA(17198MHz-17800MHz 1MHz)@17761.036MHz	-72.45	-13.00	PASS

n66	10MHz	30kHz	423000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.20	30.0	NONE
n66	10MHz	30kHz	423000	6	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-47.93	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(1756MHz-2801MHz 1MHz)@2715.500MHz	-56.31	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(2799MHz-3201MHz 1MHz)@3151.177MHz	-54.56	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(3199MHz-5200MHz 1MHz)@3570.500MHz	-50.52	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(5198MHz-7200MHz 1MHz)@6152.500MHz	-47.48	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(7198MHz-9200MHz 1MHz)@8108.500MHz	-75.04	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(9198MHz-11200MHz 1MHz)@10954.500MHz	-74.03	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.38	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-73.08	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-73.04	-13.00	PASS
n66	10MHz	30kHz	423000	6	SA(17198MHz-17800MHz 1MHz)@17749.016MHz	-72.35	-13.00	PASS
n66	10MHz	30kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.80	30.0	NONE
n66	10MHz	30kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-59.83	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-27.64	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-54.53	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.64	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6152.500MHz	-47.46	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@9028.500MHz	-75.10	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10978.500MHz	-74.02	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11867.500MHz	-74.31	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-72.94	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.05	-13.00	PASS
n66	10MHz	30kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17773.056MHz	-72.44	-13.00	PASS
n66	10MHz	30kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	20.28	30.0	NONE
n66	10MHz	30kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.50	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-48.64	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3164.009MHz	-54.57	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3587.500MHz	-50.57	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6179.500MHz	-47.49	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8123.500MHz	-75.01	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-74.03	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11885.500MHz	-74.36	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-72.98	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15267.500MHz	-72.97	-13.00	PASS
n66	10MHz	30kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17752.622MHz	-72.51	-13.00	PASS
n66	10MHz	30kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.71	30.0	NONE
n66	10MHz	30kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-60.66	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-51.01	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3186.465MHz	-54.64	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.53	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6139.500MHz	-47.48	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8099.500MHz	-75.07	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-74.06	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11837.500MHz	-74.38	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15271.500MHz	-73.04	-13.00	PASS
n66	10MHz	30kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.53	-13.00	PASS
n66	10MHz	30kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.87	30.0	NONE
n66	10MHz	30kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-58.32	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-25.95	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3191.678MHz	-54.59	-13.00	PASS

n66	10MHz	30kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3569.500MHz	-50.63	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6193.500MHz	-47.46	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8122.500MHz	-75.10	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-74.02	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11906.500MHz	-74.32	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-72.99	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15290.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17750.218MHz	-72.38	-13.00	PASS
n66	10MHz	30kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	19.68	30.0	NONE
n66	10MHz	30kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1700.500MHz	-60.56	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-48.49	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3198.896MHz	-54.58	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.64	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6152.500MHz	-47.46	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@9048.500MHz	-75.09	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10976.500MHz	-74.00	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11883.500MHz	-74.33	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13761.500MHz	-73.02	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15302.500MHz	-73.06	-13.00	PASS
n66	10MHz	30kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17748.415MHz	-72.44	-13.00	PASS
n66	10MHz	30kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.23	30.0	NONE
n66	10MHz	30kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-60.73	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-51.19	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3190.475MHz	-54.64	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3582.500MHz	-50.62	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6147.500MHz	-47.50	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8094.500MHz	-75.14	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10981.500MHz	-73.97	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11898.500MHz	-74.38	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13711.500MHz	-72.99	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.02	-13.00	PASS
n66	10MHz	30kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17765.844MHz	-72.39	-13.00	PASS
n66	10MHz	30kHz	435000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.72	30.0	NONE
n66	10MHz	30kHz	435000	1	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-48.26	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-27.54	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(2799MHz-3201MHz 1MHz)@3141.152MHz	-54.52	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(3199MHz-5200MHz 1MHz)@3568.500MHz	-50.64	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(5198MHz-7200MHz 1MHz)@6166.500MHz	-47.47	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.05	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.03	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(11198MHz-13200MHz 1MHz)@11794.500MHz	-74.22	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-72.98	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-72.89	-13.00	PASS
n66	10MHz	30kHz	435000	1	SA(17198MHz-17800MHz 1MHz)@17745.410MHz	-72.44	-13.00	PASS
n66	10MHz	30kHz	435000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	20.89	30.0	NONE
n66	10MHz	30kHz	435000	2	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-59.67	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-43.68	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(2799MHz-3201MHz 1MHz)@3125.914MHz	-54.61	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.57	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(5198MHz-7200MHz 1MHz)@6184.500MHz	-47.43	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(7198MHz-9200MHz 1MHz)@8103.500MHz	-75.09	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(9198MHz-11200MHz 1MHz)@10938.500MHz	-74.05	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(11198MHz-13200MHz 1MHz)@11833.500MHz	-74.41	-13.00	PASS