

n66	10MHz	30kHz	435000	2	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-73.03	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(15198MHz-17200MHz 1MHz)@15287.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	435000	2	SA(17198MHz-17800MHz 1MHz)@17738.198MHz	-72.46	-13.00	PASS
n66	10MHz	30kHz	435000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.33	30.0	NONE
n66	10MHz	30kHz	435000	3	SA(30MHz-1754MHz 1MHz)@1746.500MHz	-59.12	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-41.60	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(2799MHz-3201MHz 1MHz)@3153.182MHz	-54.66	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(3199MHz-5200MHz 1MHz)@3574.500MHz	-50.63	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(5198MHz-7200MHz 1MHz)@6170.500MHz	-47.48	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(7198MHz-9200MHz 1MHz)@8121.500MHz	-75.06	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(9198MHz-11200MHz 1MHz)@10959.500MHz	-74.02	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(11198MHz-13200MHz 1MHz)@11888.500MHz	-74.28	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(15198MHz-17200MHz 1MHz)@15279.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	435000	3	SA(17198MHz-17800MHz 1MHz)@17772.455MHz	-72.41	-13.00	PASS
n66	10MHz	30kHz	435000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	19.60	30.0	NONE
n66	10MHz	30kHz	435000	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-44.85	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-23.64	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(2799MHz-3201MHz 1MHz)@3145.964MHz	-54.63	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(3199MHz-5200MHz 1MHz)@3567.500MHz	-50.47	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(5198MHz-7200MHz 1MHz)@6147.500MHz	-47.43	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(7198MHz-9200MHz 1MHz)@8073.500MHz	-75.09	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(9198MHz-11200MHz 1MHz)@10974.500MHz	-73.96	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(11198MHz-13200MHz 1MHz)@11879.500MHz	-74.33	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(13198MHz-15200MHz 1MHz)@13764.500MHz	-73.06	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(15198MHz-17200MHz 1MHz)@15271.500MHz	-72.99	-13.00	PASS
n66	10MHz	30kHz	435000	4	SA(17198MHz-17800MHz 1MHz)@17770.652MHz	-72.44	-13.00	PASS
n66	10MHz	30kHz	435000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.32	30.0	NONE
n66	10MHz	30kHz	435000	5	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-59.78	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-43.08	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(2799MHz-3201MHz 1MHz)@3143.558MHz	-54.63	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.62	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(5198MHz-7200MHz 1MHz)@6187.500MHz	-47.33	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(7198MHz-9200MHz 1MHz)@8139.500MHz	-75.08	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(9198MHz-11200MHz 1MHz)@10960.500MHz	-73.99	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(11198MHz-13200MHz 1MHz)@11783.500MHz	-74.36	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-72.94	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-73.01	-13.00	PASS
n66	10MHz	30kHz	435000	5	SA(17198MHz-17800MHz 1MHz)@17771.253MHz	-72.43	-13.00	PASS
n66	10MHz	30kHz	435000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.88	30.0	NONE
n66	10MHz	30kHz	435000	6	SA(30MHz-1754MHz 1MHz)@1746.500MHz	-59.19	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-40.10	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(2799MHz-3201MHz 1MHz)@3172.029MHz	-54.66	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(3199MHz-5200MHz 1MHz)@3567.500MHz	-50.61	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(5198MHz-7200MHz 1MHz)@6184.500MHz	-47.34	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(7198MHz-9200MHz 1MHz)@8103.500MHz	-75.11	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(9198MHz-11200MHz 1MHz)@10986.500MHz	-74.08	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(11198MHz-13200MHz 1MHz)@11800.500MHz	-74.30	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.94	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-73.00	-13.00	PASS
n66	10MHz	30kHz	435000	6	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.47	-13.00	PASS
n66	15MHz	30kHz	423500	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.86	30.0	NONE
n66	15MHz	30kHz	423500	1	SA(30MHz-1709MHz 1MHz)@1704.500MHz	-33.41	-13.00	PASS

n66	15MHz	30kHz	423500	1	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-52.94	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(2799MHz-3201MHz 1MHz)@3198.896MHz	-54.66	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(3199MHz-5200MHz 1MHz)@3573.500MHz	-50.62	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(5198MHz-7200MHz 1MHz)@6181.500MHz	-47.47	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(7198MHz-9200MHz 1MHz)@8115.500MHz	-75.13	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(9198MHz-11200MHz 1MHz)@10962.500MHz	-73.98	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.33	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.95	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(15198MHz-17200MHz 1MHz)@15282.500MHz	-73.01	-13.00	PASS
n66	15MHz	30kHz	423500	1	SA(17198MHz-17800MHz 1MHz)@17752.622MHz	-72.45	-13.00	PASS
n66	15MHz	30kHz	423500	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.19	30.0	NONE
n66	15MHz	30kHz	423500	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.58	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(1756MHz-2801MHz 1MHz)@2709.500MHz	-56.33	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(2799MHz-3201MHz 1MHz)@3193.282MHz	-54.54	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(3199MHz-5200MHz 1MHz)@3587.500MHz	-50.60	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(5198MHz-7200MHz 1MHz)@6176.500MHz	-47.48	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(7198MHz-9200MHz 1MHz)@8091.500MHz	-75.06	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(9198MHz-11200MHz 1MHz)@10964.500MHz	-74.04	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(11198MHz-13200MHz 1MHz)@11883.500MHz	-74.20	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(13198MHz-15200MHz 1MHz)@13733.500MHz	-72.94	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(15198MHz-17200MHz 1MHz)@15271.500MHz	-73.00	-13.00	PASS
n66	15MHz	30kHz	423500	2	SA(17198MHz-17800MHz 1MHz)@17744.208MHz	-72.49	-13.00	PASS
n66	15MHz	30kHz	423500	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.61	30.0	NONE
n66	15MHz	30kHz	423500	3	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-46.14	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(1756MHz-2801MHz 1MHz)@2711.500MHz	-56.21	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(2799MHz-3201MHz 1MHz)@3147.167MHz	-54.65	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.58	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(5198MHz-7200MHz 1MHz)@6129.500MHz	-47.47	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(7198MHz-9200MHz 1MHz)@8078.500MHz	-75.12	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(9198MHz-11200MHz 1MHz)@10948.500MHz	-74.03	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(11198MHz-13200MHz 1MHz)@11898.500MHz	-74.38	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(13198MHz-15200MHz 1MHz)@13726.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(15198MHz-17200MHz 1MHz)@15269.500MHz	-73.06	-13.00	PASS
n66	15MHz	30kHz	423500	3	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.36	-13.00	PASS
n66	15MHz	30kHz	423500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	19.93	30.0	NONE
n66	15MHz	30kHz	423500	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-30.74	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-47.50	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(2799MHz-3201MHz 1MHz)@3199.297MHz	-54.54	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(3199MHz-5200MHz 1MHz)@3595.500MHz	-50.59	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(5198MHz-7200MHz 1MHz)@6182.500MHz	-47.35	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(7198MHz-9200MHz 1MHz)@8134.500MHz	-75.10	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(9198MHz-11200MHz 1MHz)@10993.500MHz	-74.04	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(11198MHz-13200MHz 1MHz)@11815.500MHz	-74.35	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(13198MHz-15200MHz 1MHz)@13745.500MHz	-72.99	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	423500	4	SA(17198MHz-17800MHz 1MHz)@17770.652MHz	-72.41	-13.00	PASS
n66	15MHz	30kHz	423500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.68	30.0	NONE
n66	15MHz	30kHz	423500	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.62	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(1756MHz-2801MHz 1MHz)@2733.500MHz	-56.41	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(2799MHz-3201MHz 1MHz)@3196.490MHz	-54.55	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.63	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(5198MHz-7200MHz 1MHz)@6124.500MHz	-47.51	-13.00	PASS

n66	15MHz	30kHz	423500	5	SA(7198MHz-9200MHz 1MHz)@8097.500MHz	-75.12	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(9198MHz-11200MHz 1MHz)@10973.500MHz	-74.07	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(11198MHz-13200MHz 1MHz)@11781.500MHz	-74.41	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(13198MHz-15200MHz 1MHz)@13746.500MHz	-72.90	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(15198MHz-17200MHz 1MHz)@15276.500MHz	-72.99	-13.00	PASS
n66	15MHz	30kHz	423500	5	SA(17198MHz-17800MHz 1MHz)@17768.849MHz	-72.51	-13.00	PASS
n66	15MHz	30kHz	423500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.14	30.0	NONE
n66	15MHz	30kHz	423500	6	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-46.01	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(1756MHz-2801MHz 1MHz)@2702.500MHz	-56.31	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(2799MHz-3201MHz 1MHz)@3119.498MHz	-54.54	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(3199MHz-5200MHz 1MHz)@3575.500MHz	-50.63	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(5198MHz-7200MHz 1MHz)@6177.500MHz	-47.41	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(7198MHz-9200MHz 1MHz)@8122.500MHz	-75.05	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-74.05	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(11198MHz-13200MHz 1MHz)@11890.500MHz	-74.38	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(13198MHz-15200MHz 1MHz)@13735.500MHz	-72.97	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(15198MHz-17200MHz 1MHz)@15282.500MHz	-72.92	-13.00	PASS
n66	15MHz	30kHz	423500	6	SA(17198MHz-17800MHz 1MHz)@17750.218MHz	-72.46	-13.00	PASS
n66	15MHz	30kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.93	30.0	NONE
n66	15MHz	30kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-56.07	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1758.500MHz	-27.34	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3194.886MHz	-54.61	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.56	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6173.500MHz	-47.41	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8077.500MHz	-75.08	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10980.500MHz	-74.04	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11880.500MHz	-74.31	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.95	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-72.98	-13.00	PASS
n66	15MHz	30kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17754.425MHz	-72.46	-13.00	PASS
n66	15MHz	30kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	19.80	30.0	NONE
n66	15MHz	30kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-60.46	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.13	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-54.57	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3586.500MHz	-50.59	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6144.500MHz	-47.46	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8129.500MHz	-75.13	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-74.07	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11886.500MHz	-74.29	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-72.97	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15250.500MHz	-73.06	-13.00	PASS
n66	15MHz	30kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17758.632MHz	-72.47	-13.00	PASS
n66	15MHz	30kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.93	30.0	NONE
n66	15MHz	30kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1704.500MHz	-60.63	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-45.22	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3149.172MHz	-54.62	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3573.500MHz	-50.61	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6197.500MHz	-47.37	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.16	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10963.500MHz	-73.94	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11825.500MHz	-74.37	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13725.500MHz	-73.01	-13.00	PASS

n66	15MHz	30kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15292.500MHz	-73.05	-13.00	PASS
n66	15MHz	30kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17756.228MHz	-72.35	-13.00	PASS
n66	15MHz	30kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.79	30.0	NONE
n66	15MHz	30kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-51.40	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-24.19	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3162.004MHz	-54.61	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3575.500MHz	-50.62	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6132.500MHz	-47.47	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8139.500MHz	-75.08	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10966.500MHz	-73.99	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11809.500MHz	-74.40	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13727.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15261.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17754.425MHz	-72.52	-13.00	PASS
n66	15MHz	30kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	19.34	30.0	NONE
n66	15MHz	30kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-60.64	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.35	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-54.53	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.65	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6158.500MHz	-47.52	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8125.500MHz	-75.09	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-74.07	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11895.500MHz	-74.26	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-73.03	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-73.05	-13.00	PASS
n66	15MHz	30kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17740.602MHz	-72.54	-13.00	PASS
n66	15MHz	30kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	20.42	30.0	NONE
n66	15MHz	30kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1696.500MHz	-60.59	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.28	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3198.896MHz	-54.56	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3560.500MHz	-50.60	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.44	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.10	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10971.500MHz	-73.93	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.33	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-73.06	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-72.99	-13.00	PASS
n66	15MHz	30kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17765.844MHz	-72.56	-13.00	PASS
n66	15MHz	30kHz	434500	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.68	30.0	NONE
n66	15MHz	30kHz	434500	1	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-39.33	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-26.37	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(2799MHz-3201MHz 1MHz)@3176.841MHz	-54.56	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.55	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(5198MHz-7200MHz 1MHz)@7199.500MHz	-47.38	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(7198MHz-9200MHz 1MHz)@8139.500MHz	-75.08	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(9198MHz-11200MHz 1MHz)@10988.500MHz	-74.09	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(11198MHz-13200MHz 1MHz)@11880.500MHz	-74.28	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(13198MHz-15200MHz 1MHz)@13738.500MHz	-72.87	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-72.99	-13.00	PASS
n66	15MHz	30kHz	434500	1	SA(17198MHz-17800MHz 1MHz)@17767.046MHz	-72.54	-13.00	PASS
n66	15MHz	30kHz	434500	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.81	30.0	NONE
n66	15MHz	30kHz	434500	2	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-54.72	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-40.61	-13.00	PASS

n66	15MHz	30kHz	434500	2	SA(2799MHz-3201MHz 1MHz)@3139.147MHz	-54.66	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(3199MHz-5200MHz 1MHz)@3574.500MHz	-50.63	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(5198MHz-7200MHz 1MHz)@6151.500MHz	-47.47	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.04	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(9198MHz-11200MHz 1MHz)@10959.500MHz	-73.98	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(11198MHz-13200MHz 1MHz)@11888.500MHz	-74.30	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-73.06	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	434500	2	SA(17198MHz-17800MHz 1MHz)@17748.415MHz	-72.51	-13.00	PASS
n66	15MHz	30kHz	434500	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.26	30.0	NONE
n66	15MHz	30kHz	434500	3	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-51.65	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-40.97	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.55	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.56	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(5198MHz-7200MHz 1MHz)@6187.500MHz	-47.45	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(7198MHz-9200MHz 1MHz)@8100.500MHz	-75.02	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(9198MHz-11200MHz 1MHz)@10976.500MHz	-73.96	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(11198MHz-13200MHz 1MHz)@11788.500MHz	-74.39	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(13198MHz-15200MHz 1MHz)@13727.500MHz	-73.04	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(15198MHz-17200MHz 1MHz)@15267.500MHz	-72.96	-13.00	PASS
n66	15MHz	30kHz	434500	3	SA(17198MHz-17800MHz 1MHz)@17761.637MHz	-72.45	-13.00	PASS
n66	15MHz	30kHz	434500	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.24	30.0	NONE
n66	15MHz	30kHz	434500	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-36.51	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-24.58	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(2799MHz-3201MHz 1MHz)@3160.801MHz	-54.62	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(3199MHz-5200MHz 1MHz)@3586.500MHz	-50.54	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(5198MHz-7200MHz 1MHz)@6124.500MHz	-47.45	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(7198MHz-9200MHz 1MHz)@8131.500MHz	-75.14	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(9198MHz-11200MHz 1MHz)@10967.500MHz	-74.03	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(11198MHz-13200MHz 1MHz)@11899.500MHz	-74.25	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(13198MHz-15200MHz 1MHz)@13742.500MHz	-72.99	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(15198MHz-17200MHz 1MHz)@15294.500MHz	-73.07	-13.00	PASS
n66	15MHz	30kHz	434500	4	SA(17198MHz-17800MHz 1MHz)@17768.849MHz	-72.34	-13.00	PASS
n66	15MHz	30kHz	434500	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.29	30.0	NONE
n66	15MHz	30kHz	434500	5	SA(30MHz-1754MHz 1MHz)@1752.500MHz	-54.74	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(1781MHz-2801MHz 1MHz)@1783.500MHz	-40.75	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(2799MHz-3201MHz 1MHz)@3152.781MHz	-54.65	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(3199MHz-5200MHz 1MHz)@3572.500MHz	-50.62	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(5198MHz-7200MHz 1MHz)@6129.500MHz	-47.46	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(7198MHz-9200MHz 1MHz)@8079.500MHz	-75.14	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(9198MHz-11200MHz 1MHz)@10985.500MHz	-74.08	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(11198MHz-13200MHz 1MHz)@11890.500MHz	-74.37	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(13198MHz-15200MHz 1MHz)@13757.500MHz	-73.07	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-72.93	-13.00	PASS
n66	15MHz	30kHz	434500	5	SA(17198MHz-17800MHz 1MHz)@17757.430MHz	-72.42	-13.00	PASS
n66	15MHz	30kHz	434500	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.86	30.0	NONE
n66	15MHz	30kHz	434500	6	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-52.35	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-42.29	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(2799MHz-3201MHz 1MHz)@3193.282MHz	-54.63	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.63	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(5198MHz-7200MHz 1MHz)@6129.500MHz	-47.52	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(7198MHz-9200MHz 1MHz)@8123.500MHz	-75.11	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(9198MHz-11200MHz 1MHz)@10960.500MHz	-73.98	-13.00	PASS

n66	15MHz	30kHz	434500	6	SA(11198MHz-13200MHz 1MHz)@11891.500MHz	-74.46	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.98	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(15198MHz-17200MHz 1MHz)@15272.500MHz	-73.05	-13.00	PASS
n66	15MHz	30kHz	434500	6	SA(17198MHz-17800MHz 1MHz)@17766.445MHz	-72.44	-13.00	PASS
n66	20MHz	30kHz	424000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.67	30.0	NONE
n66	20MHz	30kHz	424000	1	SA(30MHz-1709MHz 1MHz)@1702.500MHz	-37.88	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-46.53	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(2799MHz-3201MHz 1MHz)@3169.222MHz	-54.66	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.67	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(5198MHz-7200MHz 1MHz)@6186.500MHz	-47.46	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(7198MHz-9200MHz 1MHz)@8136.500MHz	-75.05	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(9198MHz-11200MHz 1MHz)@10968.500MHz	-74.03	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(11198MHz-13200MHz 1MHz)@11813.500MHz	-74.25	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(13198MHz-15200MHz 1MHz)@13739.500MHz	-73.02	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.05	-13.00	PASS
n66	20MHz	30kHz	424000	1	SA(17198MHz-17800MHz 1MHz)@17758.632MHz	-72.46	-13.00	PASS
n66	20MHz	30kHz	424000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.10	30.0	NONE
n66	20MHz	30kHz	424000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-45.05	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(1756MHz-2801MHz 1MHz)@2715.500MHz	-56.34	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(2799MHz-3201MHz 1MHz)@3182.455MHz	-54.62	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(3199MHz-5200MHz 1MHz)@3596.500MHz	-50.64	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(5198MHz-7200MHz 1MHz)@6169.500MHz	-47.40	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(7198MHz-9200MHz 1MHz)@8101.500MHz	-75.11	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(9198MHz-11200MHz 1MHz)@10965.500MHz	-73.96	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(11198MHz-13200MHz 1MHz)@11895.500MHz	-74.31	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(13198MHz-15200MHz 1MHz)@13734.500MHz	-72.95	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-72.81	-13.00	PASS
n66	20MHz	30kHz	424000	2	SA(17198MHz-17800MHz 1MHz)@17730.986MHz	-72.41	-13.00	PASS
n66	20MHz	30kHz	424000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.93	30.0	NONE
n66	20MHz	30kHz	424000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-47.99	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(1756MHz-2801MHz 1MHz)@2690.500MHz	-56.23	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.65	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(3199MHz-5200MHz 1MHz)@3564.500MHz	-50.59	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(5198MHz-7200MHz 1MHz)@6153.500MHz	-47.41	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(7198MHz-9200MHz 1MHz)@8076.500MHz	-75.05	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(9198MHz-11200MHz 1MHz)@10973.500MHz	-74.02	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(11198MHz-13200MHz 1MHz)@11891.500MHz	-74.37	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(13198MHz-15200MHz 1MHz)@13748.500MHz	-73.01	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.03	-13.00	PASS
n66	20MHz	30kHz	424000	3	SA(17198MHz-17800MHz 1MHz)@17779.066MHz	-72.45	-13.00	PASS
n66	20MHz	30kHz	424000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.06	30.0	NONE
n66	20MHz	30kHz	424000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-34.60	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-45.12	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(2799MHz-3201MHz 1MHz)@3144.761MHz	-54.58	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(3199MHz-5200MHz 1MHz)@3568.500MHz	-50.66	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(5198MHz-7200MHz 1MHz)@6190.500MHz	-47.49	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(7198MHz-9200MHz 1MHz)@8096.500MHz	-75.08	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(9198MHz-11200MHz 1MHz)@10964.500MHz	-74.09	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(11198MHz-13200MHz 1MHz)@11795.500MHz	-74.22	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(13198MHz-15200MHz 1MHz)@13742.500MHz	-72.96	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-72.98	-13.00	PASS
n66	20MHz	30kHz	424000	4	SA(17198MHz-17800MHz 1MHz)@17743.607MHz	-72.45	-13.00	PASS

n66	20MHz	30kHz	424000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.70	30.0	NONE
n66	20MHz	30kHz	424000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-44.68	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(1756MHz-2801MHz 1MHz)@2721.500MHz	-56.35	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.56	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(3199MHz-5200MHz 1MHz)@3589.500MHz	-50.61	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(5198MHz-7200MHz 1MHz)@6164.500MHz	-47.48	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(7198MHz-9200MHz 1MHz)@8111.500MHz	-75.11	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(9198MHz-11200MHz 1MHz)@10959.500MHz	-74.08	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(11198MHz-13200MHz 1MHz)@11891.500MHz	-74.34	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.90	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(15198MHz-17200MHz 1MHz)@15284.500MHz	-73.00	-13.00	PASS
n66	20MHz	30kHz	424000	5	SA(17198MHz-17800MHz 1MHz)@17753.223MHz	-72.46	-13.00	PASS
n66	20MHz	30kHz	424000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.56	30.0	NONE
n66	20MHz	30kHz	424000	6	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-48.36	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(1756MHz-2801MHz 1MHz)@2707.500MHz	-56.41	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(2799MHz-3201MHz 1MHz)@3111.077MHz	-54.58	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(3199MHz-5200MHz 1MHz)@3564.500MHz	-50.65	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(5198MHz-7200MHz 1MHz)@6137.500MHz	-47.49	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(7198MHz-9200MHz 1MHz)@8104.500MHz	-74.98	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(9198MHz-11200MHz 1MHz)@10984.500MHz	-74.00	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(11198MHz-13200MHz 1MHz)@11880.500MHz	-74.17	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(13198MHz-15200MHz 1MHz)@13716.500MHz	-73.03	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(15198MHz-17200MHz 1MHz)@15279.500MHz	-73.01	-13.00	PASS
n66	20MHz	30kHz	424000	6	SA(17198MHz-17800MHz 1MHz)@17771.854MHz	-72.40	-13.00	PASS
n66	20MHz	30kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.90	30.0	NONE
n66	20MHz	30kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-51.68	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-23.96	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3131.929MHz	-54.61	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3576.500MHz	-50.62	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6187.500MHz	-47.45	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-74.97	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10966.500MHz	-73.97	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11898.500MHz	-74.30	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-72.93	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15275.500MHz	-73.09	-13.00	PASS
n66	20MHz	30kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.37	-13.00	PASS
n66	20MHz	30kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	20.02	30.0	NONE
n66	20MHz	30kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-60.19	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(1756MHz-2801MHz 1MHz)@1765.500MHz	-39.56	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3138.746MHz	-54.55	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3583.500MHz	-50.58	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6183.500MHz	-47.46	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8135.500MHz	-75.02	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10987.500MHz	-74.02	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11877.500MHz	-74.27	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13727.500MHz	-73.02	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15277.500MHz	-73.01	-13.00	PASS
n66	20MHz	30kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17753.223MHz	-72.44	-13.00	PASS
n66	20MHz	30kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.29	30.0	NONE
n66	20MHz	30kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1704.500MHz	-60.65	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-42.94	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3135.538MHz	-54.57	-13.00	PASS

n66	20MHz	30kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3570.500MHz	-50.62	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6183.500MHz	-47.40	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8080.500MHz	-75.01	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10946.500MHz	-73.99	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11805.500MHz	-74.34	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13737.500MHz	-73.06	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15277.500MHz	-72.98	-13.00	PASS
n66	20MHz	30kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17773.056MHz	-72.42	-13.00	PASS
n66	20MHz	30kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.50	30.0	NONE
n66	20MHz	30kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-48.33	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-25.25	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3195.287MHz	-54.57	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3582.500MHz	-50.64	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6165.500MHz	-47.38	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@9043.500MHz	-75.08	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10980.500MHz	-73.89	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.41	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13731.500MHz	-72.97	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15265.500MHz	-73.03	-13.00	PASS
n66	20MHz	30kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17740.602MHz	-72.47	-13.00	PASS
n66	20MHz	30kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	19.55	30.0	NONE
n66	20MHz	30kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1706.500MHz	-60.04	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(1756MHz-2801MHz 1MHz)@1765.500MHz	-40.05	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3189.673MHz	-54.65	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3555.500MHz	-50.67	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6180.500MHz	-47.35	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8089.500MHz	-74.99	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10952.500MHz	-74.03	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11791.500MHz	-74.34	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13718.500MHz	-73.00	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15281.500MHz	-73.03	-13.00	PASS
n66	20MHz	30kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17759.233MHz	-72.35	-13.00	PASS
n66	20MHz	30kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.80	30.0	NONE
n66	20MHz	30kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1704.500MHz	-60.62	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-43.26	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3189.272MHz	-54.61	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3558.500MHz	-50.57	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6194.500MHz	-47.40	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8086.500MHz	-75.04	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10987.500MHz	-74.01	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11883.500MHz	-74.22	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13747.500MHz	-72.96	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-72.99	-13.00	PASS
n66	20MHz	30kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17768.849MHz	-72.52	-13.00	PASS
n66	20MHz	30kHz	434000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.91	30.0	NONE
n66	20MHz	30kHz	434000	1	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-33.70	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-25.57	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(2799MHz-3201MHz 1MHz)@3195.287MHz	-54.58	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.60	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(5198MHz-7200MHz 1MHz)@6191.500MHz	-47.41	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(7198MHz-9200MHz 1MHz)@8090.500MHz	-75.11	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(9198MHz-11200MHz 1MHz)@10961.500MHz	-74.07	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(11198MHz-13200MHz 1MHz)@11887.500MHz	-74.35	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(13198MHz-15200MHz 1MHz)@13730.500MHz	-72.98	-13.00	PASS

n66	20MHz	30kHz	434000	1	SA(15198MHz-17200MHz 1MHz)@15270.500MHz	-72.97	-13.00	PASS
n66	20MHz	30kHz	434000	1	SA(17198MHz-17800MHz 1MHz)@17755.026MHz	-72.44	-13.00	PASS
n66	20MHz	30kHz	434000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	20.51	30.0	NONE
n66	20MHz	30kHz	434000	2	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-48.42	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(1781MHz-2801MHz 1MHz)@1790.500MHz	-41.57	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(2799MHz-3201MHz 1MHz)@3196.891MHz	-54.59	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(3199MHz-5200MHz 1MHz)@3584.500MHz	-50.57	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(5198MHz-7200MHz 1MHz)@6188.500MHz	-47.46	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(7198MHz-9200MHz 1MHz)@8139.500MHz	-75.08	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(9198MHz-11200MHz 1MHz)@10973.500MHz	-74.01	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(11198MHz-13200MHz 1MHz)@11877.500MHz	-74.32	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(13198MHz-15200MHz 1MHz)@13747.500MHz	-72.98	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(15198MHz-17200MHz 1MHz)@15273.500MHz	-73.08	-13.00	PASS
n66	20MHz	30kHz	434000	2	SA(17198MHz-17800MHz 1MHz)@17734.592MHz	-72.45	-13.00	PASS
n66	20MHz	30kHz	434000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	20.28	30.0	NONE
n66	20MHz	30kHz	434000	3	SA(30MHz-1754MHz 1MHz)@1749.500MHz	-42.70	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-43.28	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.58	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(3199MHz-5200MHz 1MHz)@3580.500MHz	-50.60	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(5198MHz-7200MHz 1MHz)@6151.500MHz	-47.47	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(7198MHz-9200MHz 1MHz)@8142.500MHz	-75.14	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(9198MHz-11200MHz 1MHz)@10942.500MHz	-73.96	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(11198MHz-13200MHz 1MHz)@11873.500MHz	-74.35	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.94	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(15198MHz-17200MHz 1MHz)@15286.500MHz	-72.99	-13.00	PASS
n66	20MHz	30kHz	434000	3	SA(17198MHz-17800MHz 1MHz)@17761.637MHz	-72.42	-13.00	PASS
n66	20MHz	30kHz	434000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.43	30.0	NONE
n66	20MHz	30kHz	434000	4	SA(30MHz-1754MHz 1MHz)@1753.500MHz	-32.59	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-25.74	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-54.61	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.64	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(5198MHz-7200MHz 1MHz)@6183.500MHz	-47.46	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(7198MHz-9200MHz 1MHz)@8105.500MHz	-75.06	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(9198MHz-11200MHz 1MHz)@10953.500MHz	-74.02	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(11198MHz-13200MHz 1MHz)@11887.500MHz	-74.39	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-72.98	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-72.91	-13.00	PASS
n66	20MHz	30kHz	434000	4	SA(17198MHz-17800MHz 1MHz)@17752.622MHz	-72.41	-13.00	PASS
n66	20MHz	30kHz	434000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.06	30.0	NONE
n66	20MHz	30kHz	434000	5	SA(30MHz-1754MHz 1MHz)@1751.500MHz	-50.20	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(1781MHz-2801MHz 1MHz)@1790.500MHz	-42.02	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(2799MHz-3201MHz 1MHz)@3155.989MHz	-54.56	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.57	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(5198MHz-7200MHz 1MHz)@6154.500MHz	-47.32	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(7198MHz-9200MHz 1MHz)@8087.500MHz	-75.08	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(9198MHz-11200MHz 1MHz)@10969.500MHz	-73.90	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(11198MHz-13200MHz 1MHz)@11802.500MHz	-74.38	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(13198MHz-15200MHz 1MHz)@13741.500MHz	-72.94	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(15198MHz-17200MHz 1MHz)@15262.500MHz	-73.12	-13.00	PASS
n66	20MHz	30kHz	434000	5	SA(17198MHz-17800MHz 1MHz)@17759.233MHz	-72.47	-13.00	PASS
n66	20MHz	30kHz	434000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.84	30.0	NONE
n66	20MHz	30kHz	434000	6	SA(30MHz-1754MHz 1MHz)@1749.500MHz	-43.04	-13.00	PASS

n66	20MHz	30kHz	434000	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-43.93	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(2799MHz-3201MHz 1MHz)@3141.152MHz	-54.64	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(3199MHz-5200MHz 1MHz)@3582.500MHz	-50.56	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(5198MHz-7200MHz 1MHz)@6126.500MHz	-47.47	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(7198MHz-9200MHz 1MHz)@9049.500MHz	-75.08	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(9198MHz-11200MHz 1MHz)@10966.500MHz	-74.02	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(11198MHz-13200MHz 1MHz)@11895.500MHz	-74.39	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-72.90	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-73.04	-13.00	PASS
n66	20MHz	30kHz	434000	6	SA(17198MHz-17800MHz 1MHz)@17773.056MHz	-72.44	-13.00	PASS
n66	40MHz	30kHz	426000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.98	30.0	NONE
n66	40MHz	30kHz	426000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-36.97	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(1756MHz-2801MHz 1MHz)@1772.500MHz	-32.16	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(2799MHz-3201MHz 1MHz)@3196.089MHz	-54.60	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(3199MHz-5200MHz 1MHz)@3570.500MHz	-50.61	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(5198MHz-7200MHz 1MHz)@6214.500MHz	-47.46	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(7198MHz-9200MHz 1MHz)@8071.500MHz	-75.13	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(9198MHz-11200MHz 1MHz)@10982.500MHz	-74.03	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(11198MHz-13200MHz 1MHz)@11870.500MHz	-74.33	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(13198MHz-15200MHz 1MHz)@13739.500MHz	-73.06	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(15198MHz-17200MHz 1MHz)@15285.500MHz	-73.08	-13.00	PASS
n66	40MHz	30kHz	426000	1	SA(17198MHz-17800MHz 1MHz)@17743.006MHz	-72.47	-13.00	PASS
n66	40MHz	30kHz	426000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	22.10	30.0	NONE
n66	40MHz	30kHz	426000	2	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.34	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-38.41	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(2799MHz-3201MHz 1MHz)@3193.282MHz	-54.55	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(3199MHz-5200MHz 1MHz)@3560.500MHz	-50.58	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(5198MHz-7200MHz 1MHz)@6150.500MHz	-47.45	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(7198MHz-9200MHz 1MHz)@8083.500MHz	-75.10	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(9198MHz-11200MHz 1MHz)@10941.500MHz	-74.07	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.31	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-72.94	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(15198MHz-17200MHz 1MHz)@15261.500MHz	-72.87	-13.00	PASS
n66	40MHz	30kHz	426000	2	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.42	-13.00	PASS
n66	40MHz	30kHz	426000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.54	30.0	NONE
n66	40MHz	30kHz	426000	3	SA(30MHz-1709MHz 1MHz)@1702.500MHz	-49.60	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(1756MHz-2801MHz 1MHz)@1767.500MHz	-47.09	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(2799MHz-3201MHz 1MHz)@3137.944MHz	-54.58	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(3199MHz-5200MHz 1MHz)@3577.500MHz	-50.60	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(5198MHz-7200MHz 1MHz)@6195.500MHz	-47.47	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(7198MHz-9200MHz 1MHz)@8089.500MHz	-75.14	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(9198MHz-11200MHz 1MHz)@10977.500MHz	-73.94	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(11198MHz-13200MHz 1MHz)@11894.500MHz	-74.26	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(15198MHz-17200MHz 1MHz)@15260.500MHz	-72.99	-13.00	PASS
n66	40MHz	30kHz	426000	3	SA(17198MHz-17800MHz 1MHz)@17756.228MHz	-72.45	-13.00	PASS
n66	40MHz	30kHz	426000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.52	30.0	NONE
n66	40MHz	30kHz	426000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-35.90	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-29.08	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(2799MHz-3201MHz 1MHz)@3195.688MHz	-54.62	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.57	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(5198MHz-7200MHz 1MHz)@6158.500MHz	-47.47	-13.00	PASS

n66	40MHz	30kHz	426000	4	SA(7198MHz-9200MHz 1MHz)@8083.500MHz	-75.11	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(9198MHz-11200MHz 1MHz)@10983.500MHz	-73.87	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(11198MHz-13200MHz 1MHz)@11804.500MHz	-74.36	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(13198MHz-15200MHz 1MHz)@13752.500MHz	-72.99	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(15198MHz-17200MHz 1MHz)@15288.500MHz	-73.00	-13.00	PASS
n66	40MHz	30kHz	426000	4	SA(17198MHz-17800MHz 1MHz)@17731.587MHz	-72.48	-13.00	PASS
n66	40MHz	30kHz	426000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	21.60	30.0	NONE
n66	40MHz	30kHz	426000	5	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-44.10	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(1756MHz-2801MHz 1MHz)@1757.500MHz	-39.01	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(2799MHz-3201MHz 1MHz)@3193.683MHz	-54.59	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(3199MHz-5200MHz 1MHz)@3563.500MHz	-50.59	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(5198MHz-7200MHz 1MHz)@6166.500MHz	-47.32	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(7198MHz-9200MHz 1MHz)@8098.500MHz	-75.01	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(9198MHz-11200MHz 1MHz)@10961.500MHz	-74.04	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(11198MHz-13200MHz 1MHz)@11872.500MHz	-74.31	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(13198MHz-15200MHz 1MHz)@13739.500MHz	-72.98	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(15198MHz-17200MHz 1MHz)@15293.500MHz	-73.07	-13.00	PASS
n66	40MHz	30kHz	426000	5	SA(17198MHz-17800MHz 1MHz)@17761.036MHz	-72.40	-13.00	PASS
n66	40MHz	30kHz	426000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.48	30.0	NONE
n66	40MHz	30kHz	426000	6	SA(30MHz-1709MHz 1MHz)@1702.500MHz	-49.72	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(1756MHz-2801MHz 1MHz)@1756.500MHz	-46.46	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(2799MHz-3201MHz 1MHz)@3194.886MHz	-54.53	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.56	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(5198MHz-7200MHz 1MHz)@6167.500MHz	-47.45	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(7198MHz-9200MHz 1MHz)@8127.500MHz	-75.08	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(9198MHz-11200MHz 1MHz)@10955.500MHz	-74.08	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(11198MHz-13200MHz 1MHz)@11799.500MHz	-74.37	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(13198MHz-15200MHz 1MHz)@13759.500MHz	-73.03	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-73.08	-13.00	PASS
n66	40MHz	30kHz	426000	6	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.52	-13.00	PASS
n66	40MHz	30kHz	429000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.93	30.0	NONE
n66	40MHz	30kHz	429000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-37.86	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-33.52	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(2799MHz-3201MHz 1MHz)@3162.806MHz	-54.62	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(3199MHz-5200MHz 1MHz)@3571.500MHz	-50.58	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(5198MHz-7200MHz 1MHz)@6201.500MHz	-47.45	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(7198MHz-9200MHz 1MHz)@8134.500MHz	-75.10	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(9198MHz-11200MHz 1MHz)@10979.500MHz	-74.04	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(11198MHz-13200MHz 1MHz)@11824.500MHz	-74.45	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(13198MHz-15200MHz 1MHz)@13743.500MHz	-73.00	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(15198MHz-17200MHz 1MHz)@15251.500MHz	-72.98	-13.00	PASS
n66	40MHz	30kHz	429000	1	SA(17198MHz-17800MHz 1MHz)@17753.223MHz	-72.48	-13.00	PASS
n66	40MHz	30kHz	429000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	21.20	30.0	NONE
n66	40MHz	30kHz	429000	2	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-51.72	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(1781MHz-2801MHz 1MHz)@1784.500MHz	-42.26	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(2799MHz-3201MHz 1MHz)@3139.548MHz	-54.60	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(3199MHz-5200MHz 1MHz)@3570.500MHz	-50.56	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(5198MHz-7200MHz 1MHz)@6174.500MHz	-47.39	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(7198MHz-9200MHz 1MHz)@8077.500MHz	-75.07	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(9198MHz-11200MHz 1MHz)@10951.500MHz	-73.98	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(11198MHz-13200MHz 1MHz)@11884.500MHz	-74.31	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(13198MHz-15200MHz 1MHz)@13749.500MHz	-72.97	-13.00	PASS
n66	40MHz	30kHz	429000	2	SA(15198MHz-17200MHz 1MHz)@15268.500MHz	-73.00	-13.00	PASS

n66	40MHz	30kHz	429000	2	SA(17198MHz-17800MHz 1MHz)@17758.031MHz	-72.41	-13.00	PASS
n66	40MHz	30kHz	429000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	21.58	30.0	NONE
n66	40MHz	30kHz	429000	3	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-47.07	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-45.69	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(2799MHz-3201MHz 1MHz)@3194.485MHz	-54.60	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(3199MHz-5200MHz 1MHz)@3581.500MHz	-50.64	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(5198MHz-7200MHz 1MHz)@6169.500MHz	-47.34	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(7198MHz-9200MHz 1MHz)@8085.500MHz	-75.00	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(9198MHz-11200MHz 1MHz)@10984.500MHz	-74.04	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(11198MHz-13200MHz 1MHz)@11871.500MHz	-74.33	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(13198MHz-15200MHz 1MHz)@13750.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(15198MHz-17200MHz 1MHz)@15291.500MHz	-73.02	-13.00	PASS
n66	40MHz	30kHz	429000	3	SA(17198MHz-17800MHz 1MHz)@17756.228MHz	-72.45	-13.00	PASS
n66	40MHz	30kHz	429000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.50	30.0	NONE
n66	40MHz	30kHz	429000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-41.46	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-33.33	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(2799MHz-3201MHz 1MHz)@3198.495MHz	-54.63	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(3199MHz-5200MHz 1MHz)@3568.500MHz	-50.63	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(5198MHz-7200MHz 1MHz)@6149.500MHz	-47.41	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(7198MHz-9200MHz 1MHz)@8078.500MHz	-75.08	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(9198MHz-11200MHz 1MHz)@10961.500MHz	-74.03	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(11198MHz-13200MHz 1MHz)@11882.500MHz	-74.31	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(13198MHz-15200MHz 1MHz)@13736.500MHz	-73.01	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(15198MHz-17200MHz 1MHz)@15278.500MHz	-73.05	-13.00	PASS
n66	40MHz	30kHz	429000	4	SA(17198MHz-17800MHz 1MHz)@17766.445MHz	-72.47	-13.00	PASS
n66	40MHz	30kHz	429000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	20.70	30.0	NONE
n66	40MHz	30kHz	429000	5	SA(30MHz-1709MHz 1MHz)@1707.500MHz	-52.23	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(1781MHz-2801MHz 1MHz)@1784.500MHz	-42.77	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(2799MHz-3201MHz 1MHz)@3197.693MHz	-54.55	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(3199MHz-5200MHz 1MHz)@3569.500MHz	-50.63	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(5198MHz-7200MHz 1MHz)@6172.500MHz	-47.48	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(7198MHz-9200MHz 1MHz)@8078.500MHz	-74.98	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(9198MHz-11200MHz 1MHz)@10990.500MHz	-74.06	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(11198MHz-13200MHz 1MHz)@11889.500MHz	-74.29	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(13198MHz-15200MHz 1MHz)@13737.500MHz	-72.91	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(15198MHz-17200MHz 1MHz)@15270.500MHz	-73.03	-13.00	PASS
n66	40MHz	30kHz	429000	5	SA(17198MHz-17800MHz 1MHz)@17764.642MHz	-72.46	-13.00	PASS
n66	40MHz	30kHz	429000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	21.00	30.0	NONE
n66	40MHz	30kHz	429000	6	SA(30MHz-1709MHz 1MHz)@1705.500MHz	-47.78	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(1781MHz-2801MHz 1MHz)@1782.500MHz	-46.67	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(2799MHz-3201MHz 1MHz)@3200.099MHz	-54.64	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(3199MHz-5200MHz 1MHz)@3565.500MHz	-50.58	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(5198MHz-7200MHz 1MHz)@6138.500MHz	-47.42	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(7198MHz-9200MHz 1MHz)@8071.500MHz	-75.10	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(9198MHz-11200MHz 1MHz)@10986.500MHz	-73.88	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(11198MHz-13200MHz 1MHz)@11794.500MHz	-74.33	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(13198MHz-15200MHz 1MHz)@13751.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(15198MHz-17200MHz 1MHz)@15289.500MHz	-73.00	-13.00	PASS
n66	40MHz	30kHz	429000	6	SA(17198MHz-17800MHz 1MHz)@17765.844MHz	-72.46	-13.00	PASS
n66	40MHz	30kHz	432000	1	DFT-s-OFDM PI/2 BPSK^Outer Full:PC3:Power	20.87	30.0	NONE
n66	40MHz	30kHz	432000	1	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-43.23	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-27.70	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(2799MHz-3201MHz 1MHz)@3185.663MHz	-54.54	-13.00	PASS

n66	40MHz	30kHz	432000	1	SA(3199MHz-5200MHz 1MHz)@3563.500MHz	-50.62	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(5198MHz-7200MHz 1MHz)@6194.500MHz	-47.38	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(7198MHz-9200MHz 1MHz)@8088.500MHz	-75.08	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(9198MHz-11200MHz 1MHz)@10937.500MHz	-74.03	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(11198MHz-13200MHz 1MHz)@11888.500MHz	-74.31	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(13198MHz-15200MHz 1MHz)@13737.500MHz	-73.01	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(15198MHz-17200MHz 1MHz)@15275.500MHz	-72.98	-13.00	PASS
n66	40MHz	30kHz	432000	1	SA(17198MHz-17800MHz 1MHz)@17767.647MHz	-72.39	-13.00	PASS
n66	40MHz	30kHz	432000	2	DFT-s-OFDM PI/2 BPSK^Edge 1RB Left:PC3:Power	20.46	30.0	NONE
n66	40MHz	30kHz	432000	2	SA(30MHz-1709MHz 1MHz)@1702.500MHz	-58.04	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(1781MHz-2801MHz 1MHz)@1787.500MHz	-41.85	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(2799MHz-3201MHz 1MHz)@3173.633MHz	-54.60	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(3199MHz-5200MHz 1MHz)@3578.500MHz	-50.55	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(5198MHz-7200MHz 1MHz)@6158.500MHz	-47.39	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(7198MHz-9200MHz 1MHz)@8135.500MHz	-75.14	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(9198MHz-11200MHz 1MHz)@10968.500MHz	-74.04	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(11198MHz-13200MHz 1MHz)@11883.500MHz	-74.39	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(15198MHz-17200MHz 1MHz)@15274.500MHz	-73.07	-13.00	PASS
n66	40MHz	30kHz	432000	2	SA(17198MHz-17800MHz 1MHz)@17768.248MHz	-72.42	-13.00	PASS
n66	40MHz	30kHz	432000	3	DFT-s-OFDM PI/2 BPSK^Edge 1RB Right:PC3:Power	19.87	30.0	NONE
n66	40MHz	30kHz	432000	3	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-58.68	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-43.67	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(2799MHz-3201MHz 1MHz)@3139.949MHz	-54.66	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(3199MHz-5200MHz 1MHz)@3567.500MHz	-50.58	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(5198MHz-7200MHz 1MHz)@6157.500MHz	-47.36	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(7198MHz-9200MHz 1MHz)@8081.500MHz	-75.06	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(9198MHz-11200MHz 1MHz)@10949.500MHz	-73.95	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(11198MHz-13200MHz 1MHz)@11893.500MHz	-74.34	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(13198MHz-15200MHz 1MHz)@13740.500MHz	-73.01	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(15198MHz-17200MHz 1MHz)@15280.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	432000	3	SA(17198MHz-17800MHz 1MHz)@17770.051MHz	-72.45	-13.00	PASS
n66	40MHz	30kHz	432000	4	DFT-s-OFDM QPSK^Outer Full:PC3:Power	20.49	30.0	NONE
n66	40MHz	30kHz	432000	4	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-41.71	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-28.21	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(2799MHz-3201MHz 1MHz)@3199.698MHz	-54.53	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(3199MHz-5200MHz 1MHz)@3579.500MHz	-50.53	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(5198MHz-7200MHz 1MHz)@6170.500MHz	-47.46	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(7198MHz-9200MHz 1MHz)@8076.500MHz	-75.07	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(9198MHz-11200MHz 1MHz)@10970.500MHz	-74.01	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(11198MHz-13200MHz 1MHz)@11893.500MHz	-74.36	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(13198MHz-15200MHz 1MHz)@13725.500MHz	-72.96	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(15198MHz-17200MHz 1MHz)@15290.500MHz	-72.95	-13.00	PASS
n66	40MHz	30kHz	432000	4	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.50	-13.00	PASS
n66	40MHz	30kHz	432000	5	DFT-s-OFDM QPSK^Edge 1RB Left:PC3:Power	19.89	30.0	NONE
n66	40MHz	30kHz	432000	5	SA(30MHz-1709MHz 1MHz)@1703.500MHz	-57.92	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(1781MHz-2801MHz 1MHz)@1787.500MHz	-42.10	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(2799MHz-3201MHz 1MHz)@3200.500MHz	-54.55	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(3199MHz-5200MHz 1MHz)@3585.500MHz	-50.65	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(5198MHz-7200MHz 1MHz)@6171.500MHz	-47.43	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(7198MHz-9200MHz 1MHz)@8137.500MHz	-75.11	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(9198MHz-11200MHz 1MHz)@10960.500MHz	-74.08	-13.00	PASS

n66	40MHz	30kHz	432000	5	SA(11198MHz-13200MHz 1MHz)@11907.500MHz	-74.32	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(13198MHz-15200MHz 1MHz)@13732.500MHz	-72.97	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(15198MHz-17200MHz 1MHz)@15279.500MHz	-72.91	-13.00	PASS
n66	40MHz	30kHz	432000	5	SA(17198MHz-17800MHz 1MHz)@17765.243MHz	-72.42	-13.00	PASS
n66	40MHz	30kHz	432000	6	DFT-s-OFDM QPSK^Edge 1RB Right:PC3:Power	19.83	30.0	NONE
n66	40MHz	30kHz	432000	6	SA(30MHz-1709MHz 1MHz)@1708.500MHz	-58.35	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(1781MHz-2801MHz 1MHz)@1781.500MHz	-42.58	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(2799MHz-3201MHz 1MHz)@3186.064MHz	-54.61	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(3199MHz-5200MHz 1MHz)@3592.500MHz	-50.60	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(5198MHz-7200MHz 1MHz)@6197.500MHz	-47.49	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(7198MHz-9200MHz 1MHz)@8083.500MHz	-75.06	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(9198MHz-11200MHz 1MHz)@10961.500MHz	-74.13	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(11198MHz-13200MHz 1MHz)@11898.500MHz	-74.37	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(13198MHz-15200MHz 1MHz)@13744.500MHz	-73.06	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(15198MHz-17200MHz 1MHz)@15266.500MHz	-73.04	-13.00	PASS
n66	40MHz	30kHz	432000	6	SA(17198MHz-17800MHz 1MHz)@17769.450MHz	-72.44	-13.00	PASS

TestGraph

























































































