

Appendix B

B1.Transmitter Conducted Output Power And ERP/EIRP


Band	Channel	Freq (MHz)	Connection Type	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP(Limit) (dBm)	Verdict
2	9538	1907.6	Voice	23.03	24.93	33.01	PASS
2	9538	1907.6	RMC	23.03	24.93	33.01	PASS
2	9538	1907.6	HSDPA Subtest-1	22.05	23.95	33.01	PASS
2	9538	1907.6	HSDPA Subtest-2	22.01	23.91	33.01	PASS
2	9538	1907.6	HSDPA Subtest-3	21.57	23.47	33.01	PASS
2	9538	1907.6	HSDPA Subtest-4	21.54	23.44	33.01	PASS
2	9538	1907.6	HSUPA Subtest-1	21.49	23.39	33.01	PASS
2	9538	1907.6	HSUPA Subtest-2	22.04	23.94	33.01	PASS
2	9538	1907.6	HSUPA Subtest-3	21.08	22.98	33.01	PASS
2	9538	1907.6	HSUPA Subtest-4	22.02	23.92	33.01	PASS
2	9538	1907.6	HSUPA Subtest-5	21.05	22.95	33.01	PASS
2	9400	1880.0	Voice	22.99	24.89	33.01	PASS
2	9400	1880.0	RMC	23.17	25.07	33.01	PASS
2	9400	1880.0	HSDPA Subtest-1	22.2	24.1	33.01	PASS
2	9400	1880.0	HSDPA Subtest-2	22.17	24.07	33.01	PASS
2	9400	1880.0	HSDPA Subtest-3	21.74	23.64	33.01	PASS
2	9400	1880.0	HSDPA Subtest-4	21.7	23.6	33.01	PASS
2	9400	1880.0	HSUPA Subtest-1	21.61	23.51	33.01	PASS
2	9400	1880.0	HSUPA Subtest-2	22.21	24.11	33.01	PASS
2	9400	1880.0	HSUPA Subtest-3	21.22	23.12	33.01	PASS
2	9400	1880.0	HSUPA Subtest-4	22.18	24.08	33.01	PASS
2	9400	1880.0	HSUPA Subtest-5	21.22	23.12	33.01	PASS
2	9262	1852.4	Voice	23.27	25.17	33.01	PASS
2	9262	1852.4	RMC	23.27	25.17	33.01	PASS
2	9262	1852.4	HSDPA Subtest-1	22.27	24.17	33.01	PASS
2	9262	1852.4	HSDPA Subtest-2	22.26	24.16	33.01	PASS
2	9262	1852.4	HSDPA Subtest-3	21.85	23.75	33.01	PASS
2	9262	1852.4	HSDPA Subtest-4	21.81	23.71	33.01	PASS
2	9262	1852.4	HSUPA Subtest-1	21.77	23.67	33.01	PASS
2	9262	1852.4	HSUPA Subtest-2	22.3	24.2	33.01	PASS
2	9262	1852.4	HSUPA Subtest-3	21.35	23.25	33.01	PASS
2	9262	1852.4	HSUPA Subtest-4	22.29	24.19	33.01	PASS
2	9262	1852.4	HSUPA Subtest-5	21.32	23.22	33.01	PASS
4	1513	1752.6	Voice	23.08	25.26	30	PASS
4	1513	1752.6	RMC	23.27	25.45	30	PASS
4	1513	1752.6	HSDPA Subtest-1	22.28	24.46	30	PASS
4	1513	1752.6	HSDPA Subtest-2	22.19	24.37	30	PASS
4	1513	1752.6	HSDPA Subtest-3	21.84	24.02	30	PASS

4	1513	1752.6	HSDPA Subtest-4	21.78	23.96	30	PASS
4	1513	1752.6	HSUPA Subtest-1	21.7	23.88	30	PASS
4	1513	1752.6	HSUPA Subtest-2	22.3	24.48	30	PASS
4	1513	1752.6	HSUPA Subtest-3	21.33	23.51	30	PASS
4	1513	1752.6	HSUPA Subtest-4	22.29	24.47	30	PASS
4	1513	1752.6	HSUPA Subtest-5	21.32	23.5	30	PASS
4	1412	1732.4	Voice	23.26	25.44	30	PASS
4	1412	1732.4	RMC	23.29	25.47	30	PASS
4	1412	1732.4	HSDPA Subtest-1	22.28	24.46	30	PASS
4	1412	1732.4	HSDPA Subtest-2	22.18	24.36	30	PASS
4	1412	1732.4	HSDPA Subtest-3	21.82	24	30	PASS
4	1412	1732.4	HSDPA Subtest-4	21.77	23.95	30	PASS
4	1412	1732.4	HSUPA Subtest-1	21.58	23.76	30	PASS
4	1412	1732.4	HSUPA Subtest-2	22.28	24.46	30	PASS
4	1412	1732.4	HSUPA Subtest-3	21.32	23.5	30	PASS
4	1412	1732.4	HSUPA Subtest-4	22.27	24.45	30	PASS
4	1412	1732.4	HSUPA Subtest-5	21.28	23.46	30	PASS
4	1312	1712.4	Voice	23.19	25.37	30	PASS
4	1312	1712.4	RMC	23.3	25.48	30	PASS
4	1312	1712.4	HSDPA Subtest-1	22.28	24.46	30	PASS
4	1312	1712.4	HSDPA Subtest-2	22.2	24.38	30	PASS
4	1312	1712.4	HSDPA Subtest-3	21.83	24.01	30	PASS
4	1312	1712.4	HSDPA Subtest-4	21.8	23.98	30	PASS
4	1312	1712.4	HSUPA Subtest-1	21.67	23.85	30	PASS
4	1312	1712.4	HSUPA Subtest-2	22.29	24.47	30	PASS
4	1312	1712.4	HSUPA Subtest-3	21.33	23.51	30	PASS
4	1312	1712.4	HSUPA Subtest-4	22.26	24.44	30	PASS
4	1312	1712.4	HSUPA Subtest-5	21.3	23.48	30	PASS
5	4233	846.6	Voice	23.71	19.31	38.45	PASS
5	4233	846.6	RMC	23.76	19.36	38.45	PASS
5	4233	846.6	HSDPA Subtest-1	22.75	18.35	38.5	PASS
5	4233	846.6	HSDPA Subtest-2	22.7	18.3	38.5	PASS
5	4233	846.6	HSDPA Subtest-3	22.28	17.88	38.5	PASS
5	4233	846.6	HSDPA Subtest-4	22.25	17.85	38.5	PASS
5	4233	846.6	HSUPA Subtest-1	22.13	17.73	38.5	PASS
5	4233	846.6	HSUPA Subtest-2	22.76	18.36	38.5	PASS
5	4233	846.6	HSUPA Subtest-3	21.77	17.37	38.5	PASS
5	4233	846.6	HSUPA Subtest-4	22.75	18.35	38.5	PASS
5	4233	846.6	HSUPA Subtest-5	21.75	17.35	38.5	PASS
5	4182	836.4	Voice	23.79	19.39	38.45	PASS
5	4182	836.4	RMC	23.78	19.38	38.45	PASS
5	4182	836.4	HSDPA Subtest-1	22.82	18.42	38.5	PASS
5	4182	836.4	HSDPA Subtest-2	22.72	18.32	38.5	PASS
5	4182	836.4	HSDPA Subtest-3	22.34	17.94	38.5	PASS
5	4182	836.4	HSDPA Subtest-4	22.29	17.89	38.5	PASS


5	4182	836.4	HSUPA Subtest-1	22.16	17.76	38.5	PASS
5	4182	836.4	HSUPA Subtest-2	22.8	18.4	38.5	PASS
5	4182	836.4	HSUPA Subtest-3	21.82	17.42	38.5	PASS
5	4182	836.4	HSUPA Subtest-4	22.8	18.4	38.5	PASS
5	4182	836.4	HSUPA Subtest-5	21.82	17.42	38.5	PASS
5	4132	826.4	Voice	23.8	19.4	38.45	PASS
5	4132	826.4	RMC	23.78	19.38	38.45	PASS
5	4132	826.4	HSDPA Subtest-1	22.82	18.42	38.5	PASS
5	4132	826.4	HSDPA Subtest-2	22.79	18.39	38.5	PASS
5	4132	826.4	HSDPA Subtest-3	22.38	17.98	38.5	PASS
5	4132	826.4	HSDPA Subtest-4	22.35	17.95	38.5	PASS
5	4132	826.4	HSUPA Subtest-1	22.23	17.83	38.5	PASS
5	4132	826.4	HSUPA Subtest-2	22.82	18.42	38.5	PASS
5	4132	826.4	HSUPA Subtest-3	21.86	17.46	38.5	PASS
5	4132	826.4	HSUPA Subtest-4	22.8	18.4	38.5	PASS
5	4132	826.4	HSUPA Subtest-5	21.84	17.44	38.5	PASS

B2.Peak to Average Ratio


Band	Channel	Freq (MHz)	Result (dB)	Limit (dB)	Verdict
2	9538	1907.6	3.22	13	PASS
2	9400	1880.0	3.19	13	PASS
2	9262	1852.4	3.16	13	PASS
4	1513	1752.6	3.07	13	PASS
4	1412	1732.4	3.19	13	PASS
4	1312	1712.4	3.19	13	PASS
5	4233	846.6	3.19	13	PASS
5	4182	836.4	3.19	13	PASS
5	4132	826.4	3.16	13	PASS




Band 2 5MHz/1907.6/High




Band 2 5MHz/1880.0/Mid




Band 2 5MHz/1852.4/Low




Band 4 5MHz/1752.6/High




Band 4 5MHz/1732.4/Mid




Band 4 5MHz/1712.4/Low



Band 5 5MHz/846.6/High





Band 5 5MHz/836.4/Mid



Band 5 5MHz/826.4/Low



B3.Occupied Bandwidth

Band	Channel	Freq (MHz)	OBW (MHz)	26dB BW (MHz)	Verdict
2	9538	1907.6	4.1823	4.718	PASS
2	9400	1880.0	4.1679	4.689	PASS
2	9262	1852.4	4.1679	4.674	PASS
4	1513	1752.6	4.1679	4.660	PASS
4	1412	1732.4	4.1679	4.660	PASS
4	1312	1712.4	4.1534	4.703	PASS
5	4233	846.6	4.1534	4.689	PASS
5	4182	836.4	4.1679	4.703	PASS
5	4132	826.4	4.1679	4.689	PASS





99%OBW
Band 2 5MHz/1907.6/High

26%OBW
Band 2 5MHz/1907.6/High





99%OBW
Band 2 5MHz/1880.0/Mid

26%OBW
Band 2 5MHz/1880.0/Mid





99%OBW
Band 2 5MHz/1852.4/Low

26%OBW
Band 2 5MHz/1852.4/Low





99%OBW
Band 4 5MHz/1752.6/High

26%OBW
Band 4 5MHz/1752.6/High




99%OBW
Band 4 5MHz/1732.4/Mid

26%OBW
Band 4 5MHz/1732.4/Mid




99%OBW
Band 4 5MHz/1712.4/Low


26%OBW
Band 4 5MHz/1712.4/Low




99%OBW
Band 5 5MHz/846.6/High




26%OBW
Band 5 5MHz/846.6/High




99%OBW
Band 5 5MHz/836.4/Mid



26%OBW
Band 5 5MHz/836.4/Mid




99%OBW
Band 5 5MHz/826.4/Low




26%OBW
Band 5 5MHz/826.4/Low

B4.Conducted Band Edge


Band	Channel	Freq (MHz)	Result	Verdict
2	9538	1907.6	see graph	PASS
2	9262	1852.4	see graph	PASS
4	1513	1752.6	see graph	PASS
4	1312	1712.4	see graph	PASS
5	4233	846.6	see graph	PASS
5	4132	826.4	see graph	PASS




Band 2 5MHz/1907.6/High




Band 2 5MHz/1852.4/Low




Band 4 5MHz/1752.6/High



Band 4 5MHz/1712.4/Low




Band 5 5MHz/846.6/High



Band 5 5MHz/826.4/Low


B5.Conducted Spurious Emissions

Band	Channel	Freq (MHz)	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit (dBm)	Verdict
2	9538	1907.6	0.009	0.15	-53.2	-43	PASS
2	9538	1907.6	0.15	30.0	-61.25	-23	PASS
2	9538	1907.6	30.0	1000.0	-41.92	-13	PASS
2	9538	1907.6	1000.0	20000.0	-15.71	-13	PASS
2	9400	1880.0	0.009	0.15	-52.06	-43	PASS
2	9400	1880.0	0.15	30.0	-61.65	-23	PASS
2	9400	1880.0	30.0	1000.0	-45.59	-13	PASS
2	9400	1880.0	1000.0	20000.0	-15.82	-13	PASS
2	9262	1852.4	0.009	0.15	-52.51	-43	PASS
2	9262	1852.4	0.15	30.0	-62.14	-23	PASS
2	9262	1852.4	30.0	1000.0	-45.8	-13	PASS
2	9262	1852.4	1000.0	20000.0	-15.18	-13	PASS
4	1513	1752.6	0.009	0.15	-52.76	-43	PASS
4	1513	1752.6	0.15	30.0	-61.27	-23	PASS
4	1513	1752.6	30.0	1000.0	-45.23	-13	PASS
4	1513	1752.6	1000.0	20000.0	-15.19	-13	PASS
4	1412	1732.4	0.009	0.15	-53.06	-43	PASS
4	1412	1732.4	0.15	30.0	-61.03	-23	PASS
4	1412	1732.4	30.0	1000.0	-44.71	-13	PASS
4	1412	1732.4	1000.0	20000.0	-15.36	-13	PASS
4	1312	1712.4	0.009	0.15	-53.53	-43	PASS
4	1312	1712.4	0.15	30.0	-60.86	-23	PASS
4	1312	1712.4	30.0	1000.0	-39.55	-13	PASS
4	1312	1712.4	1000.0	20000.0	-14.53	-13	PASS
5	4233	846.6	0.009	0.15	-53.43	-33	PASS
5	4233	846.6	0.15	30.0	-57.91	-13	PASS
5	4233	846.6	30.0	1000.0	-55.18	-13	PASS
5	4233	846.6	1000.0	10000.0	-29.73	-13	PASS
5	4182	836.4	0.009	0.15	-52.4	-33	PASS
5	4182	836.4	0.15	30.0	-57.21	-13	PASS
5	4182	836.4	30.0	1000.0	-55.49	-13	PASS
5	4182	836.4	1000.0	10000.0	-31.02	-13	PASS
5	4132	826.4	0.009	0.15	-53.79	-33	PASS
5	4132	826.4	0.15	30.0	-58.33	-13	PASS
5	4132	826.4	30.0	1000.0	-55.41	-13	PASS
5	4132	826.4	1000.0	10000.0	-31.9	-13	PASS




0.009MHz-0.15MHz

Band 2 5MHz/1907.6/High




0.15MHz-30.0MHz

Band 2 5MHz/1907.6/High




30.0MHz-1000.0MHz

Band 2 5MHz/1907.6/High




1000.0MHz-20000.0MHz

Band 2 5MHz/1907.6/High




0.009MHz-0.15MHz

Band 2 5MHz/1880.0/Mid




0.15MHz-30.0MHz

Band 2 5MHz/1880.0/Mid




30.0MHz-1000.0MHz

Band 2 5MHz/1880.0/Mid




1000.0MHz-20000.0MHz

Band 2 5MHz/1880.0/Mid




0.009MHz-0.15MHz

Band 2 5MHz/1852.4/Low




0.15MHz-30.0MHz

Band 2 5MHz/1852.4/Low




30.0MHz-1000.0MHz

Band 2 5MHz/1852.4/Low




1000.0MHz-20000.0MHz


Band 2 5MHz/1852.4/Low




0.009MHz-0.15MHz
Band 4 5MHz/1752.6/High




0.15MHz-30.0MHz
Band 4 5MHz/1752.6/High




30.0MHz-1000.0MHz
Band 4 5MHz/1752.6/High




1000.0MHz-20000.0MHz
Band 4 5MHz/1752.6/High



0.009MHz-0.15MHz
Band 4 5MHz/1732.4/Mid




0.15MHz-30.0MHz
Band 4 5MHz/1732.4/Mid




30.0MHz-1000.0MHz

Band 4 5MHz/1732.4/Mid




1000.0MHz-20000.0MHz

Band 4 5MHz/1732.4/Mid




0.009MHz-0.15MHz

Band 4 5MHz/1712.4/Low




0.15MHz-30.0MHz

Band 4 5MHz/1712.4/Low




30.0MHz-1000.0MHz

Band 4 5MHz/1712.4/Low




1000.0MHz-20000.0MHz


Band 4 5MHz/1712.4/Low




0.009MHz-0.15MHz
Band 5 5MHz/846.6/High




0.15MHz-30.0MHz
Band 5 5MHz/846.6/High




30.0MHz-1000.0MHz
Band 5 5MHz/846.6/High




1000.0MHz-10000.0MHz
Band 5 5MHz/846.6/High



0.009MHz-0.15MHz
Band 5 5MHz/836.4/Mid




0.15MHz-30.0MHz
Band 5 5MHz/836.4/Mid




30.0MHz-1000.0MHz

Band 5 5MHz/836.4/Mid




1000.0MHz-10000.0MHz

Band 5 5MHz/836.4/Mid




0.009MHz-0.15MHz

Band 5 5MHz/826.4/Low




0.15MHz-30.0MHz

Band 5 5MHz/826.4/Low



30.0MHz-1000.0MHz

Band 5 5MHz/826.4/Low



1000.0MHz-10000.0MHz

Band 5 5MHz/826.4/Low

B6.Frequency Stability

Band	Channel	Freq (MHz)	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
2	9538	1907.6	0.56	0.000292	±2.5	PASS	Vibration
2	9538	1907.6	1.6	0.00084	±2.5	PASS	Humidity
2	9538	1907.6	1.8	0.000941	±2.5	PASS	VL
2	9538	1907.6	-0.51	-0.000266	±2.5	PASS	VN
2	9538	1907.6	2.1	0.001102	±2.5	PASS	VH
2	9538	1907.6	2.18	0.001144	±2.5	PASS	-30℃
2	9538	1907.6	3.08	0.001612	±2.5	PASS	-20℃
2	9538	1907.6	2.5	0.001312	±2.5	PASS	-10℃
2	9538	1907.6	2.78	0.001455	±2.5	PASS	0℃
2	9538	1907.6	2.65	0.001387	±2.5	PASS	10℃
2	9538	1907.6	2.56	0.001342	±2.5	PASS	20℃
2	9538	1907.6	3.06	0.001605	±2.5	PASS	30℃
2	9538	1907.6	2.91	0.001526	±2.5	PASS	40℃
2	9538	1907.6	2.48	0.001301	±2.5	PASS	50℃
2	9400	1880.0	4.24	0.002256	±2.5	PASS	Vibration
2	9400	1880.0	3.34	0.001777	±2.5	PASS	Humidity
2	9400	1880.0	2.8	0.001488	±2.5	PASS	VL
2	9400	1880.0	3.5	0.00186	±2.5	PASS	VN
2	9400	1880.0	3.02	0.001606	±2.5	PASS	VH
2	9400	1880.0	2.99	0.00159	±2.5	PASS	-30℃
2	9400	1880.0	3.29	0.00175	±2.5	PASS	-20℃
2	9400	1880.0	3.6	0.001914	±2.5	PASS	-10℃
2	9400	1880.0	2.81	0.001495	±2.5	PASS	0℃
2	9400	1880.0	3.13	0.001663	±2.5	PASS	10℃
2	9400	1880.0	3.2	0.001704	±2.5	PASS	20℃
2	9400	1880.0	2.91	0.001548	±2.5	PASS	30℃
2	9400	1880.0	2.77	0.001472	±2.5	PASS	40℃
2	9400	1880.0	2.48	0.00132	±2.5	PASS	50℃
2	9262	1852.4	2.7	0.00146	±2.5	PASS	Vibration
2	9262	1852.4	2.26	0.00122	±2.5	PASS	Humidity
2	9262	1852.4	2.54	0.001371	±2.5	PASS	VL
2	9262	1852.4	2.76	0.00149	±2.5	PASS	VN
2	9262	1852.4	3.15	0.001699	±2.5	PASS	VH
2	9262	1852.4	2.83	0.001529	±2.5	PASS	-30℃
2	9262	1852.4	2.91	0.001572	±2.5	PASS	-20℃
2	9262	1852.4	2.99	0.001614	±2.5	PASS	-10℃
2	9262	1852.4	2.85	0.001537	±2.5	PASS	0℃
2	9262	1852.4	2.93	0.001579	±2.5	PASS	10℃
2	9262	1852.4	2.8	0.001514	±2.5	PASS	20℃
2	9262	1852.4	3.04	0.001641	±2.5	PASS	30℃
2	9262	1852.4	3.24	0.001749	±2.5	PASS	40℃

2	9262	1852.4	2.8	0.00151	±2.5	PASS	50℃
4	1513	1752.6	-1.59	-0.000906	±2.5	PASS	Vibration
4	1513	1752.6	-1.9	-0.001086	±2.5	PASS	Humidity
4	1513	1752.6	-2.29	-0.001306	±2.5	PASS	VL
4	1513	1752.6	-2.65	-0.001514	±2.5	PASS	VN
4	1513	1752.6	-2.54	-0.001449	±2.5	PASS	VH
4	1513	1752.6	-2.84	-0.00162	±2.5	PASS	-30℃
4	1513	1752.6	-2.75	-0.001567	±2.5	PASS	-20℃
4	1513	1752.6	-2.45	-0.0014	±2.5	PASS	-10℃
4	1513	1752.6	-2.22	-0.001269	±2.5	PASS	0℃
4	1513	1752.6	-3.13	-0.001788	±2.5	PASS	10℃
4	1513	1752.6	-2.97	-0.001694	±2.5	PASS	20℃
4	1513	1752.6	-99.99	-0.057052	±2.5	PASS	30℃
4	1513	1752.6	-5.45	-0.00311	±2.5	PASS	40℃
4	1513	1752.6	-3.58	-0.002041	±2.5	PASS	50℃
4	1412	1732.4	-1.0	-0.000578	±2.5	PASS	Vibration
4	1412	1732.4	-0.26	-0.000149	±2.5	PASS	Humidity
4	1412	1732.4	-0.5	-0.000289	±2.5	PASS	VL
4	1412	1732.4	-0.76	-0.000438	±2.5	PASS	VN
4	1412	1732.4	-0.24	-0.00014	±2.5	PASS	VH
4	1412	1732.4	0.32	0.000185	±2.5	PASS	-30℃
4	1412	1732.4	-0.31	-0.000178	±2.5	PASS	-20℃
4	1412	1732.4	-0.3	-0.000173	±2.5	PASS	-10℃
4	1412	1732.4	-0.43	-0.000248	±2.5	PASS	0℃
4	1412	1732.4	0.32	0.000185	±2.5	PASS	10℃
4	1412	1732.4	0.32	0.000185	±2.5	PASS	20℃
4	1412	1732.4	0.32	0.000185	±2.5	PASS	30℃
4	1412	1732.4	-0.54	-0.00031	±2.5	PASS	40℃
4	1412	1732.4	0.32	0.000185	±2.5	PASS	50℃
4	1312	1712.4	1.46	0.000852	±2.5	PASS	Vibration
4	1312	1712.4	2.57	0.001504	±2.5	PASS	Humidity
4	1312	1712.4	-99.99	-0.058392	±2.5	PASS	VL
4	1312	1712.4	-0.84	-0.000493	±2.5	PASS	VN
4	1312	1712.4	1.37	0.000802	±2.5	PASS	VH
4	1312	1712.4	1.97	0.001149	±2.5	PASS	-30℃
4	1312	1712.4	2.33	0.001362	±2.5	PASS	-20℃
4	1312	1712.4	1.92	0.001119	±2.5	PASS	-10℃
4	1312	1712.4	1.75	0.001023	±2.5	PASS	0℃
4	1312	1712.4	2.52	0.001474	±2.5	PASS	10℃
4	1312	1712.4	2.54	0.001483	±2.5	PASS	20℃
4	1312	1712.4	2.35	0.001374	±2.5	PASS	30℃
4	1312	1712.4	2.31	0.001349	±2.5	PASS	40℃
4	1312	1712.4	2.32	0.001353	±2.5	PASS	50℃
5	4233	846.6	0.44	0.000524	±2.5	PASS	Vibration
5	4233	846.6	0.49	0.000575	±2.5	PASS	Humidity

5	4233	846.6	0.4	0.000473	±2.5	PASS	VL
5	4233	846.6	0.32	0.000378	±2.5	PASS	VN
5	4233	846.6	0.32	0.000378	±2.5	PASS	VH
5	4233	846.6	0.38	0.000448	±2.5	PASS	-30℃
5	4233	846.6	0.35	0.000414	±2.5	PASS	-20℃
5	4233	846.6	0.44	0.000524	±2.5	PASS	-10℃
5	4233	846.6	0.42	0.000498	±2.5	PASS	0℃
5	4233	846.6	0.44	0.000515	±2.5	PASS	10℃
5	4233	846.6	0.41	0.00049	±2.5	PASS	20℃
5	4233	846.6	0.23	0.00027	±2.5	PASS	30℃
5	4233	846.6	0.72	0.000853	±2.5	PASS	40℃
5	4233	846.6	0.29	0.000338	±2.5	PASS	50℃
5	4182	836.4	0.49	0.00059	±2.5	PASS	Vibration
5	4182	836.4	0.36	0.000428	±2.5	PASS	Humidity
5	4182	836.4	0.39	0.000462	±2.5	PASS	VL
5	4182	836.4	0.39	0.00047	±2.5	PASS	VN
5	4182	836.4	0.32	0.000383	±2.5	PASS	VH
5	4182	836.4	0.31	0.000376	±2.5	PASS	-30℃
5	4182	836.4	0.21	0.000248	±2.5	PASS	-20℃
5	4182	836.4	-2.26	-0.002702	±2.5	PASS	-10℃
5	4182	836.4	-0.79	-0.000949	±2.5	PASS	0℃
5	4182	836.4	0.32	0.000383	±2.5	PASS	10℃
5	4182	836.4	-1.81	-0.002164	±2.5	PASS	20℃
5	4182	836.4	-0.56	-0.000667	±2.5	PASS	30℃
5	4182	836.4	0.32	0.000383	±2.5	PASS	40℃
5	4182	836.4	0.32	0.000383	±2.5	PASS	50℃
5	4132	826.4	-1.1	-0.001333	±2.5	PASS	Vibration
5	4132	826.4	-1.53	-0.001852	±2.5	PASS	Humidity
5	4132	826.4	-1.82	-0.002198	±2.5	PASS	VL
5	4132	826.4	-1.74	-0.002103	±2.5	PASS	VN
5	4132	826.4	-1.9	-0.002294	±2.5	PASS	VH
5	4132	826.4	-1.29	-0.001558	±2.5	PASS	-30℃
5	4132	826.4	-1.51	-0.001826	±2.5	PASS	-20℃
5	4132	826.4	-1.39	-0.001688	±2.5	PASS	-10℃
5	4132	826.4	-1.7	-0.002051	±2.5	PASS	0℃
5	4132	826.4	-1.64	-0.001982	±2.5	PASS	10℃
5	4132	826.4	-1.36	-0.001644	±2.5	PASS	20℃
5	4132	826.4	-1.32	-0.001601	±2.5	PASS	30℃
5	4132	826.4	-1.37	-0.001653	±2.5	PASS	40℃
5	4132	826.4	-1.4	-0.001696	±2.5	PASS	50℃

-----End-----