



41	20.0	40620	2593.0	QPSK	1@0	1000	27000	-32.43	-25	PASS
41	20.0	40620	2593.0	16QAM	1@0	30	1000	-47.99	-25	PASS
41	20.0	40620	2593.0	16QAM	1@0	1000	27000	-35.87	-25	PASS
41	20.0	39750	2506.0	QPSK	1@0	30	1000	-47.37	-25	PASS
41	20.0	39750	2506.0	QPSK	1@0	1000	27000	-30.88	-25	PASS
41	20.0	39750	2506.0	16QAM	1@0	30	1000	-48.7	-25	PASS
41	20.0	39750	2506.0	16QAM	1@0	1000	27000	-36.07	-25	PASS




30.0MHz-1000.0MHz

Band 41 5MHz/2687.5/High QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2687.5/High QPSK 1@0




30.0MHz-1000.0MHz

Band 41 5MHz/2687.5/High 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2687.5/High 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 5MHz/2593.0/Mid QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2593.0/Mid QPSK 1@0




30.0MHz-1000.0MHz

Band 41 5MHz/2593.0/Mid 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2593.0/Mid 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 5MHz/2498.5/Low 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2498.5/Low 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 5MHz/2498.5/Low 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 5MHz/2498.5/Low 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2685.0/High QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2685.0/High QPSK 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2685.0/High 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2685.0/High 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2593.0/Mid QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2593.0/Mid QPSK 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2593.0/Mid 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2593.0/Mid 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2501.0/Low QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2501.0/Low QPSK 1@0




30.0MHz-1000.0MHz

Band 41 10MHz/2501.0/Low 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 10MHz/2501.0/Low 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 15MHz/2682.5/High QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 15MHz/2682.5/High QPSK 1@0




30.0MHz-1000.0MHz

Band 41 15MHz/2682.5/High 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 15MHz/2682.5/High 16QAM 1@0





30.0MHz-1000.0MHz

Band 41 15MHz/2593.0/Mid QPSK 1@0



1000.0MHz-27000.0MHz

Band 41 15MHz/2593.0/Mid QPSK 1@0





30.0MHz-1000.0MHz

Band 41 15MHz/2593.0/Mid 16QAM 1@0

1000.0MHz-27000.0MHz

Band 41 15MHz/2593.0/Mid 16QAM 1@0





30.0MHz-1000.0MHz

Band 41 15MHz/2503.5/Low QPSK 1@0

1000.0MHz-27000.0MHz

Band 41 15MHz/2503.5/Low QPSK 1@0




30.0MHz-1000.0MHz

Band 41 15MHz/2503.5/Low 16QAM 1@0


1000.0MHz-27000.0MHz

Band 41 15MHz/2503.5/Low 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 20MHz/2680.0/High QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 20MHz/2680.0/High QPSK 1@0




30.0MHz-1000.0MHz

Band 41 20MHz/2680.0/High 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 20MHz/2680.0/High 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 20MHz/2593.0/Mid QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 20MHz/2593.0/Mid QPSK 1@0




30.0MHz-1000.0MHz

Band 41 20MHz/2593.0/Mid 16QAM 1@0




1000.0MHz-27000.0MHz

Band 41 20MHz/2593.0/Mid 16QAM 1@0




30.0MHz-1000.0MHz

Band 41 20MHz/2506.0/Low QPSK 1@0




1000.0MHz-27000.0MHz

Band 41 20MHz/2506.0/Low QPSK 1@0



30.0MHz-1000.0MHz

Band 41 20MHz/2506.0/Low 16QAM 1@0



1000.0MHz-27000.0MHz

Band 41 20MHz/2506.0/Low 16QAM 1@0

C6.Frequency Stability

Band	Bandwidth (MHz)	Channel	Freq (MHz)	Modulation	RB	Deviation (Hz)	Deviation (ppm)	Limit(ppm)	Verdict	Environment
41	5.0	41565	2687.5	QPSK	25@0	2.13	0.00079	±2.5	PASS	Vibration
41	5.0	41565	2687.5	QPSK	25@0	-31.59	-0.01175	±2.5	PASS	Humidity
41	5.0	41565	2687.5	QPSK	25@0	-31.87	-0.01186	±2.5	PASS	VL
41	5.0	41565	2687.5	QPSK	25@0	-13.76	-0.00512	±2.5	PASS	VN
41	5.0	41565	2687.5	QPSK	25@0	-16.54	-0.00615	±2.5	PASS	VH
41	5.0	41565	2687.5	QPSK	25@0	-34.43	-0.01281	±2.5	PASS	-30℃
41	5.0	41565	2687.5	QPSK	25@0	-34.52	-0.01284	±2.5	PASS	-20℃
41	5.0	41565	2687.5	QPSK	25@0	-33.82	-0.01258	±2.5	PASS	-10℃
41	5.0	41565	2687.5	QPSK	25@0	-28.91	-0.01076	±2.5	PASS	0℃
41	5.0	41565	2687.5	QPSK	25@0	-39.25	-0.01461	±2.5	PASS	10℃
41	5.0	41565	2687.5	QPSK	25@0	-16.12	-0.006	±2.5	PASS	20℃
41	5.0	41565	2687.5	QPSK	25@0	-32.37	-0.01205	±2.5	PASS	30℃
41	5.0	41565	2687.5	QPSK	25@0	-33.35	-0.01241	±2.5	PASS	40℃
41	5.0	41565	2687.5	QPSK	25@0	-31.06	-0.01156	±2.5	PASS	50℃
41	5.0	40620	2593.0	QPSK	25@0	-17.92	-0.00691	±2.5	PASS	Vibration
41	5.0	40620	2593.0	QPSK	25@0	-13.22	-0.0051	±2.5	PASS	Humidity
41	5.0	40620	2593.0	QPSK	25@0	-30.98	-0.01195	±2.5	PASS	VL
41	5.0	40620	2593.0	QPSK	25@0	-16.12	-0.00622	±2.5	PASS	VN
41	5.0	40620	2593.0	QPSK	25@0	-17.32	-0.00668	±2.5	PASS	VH
41	5.0	40620	2593.0	QPSK	25@0	-32.01	-0.01235	±2.5	PASS	-30℃
41	5.0	40620	2593.0	QPSK	25@0	-11.83	-0.00456	±2.5	PASS	-20℃
41	5.0	40620	2593.0	QPSK	25@0	-16.77	-0.00647	±2.5	PASS	-10℃
41	5.0	40620	2593.0	QPSK	25@0	-12.1	-0.00467	±2.5	PASS	0℃
41	5.0	40620	2593.0	QPSK	25@0	-10.34	-0.00399	±2.5	PASS	10℃
41	5.0	40620	2593.0	QPSK	25@0	-18.28	-0.00705	±2.5	PASS	20℃
41	5.0	40620	2593.0	QPSK	25@0	-29.0	-0.01118	±2.5	PASS	30℃
41	5.0	40620	2593.0	QPSK	25@0	-12.65	-0.00488	±2.5	PASS	40℃
41	5.0	40620	2593.0	QPSK	25@0	-16.35	-0.00631	±2.5	PASS	50℃
41	5.0	39675	2498.5	QPSK	25@0	-9.94	-0.00398	±2.5	PASS	Vibration
41	5.0	39675	2498.5	QPSK	25@0	-13.9	-0.00557	±2.5	PASS	Humidity
41	5.0	39675	2498.5	QPSK	25@0	-28.85	-0.01155	±2.5	PASS	VL
41	5.0	39675	2498.5	QPSK	25@0	-38.18	-0.01528	±2.5	PASS	VN
41	5.0	39675	2498.5	QPSK	25@0	-27.81	-0.01113	±2.5	PASS	VH
41	5.0	39675	2498.5	QPSK	25@0	-24.6	-0.00985	±2.5	PASS	-30℃
41	5.0	39675	2498.5	QPSK	25@0	-25.56	-0.01023	±2.5	PASS	-20℃
41	5.0	39675	2498.5	QPSK	25@0	-28.54	-0.01142	±2.5	PASS	-10℃
41	5.0	39675	2498.5	QPSK	25@0	-12.46	-0.00499	±2.5	PASS	0℃
41	5.0	39675	2498.5	QPSK	25@0	-35.12	-0.01406	±2.5	PASS	10℃
41	5.0	39675	2498.5	QPSK	25@0	-16.22	-0.00649	±2.5	PASS	20℃
41	5.0	39675	2498.5	QPSK	25@0	-21.23	-0.0085	±2.5	PASS	30℃
41	5.0	39675	2498.5	QPSK	25@0	-17.61	-0.00705	±2.5	PASS	40℃

41	5.0	39675	2498.5	QPSK	25@0	-15.69	-0.00628	±2.5	PASS	50℃
41	10.0	41540	2685.0	QPSK	50@0	4.98	0.00185	±2.5	PASS	Vibration
41	10.0	41540	2685.0	QPSK	50@0	2.19	0.00082	±2.5	PASS	Humidity
41	10.0	41540	2685.0	QPSK	50@0	-6.92	-0.00258	±2.5	PASS	VL
41	10.0	41540	2685.0	QPSK	50@0	3.92	0.00146	±2.5	PASS	VN
41	10.0	41540	2685.0	QPSK	50@0	4.62	0.00172	±2.5	PASS	VH
41	10.0	41540	2685.0	QPSK	50@0	-2.53	-0.00094	±2.5	PASS	-30℃
41	10.0	41540	2685.0	QPSK	50@0	8.94	0.00333	±2.5	PASS	-20℃
41	10.0	41540	2685.0	QPSK	50@0	-7.82	-0.00291	±2.5	PASS	-10℃
41	10.0	41540	2685.0	QPSK	50@0	5.15	0.00192	±2.5	PASS	0℃
41	10.0	41540	2685.0	QPSK	50@0	-7.82	-0.00291	±2.5	PASS	10℃
41	10.0	41540	2685.0	QPSK	50@0	-5.22	-0.00194	±2.5	PASS	20℃
41	10.0	41540	2685.0	QPSK	50@0	-12.33	-0.00459	±2.5	PASS	30℃
41	10.0	41540	2685.0	QPSK	50@0	-10.27	-0.00383	±2.5	PASS	40℃
41	10.0	41540	2685.0	QPSK	50@0	11.94	0.00445	±2.5	PASS	50℃
41	10.0	41540	2685.0	16QAM	50@0	10.2	0.0038	±2.5	PASS	Vibration
41	10.0	41540	2685.0	16QAM	50@0	7.07	0.00263	±2.5	PASS	Humidity
41	10.0	41540	2685.0	16QAM	50@0	13.25	0.00493	±2.5	PASS	VL
41	10.0	41540	2685.0	16QAM	50@0	3.46	0.00129	±2.5	PASS	VN
41	10.0	41540	2685.0	16QAM	50@0	-9.17	-0.00342	±2.5	PASS	VH
41	10.0	41540	2685.0	16QAM	50@0	-6.92	-0.00258	±2.5	PASS	-30℃
41	10.0	41540	2685.0	16QAM	50@0	-9.47	-0.00353	±2.5	PASS	-20℃
41	10.0	41540	2685.0	16QAM	50@0	-7.28	-0.00271	±2.5	PASS	-10℃
41	10.0	41540	2685.0	16QAM	50@0	-8.44	-0.00314	±2.5	PASS	0℃
41	10.0	41540	2685.0	16QAM	50@0	-11.22	-0.00418	±2.5	PASS	10℃
41	10.0	41540	2685.0	16QAM	50@0	9.3	0.00346	±2.5	PASS	20℃
41	10.0	41540	2685.0	16QAM	50@0	5.54	0.00206	±2.5	PASS	30℃
41	10.0	41540	2685.0	16QAM	50@0	6.75	0.00251	±2.5	PASS	40℃
41	10.0	41540	2685.0	16QAM	50@0	-10.51	-0.00392	±2.5	PASS	50℃
41	10.0	40620	2593.0	QPSK	50@0	1.13	0.00044	±2.5	PASS	Vibration
41	10.0	40620	2593.0	QPSK	50@0	-7.84	-0.00302	±2.5	PASS	Humidity
41	10.0	40620	2593.0	QPSK	50@0	-7.14	-0.00275	±2.5	PASS	VL
41	10.0	40620	2593.0	QPSK	50@0	-10.47	-0.00404	±2.5	PASS	VN
41	10.0	40620	2593.0	QPSK	50@0	-15.66	-0.00604	±2.5	PASS	VH
41	10.0	40620	2593.0	QPSK	50@0	3.4	0.00131	±2.5	PASS	-30℃
41	10.0	40620	2593.0	QPSK	50@0	-9.03	-0.00348	±2.5	PASS	-20℃
41	10.0	40620	2593.0	QPSK	50@0	6.34	0.00244	±2.5	PASS	-10℃
41	10.0	40620	2593.0	QPSK	50@0	9.57	0.00369	±2.5	PASS	0℃
41	10.0	40620	2593.0	QPSK	50@0	-0.37	-0.00014	±2.5	PASS	10℃
41	10.0	40620	2593.0	QPSK	50@0	-9.34	-0.0036	±2.5	PASS	20℃
41	10.0	40620	2593.0	QPSK	50@0	-6.87	-0.00265	±2.5	PASS	30℃
41	10.0	40620	2593.0	QPSK	50@0	10.99	0.00424	±2.5	PASS	40℃
41	10.0	40620	2593.0	QPSK	50@0	-3.79	-0.00146	±2.5	PASS	50℃
41	10.0	40620	2593.0	16QAM	50@0	-9.77	-0.00377	±2.5	PASS	Vibration
41	10.0	40620	2593.0	16QAM	50@0	-7.55	-0.00291	±2.5	PASS	Humidity

41	10.0	40620	2593.0	16QAM	50@0	-4.61	-0.00178	±2.5	PASS	VL
41	10.0	40620	2593.0	16QAM	50@0	2.99	0.00115	±2.5	PASS	VN
41	10.0	40620	2593.0	16QAM	50@0	-3.91	-0.00151	±2.5	PASS	VH
41	10.0	40620	2593.0	16QAM	50@0	3.79	0.00146	±2.5	PASS	-30℃
41	10.0	40620	2593.0	16QAM	50@0	2.26	0.00087	±2.5	PASS	-20℃
41	10.0	40620	2593.0	16QAM	50@0	-4.94	-0.0019	±2.5	PASS	-10℃
41	10.0	40620	2593.0	16QAM	50@0	-2.13	-0.00082	±2.5	PASS	0℃
41	10.0	40620	2593.0	16QAM	50@0	-5.19	-0.002	±2.5	PASS	10℃
41	10.0	40620	2593.0	16QAM	50@0	-3.63	-0.0014	±2.5	PASS	20℃
41	10.0	40620	2593.0	16QAM	50@0	3.08	0.00119	±2.5	PASS	30℃
41	10.0	40620	2593.0	16QAM	50@0	2.9	0.00112	±2.5	PASS	40℃
41	10.0	40620	2593.0	16QAM	50@0	-10.06	-0.00388	±2.5	PASS	50℃
41	10.0	39700	2501.0	QPSK	50@0	-7.0	-0.0028	±2.5	PASS	Vibration
41	10.0	39700	2501.0	QPSK	50@0	-1.37	-0.00055	±2.5	PASS	Humidity
41	10.0	39700	2501.0	QPSK	50@0	-9.3	-0.00372	±2.5	PASS	VL
41	10.0	39700	2501.0	QPSK	50@0	-10.61	-0.00424	±2.5	PASS	VN
41	10.0	39700	2501.0	QPSK	50@0	-11.59	-0.00463	±2.5	PASS	VH
41	10.0	39700	2501.0	QPSK	50@0	-7.72	-0.00309	±2.5	PASS	-30℃
41	10.0	39700	2501.0	QPSK	50@0	10.07	0.00403	±2.5	PASS	-20℃
41	10.0	39700	2501.0	QPSK	50@0	7.12	0.00285	±2.5	PASS	-10℃
41	10.0	39700	2501.0	QPSK	50@0	-4.66	-0.00186	±2.5	PASS	0℃
41	10.0	39700	2501.0	QPSK	50@0	6.77	0.00271	±2.5	PASS	10℃
41	10.0	39700	2501.0	QPSK	50@0	1.85	0.00074	±2.5	PASS	20℃
41	10.0	39700	2501.0	QPSK	50@0	-5.81	-0.00232	±2.5	PASS	30℃
41	10.0	39700	2501.0	QPSK	50@0	9.38	0.00375	±2.5	PASS	40℃
41	10.0	39700	2501.0	QPSK	50@0	9.13	0.00365	±2.5	PASS	50℃
41	10.0	39700	2501.0	16QAM	50@0	-3.91	-0.00156	±2.5	PASS	Vibration
41	10.0	39700	2501.0	16QAM	50@0	5.11	0.00204	±2.5	PASS	Humidity
41	10.0	39700	2501.0	16QAM	50@0	-9.41	-0.00376	±2.5	PASS	VL
41	10.0	39700	2501.0	16QAM	50@0	3.0	0.0012	±2.5	PASS	VN
41	10.0	39700	2501.0	16QAM	50@0	3.48	0.00139	±2.5	PASS	VH
41	10.0	39700	2501.0	16QAM	50@0	-4.59	-0.00184	±2.5	PASS	-30℃
41	10.0	39700	2501.0	16QAM	50@0	-5.88	-0.00235	±2.5	PASS	-20℃
41	10.0	39700	2501.0	16QAM	50@0	6.55	0.00262	±2.5	PASS	-10℃
41	10.0	39700	2501.0	16QAM	50@0	8.18	0.00327	±2.5	PASS	0℃
41	10.0	39700	2501.0	16QAM	50@0	-7.05	-0.00282	±2.5	PASS	10℃
41	10.0	39700	2501.0	16QAM	50@0	3.38	0.00135	±2.5	PASS	20℃
41	10.0	39700	2501.0	16QAM	50@0	2.93	0.00117	±2.5	PASS	30℃
41	10.0	39700	2501.0	16QAM	50@0	-7.68	-0.00307	±2.5	PASS	40℃
41	10.0	39700	2501.0	16QAM	50@0	4.11	0.00164	±2.5	PASS	50℃
41	15.0	41515	2682.5	QPSK	75@0	-13.95	-0.0052	±2.5	PASS	Vibration
41	15.0	41515	2682.5	QPSK	75@0	2.62	0.00098	±2.5	PASS	Humidity
41	15.0	41515	2682.5	QPSK	75@0	7.28	0.00271	±2.5	PASS	VL
41	15.0	41515	2682.5	QPSK	75@0	2.88	0.00107	±2.5	PASS	VN
41	15.0	41515	2682.5	QPSK	75@0	-12.59	-0.00469	±2.5	PASS	VH

41	15.0	41515	2682.5	QPSK	75@0	7.87	0.00293	±2.5	PASS	-30℃
41	15.0	41515	2682.5	QPSK	75@0	-12.97	-0.00484	±2.5	PASS	-20℃
41	15.0	41515	2682.5	QPSK	75@0	-9.01	-0.00336	±2.5	PASS	-10℃
41	15.0	41515	2682.5	QPSK	75@0	4.78	0.00178	±2.5	PASS	0℃
41	15.0	41515	2682.5	QPSK	75@0	-9.9	-0.00369	±2.5	PASS	10℃
41	15.0	41515	2682.5	QPSK	75@0	2.05	0.00076	±2.5	PASS	20℃
41	15.0	41515	2682.5	QPSK	75@0	2.72	0.00101	±2.5	PASS	30℃
41	15.0	41515	2682.5	QPSK	75@0	-14.81	-0.00552	±2.5	PASS	40℃
41	15.0	41515	2682.5	QPSK	75@0	-16.25	-0.00606	±2.5	PASS	50℃
41	15.0	40620	2593.0	QPSK	75@0	-6.32	-0.00244	±2.5	PASS	Vibration
41	15.0	40620	2593.0	QPSK	75@0	2.03	0.00078	±2.5	PASS	Humidity
41	15.0	40620	2593.0	QPSK	75@0	2.37	0.00092	±2.5	PASS	VL
41	15.0	40620	2593.0	QPSK	75@0	-7.48	-0.00289	±2.5	PASS	VN
41	15.0	40620	2593.0	QPSK	75@0	-8.88	-0.00343	±2.5	PASS	VH
41	15.0	40620	2593.0	QPSK	75@0	5.92	0.00228	±2.5	PASS	-30℃
41	15.0	40620	2593.0	QPSK	75@0	1.85	0.00071	±2.5	PASS	-20℃
41	15.0	40620	2593.0	QPSK	75@0	10.24	0.00395	±2.5	PASS	-10℃
41	15.0	40620	2593.0	QPSK	75@0	3.95	0.00152	±2.5	PASS	0℃
41	15.0	40620	2593.0	QPSK	75@0	-8.3	-0.0032	±2.5	PASS	10℃
41	15.0	40620	2593.0	QPSK	75@0	-11.57	-0.00446	±2.5	PASS	20℃
41	15.0	40620	2593.0	QPSK	75@0	-10.37	-0.004	±2.5	PASS	30℃
41	15.0	40620	2593.0	QPSK	75@0	-9.51	-0.00367	±2.5	PASS	40℃
41	15.0	40620	2593.0	QPSK	75@0	-7.07	-0.00273	±2.5	PASS	50℃
41	15.0	39725	2503.5	QPSK	75@0	-9.06	-0.00362	±2.5	PASS	Vibration
41	15.0	39725	2503.5	QPSK	75@0	-5.16	-0.00206	±2.5	PASS	Humidity
41	15.0	39725	2503.5	QPSK	75@0	5.98	0.00239	±2.5	PASS	VL
41	15.0	39725	2503.5	QPSK	75@0	-8.35	-0.00334	±2.5	PASS	VN
41	15.0	39725	2503.5	QPSK	75@0	4.52	0.00181	±2.5	PASS	VH
41	15.0	39725	2503.5	QPSK	75@0	-5.69	-0.00227	±2.5	PASS	-30℃
41	15.0	39725	2503.5	QPSK	75@0	4.68	0.00187	±2.5	PASS	-20℃
41	15.0	39725	2503.5	QPSK	75@0	-14.76	-0.0059	±2.5	PASS	-10℃
41	15.0	39725	2503.5	QPSK	75@0	-1.67	-0.00067	±2.5	PASS	0℃
41	15.0	39725	2503.5	QPSK	75@0	-6.47	-0.00258	±2.5	PASS	10℃
41	15.0	39725	2503.5	QPSK	75@0	-2.43	-0.00097	±2.5	PASS	20℃
41	15.0	39725	2503.5	QPSK	75@0	-6.01	-0.0024	±2.5	PASS	30℃
41	15.0	39725	2503.5	QPSK	75@0	3.33	0.00133	±2.5	PASS	40℃
41	15.0	39725	2503.5	QPSK	75@0	-7.61	-0.00304	±2.5	PASS	50℃
41	20.0	41490	2680.0	QPSK	100@0	-8.13	-0.00303	±2.5	PASS	Vibration
41	20.0	41490	2680.0	QPSK	100@0	-7.57	-0.00282	±2.5	PASS	Humidity
41	20.0	41490	2680.0	QPSK	100@0	-14.46	-0.0054	±2.5	PASS	VL
41	20.0	41490	2680.0	QPSK	100@0	-7.98	-0.00298	±2.5	PASS	VN
41	20.0	41490	2680.0	QPSK	100@0	4.48	0.00167	±2.5	PASS	VH
41	20.0	41490	2680.0	QPSK	100@0	-11.96	-0.00446	±2.5	PASS	-30℃
41	20.0	41490	2680.0	QPSK	100@0	-13.07	-0.00488	±2.5	PASS	-20℃
41	20.0	41490	2680.0	QPSK	100@0	-4.99	-0.00186	±2.5	PASS	-10℃

41	20.0	41490	2680.0	QPSK	100@0	-11.79	-0.0044	±2.5	PASS	0℃
41	20.0	41490	2680.0	QPSK	100@0	-15.38	-0.00574	±2.5	PASS	10℃
41	20.0	41490	2680.0	QPSK	100@0	-4.21	-0.00157	±2.5	PASS	20℃
41	20.0	41490	2680.0	QPSK	100@0	5.28	0.00197	±2.5	PASS	30℃
41	20.0	41490	2680.0	QPSK	100@0	-8.4	-0.00313	±2.5	PASS	40℃
41	20.0	41490	2680.0	QPSK	100@0	5.79	0.00216	±2.5	PASS	50℃
41	20.0	40620	2593.0	QPSK	100@0	4.38	0.00169	±2.5	PASS	Vibration
41	20.0	40620	2593.0	QPSK	100@0	-9.18	-0.00354	±2.5	PASS	Humidity
41	20.0	40620	2593.0	QPSK	100@0	4.65	0.00179	±2.5	PASS	VL
41	20.0	40620	2593.0	QPSK	100@0	-12.29	-0.00474	±2.5	PASS	VN
41	20.0	40620	2593.0	QPSK	100@0	-9.67	-0.00373	±2.5	PASS	VH
41	20.0	40620	2593.0	QPSK	100@0	-11.87	-0.00458	±2.5	PASS	-30℃
41	20.0	40620	2593.0	QPSK	100@0	-8.11	-0.00313	±2.5	PASS	-20℃
41	20.0	40620	2593.0	QPSK	100@0	-6.95	-0.00268	±2.5	PASS	-10℃
41	20.0	40620	2593.0	QPSK	100@0	6.58	0.00254	±2.5	PASS	0℃
41	20.0	40620	2593.0	QPSK	100@0	6.32	0.00244	±2.5	PASS	10℃
41	20.0	40620	2593.0	QPSK	100@0	-10.51	-0.00405	±2.5	PASS	20℃
41	20.0	40620	2593.0	QPSK	100@0	4.31	0.00166	±2.5	PASS	30℃
41	20.0	40620	2593.0	QPSK	100@0	-9.1	-0.00351	±2.5	PASS	40℃
41	20.0	40620	2593.0	QPSK	100@0	-13.36	-0.00515	±2.5	PASS	50℃
41	20.0	39750	2506.0	QPSK	100@0	-4.89	-0.00195	±2.5	PASS	Vibration
41	20.0	39750	2506.0	QPSK	100@0	4.91	0.00196	±2.5	PASS	Humidity
41	20.0	39750	2506.0	QPSK	100@0	-6.34	-0.00253	±2.5	PASS	VL
41	20.0	39750	2506.0	QPSK	100@0	5.35	0.00213	±2.5	PASS	VN
41	20.0	39750	2506.0	QPSK	100@0	1.2	0.00048	±2.5	PASS	VH
41	20.0	39750	2506.0	QPSK	100@0	3.76	0.0015	±2.5	PASS	-30℃
41	20.0	39750	2506.0	QPSK	100@0	5.26	0.0021	±2.5	PASS	-20℃
41	20.0	39750	2506.0	QPSK	100@0	-6.81	-0.00272	±2.5	PASS	-10℃
41	20.0	39750	2506.0	QPSK	100@0	-8.11	-0.00324	±2.5	PASS	0℃
41	20.0	39750	2506.0	QPSK	100@0	-6.04	-0.00241	±2.5	PASS	10℃
41	20.0	39750	2506.0	QPSK	100@0	-6.44	-0.00257	±2.5	PASS	20℃
41	20.0	39750	2506.0	QPSK	100@0	-6.02	-0.0024	±2.5	PASS	30℃
41	20.0	39750	2506.0	QPSK	100@0	6.18	0.00247	±2.5	PASS	40℃
41	20.0	39750	2506.0	QPSK	100@0	10.73	0.00428	±2.5	PASS	50℃

-----End-----