

Appendix S3 - RF Output Power

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.15	15.87	0.039	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.41	16.13	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.36	16.08	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.87	15.59	0.036	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	18.12	15.84	0.038	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	18.37	16.09	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	18.41	16.13	0.041	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	17.39	15.11	0.032	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.35	14.07	0.026	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.95	13.67	0.023	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.95	11.67	0.015	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	16.71	14.43	0.028	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	16.97	14.69	0.029	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	16.93	14.65	0.029	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	15.49	13.21	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	15.39	13.11	0.020	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	15.04	12.76	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	12.07	9.79	0.010	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.19	15.91	0.039	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.31	16.03	0.040	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.75	15.47	0.035	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.21	15.93	0.039	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	18.17	15.89	0.039	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	18.29	16.01	0.040	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	17.24	14.96	0.031	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	16.35	14.07	0.026	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	15.83	13.55	0.023	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	13.78	11.50	0.014	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.82	14.54	0.028	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	16.76	14.48	0.028	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	16.76	14.48	0.028	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	15.35	13.07	0.020	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	15.27	12.99	0.020	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	14.92	12.64	0.018	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	11.86	9.58	0.009	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.10	15.82	0.038	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.08	15.80	0.038	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.17	15.89	0.039	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.63	15.35	0.034	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	18.08	15.80	0.038	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	18.03	15.75	0.038	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	18.18	15.90	0.039	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	17.14	14.86	0.031	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.13	13.85	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.73	13.45	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.73	11.45	0.014	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	16.67	14.39	0.027	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	16.61	14.33	0.027	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	16.66	14.38	0.027	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	15.23	12.95	0.020	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	15.20	12.92	0.020	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	14.83	12.55	0.018	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	11.74	9.46	0.009	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.09	15.81	0.038	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.45	16.17	0.041	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.49	16.21	0.042	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.93	15.65	0.037	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	18.32	16.04	0.040	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	18.46	16.18	0.041	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	17.43	15.15	0.033	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	16.47	14.19	0.026	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	15.96	13.68	0.023	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	14.01	11.73	0.015	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	16.76	14.48	0.028	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	16.90	14.62	0.029	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	17.05	14.77	0.030	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	15.56	13.28	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	15.50	13.22	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	15.01	12.73	0.019	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	12.05	9.77	0.009	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.38	16.10	0.041	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.23	15.95	0.039	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.29	16.01	0.040	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.77	15.49	0.035	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.17	15.89	0.039	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	18.10	15.82	0.038	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	18.27	15.99	0.040	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	17.27	14.99	0.032	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	16.32	14.04	0.025	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	15.82	13.54	0.023	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	13.84	11.56	0.014	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.80	14.52	0.028	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	16.65	14.37	0.027	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	16.77	14.49	0.028	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	15.33	13.05	0.020	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	15.26	12.98	0.020	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	14.83	12.55	0.018	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	11.83	9.55	0.009	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	18.11	15.83	0.038	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.19	15.91	0.039	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.66	15.38	0.035	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	18.10	15.82	0.038	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	18.03	15.75	0.038	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	18.17	15.89	0.039	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	17.18	14.90	0.031	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	16.19	13.91	0.025	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	15.66	13.38	0.022	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	13.72	11.44	0.014	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	16.67	14.39	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	16.66	14.38	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	16.63	14.35	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	15.23	12.95	0.020	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	15.18	12.90	0.019	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	14.74	12.46	0.018	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	11.73	9.45	0.009	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.20	15.92	0.039	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.43	16.15	0.041	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.53	16.25	0.042	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.99	15.71	0.037	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	18.43	16.15	0.041	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	18.48	16.20	0.042	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	17.49	15.21	0.033	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.49	14.21	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	16.03	13.75	0.024	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	13.99	11.71	0.015	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	16.69	14.41	0.028	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	17.10	14.82	0.030	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	17.05	14.77	0.030	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	15.59	13.31	0.021	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	15.54	13.26	0.021	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	15.04	12.76	0.019	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	12.07	9.79	0.010	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.33	16.05	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.27	15.99	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.33	16.05	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.84	15.56	0.036	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.24	15.96	0.039	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	18.12	15.84	0.038	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	18.33	16.05	0.040	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	17.35	15.07	0.032	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	16.35	14.07	0.026	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	15.86	13.58	0.023	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	13.86	11.58	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.77	14.49	0.028	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	16.71	14.43	0.028	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	16.84	14.56	0.029	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	15.37	13.09	0.020	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	15.36	13.08	0.020	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	14.81	12.53	0.018	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	11.87	9.59	0.009	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.25	15.97	0.040	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	18.16	15.88	0.039	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.22	15.94	0.039	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.74	15.46	0.035	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	18.08	15.80	0.038	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	18.02	15.74	0.037	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	18.20	15.92	0.039	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	17.24	14.96	0.031	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	16.26	13.98	0.025	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.74	13.46	0.022	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	13.76	11.48	0.014	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	16.68	14.40	0.028	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	16.63	14.35	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	16.76	14.48	0.028	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	15.28	13.00	0.020	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	15.22	12.94	0.020	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	14.77	12.49	0.018	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	11.75	9.47	0.009	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.44	16.16	0.041	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.57	16.29	0.043	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.02	15.74	0.037	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	18.18	15.90	0.039	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	18.34	16.06	0.040	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	18.52	16.24	0.042	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	17.53	15.25	0.033	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	16.51	14.23	0.026	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	16.03	13.75	0.024	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	14.03	11.75	0.015	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	16.73	14.45	0.028	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	16.89	14.61	0.029	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	17.16	14.88	0.031	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	15.59	13.31	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	15.53	13.25	0.021	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	15.07	12.79	0.019	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	12.08	9.80	0.010	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.33	16.05	0.040	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.28	16.00	0.040	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.33	16.05	0.040	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.84	15.56	0.036	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.32	16.04	0.040	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	18.08	15.80	0.038	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	18.35	16.07	0.040	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	17.35	15.07	0.032	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	16.37	14.09	0.026	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	15.86	13.58	0.023	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	13.90	11.62	0.015	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.85	14.57	0.029	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	16.74	14.46	0.028	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	16.87	14.59	0.029	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	15.35	13.07	0.020	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	15.29	13.01	0.020	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	14.87	12.59	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	11.83	9.55	0.009	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.18	15.90	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.18	15.90	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.23	15.95	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.72	15.44	0.035	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	18.14	15.86	0.039	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	18.10	15.82	0.038	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	18.25	15.97	0.040	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	17.23	14.95	0.031	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	16.23	13.95	0.025	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	15.78	13.50	0.022	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	13.77	11.49	0.014	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	16.70	14.42	0.028	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	16.62	14.34	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	16.75	14.47	0.028	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	15.19	12.91	0.020	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	15.19	12.91	0.020	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	14.73	12.45	0.018	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	11.71	9.43	0.009	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.17	15.89	0.039	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	18.20	15.92	0.039	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	18.45	16.17	0.041	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	17.96	15.68	0.037	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	18.11	15.83	0.038	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	18.18	15.90	0.039	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	18.43	16.15	0.041	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	17.42	15.14	0.033	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	16.50	14.22	0.026	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	15.98	13.70	0.023	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	13.99	11.71	0.015	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	16.59	14.31	0.027	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	16.78	14.50	0.028	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	17.03	14.75	0.030	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	15.46	13.18	0.021	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	15.44	13.16	0.021	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	14.98	12.70	0.019	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	12.06	9.78	0.010	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.30	16.02	0.040	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	18.21	15.93	0.039	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	18.33	16.05	0.040	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	17.82	15.54	0.036	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.21	15.93	0.039	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	18.02	15.74	0.037	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	18.30	16.02	0.040	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	17.30	15.02	0.032	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	16.29	14.01	0.025	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	15.81	13.53	0.023	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	13.80	11.52	0.014	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.80	14.52	0.028	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	16.65	14.37	0.027	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	16.85	14.57	0.029	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	15.30	13.02	0.020	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	15.29	13.01	0.020	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	14.76	12.48	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	11.79	9.51	0.009	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.13	15.85	0.038	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	18.16	15.88	0.039	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	18.26	15.98	0.040	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	17.72	15.44	0.035	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	18.05	15.77	0.038	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	18	15.72	0.037	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	18.25	15.97	0.040	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	17.22	14.94	0.031	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	16.20	13.92	0.025	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	15.71	13.43	0.022	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	13.72	11.44	0.014	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	16.58	14.30	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	16.57	14.29	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	16.78	14.50	0.028	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	15.19	12.91	0.020	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	15.18	12.90	0.019	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	14.66	12.38	0.017	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	11.69	9.41	0.009	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.08	15.80	0.038	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	18.39	16.11	0.041	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	18.41	16.13	0.041	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	17.90	15.62	0.036	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	18.09	15.81	0.038	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	18.20	15.92	0.039	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	18.41	16.13	0.041	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	17.39	15.11	0.032	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	16.37	14.09	0.026	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	15.94	13.66	0.023	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	13.93	11.65	0.015	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	16.65	14.37	0.027	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	16.74	14.46	0.028	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	16.94	14.66	0.029	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	15.41	13.13	0.021	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	15.44	13.16	0.021	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	14.93	12.65	0.018	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	12.07	9.79	0.010	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	18.30	16.02	0.040	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	18.28	16.00	0.040	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	17.82	15.54	0.036	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.34	16.06	0.040	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	18.16	15.88	0.039	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	18.23	15.95	0.039	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	17.25	14.97	0.031	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	16.24	13.96	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	15.82	13.54	0.023	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	13.82	11.54	0.014	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	16.80	14.52	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	16.73	14.45	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	16.79	14.51	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	15.30	13.02	0.020	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	15.28	13.00	0.020	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	14.79	12.51	0.018	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	11.85	9.57	0.009	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.14	15.86	0.039	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	18.14	15.86	0.039	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	18.27	15.99	0.040	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	17.73	15.45	0.035	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	18.10	15.82	0.038	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	18.10	15.82	0.038	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	18.23	15.95	0.039	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	17.24	14.96	0.031	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	16.21	13.93	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	15.72	13.44	0.022	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	13.74	11.46	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	16.66	14.38	0.027	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	16.63	14.35	0.027	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	16.73	14.45	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	15.25	12.97	0.020	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	15.21	12.93	0.020	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	14.72	12.44	0.018	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	11.75	9.47	0.009	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.24	15.96	0.039	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	18.18	15.90	0.039	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.37	16.09	0.041	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	17.90	15.62	0.036	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	18.09	15.81	0.038	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	18.11	15.83	0.038	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	18.35	16.07	0.040	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	17.37	15.09	0.032	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	16.32	14.04	0.025	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	15.84	13.56	0.023	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	13.90	11.62	0.015	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	16.67	14.39	0.027	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	16.75	14.47	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	16.83	14.55	0.029	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	15.42	13.14	0.021	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	15.37	13.09	0.020	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	14.86	12.58	0.018	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	11.99	9.71	0.009	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.37	16.09	0.041	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	18.25	15.97	0.040	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.30	16.02	0.040	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	17.80	15.52	0.036	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.36	16.08	0.041	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	18.19	15.91	0.039	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	18.28	16.00	0.040	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	17.29	15.01	0.032	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	16.27	13.99	0.025	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	15.79	13.51	0.022	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	13.83	11.55	0.014	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.09	14.81	0.030	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	16.84	14.56	0.029	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	16.78	14.50	0.028	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	15.29	13.01	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	15.26	12.98	0.020	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	14.80	12.52	0.018	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	11.87	9.59	0.009	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.22	15.94	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	18.12	15.84	0.038	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	18.22	15.94	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	17.73	15.45	0.035	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	18.20	15.92	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	18.13	15.85	0.038	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	18.23	15.95	0.039	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	17.20	14.92	0.031	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	16.16	13.88	0.024	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	15.67	13.39	0.022	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	13.80	11.52	0.014	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	16.79	14.51	0.028	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	16.62	14.34	0.027	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	16.68	14.40	0.028	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	15.22	12.94	0.020	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	15.21	12.93	0.020	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	14.71	12.43	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	11.80	9.52	0.009	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n66:

1.Ant Gain = -2.28dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n71

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.57	14.22	0.026	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.63	14.28	0.027	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.64	14.29	0.027	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.10	13.75	0.024	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@1	23.53	14.18	0.026	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@23	23.52	14.17	0.026	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB12@6	23.63	14.28	0.027	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB25@0	22.63	13.28	0.021	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.58	12.23	0.017	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.19	11.84	0.015	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.06	9.71	0.009	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@1	21.92	12.57	0.018	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@23	22.24	12.89	0.019	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB13@6	22.13	12.78	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB25@0	20.69	11.34	0.014	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 16 QAM_RB25@0	20.56	11.21	0.013	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 64 QAM_RB25@0	20.13	10.78	0.012	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 256 QAM_RB25@0	17.15	7.80	0.006	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.57	14.22	0.026	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.60	14.25	0.027	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.65	14.30	0.027	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.16	13.81	0.024	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	14.19	0.026	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@23	23.61	14.26	0.027	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB12@6	23.60	14.25	0.027	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@0	22.65	13.30	0.021	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.67	12.32	0.017	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.23	11.88	0.015	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.09	9.74	0.009	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	22.10	12.75	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@23	22.03	12.68	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB13@6	22.13	12.78	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB25@0	20.63	11.28	0.013	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB25@0	20.66	11.31	0.014	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB25@0	20.17	10.82	0.012	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB25@0	17.15	7.80	0.006	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	14.26	0.027	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.62	14.27	0.027	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.59	14.24	0.027	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.10	13.75	0.024	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	14.19	0.026	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@23	23.55	14.20	0.026	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB12@6	23.68	14.33	0.027	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB25@0	22.63	13.28	0.021	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.73	12.38	0.017	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.15	11.80	0.015	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.09	9.74	0.009	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@1	22	12.65	0.018	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@23	21.95	12.60	0.018	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB13@6	22.14	12.79	0.019	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB25@0	20.60	11.25	0.013	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 16 QAM_RB25@0	20.59	11.24	0.013	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 64 QAM_RB25@0	20.20	10.85	0.012	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 256 QAM_RB25@0	17.14	7.79	0.006	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	14.26	0.027	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.65	14.30	0.027	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.59	14.24	0.027	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.11	13.76	0.024	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@1	23.54	14.19	0.026	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@50	23.54	14.19	0.026	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB25@12	23.61	14.26	0.027	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB50@0	22.62	13.27	0.021	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 16 QAM_RB50@0	21.67	12.32	0.017	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 64 QAM_RB50@0	21.11	11.76	0.015	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 256 QAM_RB50@0	19.05	9.70	0.009	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@1	21.91	12.56	0.018	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@50	21.90	12.55	0.018	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB26@13	22.08	12.73	0.019	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB52@0	20.62	11.27	0.013	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 16 QAM_RB52@0	20.61	11.26	0.013	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 64 QAM_RB52@0	20.04	10.69	0.012	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 256 QAM_RB52@0	17.12	7.77	0.006	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	14.21	0.026	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.60	14.25	0.027	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.62	14.27	0.027	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.13	13.78	0.024	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	23.53	14.18	0.026	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@50	23.48	14.13	0.026	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@12	23.61	14.26	0.027	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@0	22.60	13.25	0.021	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.64	12.29	0.017	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.14	11.79	0.015	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.05	9.70	0.009	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	22.12	12.77	0.019	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@50	22.01	12.66	0.018	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB26@13	22.03	12.68	0.019	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB52@0	20.66	11.31	0.014	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB52@0	20.62	11.27	0.013	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB52@0	20.12	10.77	0.012	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB52@0	17.05	7.70	0.006	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.51	14.16	0.026	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.68	14.33	0.027	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.62	14.27	0.027	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.13	13.78	0.024	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@1	23.55	14.20	0.026	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@50	23.53	14.18	0.026	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB25@12	23.61	14.26	0.027	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB50@0	22.63	13.28	0.021	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 16 QAM_RB50@0	21.58	12.23	0.017	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 64 QAM_RB50@0	21.11	11.76	0.015	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 256 QAM_RB50@0	19.09	9.74	0.009	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@1	21.97	12.62	0.018	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@50	21.98	12.63	0.018	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB26@13	22.10	12.75	0.019	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB52@0	20.57	11.22	0.013	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 16 QAM_RB52@0	20.61	11.26	0.013	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 64 QAM_RB52@0	20.08	10.73	0.012	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 256 QAM_RB52@0	17.10	7.75	0.006	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.58	14.23	0.026	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.58	14.23	0.026	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.59	14.24	0.027	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.16	13.81	0.024	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@1	23.51	14.16	0.026	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@77	23.45	14.10	0.026	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB36@18	23.62	14.27	0.027	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB75@0	22.65	13.30	0.021	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.66	12.31	0.017	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.13	11.78	0.015	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.09	9.74	0.009	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@1	22.19	12.84	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@77	22.22	12.87	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB39@19	22.12	12.77	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB79@0	20.62	11.27	0.013	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 16 QAM_RB79@0	20.63	11.28	0.013	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 64 QAM_RB79@0	20.14	10.79	0.012	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 256 QAM_RB79@0	17.10	7.75	0.006	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.58	14.23	0.026	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.55	14.20	0.026	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.63	14.28	0.027	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.13	13.78	0.024	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	23.51	14.16	0.026	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@77	23.45	14.10	0.026	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB36@18	23.61	14.26	0.027	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB75@0	22.60	13.25	0.021	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.64	12.29	0.017	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.17	11.82	0.015	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.12	9.77	0.009	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	22.13	12.78	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@77	21.88	12.53	0.018	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB39@19	22.08	12.73	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB79@0	20.59	11.24	0.013	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB79@0	20.62	11.27	0.013	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB79@0	20.14	10.79	0.012	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB79@0	17.09	7.74	0.006	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	14.26	0.027	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.63	14.28	0.027	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.59	14.24	0.027	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.07	13.72	0.024	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@1	23.51	14.16	0.026	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@77	23.49	14.14	0.026	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB36@18	23.61	14.26	0.027	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB75@0	22.62	13.27	0.021	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.59	12.24	0.017	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.07	11.72	0.015	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.04	9.69	0.009	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@1	21.89	12.54	0.018	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@77	22.08	12.73	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB39@19	22.10	12.75	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB79@0	20.57	11.22	0.013	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 16 QAM_RB79@0	20.65	11.30	0.013	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 64 QAM_RB79@0	20.10	10.75	0.012	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 256 QAM_RB79@0	17.09	7.74	0.006	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.59	14.24	0.027	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.53	14.18	0.026	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.64	14.29	0.027	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.14	13.79	0.024	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@1	23.56	14.21	0.026	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@104	23.52	14.17	0.026	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB50@25	23.64	14.29	0.027	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB100@0	22.63	13.28	0.021	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 16 QAM_RB100@0	21.60	12.25	0.017	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 64 QAM_RB100@0	21.13	11.78	0.015	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 256 QAM_RB100@0	19.13	9.78	0.010	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@1	22.21	12.86	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@104	22.21	12.86	0.019	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB53@26	22.09	12.74	0.019	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB106@0	20.62	11.27	0.013	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 16 QAM_RB106@0	20.58	11.23	0.013	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 64 QAM_RB106@0	20.15	10.80	0.012	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 256 QAM_RB106@0	17.05	7.70	0.006	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	14.26	0.027	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.63	14.28	0.027	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.64	14.29	0.027	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.18	13.83	0.024	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	23.51	14.16	0.026	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@104	23.55	14.20	0.026	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@25	23.65	14.30	0.027	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB100@0	22.62	13.27	0.021	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB100@0	21.63	12.28	0.017	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB100@0	21.12	11.77	0.015	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB100@0	19.15	9.80	0.010	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	21.88	12.53	0.018	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@104	22.14	12.79	0.019	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB53@26	22.10	12.75	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB106@0	20.62	11.27	0.013	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB106@0	20.58	11.23	0.013	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB106@0	20.13	10.78	0.012	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB106@0	17.15	7.80	0.006	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.55	14.20	0.026	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.65	14.30	0.027	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.61	14.26	0.027	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.08	13.73	0.024	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@1	23.48	14.13	0.026	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@104	23.52	14.17	0.026	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB50@25	23.60	14.25	0.027	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB100@0	22.62	13.27	0.021	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 16 QAM_RB100@0	21.49	12.14	0.016	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 64 QAM_RB100@0	21.03	11.68	0.015	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 256 QAM_RB100@0	19.03	9.68	0.009	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@1	21.86	12.51	0.018	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@104	22.05	12.70	0.019	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB53@26	22.06	12.71	0.019	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB106@0	20.57	11.22	0.013	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 16 QAM_RB106@0	20.50	11.15	0.013	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_688MHz_CP-OFDM 64 QAM_RB106@0	20.07	10.72	0.012	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 256 QAM_RB106@0	17.06	7.71	0.006	3	Pass

Note:

ERP = Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

n71:

1.Ant Gain = -6.7dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB