

Appendix B

E-UTRA BAND 17

CONTENT

1. EFFECTIVE (ISOTROPIC) RADIATED POWER	3
1.1. <i>Test Result</i>	3
2. PEAK-TO-AVERAGE RATIO(CCDF).....	5
2.1. <i>Test Result</i>	5
2.2. <i>Test Plots</i>	5
3. MODULATION CHARACTERISTICS.....	8
3.1. <i>Test BAND = LTE BAND17</i>	8
3.1.1. <i>Test Mode = LTE /TM1 10MHz</i>	8
3.1.1.1. <i>Test Channel = MCH</i>	8
3.1.1.2. <i>Test Mode = LTE /TM2 10MHz</i>	9
3.1.2.1. <i>Test Channel = MCH</i>	9
4. 26dB BANDWIDTH AND OCCUPIED BANDWIDTH	10
4.1. <i>Test Result</i>	10
4.2. <i>Test Plots</i>	10
5. BAND EDGE COMPLIANCE.....	15
5.1. <i>Test Plots</i>	15
6. SPURIOUS EMISSION AT ANTENNA TERMINAL.....	21
6.1. <i>Test Plots</i>	21
7. FIELD STRENGTH OF SPURIOUS RADIATION.....	26
7.1. <i>Test BAND = LTE BAND 17</i>	26
7.1.1. <i>Test Mode =LTE/TM1 10MHz</i>	26
7.1.1.1. <i>Test Channel = LCH 1RB#0</i>	26
7.1.1.2. <i>Test Channel = MCH 1RB#0</i>	26
7.1.1.3. <i>Test Channel = HCH 1RB#0</i>	27
8. FREQUENCY STABILITY.....	28
8.1. <i>Frequency Vs Voltage</i>	28
8.2. <i>Frequency Vs Temperature</i>	28



1. Effective (Isotropic) Radiated Power

1.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band17	5MHz	QPSK	23755	1RB#0	23.47	7.22	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#12	23.50	7.25	34.77	PASS
Band17	5MHz	QPSK	23755	1RB#24	23.76	7.51	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#0	22.28	6.03	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#6	22.46	6.21	34.77	PASS
Band17	5MHz	QPSK	23755	12RB#13	22.66	6.41	34.77	PASS
Band17	5MHz	QPSK	23755	25RB#0	22.47	6.22	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#0	23.37	7.12	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#12	23.84	7.59	34.77	PASS
Band17	5MHz	QPSK	23790	1RB#24	23.60	7.35	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#0	22.45	6.20	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#6	22.55	6.30	34.77	PASS
Band17	5MHz	QPSK	23790	12RB#13	22.65	6.40	34.77	PASS
Band17	5MHz	QPSK	23790	25RB#0	22.48	6.23	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#0	23.60	7.35	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#12	23.19	6.94	34.77	PASS
Band17	5MHz	QPSK	23825	1RB#24	22.92	6.67	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#0	22.95	6.70	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#6	22.37	6.12	34.77	PASS
Band17	5MHz	QPSK	23825	12RB#13	22.28	6.03	34.77	PASS
Band17	5MHz	QPSK	23825	25RB#0	22.65	6.40	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#0	22.09	5.84	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#12	22.66	6.41	34.77	PASS
Band17	5MHz	16QAM	23755	1RB#24	22.36	6.11	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#0	21.40	5.15	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#6	21.60	5.35	34.77	PASS
Band17	5MHz	16QAM	23755	12RB#13	21.39	5.14	34.77	PASS
Band17	5MHz	16QAM	23755	25RB#0	21.42	5.17	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#0	21.80	5.55	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#12	22.16	5.91	34.77	PASS
Band17	5MHz	16QAM	23790	1RB#24	22.00	5.75	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#0	21.56	5.31	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#6	21.55	5.30	34.77	PASS
Band17	5MHz	16QAM	23790	12RB#13	21.66	5.41	34.77	PASS
Band17	5MHz	16QAM	23790	25RB#0	21.44	5.19	34.77	PASS



Band17	5MHz	16QAM	23825	1RB#0	22.04	5.79	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#12	22.60	6.35	34.77	PASS
Band17	5MHz	16QAM	23825	1RB#24	22.52	6.27	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#0	21.65	5.40	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#6	21.72	5.47	34.77	PASS
Band17	5MHz	16QAM	23825	12RB#13	21.45	5.20	34.77	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.39	5.14	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#0	23.79	7.54	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#24	24.00	7.75	34.77	PASS
Band17	10MHz	QPSK	23780	1RB#49	23.54	7.29	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#0	22.58	6.33	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#12	22.67	6.42	34.77	PASS
Band17	10MHz	QPSK	23780	25RB#25	22.77	6.52	34.77	PASS
Band17	10MHz	QPSK	23780	50RB#0	22.46	6.21	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#0	23.24	6.99	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#24	24.11	7.86	34.77	PASS
Band17	10MHz	QPSK	23790	1RB#49	23.17	6.92	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#0	22.69	6.44	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#12	22.68	6.43	34.77	PASS
Band17	10MHz	QPSK	23790	25RB#25	22.68	6.43	34.77	PASS
Band17	10MHz	QPSK	23790	50RB#0	22.50	6.25	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#0	23.25	7.00	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#24	24.27	8.02	34.77	PASS
Band17	10MHz	QPSK	23800	1RB#49	22.85	6.60	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#0	22.93	6.68	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#12	22.69	6.44	34.77	PASS
Band17	10MHz	QPSK	23800	25RB#25	22.64	6.39	34.77	PASS
Band17	10MHz	QPSK	23800	50RB#0	22.52	6.27	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#0	22.34	6.09	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#24	22.20	5.95	34.77	PASS
Band17	10MHz	16QAM	23780	1RB#49	22.15	5.90	34.77	PASS
Band17	10MHz	16QAM	23780	27RB#0	21.36	5.11	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#0	21.88	5.63	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#24	22.57	6.32	34.77	PASS
Band17	10MHz	16QAM	23790	1RB#49	21.88	5.63	34.77	PASS
Band17	10MHz	16QAM	23790	27RB#0	21.28	5.03	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#0	21.97	5.72	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#24	22.63	6.38	34.77	PASS
Band17	10MHz	16QAM	23800	1RB#49	21.34	5.09	34.77	PASS
Band17	10MHz	16QAM	23800	27RB#0	21.33	5.08	34.77	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken

to calculate it,


ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd] b: SGP=Signal Generator Level


2. Peak-to-Average Ratio(CCDF)


2.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	5.54	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	5.54	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	5.32	13	PASS
Band17	10MHz	16QAM	23780	27RB#0	4.36	13	PASS
Band17	10MHz	16QAM	23790	27RB#0	4.71	13	PASS
Band17	10MHz	16QAM	23800	27RB#0	5.03	13	PASS

2.2. Test Plots








3. Modulation Characteristics

3.1. Test BAND = LTE BAND17


3.1.1. Test Mode = LTE /TM1 10MHz

3.1.1.1. Test Channel = MCH



3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH





4. 26dB Bandwidth and Occupied Bandwidth


4.1. Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band17	5MHz	QPSK	23755	25RB#0	4.480	4.950	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.480	4.930	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.480	4.930	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.500	4.990	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.500	4.960	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.460	4.880	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.980	9.820	PASS
Band17	10MHz	QPSK	23790	50RB#0	8.960	9.760	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.940	9.660	PASS
Band17	10MHz	16QAM	23780	27RB#0	4.920	5.700	PASS
Band17	10MHz	16QAM	23790	27RB#0	4.900	5.820	PASS
Band17	10MHz	16QAM	23800	27RB#0	4.900	5.680	PASS


4.2. Test Plots















5. Band Edge Compliance


5.1. Test Plots
















6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< \text{RBW}/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (\text{Span} / \text{RBW})$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.

6.1. Test Plots









Date: 20.DEC.2018 14:30:13

Band17 10MHz 16QAM 23780 1RB#0




Date: 20 DEC 2018 14:16:07

Band17 10MHz 16QAM 23780 1RB#0




Date: 20.DEC.2018 14:17:16

Band17 10MHz 16QAM 23790 1RB#0




Date: 20.DEC.2018 14:19:20

Band17 10MHz 16QAM 23790 1RB#0




Date: 20 DEC 2018 14:20:30

Band17 10MHz 16QAM 23800 1RB#0



Date: 20.DEC.2018 14:30:33

Band17 10MHz 16QAM 23800 1RB#0



7. Field Strength of Spurious Radiation

7.1. Test BAND = LTE BAND 17

7.1.1. Test Mode =LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH 1RB#0

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.533333	-81.46	-13.00	68.46	Vertical
104.246667	-67.52	-13.00	54.52	Vertical
1409.000000	-60.90	-13.00	47.90	Vertical
2114.000000	-47.02	-13.00	34.02	Vertical
3522.600000	-65.09	-13.00	52.09	Vertical
4227.525000	-65.60	-13.00	52.60	Vertical
55.853333	-76.84	-13.00	63.84	Horizontal
104.246667	-77.63	-13.00	64.63	Horizontal
1409.000000	-66.34	-13.00	53.34	Horizontal
2114.000000	-57.47	-13.00	44.47	Horizontal
3522.600000	-60.90	-13.00	47.90	Horizontal
4227.525000	-66.16	-13.00	53.16	Horizontal

7.1.1.2. Test Channel = MCH 1RB#0

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.346667	-81.08	-13.00	68.08	Vertical
104.246667	-66.83	-13.00	53.83	Vertical
1411.000000	-64.38	-13.00	51.38	Vertical
2117.000000	-51.36	-13.00	38.36	Vertical
3527.962500	-64.60	-13.00	51.60	Vertical
4233.375000	-65.70	-13.00	52.70	Vertical
56.133333	-76.45	-13.00	63.45	Horizontal
104.293333	-77.18	-13.00	64.18	Horizontal
1411.000000	-66.90	-13.00	53.90	Horizontal
2117.000000	-60.32	-13.00	47.32	Horizontal
3527.962500	-61.29	-13.00	48.29	Horizontal
4233.375000	-66.32	-13.00	53.32	Horizontal

7.1.1.3. Test Channel = HCH 1RB#0

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.020000	-81.10	-13.00	68.10	Vertical
104.246667	-67.95	-13.00	54.95	Vertical
1413.000000	-62.95	-13.00	49.95	Vertical
2120.000000	-49.07	-13.00	36.07	Vertical
3532.837500	-65.39	-13.00	52.39	Vertical
4239.225000	-65.97	-13.00	52.97	Vertical
62.666667	-77.35	-13.00	64.35	Horizontal
104.293333	-77.77	-13.00	64.77	Horizontal
1413.000000	-66.38	-13.00	53.38	Horizontal
2120.000000	-59.90	-13.00	46.90	Horizontal
3532.837500	-61.29	-13.00	48.29	Horizontal
4239.225000	-66.46	-13.00	53.46	Horizontal

Remark:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
- 2) We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.

8. Frequency Stability

8.1. Frequency Vs Voltage

BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage							Verdict
					Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)			
Band17	10MHz	QPSK	23780	50RB#0	VL	NT	1.00	0.001410	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	VN	NT	1.30	0.001834	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	VH	NT	-1.30	-0.001834	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	VL	NT	1.10	0.001549	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	VN	NT	1.40	0.001972	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	VH	NT	1.70	0.002394	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	VL	NT	-0.60	-0.000844	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	VN	NT	0.00	0.000000	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	VH	NT	-0.50	-0.000703	±2.5	PASS		
Band17	10MHz	16QAM	23780	27RB#0	VL	NT	-0.80	-0.001128	±2.5	PASS		
Band17	10MHz	16QAM	23780	27RB#0	VN	NT	-2.10	-0.002962	±2.5	PASS		
Band17	10MHz	16QAM	23780	27RB#0	VH	NT	0.30	0.000423	±2.5	PASS		
Band17	10MHz	16QAM	23790	27RB#0	VL	NT	-1.20	-0.001690	±2.5	PASS		
Band17	10MHz	16QAM	23790	27RB#0	VN	NT	-2.00	-0.002817	±2.5	PASS		
Band17	10MHz	16QAM	23790	27RB#0	VH	NT	-0.10	-0.000141	±2.5	PASS		
Band17	10MHz	16QAM	23800	27RB#0	VL	NT	-2.00	-0.002813	±2.5	PASS		
Band17	10MHz	16QAM	23800	27RB#0	VN	NT	-2.60	-0.003657	±2.5	PASS		
Band17	10MHz	16QAM	23800	27RB#0	VH	NT	-1.40	-0.001969	±2.5	PASS		

8.2. Frequency Vs Temperature

BAND	Bandwidth	Modulation	Channel	RB Configure	Temperature							Verdict
					Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)			
Band17	10MHz	QPSK	23780	50RB#0	NV	-30	-0.20	-0.000282	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	-20	-0.40	-0.000564	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	0	-0.30	-0.000423	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	10	-1.00	-0.001410	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	20	-0.60	-0.000846	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	30	-0.80	-0.001128	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	40	0.30	0.000423	±2.5	PASS		
Band17	10MHz	QPSK	23780	50RB#0	NV	50	0.00	0.000000	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	-30	-0.20	-0.000282	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	-20	0.80	0.001127	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	0	0.40	0.000563	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	10	2.00	0.002817	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	20	0.30	0.000423	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	30	1.50	0.002113	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	40	1.40	0.001972	±2.5	PASS		
Band17	10MHz	QPSK	23790	50RB#0	NV	50	0.60	0.000845	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	NV	-30	0.10	0.000141	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	NV	-20	-0.80	-0.001125	±2.5	PASS		
Band17	10MHz	QPSK	23800	50RB#0	NV	0	-1.20	-0.001688	±2.5	PASS		



Band17	10MHz	QPSK	23800	50RB#0	NV	10	-1.60	-0.002250	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	20	-0.80	-0.001125	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	30	-0.10	-0.000141	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	40	-1.00	-0.001406	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	50	-0.30	-0.000422	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	-30	0.20	0.000282	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	-20	-1.40	-0.001975	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	0	-1.60	-0.002257	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	10	-1.90	-0.002680	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	20	-2.10	-0.002962	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	30	-1.00	-0.001410	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	40	-1.40	-0.001975	±2.5	PASS
Band17	10MHz	16QAM	23780	27RB#0	NV	50	-2.60	-0.003667	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	-30	-0.80	-0.001127	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	-20	-1.10	-0.001549	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	0	-1.20	-0.001690	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	10	-1.50	-0.002113	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	20	-0.50	-0.000704	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	30	-0.60	-0.000845	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	40	-2.60	-0.003662	±2.5	PASS
Band17	10MHz	16QAM	23790	27RB#0	NV	50	-1.40	-0.001972	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	-30	-2.00	-0.002813	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	-20	-2.70	-0.003797	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	0	-1.50	-0.002110	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	10	-2.40	-0.003376	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	20	-2.00	-0.002813	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	30	-2.00	-0.002813	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	40	-2.80	-0.003938	±2.5	PASS
Band17	10MHz	16QAM	23800	27RB#0	NV	50	-2.40	-0.003376	±2.5	PASS

The End