




EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

**EUT Housing and
Board View 1**




**Solder
Board-Component
View 1**






Solder Board-Component View 2	 A photograph of a rectangular printed circuit board (PCB) populated with numerous small, square surface-mount components, likely LEDs or microchips, arranged in a grid. The board is positioned on a blue textured surface. A black L-shaped ruler is placed next to the board for scale, with the horizontal ruler at the bottom and the vertical ruler on the left. The board is oriented horizontally, and its right edge is connected to a multi-colored flexible ribbon cable that extends to the right.
Solder Board-Component View 3	 A photograph of the same rectangular PCB as in View 2, showing the same grid of components. It is placed on the same blue textured surface with the same black L-shaped ruler for scale. In this view, the board is oriented vertically, and the multi-colored flexible ribbon cable is connected to its top edge, extending upwards.

**Solder
Board-Component
View 4**



**Solder
Board-Component
View 5**



Solder Board-Component View 6	 A photograph of a green printed circuit board (PCB) component, labeled 'VL22021 无线光模块 V1.0', positioned next to a black ruler. The ruler shows measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm). The component is rectangular with various electronic components and solder joints visible. The background is a blue textured surface.
Solder Board-Component View 7	 A photograph of a silver rectangular component, likely a battery, positioned next to a black ruler. The ruler shows measurements in millimeters (0 to 100 mm) and centimeters (0 to 10 cm). The component has a yellow label with text: 'RYS 705578 4000mAh' and '+ 14.8Vh 3.7V 20241111'. The background is a blue textured surface.

