

HOLLOO-T401

Product specification

HOLLOO TECH.

1、Product effect diagram



2、Product introduction

HOLLOO-T401 is a T400 is a super version car OBD intelligent terminal. Compatible with passenger cars, commercial vehicles, new energy vehicles OBD terminal function. According to the demand expansion device function. Including 4G module, support BD/GPS dual mode, Six axis of gyroscope, 2 CANs, 4 input and 4 output,TF card, BT4.0, SOS, RS485/RS232.

3、Product features

Product model:	T401
input voltage:	9V-36V DC
Average working current:	130mA@12V
power dissipation:	10mA@12V
Applicable vehicle:	OBDII/EOBD/J1939
Positioning accuracy:	<10m
Working temperature:	-30°C ~ +70°C
Storage temperature:	-40°C ~ +80°C
Size:	123*80*35mm

4、Product function

LEDs Functional introduction

Orange LED (4G) :

- 1 light flash is no card.
- 2 light flashes once is working GPRS.
- 3 The light on is device on the line

Green LED (GPS/BD):

- 1 light flashes once is working GPS/BD..
- 2 The light on is device on the line

Blue LED1 (CAN1):

- 1 light flash that the device is working
- 2 light off that the device is sleep

Blue LED2 (CAN2):


- 1 light flash that the device is working
- 2 light off that the device is sleep

5、Product Packing list

1	T401 main equipment	1pcs
2	product manuals	1pcs
3	guarantee card	1pcs
4	Certificate	1pcs
5	4G antenna	1pcs
6	BT antenna	1PCS
7	GPS antenna	1pcs
8	Magic sticker	1pcs
9	Main wire	1pcs

6、Assemble instruction

Find the location of the vehicle OBD interface, See the picture below.



Notice: OBD interface position is different for Various types of cars.

- A region : GMC, Volkswagen, Ford, Toyota, Hyundai, Citroen, BMW, ect.
- B region : honda, TOURAN, LEXUS, ect.
- C region : Citroen , Citroen , ect.
- D region : Citroen , ect.



FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party.

Responsible for compliance could void the user's authority to operate this equipment. (Example- use only shielded interface cables when connecting to computer or peripheral devices).

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

FCC Radiation Exposure Statement:

The equipment complies with FCC Radiation exposure limits set forth for uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.