



RSE TX above 1GHz_PIFA Antenna

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	PK	5.4632G	57.38	68.20	-10.82	3	Vertical	83	2.96
5550MHz	Pass	PK	5.5424G	102.18	Inf	-Inf	3	Vertical	83	2.96
5550MHz	Pass	AV	5.4596G	45.51	54.00	-8.49	3	Horizontal	292	1.00
5550MHz	Pass	AV	5.5516G	101.95	Inf	-Inf	3	Horizontal	292	1.00
5550MHz	Pass	PK	5.4684G	58.75	68.20	-9.45	3	Horizontal	292	1.00
5550MHz	Pass	PK	5.554G	111.60	Inf	-Inf	3	Horizontal	292	1.00
5550MHz	Pass	AV	11.09992G	38.81	54.00	-15.19	3	Vertical	7	2.03
5550MHz	Pass	PK	11.10472G	52.23	74.00	-21.77	3	Vertical	7	2.03
5550MHz	Pass	PK	16.648G	65.37	68.20	-2.83	3	Vertical	200	2.08
5550MHz	Pass	AV	11.09984G	38.67	54.00	-15.33	3	Horizontal	230	1.00
5550MHz	Pass	PK	11.10272G	52.40	74.00	-21.60	3	Horizontal	230	1.00
5550MHz	Pass	PK	16.64768G	67.92	68.20	-0.28	3	Horizontal	245	2.05
5670MHz	Pass	AV	5.6682G	94.18	Inf	-Inf	3	Vertical	64	3.00
5670MHz	Pass	PK	5.6622G	104.00	Inf	-Inf	3	Vertical	64	3.00
5670MHz	Pass	PK	5.7978G	59.92	68.20	-8.28	3	Vertical	64	3.00
5670MHz	Pass	AV	5.6718G	99.21	Inf	-Inf	3	Horizontal	308	1.00
5670MHz	Pass	PK	5.6742G	108.86	Inf	-Inf	3	Horizontal	308	1.00
5670MHz	Pass	PK	5.7258G	66.39	68.20	-1.81	3	Horizontal	308	1.00
5670MHz	Pass	AV	11.34G	38.75	54.00	-15.25	3	Vertical	351	3.00
5670MHz	Pass	PK	11.32472G	52.38	74.00	-21.62	3	Vertical	351	3.00
5670MHz	Pass	PK	17.00784G	64.63	68.20	-3.57	3	Vertical	205	3.00
5670MHz	Pass	AV	11.34G	38.88	54.00	-15.12	3	Horizontal	265	1.05
5670MHz	Pass	PK	11.34072G	51.93	74.00	-22.07	3	Horizontal	265	1.05
5670MHz	Pass	PK	17.00784G	67.82	68.20	-0.38	3	Horizontal	232	2.06
5755MHz	Pass	AV	5.7502G	93.82	Inf	-Inf	3	Vertical	66	2.92
5755MHz	Pass	PK	5.6338G	58.40	68.20	-9.80	3	Vertical	66	2.92
5755MHz	Pass	PK	5.7478G	103.99	Inf	-Inf	3	Vertical	66	2.92
5755MHz	Pass	PK	5.9458G	60.96	68.20	-7.24	3	Vertical	66	2.92
5755MHz	Pass	AV	5.7538G	101.28	Inf	-Inf	3	Horizontal	306	1.09
5755MHz	Pass	PK	5.5822G	58.82	68.20	-9.38	3	Horizontal	306	1.09
5755MHz	Pass	PK	5.7478G	111.36	Inf	-Inf	3	Horizontal	306	1.09
5755MHz	Pass	PK	5.9314G	60.18	68.20	-8.02	3	Horizontal	306	1.09
5755MHz	Pass	AV	11.50984G	40.64	54.00	-13.36	3	Vertical	351	2.13
5755MHz	Pass	PK	11.51016G	53.82	74.00	-20.18	3	Vertical	351	2.13
5755MHz	Pass	PK	17.26276G	68.02	68.20	-0.18	3	Vertical	240	2.03
5755MHz	Pass	AV	11.50968G	39.15	54.00	-14.85	3	Horizontal	228	1.00
5755MHz	Pass	PK	11.51416G	53.02	74.00	-20.98	3	Horizontal	228	1.00
5755MHz	Pass	PK	17.2626G	65.01	68.20	-3.19	3	Horizontal	44	1.15
5795MHz	Pass	AV	5.7962G	93.25	Inf	-Inf	3	Vertical	86	1.20
5795MHz	Pass	PK	5.5958G	58.41	68.20	-9.79	3	Vertical	86	1.20
5795MHz	Pass	PK	5.7878G	104.08	Inf	-Inf	3	Vertical	86	1.20
5795MHz	Pass	PK	6.0002G	59.84	68.20	-8.36	3	Vertical	86	1.20
5795MHz	Pass	AV	5.7938G	102.57	Inf	-Inf	3	Horizontal	292	1.06
5795MHz	Pass	PK	5.6018G	59.26	68.20	-8.94	3	Horizontal	292	1.06
5795MHz	Pass	PK	5.7926G	112.38	Inf	-Inf	3	Horizontal	292	1.06
5795MHz	Pass	PK	5.969G	60.78	68.20	-7.42	3	Horizontal	292	1.06
5795MHz	Pass	AV	11.58984G	40.22	54.00	-13.78	3	Vertical	349	2.16
5795MHz	Pass	PK	11.58928G	53.79	74.00	-20.21	3	Vertical	349	2.16
5795MHz	Pass	PK	17.3826G	67.86	68.20	-0.34	3	Vertical	240	1.93
5795MHz	Pass	AV	11.58984G	39.36	54.00	-14.64	3	Horizontal	229	1.00
5795MHz	Pass	PK	11.58616G	52.92	74.00	-21.08	3	Horizontal	229	1.00
5795MHz	Pass	PK	17.38276G	65.22	68.20	-2.98	3	Horizontal	45	1.15
802.11ac VHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	47.73	54.00	-6.27	3	Vertical	88	1.22
5210MHz	Pass	AV	5.207G	86.76	Inf	-Inf	3	Vertical	88	1.22
5210MHz	Pass	AV	5.452G	45.98	54.00	-8.02	3	Vertical	88	1.22
5210MHz	Pass	PK	5.146G	61.26	74.00	-12.74	3	Vertical	88	1.22
5210MHz	Pass	PK	5.233G	96.93	Inf	-Inf	3	Vertical	88	1.22
5210MHz	Pass	PK	5.394G	60.93	74.00	-13.07	3	Vertical	88	1.22
5210MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	292	1.00
5210MHz	Pass	AV	5.222G	95.54	Inf	-Inf	3	Horizontal	292	1.00
5210MHz	Pass	AV	5.35G	46.50	54.00	-7.50	3	Horizontal	292	1.00




RSE TX above 1GHz_PIFA Antenna

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.148G	69.29	74.00	-4.71	3	Horizontal	292	1.00
5210MHz	Pass	PK	5.233G	105.43	Inf	-Inf	3	Horizontal	292	1.00
5210MHz	Pass	PK	5.35G	60.30	74.00	-13.70	3	Horizontal	292	1.00
5210MHz	Pass	AV	15.64344G	37.56	54.00	-16.44	3	Vertical	294	2.01
5210MHz	Pass	PK	10.44832G	50.51	68.20	-17.69	3	Vertical	346	2.14
5210MHz	Pass	PK	15.65704G	50.43	74.00	-23.57	3	Vertical	294	2.01
5210MHz	Pass	AV	15.6524G	37.40	54.00	-16.60	3	Horizontal	326	1.21
5210MHz	Pass	PK	10.42528G	51.45	68.20	-16.75	3	Horizontal	248	1.00
5210MHz	Pass	PK	15.62872G	50.18	74.00	-23.82	3	Horizontal	326	1.21
5290MHz	Pass	AV	5.047G	44.71	54.00	-9.29	3	Vertical	88	1.34
5290MHz	Pass	AV	5.313G	86.63	Inf	-Inf	3	Vertical	88	1.34
5290MHz	Pass	AV	5.35G	48.10	54.00	-5.90	3	Vertical	88	1.34
5290MHz	Pass	PK	5.098G	57.79	74.00	-16.21	3	Vertical	88	1.34
5290MHz	Pass	PK	5.313G	97.40	Inf	-Inf	3	Vertical	88	1.34
5290MHz	Pass	PK	5.518G	59.17	68.20	-9.03	3	Vertical	88	1.34
5290MHz	Pass	AV	5.148G	44.94	54.00	-9.06	3	Horizontal	290	1.00
5290MHz	Pass	AV	5.302G	95.55	Inf	-Inf	3	Horizontal	290	1.00
5290MHz	Pass	AV	5.352G	53.52	54.00	-0.48	3	Horizontal	290	1.00
5290MHz	Pass	PK	5.143G	58.32	74.00	-15.68	3	Horizontal	290	1.00
5290MHz	Pass	PK	5.295G	105.80	Inf	-Inf	3	Horizontal	290	1.00
5290MHz	Pass	PK	5.35G	71.52	74.00	-2.48	3	Horizontal	290	1.00
5290MHz	Pass	AV	15.88216G	37.30	54.00	-16.70	3	Vertical	162	2.80
5290MHz	Pass	PK	10.58372G	50.98	68.20	-17.22	3	Vertical	222	1.00
5290MHz	Pass	PK	15.84264G	51.27	74.00	-22.73	3	Vertical	162	2.80
5290MHz	Pass	AV	15.87816G	37.13	54.00	-16.87	3	Horizontal	229	1.50
5290MHz	Pass	PK	10.56528G	52.19	68.20	-16.01	3	Horizontal	246	1.00
5290MHz	Pass	PK	15.89752G	51.06	74.00	-22.94	3	Horizontal	229	1.50
5530MHz	Pass	AV	5.46G	46.52	54.00	-7.48	3	Vertical	76	1.06
5530MHz	Pass	AV	5.542G	86.94	Inf	-Inf	3	Vertical	76	1.06
5530MHz	Pass	PK	5.469G	60.56	68.20	-7.64	3	Vertical	76	1.06
5530MHz	Pass	PK	5.535G	96.95	Inf	-Inf	3	Vertical	76	1.06
5530MHz	Pass	PK	5.752G	59.31	68.20	-8.89	3	Vertical	76	1.06
5530MHz	Pass	AV	5.46G	53.76	54.00	-0.24	3	Horizontal	291	1.03
5530MHz	Pass	AV	5.542G	95.17	Inf	-Inf	3	Horizontal	291	1.03
5530MHz	Pass	PK	5.469G	67.06	68.20	-1.14	3	Horizontal	291	1.03
5530MHz	Pass	PK	5.516G	105.79	Inf	-Inf	3	Horizontal	291	1.03
5530MHz	Pass	PK	5.769G	60.40	68.20	-7.80	3	Horizontal	291	1.03
5530MHz	Pass	AV	11.05984G	37.26	54.00	-16.74	3	Vertical	9	2.64
5530MHz	Pass	PK	11.024G	49.87	74.00	-24.13	3	Vertical	9	2.64
5530MHz	Pass	PK	16.59192G	56.39	68.20	-11.81	3	Vertical	201	2.19
5530MHz	Pass	AV	11.05984G	37.06	54.00	-16.94	3	Horizontal	93	1.09
5530MHz	Pass	PK	11.05344G	50.10	74.00	-23.90	3	Horizontal	93	1.09
5530MHz	Pass	PK	16.58696G	56.50	68.20	-11.70	3	Horizontal	218	1.02
5775MHz	Pass	AV	5.763G	93.71	Inf	-Inf	3	Vertical	276	2.81
5775MHz	Pass	PK	5.631G	58.98	68.20	-9.22	3	Vertical	276	2.81
5775MHz	Pass	PK	5.7546G	103.98	Inf	-Inf	3	Vertical	276	2.81
5775MHz	Pass	PK	5.9238G	61.93	69.09	-7.16	3	Vertical	276	2.81
5775MHz	Pass	AV	5.787G	100.16	Inf	-Inf	3	Horizontal	308	1.08
5775MHz	Pass	PK	5.6382G	61.67	68.20	-6.53	3	Horizontal	308	1.08
5775MHz	Pass	PK	5.7798G	110.80	Inf	-Inf	3	Horizontal	308	1.08
5775MHz	Pass	PK	5.9238G	63.77	69.09	-5.32	3	Horizontal	308	1.08
5775MHz	Pass	AV	11.54984G	39.63	54.00	-14.37	3	Vertical	345	2.17
5775MHz	Pass	PK	11.54904G	52.34	74.00	-21.66	3	Vertical	345	2.17
5775MHz	Pass	PK	17.30308G	63.76	68.20	-4.44	3	Vertical	214	3.00
5775MHz	Pass	AV	11.54968G	39.09	54.00	-14.91	3	Horizontal	228	1.00
5775MHz	Pass	PK	11.55704G	51.68	74.00	-22.32	3	Horizontal	228	1.00
5775MHz	Pass	PK	17.33572G	67.99	68.20	-0.21	3	Horizontal	337	2.20


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.67	54.00	-6.33	5.81	3	Vertical	58	2.48	41.86	33.10	6.85	34.14
AV	5.2008G	102.92	Inf	-Inf	5.87	3	Vertical	58	2.48	97.05	33.10	6.91	34.14
PK	5.1468G	63.56	74.00	-10.44	5.81	3	Vertical	58	2.48	57.75	33.10	6.85	34.14
PK	5.1964G	112.52	Inf	-Inf	5.87	3	Vertical	58	2.48	106.65	33.10	6.91	34.14

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	5.81	3	Horizontal	284	1.07	48.06	33.10	6.85	34.14
AV	5.2012G	109.63	Inf	-Inf	5.87	3	Horizontal	284	1.07	103.76	33.10	6.91	34.14
PK	5.1468G	70.32	74.00	-3.68	5.81	3	Horizontal	284	1.07	64.51	33.10	6.85	34.14
PK	5.1964G	120.02	Inf	-Inf	5.87	3	Horizontal	284	1.07	114.15	33.10	6.91	34.14


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3192G	101.25	Inf	-Inf	5.70	3	Vertical	11	3.00	95.55	32.96	6.90	34.16
AV	5.35G	49.87	54.00	-4.13	5.63	3	Vertical	11	3.00	44.24	32.90	6.89	34.16
PK	5.3248G	110.75	Inf	-Inf	5.69	3	Vertical	11	3.00	105.06	32.95	6.90	34.16
PK	5.3504G	64.84	74.00	-9.16	5.63	3	Vertical	11	3.00	59.21	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3214G	105.18	Inf	-Inf	5.70	3	Horizontal	283	1.25	99.48	32.96	6.90	34.16
AV	5.3518G	53.35	54.00	-0.65	5.63	3	Horizontal	283	1.25	47.72	32.90	6.89	34.16
PK	5.3166G	115.49	Inf	-Inf	5.71	3	Horizontal	283	1.25	109.78	32.97	6.90	34.16
PK	5.3526G	72.04	74.00	-1.96	5.63	3	Horizontal	283	1.25	66.41	32.90	6.89	34.16

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63988G	38.31	54.00	-15.69	16.30	3	Vertical	205	3.00	22.01	39.02	11.69	34.41
AV	15.95716G	43.53	54.00	-10.47	16.06	3	Vertical	190	2.88	27.47	38.09	12.62	34.65
PK	10.63408G	51.66	74.00	-22.34	16.26	3	Vertical	205	3.00	35.40	39.00	11.68	34.42
PK	15.96164G	58.22	74.00	-15.78	16.05	3	Vertical	190	2.88	42.17	38.08	12.62	34.65

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63992G	39.45	54.00	-14.55	16.30	3	Horizontal	277	1.00	23.15	39.02	11.69	34.41
AV	15.961G	46.81	54.00	-7.19	16.05	3	Horizontal	227	2.13	30.76	38.08	12.62	34.65
PK	10.63992G	52.32	74.00	-21.68	16.30	3	Horizontal	277	1.00	36.02	39.02	11.69	34.41
PK	15.95108G	61.69	74.00	-12.31	16.08	3	Horizontal	227	2.13	45.61	38.10	12.62	34.64

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4566G	44.05	54.00	-9.95	5.71	3	Vertical	83	1.50	38.34	32.90	6.98	34.17
AV	5.501G	95.30	Inf	-Inf	5.77	3	Vertical	83	1.50	89.53	32.90	7.05	34.18
PK	5.4668G	58.87	68.20	-9.33	5.72	3	Vertical	83	1.50	53.15	32.90	7.00	34.18
PK	5.4966G	104.98	Inf	-Inf	5.76	3	Vertical	83	1.50	99.22	32.90	7.04	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.61	54.00	-8.39	5.71	3	Horizontal	287	1.02	39.90	32.90	6.99	34.18
AV	5.4994G	104.75	Inf	-Inf	5.77	3	Horizontal	287	1.02	98.98	32.90	7.05	34.18
PK	5.4692G	67.79	68.20	-0.41	5.72	3	Horizontal	287	1.02	62.07	32.90	7.00	34.18
PK	5.4944G	114.35	Inf	-Inf	5.76	3	Horizontal	287	1.02	108.59	32.90	7.04	34.18


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.751G	99.46	Inf	-Inf	6.89	3	Vertical	142	3.00	92.57	33.81	7.28	34.20
PK	5.601G	58.48	68.20	-9.72	6.02	3	Vertical	142	3.00	52.46	33.00	7.21	34.19
PK	5.751G	109.55	Inf	-Inf	6.89	3	Vertical	142	3.00	102.66	33.81	7.28	34.20
PK	5.9766G	60.46	68.20	-7.74	7.42	3	Vertical	142	3.00	53.04	34.15	7.49	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7462G	103.63	Inf	-Inf	6.86	3	Horizontal	353	2.39	96.77	33.78	7.28	34.20
PK	5.559G	59.44	68.20	-8.76	5.88	3	Horizontal	353	2.39	53.56	32.92	7.14	34.18
PK	5.751G	113.62	Inf	-Inf	6.89	3	Horizontal	353	2.39	106.73	33.81	7.28	34.20
PK	5.9346G	61.17	68.20	-7.03	7.47	3	Horizontal	353	2.39	53.70	34.23	7.45	34.21


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	96.93	Inf	-Inf	7.11	3	Vertical	151	3.00	89.82	34.02	7.29	34.20
PK	5.6338G	58.53	68.20	-9.67	6.04	3	Vertical	151	3.00	52.49	33.00	7.23	34.19
PK	5.7874G	106.61	Inf	-Inf	7.11	3	Vertical	151	3.00	99.50	34.02	7.29	34.20
PK	6.037G	60.66	68.20	-7.54	7.36	3	Vertical	151	3.00	53.30	34.10	7.49	34.23

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	102.34	Inf	-Inf	7.11	3	Horizontal	353	2.27	95.23	34.02	7.29	34.20
PK	5.5546G	59.21	68.20	-8.99	5.87	3	Horizontal	353	2.27	53.34	32.91	7.14	34.18
PK	5.791G	112.61	Inf	-Inf	7.15	3	Horizontal	353	2.27	105.46	34.05	7.30	34.20
PK	5.9446G	60.90	68.20	-7.30	7.45	3	Horizontal	353	2.27	53.45	34.21	7.46	34.22


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	95.82	Inf	-Inf	7.22	3	Vertical	155	1.27	88.60	34.10	7.33	34.21
PK	5.8066G	58.66	68.20	-9.54	6.02	3	Vertical	155	1.27	52.64	33.00	7.21	34.19
PK	5.8274G	105.50	Inf	-Inf	7.22	3	Vertical	155	1.27	98.28	34.10	7.33	34.21
PK	5.9738G	60.36	68.20	-7.84	7.42	3	Vertical	155	1.27	52.94	34.15	7.49	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	103.42	Inf	-Inf	7.22	3	Horizontal	6	2.53	96.20	34.10	7.33	34.21
PK	5.5994G	58.16	68.20	-10.04	6.02	3	Horizontal	6	2.53	52.14	33.00	7.21	34.19
PK	5.8238G	113.16	Inf	-Inf	7.22	3	Horizontal	6	2.53	105.94	34.10	7.33	34.21
PK	5.9318G	60.74	68.20	-7.46	7.47	3	Horizontal	6	2.53	53.27	34.24	7.44	34.21


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.42	54.00	-3.58	5.81	3	Vertical	116	3.00	44.61	33.10	6.85	34.14
AV	5.183G	99.19	Inf	-Inf	5.85	3	Vertical	116	3.00	93.34	33.10	6.89	34.14
PK	5.15G	68.31	74.00	-5.69	5.81	3	Vertical	116	3.00	62.50	33.10	6.85	34.14
PK	5.1834G	108.93	Inf	-Inf	5.85	3	Vertical	116	3.00	103.08	33.10	6.89	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.85	54.00	-0.15	5.81	3	Horizontal	355	2.50	48.04	33.10	6.85	34.14
AV	5.1854G	104.20	Inf	-Inf	5.85	3	Horizontal	355	2.50	98.35	33.10	6.89	34.14
PK	5.15G	73.08	74.00	-0.92	5.81	3	Horizontal	355	2.50	67.27	33.10	6.85	34.14
PK	5.1834G	113.73	Inf	-Inf	5.85	3	Horizontal	355	2.50	107.88	33.10	6.89	34.14


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.05	54.00	-2.95	5.81	3	Vertical	113	3.00	45.24	33.10	6.85	34.14
AV	5.2032G	102.57	Inf	-Inf	5.86	3	Vertical	113	3.00	96.71	33.09	6.91	34.14
PK	5.1492G	67.93	74.00	-6.07	5.81	3	Vertical	113	3.00	62.12	33.10	6.85	34.14
PK	5.1968G	112.35	Inf	-Inf	5.87	3	Vertical	113	3.00	106.48	33.10	6.91	34.14

5.15-5.25GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	5.81	3	Horizontal	357	2.77	48.01	33.10	6.85	34.14
AV	5.2028G	108.56	Inf	-Inf	5.86	3	Horizontal	357	2.77	102.70	33.09	6.91	34.14
PK	5.1488G	70.68	74.00	-3.32	5.81	3	Horizontal	357	2.77	64.87	33.10	6.85	34.14
PK	5.204G	118.46	Inf	-Inf	5.86	3	Horizontal	357	2.77	112.60	33.09	6.91	34.14


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.75	54.00	-9.25	5.81	3	Vertical	143	1.50	38.94	33.10	6.85	34.14
AV	5.237G	99.46	Inf	-Inf	5.79	3	Vertical	143	1.50	93.67	33.03	6.91	34.15
AV	5.3876G	45.62	54.00	-8.38	5.62	3	Vertical	143	1.50	40.00	32.90	6.89	34.17
PK	5.1476G	58.29	74.00	-15.71	5.81	3	Vertical	143	1.50	52.48	33.10	6.85	34.14
PK	5.237G	109.76	Inf	-Inf	5.79	3	Vertical	143	1.50	103.97	33.03	6.91	34.15
PK	5.378G	59.02	74.00	-14.98	5.62	3	Vertical	143	1.50	53.40	32.90	6.89	34.17

5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	46.60	54.00	-7.40	5.81	3	Horizontal	357	3.00	40.79	33.10	6.85	34.14
AV	5.243G	110.56	Inf	-Inf	5.77	3	Horizontal	357	3.00	104.79	33.01	6.91	34.15
AV	5.351G	46.73	54.00	-7.27	5.63	3	Horizontal	357	3.00	41.10	32.90	6.89	34.16
PK	5.1494G	62.74	74.00	-11.26	5.81	3	Horizontal	357	3.00	56.93	33.10	6.85	34.14
PK	5.2412G	121.77	Inf	-Inf	5.78	3	Horizontal	357	3.00	115.99	33.02	6.91	34.15
PK	5.351G	62.46	74.00	-11.54	5.63	3	Horizontal	357	3.00	56.83	32.90	6.89	34.16


5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5240MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	104.26	Inf	-Inf	5.74	3	Vertical	123	2.87	98.52	33.00	6.90	34.16
AV	5.35G	48.51	54.00	-5.49	5.63	3	Vertical	123	2.87	42.88	32.90	6.89	34.16
PK	5.2984G	116.13	Inf	-Inf	5.74	3	Vertical	123	2.87	110.39	33.00	6.90	34.16
PK	5.3516G	65.23	74.00	-8.77	5.63	3	Vertical	123	2.87	59.60	32.90	6.89	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2984G	109.04	Inf	-Inf	5.74	3	Horizontal	0	2.96	103.30	33.00	6.90	34.16
AV	5.35G	53.81	54.00	-0.19	5.63	3	Horizontal	0	2.96	48.18	32.90	6.89	34.16
PK	5.2988G	121.02	Inf	-Inf	5.74	3	Horizontal	0	2.96	115.28	33.00	6.90	34.16
PK	5.35G	70.63	74.00	-3.37	5.63	3	Horizontal	0	2.96	65.00	32.90	6.89	34.16


5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5300MHz_TX



5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3184G	99.82	Inf	-Inf	5.70	3	Vertical	114	3.00	94.12	32.96	6.90	34.16
AV	5.35G	49.44	54.00	-4.56	5.63	3	Vertical	114	3.00	43.81	32.90	6.89	34.16
PK	5.3188G	111.91	Inf	-Inf	5.70	3	Vertical	114	3.00	106.21	32.96	6.90	34.16
PK	5.3504G	65.18	74.00	-8.82	5.63	3	Vertical	114	3.00	59.55	32.90	6.89	34.16

5.25-5.35GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	104.79	Inf	-Inf	5.69	3	Horizontal	0	2.94	99.10	32.95	6.90	34.16
AV	5.35G	53.87	54.00	-0.13	5.63	3	Horizontal	0	2.94	48.24	32.90	6.89	34.16
PK	5.3184G	116.85	Inf	-Inf	5.70	3	Horizontal	0	2.94	111.15	32.96	6.90	34.16
PK	5.3548G	69.64	74.00	-4.36	5.63	3	Horizontal	0	2.94	64.01	32.90	6.89	34.16

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	10.63684G	36.98	54.00	-17.02	16.29	3	Vertical	8	1.02	20.69	39.01	11.69	34.41				
AV	15.95828G	42.28	54.00	-11.72	16.05	3	Vertical	360	1.00	26.23	38.08	12.62	34.65				
PK	10.6468G	49.89	74.00	-24.11	16.32	3	Vertical	8	1.02	33.57	39.04	11.69	34.41				
PK	15.9666G	57.05	74.00	-16.95	16.04	3	Vertical	360	1.00	41.01	38.07	12.62	34.65				

5.25-5.35GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	10.63992G	38.86	54.00	-15.14	16.30	3	Horizontal	18	2.65	22.56	39.02	11.69	34.41				
AV	15.96416G	42.37	54.00	-11.63	16.04	3	Horizontal	58	1.88	26.33	38.07	12.62	34.65				
PK	10.6344G	52.32	74.00	-21.68	16.26	3	Horizontal	18	2.65	36.06	39.00	11.68	34.42				
PK	15.9666G	57.08	74.00	-16.92	16.04	3	Horizontal	58	1.88	41.04	38.07	12.62	34.65				

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.55	54.00	-9.45	5.70	3	Vertical	88	1.16	38.85	32.90	6.98	34.18
AV	5.4982G	95.84	Inf	-Inf	5.77	3	Vertical	88	1.16	90.07	32.90	7.05	34.18
PK	5.47G	62.22	68.20	-5.98	5.72	3	Vertical	88	1.16	56.50	32.90	7.00	34.18
PK	5.4986G	108.14	Inf	-Inf	5.77	3	Vertical	88	1.16	102.37	32.90	7.05	34.18

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	45.42	54.00	-8.58	5.70	3	Horizontal	290	1.02	39.72	32.90	6.98	34.18
AV	5.4982G	102.81	Inf	-Inf	5.77	3	Horizontal	290	1.02	97.04	32.90	7.05	34.18
PK	5.4684G	67.95	68.20	-0.25	5.72	3	Horizontal	290	1.02	62.23	32.90	7.00	34.18
PK	5.4986G	115.13	Inf	-Inf	5.77	3	Horizontal	290	1.02	109.36	32.90	7.05	34.18


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4582G	44.42	54.00	-9.58	5.71	3	Vertical	88	1.30	38.71	32.90	6.98	34.17				
AV	5.583G	94.29	Inf	-Inf	5.96	3	Vertical	88	1.30	88.33	32.97	7.18	34.19				
PK	5.4612G	57.13	68.20	-11.07	5.71	3	Vertical	88	1.30	51.42	32.90	6.99	34.18				
PK	5.5782G	106.15	Inf	-Inf	5.95	3	Vertical	88	1.30	100.20	32.96	7.18	34.19				
PK	5.7288G	58.42	68.20	-9.78	6.79	3	Vertical	88	1.30	51.63	33.72	7.27	34.20				

5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4594G	44.68	54.00	-9.32	5.71	3	Horizontal	293	1.00	38.97	32.90	6.99	34.18				
AV	5.583G	102.35	Inf	-Inf	5.96	3	Horizontal	293	1.00	96.39	32.97	7.18	34.19				
PK	5.4636G	57.76	68.20	-10.44	5.71	3	Horizontal	293	1.00	52.05	32.90	6.99	34.18				
PK	5.5788G	114.11	Inf	-Inf	5.95	3	Horizontal	293	1.00	108.16	32.96	7.18	34.19				
PK	5.727G	58.59	68.20	-9.61	6.78	3	Horizontal	293	1.00	51.81	33.71	7.27	34.20				


5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5700MHz_TX



5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	92.76	Inf	-Inf	6.86	3	Vertical	90	1.18	85.90	33.78	7.28	34.20
PK	5.4942G	59.07	68.20	-9.13	5.76	3	Vertical	90	1.18	53.31	32.90	7.04	34.18
PK	5.7426G	104.56	Inf	-Inf	6.84	3	Vertical	90	1.18	97.72	33.77	7.27	34.20
PK	5.9766G	60.57	68.20	-7.63	7.42	3	Vertical	90	1.18	53.15	34.15	7.49	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	100.98	Inf	-Inf	6.87	3	Horizontal	290	1.00	94.11	33.79	7.28	34.20
PK	5.5014G	58.33	68.20	-9.87	5.77	3	Horizontal	290	1.00	52.56	32.90	7.05	34.18
PK	5.751G	112.57	Inf	-Inf	6.89	3	Horizontal	290	1.00	105.68	33.81	7.28	34.20
PK	5.9982G	60.34	68.20	-7.86	7.40	3	Horizontal	290	1.00	52.94	34.10	7.52	34.22


5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	97.30	Inf	-Inf	7.11	3	Vertical	83	1.14	90.19	34.02	7.29	34.20
PK	5.5858G	59.22	68.20	-8.98	5.97	3	Vertical	83	1.14	53.25	32.97	7.19	34.19
PK	5.7838G	109.60	Inf	-Inf	7.09	3	Vertical	83	1.14	102.51	34.00	7.29	34.20
PK	6.019G	60.57	68.20	-7.63	7.38	3	Vertical	83	1.14	53.19	34.10	7.50	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	103.09	Inf	-Inf	7.09	3	Horizontal	291	1.00	96.00	34.00	7.29	34.20
PK	5.491G	59.50	68.20	-8.70	5.76	3	Horizontal	291	1.00	53.74	32.90	7.04	34.18
PK	5.7814G	114.93	Inf	-Inf	7.08	3	Horizontal	291	1.00	107.85	33.99	7.29	34.20
PK	5.9626G	60.23	68.20	-7.97	7.43	3	Horizontal	291	1.00	52.80	34.17	7.48	34.22


5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ac_VHT20_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	95.99	Inf	-Inf	7.22	3	Vertical	85	1.18	88.77	34.10	7.33	34.21
PK	5.555G	58.21	68.20	-9.99	5.87	3	Vertical	85	1.18	52.34	32.91	7.14	34.18
PK	5.8226G	107.65	Inf	-Inf	7.21	3	Vertical	85	1.18	100.44	34.10	7.32	34.21
PK	5.9438G	60.15	68.20	-8.05	7.45	3	Vertical	85	1.18	52.70	34.21	7.46	34.22

5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	102.63	Inf	-Inf	7.22	3	Horizontal	291	1.00	95.41	34.10	7.33	34.21
PK	5.5394G	59.43	68.20	-8.77	5.83	3	Horizontal	291	1.00	53.60	32.90	7.11	34.18
PK	5.8238G	114.85	Inf	-Inf	7.22	3	Horizontal	291	1.00	107.63	34.10	7.33	34.21
PK	6.0566G	61.08	68.20	-7.12	7.33	3	Horizontal	291	1.00	53.75	34.09	7.47	34.23


5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ac VHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.04	54.00	-5.96	5.81	3	Vertical	89	1.16	42.23	33.10	6.85	34.14
AV	5.186G	92.59	Inf	-Inf	5.85	3	Vertical	89	1.16	86.74	33.10	6.89	34.14
PK	5.15G	63.57	74.00	-10.43	5.81	3	Vertical	89	1.16	57.76	33.10	6.85	34.14
PK	5.1848G	103.68	Inf	-Inf	5.85	3	Vertical	89	1.16	97.83	33.10	6.89	34.14

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.78	54.00	-0.22	5.81	3	Horizontal	292	1.04	47.97	33.10	6.85	34.14
AV	5.1936G	99.24	Inf	-Inf	5.86	3	Horizontal	292	1.04	93.38	33.10	6.90	34.14
PK	5.15G	69.33	74.00	-4.67	5.81	3	Horizontal	292	1.04	63.52	33.10	6.85	34.14
PK	5.1948G	110.76	Inf	-Inf	5.86	3	Horizontal	292	1.04	104.90	33.10	6.90	34.14


5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.06	54.00	-3.94	5.81	3	Vertical	91	1.15	44.25	33.10	6.85	34.14
AV	5.2336G	98.77	Inf	-Inf	5.79	3	Vertical	91	1.15	92.98	33.03	6.91	34.15
PK	5.1448G	63.90	74.00	-10.10	5.80	3	Vertical	91	1.15	58.10	33.10	6.84	34.14
PK	5.2316G	109.98	Inf	-Inf	5.80	3	Vertical	91	1.15	104.18	33.04	6.91	34.15

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.17	54.00	-0.83	5.81	3	Horizontal	289	2.88	47.36	33.10	6.85	34.14
AV	5.2336G	106.15	Inf	-Inf	5.79	3	Horizontal	289	2.88	100.36	33.03	6.91	34.15
PK	5.1484G	66.56	74.00	-7.44	5.81	3	Horizontal	289	2.88	60.75	33.10	6.85	34.14
PK	5.2316G	117.51	Inf	-Inf	5.80	3	Horizontal	289	2.88	111.71	33.04	6.91	34.15


5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	98.14	Inf	-Inf	5.75	3	Vertical	84	1.12	92.39	33.00	6.90	34.15
AV	5.35G	48.37	54.00	-5.63	5.63	3	Vertical	84	1.12	42.74	32.90	6.89	34.16
PK	5.2716G	109.32	Inf	-Inf	5.75	3	Vertical	84	1.12	103.57	33.00	6.90	34.15
PK	5.3576G	62.01	74.00	-11.99	5.63	3	Vertical	84	1.12	56.38	32.90	6.89	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.266G	105.31	Inf	-Inf	5.75	3	Horizontal	292	1.00	99.56	33.00	6.90	34.15
AV	5.35G	53.79	54.00	-0.21	5.63	3	Horizontal	292	1.00	48.16	32.90	6.89	34.16
PK	5.262G	116.62	Inf	-Inf	5.75	3	Horizontal	292	1.00	110.87	33.00	6.90	34.15
PK	5.35G	67.68	74.00	-6.32	5.63	3	Horizontal	292	1.00	62.05	32.90	6.89	34.16


5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	93.84	Inf	-Inf	5.71	3	Vertical	85	1.00	88.13	32.97	6.90	34.16
AV	5.35G	50.25	54.00	-3.75	5.63	3	Vertical	85	1.00	44.62	32.90	6.89	34.16
PK	5.3148G	105.58	Inf	-Inf	5.71	3	Vertical	85	1.00	99.87	32.97	6.90	34.16
PK	5.3516G	67.79	74.00	-6.21	5.63	3	Vertical	85	1.00	62.16	32.90	6.89	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3136G	99.95	Inf	-Inf	5.71	3	Horizontal	290	2.95	94.24	32.97	6.90	34.16
AV	5.35G	53.64	54.00	-0.36	5.63	3	Horizontal	290	2.95	48.01	32.90	6.89	34.16
PK	5.3148G	111.72	Inf	-Inf	5.71	3	Horizontal	290	2.95	106.01	32.97	6.90	34.16
PK	5.3516G	72.16	74.00	-1.84	5.63	3	Horizontal	290	2.95	66.53	32.90	6.89	34.16

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6352G	36.95	54.00	-17.05	16.27	3	Vertical	9	1.50	20.68	39.01	11.68	34.42
AV	15.93336G	39.46	54.00	-14.54	16.11	3	Vertical	319	2.16	23.35	38.13	12.61	34.63
PK	10.62528G	49.50	74.00	-24.50	16.24	3	Vertical	9	1.50	33.26	38.98	11.68	34.42
PK	15.92984G	53.27	74.00	-20.73	16.11	3	Vertical	319	2.16	37.16	38.14	12.60	34.63

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63496G	36.89	54.00	-17.11	16.26	3	Horizontal	158	2.07	20.63	39.00	11.68	34.42
AV	15.932G	39.72	54.00	-14.28	16.12	3	Horizontal	226	1.93	23.60	38.14	12.61	34.63
PK	10.63808G	50.32	74.00	-23.68	16.29	3	Horizontal	158	2.07	34.03	39.01	11.69	34.41
PK	15.92752G	53.60	74.00	-20.40	16.12	3	Horizontal	226	1.93	37.48	38.14	12.60	34.62

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.95	54.00	-9.05	5.71	3	Vertical	81	3.00	39.24	32.90	6.99	34.18
AV	5.508G	90.88	Inf	-Inf	5.78	3	Vertical	81	3.00	85.10	32.90	7.06	34.18
PK	5.4696G	59.29	68.20	-8.91	5.72	3	Vertical	81	3.00	53.57	32.90	7.00	34.18
PK	5.5076G	100.42	Inf	-Inf	5.78	3	Vertical	81	3.00	94.64	32.90	7.06	34.18

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.22	54.00	-4.78	5.71	3	Horizontal	293	1.01	43.51	32.90	6.99	34.18
AV	5.5084G	99.40	Inf	-Inf	5.78	3	Horizontal	293	1.01	93.62	32.90	7.06	34.18
PK	5.47G	67.48	68.20	-0.72	5.72	3	Horizontal	293	1.01	61.76	32.90	7.00	34.18
PK	5.5024G	109.26	Inf	-Inf	5.77	3	Horizontal	293	1.01	103.49	32.90	7.05	34.18


5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	44.57	54.00	-9.43	5.71	3	Vertical	83	2.96	38.86	32.90	6.99	34.18
AV	5.5456G	92.27	Inf	-Inf	5.84	3	Vertical	83	2.96	86.43	32.90	7.12	34.18
PK	5.4632G	57.38	68.20	-10.82	5.71	3	Vertical	83	2.96	51.67	32.90	6.99	34.18
PK	5.5424G	102.18	Inf	-Inf	5.84	3	Vertical	83	2.96	96.34	32.90	7.12	34.18

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.4596G	45.51	54.00	-8.49	5.71	3	Horizontal	292	1.00	39.80	32.90	6.99	34.18
AV	5.5516G	101.95	Inf	-Inf	5.85	3	Horizontal	292	1.00	96.10	32.90	7.13	34.18
PK	5.4684G	58.75	68.20	-9.45	5.72	3	Horizontal	292	1.00	53.03	32.90	7.00	34.18
PK	5.554G	111.60	Inf	-Inf	5.87	3	Horizontal	292	1.00	105.73	32.91	7.14	34.18


5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	93.82	Inf	-Inf	6.88	3	Vertical	66	2.92	86.94	33.80	7.28	34.20
PK	5.6338G	58.40	68.20	-9.80	6.04	3	Vertical	66	2.92	52.36	33.00	7.23	34.19
PK	5.7478G	103.99	Inf	-Inf	6.87	3	Vertical	66	2.92	97.12	33.79	7.28	34.20
PK	5.9458G	60.96	68.20	-7.24	7.45	3	Vertical	66	2.92	53.51	34.21	7.46	34.22

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	101.28	Inf	-Inf	6.90	3	Horizontal	306	1.09	94.38	33.82	7.28	34.20
PK	5.5822G	58.82	68.20	-9.38	5.95	3	Horizontal	306	1.09	52.87	32.96	7.18	34.19
PK	5.7478G	111.36	Inf	-Inf	6.87	3	Horizontal	306	1.09	104.49	33.79	7.28	34.20
PK	5.9314G	60.18	68.20	-8.02	7.47	3	Horizontal	306	1.09	52.71	34.24	7.44	34.21


5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	93.25	Inf	-Inf	7.18	3	Vertical	86	1.20	86.07	34.08	7.30	34.20
PK	5.5958G	58.41	68.20	-9.79	6.00	3	Vertical	86	1.20	52.41	32.99	7.20	34.19
PK	5.7878G	104.08	Inf	-Inf	7.12	3	Vertical	86	1.20	96.96	34.03	7.29	34.20
PK	6.0002G	59.84	68.20	-8.36	7.40	3	Vertical	86	1.20	52.44	34.10	7.52	34.22

5.725-5.85GHz_802.11ac VHT40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	102.57	Inf	-Inf	7.16	3	Horizontal	292	1.06	95.41	34.06	7.30	34.20
PK	5.6018G	59.26	68.20	-8.94	6.02	3	Horizontal	292	1.06	53.24	33.00	7.21	34.19
PK	5.7926G	112.38	Inf	-Inf	7.16	3	Horizontal	292	1.06	105.22	34.06	7.30	34.20
PK	5.969G	60.78	68.20	-7.42	7.43	3	Horizontal	292	1.06	53.35	34.16	7.49	34.22


5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5530MHz_TX



5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	93.71	Inf	-Inf	6.96	3	Vertical	276	2.81	86.75	33.88	7.28	34.20
PK	5.631G	58.98	68.20	-9.22	6.03	3	Vertical	276	2.81	52.95	33.00	7.22	34.19
PK	5.7546G	103.98	Inf	-Inf	6.91	3	Vertical	276	2.81	97.07	33.83	7.28	34.20
PK	5.9238G	61.93	69.09	-7.16	7.48	3	Vertical	276	2.81	54.45	34.25	7.44	34.21

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.787G	100.16	Inf	-Inf	7.11	3	Horizontal	308	1.08	93.05	34.02	7.29	34.20
PK	5.6382G	61.67	68.20	-6.53	6.04	3	Horizontal	308	1.08	55.63	33.00	7.23	34.19
PK	5.7798G	110.80	Inf	-Inf	7.07	3	Horizontal	308	1.08	103.73	33.98	7.29	34.20
PK	5.9238G	63.77	69.09	-5.32	7.48	3	Horizontal	308	1.08	56.29	34.25	7.44	34.21


5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Condition
Mode 1	Pass	AV	4.87389G	46.74	54.00	-7.26	Horizontal
Mode 2	Pass	AV	1.35491G	44.84	54.00	-9.16	Vertical

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.65896G	40.87	68.20	-27.33	3	Vertical	68	1.51	-
Mode 1	Pass	AV	2.60236G	40.09	68.20	-28.11	3	Vertical	298	1.18	-
Mode 1	Pass	AV	4.87402G	45.14	54.00	-8.86	3	Vertical	132	2.37	-
Mode 1	Pass	PK	1.65933G	47.39	68.20	-20.81	3	Vertical	68	1.51	-
Mode 1	Pass	PK	2.60582G	49.31	68.20	-18.89	3	Vertical	298	1.18	-
Mode 1	Pass	PK	4.87411G	52.73	74.00	-21.27	3	Vertical	132	2.37	-
Mode 1	Pass	AV	1.2449G	39.71	68.20	-28.49	3	Horizontal	178	1.84	-
Mode 1	Pass	AV	1.9156G	44.86	68.20	-23.34	3	Horizontal	262	1.53	-
Mode 1	Pass	AV	4.87389G	46.74	54.00	-7.26	3	Horizontal	45	2.76	-
Mode 1	Pass	PK	1.24483G	44.37	68.20	-23.83	3	Horizontal	178	1.84	-
Mode 1	Pass	PK	1.92314G	46.73	68.20	-21.47	3	Horizontal	262	1.53	-
Mode 1	Pass	PK	4.87412G	56.84	74.00	-17.16	3	Horizontal	45	2.76	-
Mode 2	Pass	AV	1.35491G	44.84	54.00	-9.16	3	Vertical	197	1.29	-
Mode 2	Pass	AV	2.8196G	43.72	54.00	-10.28	3	Vertical	96	2.43	-
Mode 2	Pass	AV	3.6418G	39.95	54.00	-14.05	3	Vertical	205	1.64	-
Mode 2	Pass	PK	1.3607G	48.55	74.00	-25.45	3	Vertical	197	1.29	-
Mode 2	Pass	PK	2.82088G	57.70	74.00	-16.30	3	Vertical	96	2.43	-
Mode 2	Pass	PK	3.6587G	48.72	74.00	-25.28	3	Vertical	205	1.64	-
Mode 2	Pass	AV	1.4696G	42.02	54.00	-11.98	3	Horizontal	115	2.29	-
Mode 2	Pass	AV	2.1633G	50.08	68.20	-18.12	3	Horizontal	260	1.46	-
Mode 2	Pass	AV	3.48907G	46.19	68.20	-22.01	3	Horizontal	183	1.61	-
Mode 2	Pass	PK	1.47013G	48.90	74.00	-25.10	3	Horizontal	115	2.29	-
Mode 2	Pass	PK	2.15993G	51.08	68.20	-17.12	3	Horizontal	260	1.46	-
Mode 2	Pass	PK	3.49121G	51.57	68.20	-16.63	3	Horizontal	183	1.61	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.65896G	40.87	68.20	-27.33	-5.27	3	Vertical	68	1.51	-	46.14	25.23	3.67	34.17
AV	2.60236G	40.09	68.20	-28.11	-1.40	3	Vertical	298	1.18	-	41.49	28.20	4.63	34.23
AV	4.87402G	45.14	54.00	-8.86	5.09	3	Vertical	132	2.37	-	40.05	32.60	6.66	34.17
PK	1.65933G	47.39	68.20	-20.81	-5.27	3	Vertical	68	1.51	-	52.66	25.23	3.67	34.17
PK	2.60582G	49.31	68.20	-18.89	-1.40	3	Vertical	298	1.18	-	50.71	28.20	4.63	34.23
PK	4.87411G	52.73	74.00	-21.27	5.09	3	Vertical	132	2.37	-	47.64	32.60	6.66	34.17

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	1.2449G	39.71	68.20	-28.49	-5.47	3	Horizontal	178	1.84	-	45.18	26.01	3.15	34.63
AV	1.9156G	44.86	68.20	-23.34	-4.29	3	Horizontal	262	1.53	-	49.15	25.92	3.92	34.13
AV	4.87389G	46.74	54.00	-7.26	5.09	3	Horizontal	45	2.76	-	41.65	32.60	6.66	34.17
PK	1.24483G	44.37	68.20	-23.83	-5.47	3	Horizontal	178	1.84	-	49.84	26.01	3.15	34.63
PK	1.92314G	46.73	68.20	-21.47	-4.18	3	Horizontal	262	1.53	-	50.91	26.02	3.93	34.13
PK	4.87412G	56.84	74.00	-17.16	5.09	3	Horizontal	45	2.76	-	51.75	32.60	6.66	34.17

Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2

