

# Antenna Test Report

**Test Standard:** IEEE 149-1979

**Manufacturer:** KOGA TOUCH CO., LTD

**Product Name:** Coil Antenna

**Model:** Charger-UWA

**Report No.:** SSP22100091A

**Tested Date:** 2022-10-05

**Issued Date:** 2022-10-08

**Tested By:** William Liu (Engineer)

**Approved By:** Lahm Peng (Manager)

*William Liu*  
*Lahm Peng*

**Prepared By:**

**Shenzhen ZRLK Testing Technology Co., Ltd.**

1F, No. 35 Building, Changxing Technology Industrial Park, Yutang Street,  
Guangming New District, Shenzhen City, Guangdong Province, China


Tel.: +86-755-33019599      Fax.: +86-755-33019599      Website: [www.zrlklab.com](http://www.zrlklab.com)

Note: This test report is limited to the above client company and the product model only. It may not be duplicated without prior permitted by Shenzhen ZRLK Testing Technology Co., Ltd.

## 1. General Information

### 1.1 Product Information

Manufacturer	
Manufacturer:	KOGA TOUCH CO., LTD
Address of Manufacturer:	5F, No.21 Sansheng Building, No.10 Xibeiwang East Road, Haidian
	District, Beijing, 100094 China

General Description of Antenna	
Product Name:	Coil Antenna
Model No.:	Charger-UWA
Frequency Range:	110KHz-205KHz
Type of Antenna:	Coil Antenna
Antenna Gain:	0dBi (Max.)
Impedance:	50 ohm
Antenna View (27mm*13mm)	
	

### 1.2 Test Methodology

All measurements contained in this report were conducted with standards IEEE 149-1979 for IEEE Standard Test Procedures for Antennas.

### 1.3 Test Facilities

Testing Lab: Shenzhen ZRLK Testing Technology Co., Ltd.
All measurement facilities used to collect the measurement data are located at 1F, No. 35 Building, Changxing Technology Industrial Park, Yutang Street, Guangming New District, Shenzhen City, Guangdong Province, China

## 2. OTA Test

### 2.1 Gain

Frequency	Peak Gain (dBi)	Polarity
110KHz	0	Horizontal
110KHz	-1.19	Vertical
205KHz	-1.80	Horizontal
205KHz	-2.42	Vertical

### 2.2 Radiation Pattern View

