






(802.11a _5825MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	34.78	---	40.00	5.22	V	13.14
71.8320	28.97	---	40.00	11.03	V	10.69
173.8135	21.45	---	43.50	22.05	V	11.67
234.1684	18.58	---	46.00	27.42	V	14.49
462.3455	20.34	---	46.00	25.66	V	20.80
699.3046	26.02	---	46.00	19.98	V	24.89



(802.11a _5825MHz, Antenna Vertical , 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	38.30	---	74.00	35.70	V	-14.49
1098.000	---	28.70	54.00	25.30	V	-14.49
2001.000	---	26.76	54.00	27.24	V	-9.44
2015.000	39.29	---	68.20	28.91	V	-10.39
3478.000	43.99	---	68.20	24.21	V	-5.00
3513.000	---	32.35	54.00	21.65	V	-4.68
4416.000	42.71	---	68.20	25.49	V	-4.11
4479.000	---	30.64	54.00	23.36	V	-3.76
5830.000	45.24	---	68.20	22.96	V	-2.82
5830.000	---	34.50	54.00	19.50	V	-2.82
7216.000	---	30.92	54.00	23.08	V	-1.45
7531.000	42.63	---	74.00	31.37	V	-1.45




(802.11a _58MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8610.000	43.07	---	68.20	25.13	V	1.47
8730.000	---	31.58	54.00	22.42	V	1.69
9940.000	43.88	---	68.20	24.32	V	2.76
10510.000	---	32.06	54.00	21.94	V	3.87
12080.000	43.43	---	74.00	30.57	V	4.71
13010.000	---	32.26	54.00	21.74	V	5.87
13700.000	44.85	---	68.20	23.35	V	7.25
15220.000	---	34.48	54.00	19.52	V	10.02
15230.000	46.89	---	68.20	21.31	V	10.02
16330.000	---	35.35	54.00	18.65	V	11.33
17480.000	52.75	---	68.20	15.45	V	14.26
17480.000	---	39.97	54.00	14.03	V	14.26


802.11n (HT20) Test mode

Plots for Channel = 36




(802.11n _5180MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	16.84	---	40.00	23.16	H	13.90
42.7496	15.18	---	40.00	24.82	H	15.20
108.6470	15.01	---	43.50	28.49	H	14.70
170.7926	24.96	---	43.50	18.54	H	12.28
381.2487	18.58	---	46.00	27.42	H	19.06
782.3453	27.30	---	46.00	18.70	H	26.00




(802.11n _5180MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.000	---	27.54	54.00	26.46	H	-17.53
1119.000	37.34	---	74.00	36.66	H	-17.62
3002.000	---	28.53	54.00	25.47	H	-9.17
3009.000	40.11	---	68.20	28.09	H	-9.05
4227.000	45.02	---	74.00	28.98	H	-4.48
4234.000	---	32.95	54.00	21.05	H	-4.44
5172.000	44.10	---	68.20	24.10	H	-2.98
5179.000	---	33.50	54.00	20.50	H	-3.00
6026.000	45.07	---	68.20	23.13	H	-2.84
6607.000	---	32.38	54.00	21.62	H	-0.97
7958.000	---	32.17	54.00	21.83	H	0.72
7965.000	45.01	---	68.20	23.19	H	0.61




(802.11n_5180MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8730.000	43.70	---	68.20	24.50	H	1.69
8750.000	---	31.68	54.00	22.32	H	1.66
10480.000	44.17	---	68.20	24.03	H	3.07
10510.000	---	32.09	54.00	21.91	H	3.15
12080.000	43.94	---	74.00	30.06	H	4.29
13340.000	---	32.12	54.00	21.88	H	6.40
14440.000	45.90	---	68.20	22.30		8.48
15210.000	---	34.82	54.00	19.18	H	10.03
15870.000	47.05	---	74.00	26.95	H	11.02
16320.000	---	35.38	54.00	18.62	H	11.28
17890.000	49.86	---	74.00	24.14	H	15.24
18000.000	---	38.02	54.00	15.98	H	15.00




(802.11n _5180MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	34.55	---	40.00	5.45	V	13.33
39.1616	29.32	---	40.00	10.68	V	14.43
71.8320	26.80	---	40.00	13.20	V	10.69
158.1123	21.62	---	43.50	21.88	V	11.60
416.1791	20.53	---	46.00	25.47	V	19.69
658.8362	26.55	---	46.00	19.45	V	24.35



(802.11n_5180MHz, Antenna Vertical, 1GHz to 8GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	34.62	---	74.00	39.38	V	-17.61
1098.000	---	23.85	54.00	30.15	V	-17.61
2064.000	---	24.75	54.00	29.25	V	-11.69
2498.000	39.79	---	74.00	34.21	V	-9.63
3002.000	---	28.50	54.00	25.50	V	-6.96
4234.000	42.58	---	74.00	31.42	V	-4.44
5179.000	45.12	---	68.20	23.08	V	-3.00
5179.000	---	35.19	54.00	18.81	V	-3.00
5963.000	44.69	---	68.20	23.51	V	-2.11
6026.000	---	32.29	54.00	21.71	V	-1.53
7559.000	43.52	---	74.00	30.48	V	-0.10
7958.000	---	32.09	54.00	21.91	V	0.88



(802.11n _5180MHz, Antenna Vertical, 8GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8850.000	43.82	---	68.20	24.38	V	2.01
9470.000	---	32.00	54.00	22.00	V	2.22
10500.000	---	32.15	54.00	21.85	V	3.99
10510.000	43.95	---	68.20	24.25	V	3.87
13000.000	44.19	---	68.20	24.01	V	5.80
13010.000	---	32.10	54.00	21.90	V	5.87
14410.000	---	34.50	54.00	19.50	V	8.96
14820.000	47.24	---	68.20	20.96	V	9.07
15890.000	47.18	---	74.00	26.82	V	11.05
15940.000	---	35.60	54.00	18.40	V	11.33
17900.000	49.43	---	74.00	24.57	V	15.46
17910.000	---	37.98	54.00	16.02	V	15.28

Plots for Channel = 44




(802.11n _5220MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	15.80	---	40.00	24.20	H	13.33
48.1626	14.74	---	40.00	25.26	H	15.52
106.3850	16.23	---	43.50	27.27	H	14.34
167.8243	21.05	---	43.50	22.45	H	11.88
425.0280	20.29	---	46.00	25.71	H	19.65
982.6200	29.99	---	54.00	24.01	H	28.66




(802.11n_5220MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.000	34.59	---	74.00	39.41	H	-17.53
1112.000	---	24.05	54.00	29.95	H	-17.53
2099.000	36.37	---	68.20	31.83	H	-12.21
2491.000	---	26.18	54.00	27.82	H	-10.67
3513.000	40.59	---	68.20	27.61	H	-7.79
3996.000	---	29.64	54.00	24.36	H	-6.66
5137.000	41.70	---	74.00	32.30	H	-2.91
5151.000	---	30.58	54.00	23.42	H	-2.94
6012.000	44.09	---	68.20	24.11	H	-2.76
6019.000	---	32.14	54.00	21.86	H	-2.80
7643.000	42.97	---	74.00	31.03	H	0.21
7937.000	---	31.86	54.00	22.14	H	0.56




(802.11n _5220MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8350.000	43.53	---	74.00	30.47	H	1.28
8810.000	---	31.50	54.00	22.50	H	1.86
10450.000	44.15	---	68.20	24.05	H	2.90
11040.000	---	31.87	54.00	22.13	H	3.55
12420.000	43.09	---	74.00	30.91	H	4.52
13010.000	---	32.05	54.00	21.95	H	6.06
14410.000	---	34.21	54.00	19.79	H	8.84
14440.000	45.98	---	68.20	22.22	H	8.48
15660.000	57.56	---	74.00	16.44	H	11.12
15660.000	---	45.66	54.00	8.34	H	11.12
17920.000	49.17	---	74.00	24.83	H	14.56
18000.000	---	37.95	54.00	16.05	H	15.00




(802.11n _5220MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	34.04	---	40.00	5.96	V	13.14
36.8953	29.11	---	40.00	10.89	V	13.54
73.1025	25.73	---	40.00	14.27	V	10.28
164.9075	19.57	---	43.50	23.93	V	11.15
260.1444	18.48	---	46.00	27.52	V	16.07
446.4141	21.21	---	46.00	24.79	V	19.66



(802.11n_5220MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.000	35.48	---	74.00	38.52	V	-17.53
1112.000	---	24.85	54.00	29.15	V	-17.53
2498.000	---	26.25	54.00	27.75	V	-9.63
2995.000	39.79	---	68.20	28.41	V	-7.93
3828.000	43.22	---	74.00	30.78	V	-5.72
3828.000	---	31.50	54.00	22.50	V	-5.72
5158.000	41.92	---	68.20	26.28	V	-2.96
5158.000	---	30.70	54.00	23.30	V	-2.96
6026.000	---	32.30	54.00	21.70	V	-1.53
6551.000	44.90	---	68.20	23.30	V	-1.20
7937.000	43.77	---	68.20	24.43	V	0.70
7965.000	---	32.21	54.00	21.79	V	0.77




(802.11n_5220MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8350.000	---	33.42	54.00	20.58	V	1.28
8580.000	45.05	---	68.20	23.15	V	1.56
9940.000	45.51	---	68.20	22.69	V	2.76
10140.000	---	33.44	54.00	20.56	V	2.67
12050.000	---	33.69	54.00	20.31	V	5.10
13000.000	45.98	---	68.20	22.22	V	5.80
14410.000	---	35.93	54.00	18.07	V	8.96
14430.000	47.60	---	68.20	20.60	V	8.94
15660.000	59.37	---	74.00	14.63	V	11.12
15660.000	---	46.19	54.00	7.81	V	11.12
17780.000	50.92	---	74.00	23.08	V	14.58
17880.000	---	39.53	54.00	14.47	V	15.81




Plot for Channel = 48




(802.11n _5240MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	15.73	---	40.00	24.27	H	13.33
61.5618	14.17	---	40.00	25.83	H	13.89
98.4866	13.85	---	43.50	29.65	H	13.94
167.8243	18.93	---	43.50	24.57	H	11.88
459.1144	20.62	---	46.00	25.38	H	21.02
884.5029	28.10	---	46.00	17.90	H	27.75




(802.11n_5240MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	37.61	---	74.00	36.39	H	-17.61
1105.000	---	28.16	54.00	25.84	H	-17.56
2113.000	37.24	---	68.20	30.96	H	-12.29
3002.000	---	28.48	54.00	25.52	H	-9.17
3520.000	41.82	---	68.20	26.38	H	-7.61
4241.000	---	32.14	54.00	21.86	H	-4.40
5270.000	42.63	---	68.20	25.57	H	-2.95
5277.000	---	30.81	54.00	23.19	H	-2.94
6572.000	---	32.26	54.00	21.74	H	-1.31
6607.000	44.60	---	68.20	23.60	H	-0.97
7692.000	44.12	---	74.00	29.88	H	0.03
7958.000	---	32.37	54.00	21.63	H	0.72




(802.11n_5240MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8380.000	44.60	---	74.00	29.40	H	1.13
8380.000	---	31.56	54.00	22.44	H	1.13
10500.000	---	32.12	54.00	21.88	H	3.19
10620.000	43.48	---	74.00	30.52	H	2.70
12080.000	---	32.00	54.00	22.00	H	4.29
12800.000	44.62	---	68.20	23.58	H	5.15
13650.000	---	32.92	54.00	21.08	H	7.21
14490.000	45.40	---	74.00	28.60	H	7.98
15720.000	56.66	---	74.00	17.34	H	10.70
15720.000	---	44.60	54.00	9.40	H	10.70
17900.000	---	37.43	54.00	16.57	H	15.01
17910.000	49.21	---	74.00	24.79	H	14.79




(802.11n _5240MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	35.19	---	40.00	4.81	V	13.52
53.1313	26.68	---	40.00	13.32	V	15.36
71.8320	27.09	---	40.00	12.91	V	10.69
163.1818	20.38	---	43.50	23.12	V	11.47
362.9845	19.28	---	46.00	26.72	V	18.27
755.3873	27.43	---	46.00	18.57	V	26.07



(802.11a_5240MHz, Antenna Vertical, 1GHz to 8GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1007.000	---	25.46	54.00	28.54	V	-17.70
1021.000	34.88	---	74.00	39.12	V	-17.70
2603.000	38.73	---	68.20	29.47	V	-10.48
3002.000	---	28.54	54.00	25.46	V	-6.96
3499.000	42.03	---	68.20	26.17	V	-5.20
3863.000	---	30.43	54.00	23.57	V	-5.40
5144.000	42.69	---	74.00	31.31	V	-2.93
5158.000	---	30.60	54.00	23.40	V	-2.96
6012.000	44.54	---	68.20	23.66	V	-1.35
6607.000	---	32.15	54.00	21.85	V	-0.97
7524.000	43.84	---	74.00	30.16	V	-0.15
7965.000	---	32.15	54.00	21.85	V	0.77



(802.11n _5240MHz, Antenna Vertical, 8GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8740.000	---	32.92	54.00	21.08	V	1.67
8840.000	45.06	---	68.20	23.14	V	2.04
10480.000	44.94	---	68.20	23.26	V	3.71
10510.000	---	33.13	54.00	20.87	V	3.87
12000.000	44.93	---	74.00	29.07	V	4.78
12050.000	---	33.01	54.00	20.99	V	5.10
14160.000	46.84	---	68.20	21.36	V	8.28
14410.000	---	35.32	54.00	18.68	V	8.96
15720.000	60.40	---	74.00	13.60	V	10.70
15720.000	---	48.28	54.00	5.72	V	10.70
17700.000	51.23	---	68.20	16.97	V	14.37
17720.000	---	38.33	54.00	15.67	V	14.57

Plots for Channel = 52




(802.11n _5260MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	15.95	---	40.00	24.05	H	13.33
52.3913	14.81	---	40.00	25.19	H	15.40
116.9495	13.79	---	43.50	29.71	H	13.12
173.8135	18.84	---	43.50	24.66	H	11.67
460.7271	20.77	---	46.00	25.23	H	21.08
935.5463	29.52	---	46.00	16.48	H	28.23




(802.11n_5260MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	38.09	---	74.00	35.91	H	-17.61
1098.000	---	28.29	54.00	25.71	H	-17.61
2512.000	38.59	---	68.20	29.61	H	-10.47
3002.000	---	28.50	54.00	25.50	H	-9.17
4234.000	43.12	---	74.00	30.88	H	-4.44
4234.000	---	31.79	54.00	22.21	H	-4.44
5270.000	43.54	---	68.20	24.66	H	-2.95
5270.000	---	30.84	54.00	23.16	H	-2.95
6579.000	44.44	---	68.20	23.76	H	-1.14
6600.000	---	32.24	54.00	21.76	H	-0.90
7608.000	44.59	---	74.00	29.41	H	-0.10
7965.000	---	32.09	54.00	21.91	H	0.61




(802.11n _5260MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8410.000	43.73	---	74.00	30.27	H	1.21
8740.000	---	31.79	54.00	22.21	H	1.67
9460.000	43.96	---	74.00	30.04	H	1.96
10520.000	---	32.77	54.00	21.23	H	3.06
11330.000	43.83	---	74.00	30.17	H	3.14
11710.000	---	31.71	54.00	22.29	H	4.00
13640.000	---	32.68	54.00	21.32	H	7.10
14370.000	44.97	---	68.20	23.23	H	9.12
15780.000	---	44.39	54.00	9.61	H	10.30
15800.000	55.81	---	74.00	18.19	H	10.30
17030.000	---	35.87	54.00	18.13	H	11.09
17310.000	49.01	---	68.20	19.19	H	12.97




(802.11n _5260MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	34.05	---	40.00	5.95	V	13.14
36.6375	27.67	---	40.00	12.33	V	13.40
71.3300	27.83	---	40.00	12.17	V	11.08
161.4742	15.87	---	43.50	27.63	V	11.95
341.9787	18.15	---	46.00	27.85	V	18.24
774.1584	27.01	---	46.00	18.99	V	26.09



(802.11n_5260MHz, Antenna Vertical, 1GHz to 8GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	34.15	---	74.00	39.85	V	-17.61
1098.000	---	23.28	54.00	30.72	V	-17.61
2372.000	38.30	---	74.00	35.70	V	-10.93
2498.000	---	26.45	54.00	27.55	V	-9.63
3485.000	42.03	---	68.20	26.17	V	-5.63
3506.000	---	29.67	54.00	24.33	V	-5.42
5263.000	43.38	---	68.20	24.82	V	-2.97
5270.000	---	31.00	54.00	23.00	V	-2.95
6432.000	44.54	---	68.20	23.66	V	-1.60
6586.000	---	32.13	54.00	21.87	V	-0.82
7804.000	43.80	---	68.20	24.40	V	-0.08
7958.000	---	32.10	54.00	21.90	V	0.88



(802.11n_5260MHz, Antenna Vertical, 8GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8410.000	44.41	---	74.00	29.59	V	1.23
8800.000	---	31.58	54.00	22.42	V	1.78
10490.000	44.11	---	68.20	24.09	V	3.85
10510.000	---	32.30	54.00	21.70	V	3.87
11890.000	43.58	---	74.00	30.42	V	4.28
13020.000	---	31.85	54.00	22.15	V	5.94
14410.000	---	34.40	54.00	19.60	V	8.96
14420.000	46.33	---	68.20	21.87	V	8.95
15780.000	---	47.90	54.00	6.10	V	10.30
15790.000	60.73	---	74.00	13.27	V	10.24
17700.000	49.16	---	68.20	19.04	V	14.37
17890.000	---	37.66	54.00	16.34	V	15.64

Plots for Channel = 60




(802.11n _5300MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	17.71	---	40.00	22.29	H	13.71
57.7962	15.21	---	40.00	24.79	H	14.33
109.7960	14.27	---	43.50	29.23	H	14.96
170.7926	25.19	---	43.50	18.31	H	12.28
404.6665	19.54	---	46.00	26.46	H	19.27
872.1832	27.24	---	46.00	18.76	H	27.39




(802.11n_5300MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	37.23	---	74.00	36.77	H	-17.61
1098.000	---	28.03	54.00	25.97	H	-17.61
2001.000	37.30	---	68.20	30.90	H	-13.96
3002.000	---	28.54	54.00	25.46	H	-9.17
3114.000	40.90	---	68.20	27.30	H	-7.84
3975.000	---	31.42	54.00	22.58	H	-6.40
5270.000	---	30.68	54.00	23.32	H	-2.95
5277.000	42.57	---	68.20	25.63	H	-2.94
6579.000	---	32.27	54.00	21.73	H	-1.14
6635.000	44.34	---	68.20	23.86	H	-1.27
7944.000	44.52	---	68.20	23.68	H	0.65
7958.000	---	32.24	54.00	21.76	H	0.72




(802.11n _5300MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8780.000	44.00	---	68.20	24.20	H	1.62
9470.000	---	31.85	54.00	22.15	H	1.94
10520.000	43.44	---	68.20	24.76	H	3.06
11380.000	---	31.59	54.00	22.41	H	3.59
12480.000	43.18	---	74.00	30.82	H	5.10
13280.000	---	32.15	54.00	21.85	H	5.87
14410.000	---	34.11	54.00	19.89	H	8.84
14440.000	45.74	---	68.20	22.46	H	8.48
15900.000	---	44.72	54.00	9.28	H	11.14
15910.000	55.42	---	74.00	18.58	H	11.18
17910.000	48.94	---	74.00	25.06	H	14.79
17910.000	---	37.74	54.00	16.26	H	14.79




(802.11n _5300MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	34.00	---	40.00	6.00	V	13.14
39.5757	28.19	---	40.00	11.81	V	15.06
71.8320	26.73	---	40.00	13.27	V	10.69
159.7844	16.39	---	43.50	27.11	V	12.13
352.9434	17.67	---	46.00	28.33	V	17.98
833.3171	27.66	---	46.00	18.34	V	26.57



(802.11a _5300MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1000.0000	34.35	---	74.00	39.65	V	-17.50
1007.000	---	24.46	54.00	29.54	V	-17.70
2407.000	38.06	---	68.20	30.14	V	-11.38
2498.000	---	26.16	54.00	27.84	V	-9.63
3478.000	42.21	---	68.20	25.99	V	-5.85
3520.000	---	30.07	54.00	23.93	V	-5.87
5305.000	42.87	---	68.20	25.33	V	-2.87
5305.000	---	32.01	54.00	21.99	V	-2.87
6628.000	44.30	---	68.20	23.90	V	-1.20
6789.000	---	32.04	54.00	21.96	V	-1.46
7643.000	44.14	---	74.00	29.86	V	0.21
7951.000	---	32.09	54.00	21.91	V	0.88




(802.11n _5300MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8600.000	44.03	---	68.20	24.17	V	1.49
8730.000	---	31.82	54.00	22.18	V	1.69
10510.000	---	32.26	54.00	21.74	V	3.87
11090.000	44.20	---	74.00	29.80	V	3.67
13260.000	43.94	---	74.00	30.06	V	5.91
13280.000	---	32.04	54.00	21.96	V	5.87
14400.000	46.22	---	68.20	21.98	V	8.98
14420.000	---	34.33	54.00	19.67	V	8.95
15900.000	57.88	---	74.00	16.12	V	11.09
15900.000	---	45.79	54.00	8.21	V	11.09
17900.000	---	37.64	54.00	16.36	V	15.46
17910.000	48.83	---	74.00	25.17	V	15.28




Plot for Channel = 64




(802.11n _5320MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	QuasiPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.6379	14.24	---	40.00	25.76	H	12.76
47.8260	15.42	---	40.00	24.58	H	15.50
102.3597	13.31	---	43.50	30.19	H	14.59
167.2368	20.01	---	43.50	23.49	H	11.68
321.0608	16.89	---	46.00	29.11	H	17.88
586.8437	24.04	---	46.00	21.96	H	23.14




(802.11n_5230MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	36.63	---	74.00	37.37	H	-17.61
1098.000	---	27.00	54.00	27.00	H	-17.61
2498.000	37.97	---	74.00	36.03	H	-11.31
3002.000	---	28.47	54.00	25.53	H	-9.17
3968.000	45.06	---	74.00	28.94	H	-6.29
3968.000	---	32.33	54.00	21.67	H	-6.29
5319.000	45.77	---	68.20	22.43	H	-2.83
5326.000	---	35.18	54.00	18.82	H	-2.82
6754.000	44.50	---	68.20	23.70	H	-1.42
6803.000	---	32.16	54.00	21.84	H	-1.49
7958.000	---	32.09	54.00	21.91	H	0.72
7972.000	44.00	---	68.20	24.20	H	0.49




(802.11n _5320MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8730.000	---	31.90	54.00	22.10	H	1.69
9110.000	44.88	---	74.00	29.12	H	1.76
10590.000	44.90	---	68.20	23.30	H	2.64
10640.000	---	33.42	54.00	20.58	H	2.64
13260.000	44.52	---	74.00	29.48	H	5.91
13350.000	---	32.14	54.00	21.86	H	6.53
14840.000	---	34.15	54.00	19.85	H	9.10
14850.000	46.25	---	68.20	21.95	H	9.16
15960.000	56.42	---	74.00	17.58	H	11.55
15960.000	---	44.73	54.00	9.27	H	11.55
17650.000	49.43	---	68.20	18.77	H	13.83
17910.000	---	37.39	54.00	16.61	H	14.79




(802.11a _5320MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	33.69	---	40.00	6.31	V	13.14
36.8953	28.45	---	40.00	11.55	V	13.54
71.3300	26.74	---	40.00	13.26	V	11.08
159.7844	16.70	---	43.50	26.80	V	12.13
280.0238	16.25	---	46.00	29.75	V	16.73
508.2582	22.36	---	46.00	23.64	V	22.00



(802.11n_5320MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	---	24.95	54.00	29.05	V	-17.61
1133.000	34.27	---	74.00	39.73	V	-17.67
2253.000	36.87	---	74.00	37.13	V	-12.27
3002.000	---	28.61	54.00	25.39	V	-6.96
3492.000	41.27	---	68.20	26.93	V	-5.42
4017.000	---	29.98	54.00	24.02	V	-4.11
5326.000	47.92	---	68.20	20.28	V	-2.82
5326.000	---	38.31	54.00	15.69	V	-2.82
6824.000	44.29	---	68.20	23.91	V	-1.51
6943.000	---	31.79	54.00	22.21	V	-1.24
7958.000	43.48	---	68.20	24.72	V	0.88
7958.000	---	32.03	54.00	21.97	V	0.88




(802.11n _5320MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8510.000	---	31.87	54.00	22.13	V	1.36
8710.000	43.97	---	68.20	24.23	V	1.66
10480.000	43.75	---	68.20	24.45	V	3.71
10510.000	---	32.04	54.00	21.96	V	3.87
12160.000	43.79	---	74.00	30.21	V	4.52
13010.000	---	32.38	54.00	21.62	V	5.87
14400.000	46.45	---	68.20	21.75	V	8.98
14410.000	---	34.19	54.00	19.81	V	8.96
15960.000	58.89	---	74.00	15.11	V	11.47
15960.000	---	46.55	54.00	7.45	V	11.47
17890.000	---	37.63	54.00	16.37	V	15.64
17920.000	50.30	---	74.00	23.70	V	15.10




Plots for Channel = 149




(802.11n _5745MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	16.66	---	40.00	23.34	H	13.14
51.4807	14.28	---	40.00	25.72	H	15.73
103.0800	14.03	---	43.50	29.47	H	14.43
170.7926	22.00	---	43.50	21.50	H	12.28
239.1473	15.94	---	46.00	30.06	H	15.12
582.7425	24.39	---	46.00	21.61	H	23.06




(802.11n _5745MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1119.000	---	30.25	54.00	23.75	H	-14.82
1126.000	40.26	---	74.00	33.74	H	-14.87
2001.000	39.62	---	68.20	28.58	H	-11.69
2064.000	---	26.77	54.00	27.23	H	-9.97
3499.000	---	30.71	54.00	23.29	H	-7.07
3513.000	42.79	---	68.20	25.41	H	-6.82
4304.000	---	32.06	54.00	21.94	H	-3.54
4696.000	43.31	---	74.00	30.69	H	-4.07
5830.000	42.68	---	68.20	25.52	H	-2.82
5837.000	---	30.80	54.00	23.20	H	-2.80
6978.000	43.53	---	68.20	24.67	H	-1.60
6992.000	---	31.56	54.00	22.44	H	-1.60




(802.11n_5745MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8240.000	43.97	---	74.00	30.03	H	1.30
8740.000	---	31.90	54.00	22.10	H	1.67
10510.000	---	32.19	54.00	21.81	H	3.15
10530.000	43.81	---	68.20	24.39	H	2.98
13000.000	---	32.24	54.00	21.76	H	6.00
13040.000	44.36	---	68.20	23.84	H	6.25
14370.000	46.27	---	68.20	21.93	H	9.12
14410.000	---	34.33	54.00	19.67	H	8.84
15910.000	47.51	---	74.00	26.49	H	11.18
15930.000	---	35.41	54.00	18.59	H	11.32
17240.000	50.84	---	68.20	17.36	H	12.69
17240.000	---	38.05	54.00	15.95	H	12.69




(802.11n _5745MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	33.47	---	40.00	6.53	V	13.52
37.5479	30.09	---	40.00	9.91	V	13.82
72.0843	27.04	---	40.00	12.96	V	10.55
98.8326	20.51	---	43.50	22.99	V	14.23
163.1818	21.60	---	43.50	21.90	V	11.47
570.6100	23.26	---	46.00	22.74	V	22.86



(802.11n_5745MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1007.000	41.01	---	74.00	32.99	V	-14.50
1007.000	---	31.87	54.00	22.13	V	-14.50
1994.000	38.38	---	68.20	29.82	V	-9.92
2064.000	---	26.56	54.00	27.44	V	-9.97
3002.000	---	29.55	54.00	24.45	V	-5.36
3009.000	42.04	---	68.20	26.16	V	-5.57
4304.000	---	30.60	54.00	23.40	V	-3.54
4311.000	42.31	---	74.00	31.69	V	-3.44
5837.000	---	30.48	54.00	23.52	V	-2.80
5844.000	42.39	---	68.20	25.81	V	-2.78
6943.000	42.93	---	68.20	25.27	V	-1.56
6964.000	---	31.35	54.00	22.65	V	-1.52




(802.11n _5745MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
9260.000	43.47	---	68.20	24.73	V	2.19
9470.000	---	32.05	54.00	21.95	V	2.22
11380.000	45.14	---	74.00	28.86	V	3.59
11510.000	---	31.56	54.00	22.44	V	3.93
13070.000	43.99	---	68.20	24.21	V	6.13
13280.000	---	32.28	54.00	21.72	V	5.87
14410.000	46.56	---	68.20	21.64	V	8.96
14410.000	---	34.26	54.00	19.74	V	8.96
15920.000	47.98	---	74.00	26.02	V	11.20
15940.000	---	35.34	54.00	18.66	V	11.33
17240.000	---	39.27	54.00	14.73	V	12.69
17250.000	50.24	---	68.20	17.96	V	12.75




Plot for Channel = 157




(802.11n _5785MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	15.64	---	40.00	24.36	H	13.33
47.8260	14.20	---	40.00	25.80	H	15.50
106.0126	14.91	---	43.50	28.59	H	14.28
170.7926	25.61	---	43.50	17.89	H	12.28
345.5952	18.09	---	46.00	27.91	H	18.09
726.8052	27.14	---	46.00	18.86	H	25.19




(802.11n _5785MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.000	41.22	---	74.00	32.78	H	-14.56
1105.000	---	31.96	54.00	22.04	H	-14.56
2008.000	---	26.98	54.00	27.02	H	-10.67
2071.000	38.46	---	68.20	29.74	H	-9.78
3002.000	---	29.77	54.00	24.23	H	-7.57
3016.000	41.20	---	68.20	27.00	H	-7.34
4010.000	42.38	---	74.00	31.62	H	-5.67
4010.000	---	30.52	54.00	23.48	H	-5.67
5844.000	---	30.69	54.00	23.31	H	-2.78
5858.000	42.08	---	68.20	26.12	H	-2.73
6999.000	43.25	---	68.20	24.95	H	-1.60
6999.000	---	31.46	54.00	22.54	H	-1.60




(802.11n _5785MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8500.000	44.14	---	68.20	24.06	H	1.07
8650.000	---	31.76	54.00	22.24	H	1.55
9450.000	44.21	---	74.00	29.79	H	1.96
10500.000	---	32.34	54.00	21.66	H	3.19
10990.000	43.86	---	74.00	30.14	H	3.56
12120.000	---	31.72	54.00	22.28	H	4.05
13080.000	45.61	---	68.20	22.59	H	6.14
14410.000	---	34.48	54.00	19.52	H	8.84
15260.000	46.95	---	68.20	21.25	H	10.00
15900.000	---	35.54	54.00	18.46	H	11.14
17320.000	48.31	---	68.20	19.89	H	13.00
17700.000	---	37.49	54.00	16.51	H	14.37




(802.11n _5785MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	34.00	---	40.00	6.00	V	13.90
38.8879	29.21	---	40.00	10.79	V	14.17
71.8320	27.09	---	40.00	12.91	V	10.69
160.3457	22.19	---	43.50	21.31	V	12.14
336.0352	18.47	---	46.00	27.53	V	17.61
724.2611	26.64	---	46.00	19.36	V	25.11



(802.11n_5785MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1007.000	38.58	---	74.00	35.42	V	-14.50
1070.000	---	27.89	54.00	26.11	V	-14.44
2008.000	38.76	---	68.20	29.44	V	-10.17
2008.000	---	26.61	54.00	27.39	V	-10.17
3002.000	41.85	---	68.20	26.35	V	-5.36
3002.000	---	29.77	54.00	24.23	V	-5.36
4227.000	42.57	---	74.00	31.43	V	-4.08
4248.000	---	31.31	54.00	22.69	V	-4.08
5830.000	---	30.56	54.00	23.44	V	-2.82
5851.000	42.23	---	68.20	25.97	V	-2.77
6929.000	44.15	---	68.20	24.05	V	-1.66
6992.000	---	31.54	54.00	22.46	V	-1.51




(802.11n _5785MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8500.000	43.90	---	68.20	24.30	V	1.27
8730.000	---	31.98	54.00	22.02	V	1.69
10890.000	44.16	---	74.00	29.84	V	3.03
11000.000	---	31.81	54.00	22.19	V	3.43
12910.000	44.62	---	68.20	23.58	V	5.33
13030.000	---	32.08	54.00	21.92	V	6.02
13720.000	45.22	---	68.20	22.98	V	7.23
14410.000	---	34.24	54.00	19.76	V	8.96
15920.000	47.38	---	74.00	26.62	V	11.20
15930.000	---	35.44	54.00	18.56	V	11.26
17290.000	48.00	---	68.20	20.20	V	12.93
17310.000	---	35.90	54.00	18.10	V	12.97




Plot for Channel = 165




(802.11n _5825MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	16.50	---	40.00	23.50	H	13.90
39.4372	15.32	---	40.00	24.68	H	14.85
109.0286	14.38	---	43.50	29.12	H	14.79
169.5990	22.46	---	43.50	21.04	H	12.39
319.9370	17.16	---	46.00	28.84	H	17.99
827.4934	27.39	---	46.00	18.61	H	26.45




(802.11n_5825MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	---	34.37	54.00	19.63	H	-14.49
1105.000	43.43	---	74.00	30.57	H	-14.56
1966.000	38.73	---	68.20	29.47	H	-10.88
2092.000	---	26.63	54.00	27.37	H	-10.16
3002.000	---	29.78	54.00	24.22	H	-7.57
3009.000	42.70	---	68.20	25.50	H	-7.45
4241.000	43.16	---	74.00	30.84	H	-4.06
4241.000	---	31.73	54.00	22.27	H	-4.06
5837.000	---	30.80	54.00	23.20	H	-2.80
5851.000	42.32	---	68.20	25.88	H	-2.77
6929.000	43.83	---	68.20	24.37	H	-1.72
6999.000	---	31.49	54.00	22.51	H	-1.60




(802.11n _5825MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8720.000	---	31.68	54.00	22.32	H	1.68
8750.000	43.64	---	68.20	24.56	H	1.66
10520.000	---	32.13	54.00	21.87	H	3.06
11000.000	44.50	---	74.00	29.50	H	3.63
13080.000	43.82	---	68.20	24.38	H	6.14
13340.000	---	32.04	54.00	21.96	H	6.40
14370.000	46.80	---	68.20	21.40	H	9.12
15210.000	---	34.66	54.00	19.34	H	10.03
15900.000	46.85	---	74.00	27.15	H	11.14
15910.000	---	35.35	54.00	18.65	H	11.18
17480.000	48.38	---	68.20	19.82	H	13.46
17720.000	---	37.48	54.00	16.52	H	14.57




(802.11n_5825MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	34.19	---	40.00	5.81	V	13.33
36.8953	29.02	---	40.00	10.98	V	13.54
71.3300	26.89	---	40.00	13.11	V	11.08
166.0680	23.02	---	43.50	20.48	V	11.35
301.4224	17.24	---	46.00	28.76	V	17.31
564.6389	23.84	---	46.00	22.16	V	22.89



(802.11n_5825MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1987.000	38.73	---	68.20	29.47	V	-10.44
2008.000	---	26.68	54.00	27.32	V	-10.17
3499.000	---	30.70	54.00	23.30	V	-4.23
3506.000	42.07	---	68.20	26.13	V	-4.43
4913.000	41.92	---	74.00	32.08	V	-3.58
4969.000	---	30.51	54.00	23.49	V	-3.10
5844.000	---	30.41	54.00	23.59	V	-2.78
5851.000	42.33	---	68.20	25.87	V	-2.77
6929.000	42.67	---	68.20	25.53	V	-1.66
6992.000	---	31.39	54.00	22.61	V	-1.51
7930.000	42.07	---	68.20	26.13	V	-1.14
7958.000	---	30.19	54.00	23.81	V	-1.10




(802.11n _5825MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8740.000	---	31.75	54.00	22.25	V	1.67
8950.000	44.39	---	68.20	23.81	V	1.42
10460.000	44.23	---	68.20	23.97	V	3.44
10500.000	---	32.10	54.00	21.90	V	3.99
12080.000	---	31.93	54.00	22.07	V	4.71
12160.000	43.84	---	74.00	30.16	V	4.52
13780.000	45.54	---	68.20	22.66	V	7.11
14410.000	---	34.10	54.00	19.90	V	8.96
15920.000	---	35.22	54.00	18.78	V	11.20
15930.000	47.46	---	74.00	26.54	V	11.26
17480.000	50.74	---	68.20	17.46	V	14.26
17480.000	---	39.20	54.00	14.80	V	14.26


**802.11n (HT40) Test mode**

Plots for Channel = 38




(802.11n _5190MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	17.57	---	40.00	22.43	H	13.33
47.6586	15.38	---	40.00	24.62	H	15.50
105.2718	14.99	---	43.50	28.51	H	14.16
167.8243	24.43	---	43.50	19.07	H	11.88
270.3748	17.36	---	46.00	28.64	H	15.31
590.9737	25.68	---	46.00	20.32	H	23.30




(802.11n _5190MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	38.36	---	74.00	35.64	H	-17.61
1098.000	---	29.42	54.00	24.58	H	-17.61
1994.000	37.26	---	68.20	30.94	H	-13.16
2001.000	---	24.77	54.00	29.23	H	-13.96
3002.000	---	28.35	54.00	25.65	H	-9.17
3016.000	40.26	---	68.20	27.94	H	-8.94
4241.000	---	31.58	54.00	22.42	H	-4.40
4430.000	43.40	---	68.20	24.80	H	-4.23
5270.000	42.54	---	68.20	25.66	H	-2.95
5277.000	---	30.92	54.00	23.08	H	-2.94
6999.000	43.91	---	68.20	24.29	H	-1.30
6999.000	---	31.86	54.00	22.14	H	-1.30




(802.11n_5190MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8300.000	---	31.59	54.00	22.41	H	1.55
8550.000	44.33	---	68.20	23.87	H	1.56
10460.000	43.46	---	68.20	24.74	H	2.96
10500.000	---	32.15	54.00	21.85	H	3.19
12040.000	---	31.96	54.00	22.04	H	4.48
12140.000	43.69	---	74.00	30.31	H	4.22
14410.000	45.93	---	68.20	22.27	H	8.84
14410.000	---	34.18	54.00	19.82	H	8.84
15580.000	52.93	---	74.00	21.07	H	10.62
15580.000	---	43.63	54.00	10.37	H	10.62
17890.000	48.95	---	74.00	25.05	H	15.24
17890.000	---	37.71	54.00	16.29	H	15.24




(802.11n_5190MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	34.77	---	40.00	5.23	V	13.52
40.4172	28.66	---	40.00	11.34	V	15.30
72.3376	27.36	---	40.00	12.64	V	10.48
159.2251	19.53	---	43.50	23.97	V	11.95
239.1473	16.69	---	46.00	29.31	V	15.12
552.8833	24.20	---	46.00	21.80	V	22.63



(802.11n_5190MHz, Antenna Vertical, 1GHz to 8GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1084.000	36.08	---	74.00	37.92	V	-17.85
1084.000	---	25.51	54.00	28.49	V	-17.85
1763.000	38.18	---	68.20	30.02	V	-14.13
2498.000	---	26.36	54.00	27.64	V	-9.63
3506.000	43.89	---	68.20	24.31	V	-5.42
3506.000	---	31.69	54.00	22.31	V	-5.42
5270.000	43.34	---	68.20	24.86	V	-2.95
5277.000	---	30.79	54.00	23.21	V	-2.94
6019.000	45.23	---	68.20	22.97	V	-1.44
6586.000	---	32.30	54.00	21.70	V	-0.82
7440.000	44.41	---	74.00	29.59	V	-0.78
7965.000	---	32.25	54.00	21.75	V	0.77



(802.11n _5190MHz, Antenna Vertical, 8GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8300.000	44.25	---	74.00	29.75	V	1.55
8300.000	---	32.13	54.00	21.87	V	1.55
10270.000	44.21	---	68.20	23.99	V	2.25
10510.000	---	32.21	54.00	21.79	V	3.87
12050.000	44.23	---	74.00	29.77	V	5.10
12060.000	---	31.81	54.00	22.19	V	4.99
14380.000	45.51	---	68.20	22.69	V	9.08
14410.000	---	34.24	54.00	19.76	V	8.96
15580.000	54.88	---	74.00	19.12	V	10.44
15580.000	---	44.27	54.00	9.73	V	10.44
17890.000	---	37.49	54.00	16.51	V	15.64
17910.000	49.28	---	74.00	24.72	V	15.28

Plots for Channel = 46




(802.11n _5230MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	18.97	---	40.00	21.03	H	13.71
50.9420	14.63	---	40.00	25.37	H	15.89
110.1816	14.56	---	43.50	28.94	H	14.88
173.8135	21.38	---	43.50	22.12	H	11.67
460.7271	21.23	---	46.00	24.77	H	21.08
989.5355	30.13	---	54.00	23.87	H	28.59




(802.11n _5230MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	---	28.72	54.00	25.28	H	-17.61
1105.000	37.52	---	74.00	36.48	H	-17.56
3002.000	---	28.47	54.00	25.53	H	-9.17
3009.000	39.91	---	68.20	28.29	H	-9.05
3506.000	42.03	---	68.20	26.17	H	-7.97
4290.000	---	30.66	54.00	23.34	H	-3.95
5277.000	---	30.70	54.00	23.30	H	-2.94
5284.000	43.01	---	68.20	25.19	H	-2.92
6026.000	44.90	---	68.20	23.30	H	-2.84
6971.000	---	31.79	54.00	22.21	H	-1.30
7587.000	43.73	---	74.00	30.27	H	-0.14
7958.000	---	32.08	54.00	21.92	H	0.72




(802.11n _5230MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8110.000	43.48	---	74.00	30.52	H	1.29
8730.000	---	31.74	54.00	22.26	H	1.69
10460.000	---	32.29	54.00	21.71	H	2.96
10510.000	44.31	---	68.20	23.89	H	3.15
12050.000	43.78	---	74.00	30.22	H	4.58
12070.000	---	31.90	54.00	22.10	H	4.39
14410.000	---	34.27	54.00	19.73	H	8.84
14440.000	46.84	---	68.20	21.36	H	8.48
15690.000	53.60	---	74.00	20.40	H	11.11
15690.000	---	43.38	54.00	10.62	H	11.11
17730.000	49.22	---	74.00	24.78	H	14.66
17910.000	---	37.40	54.00	16.60	H	14.79




(802.11n_5230MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	18.97	---	40.00	21.03	V	13.71
50.9420	14.63	---	40.00	25.37	V	15.89
110.1816	14.56	---	43.50	28.94	V	14.88
173.8135	21.38	---	43.50	22.12	V	11.67
460.7271	21.23	---	46.00	24.77	V	21.08
989.5355	30.13	---	54.00	23.87	V	28.59



(802.11n_5230MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1056.000	---	24.76	54.00	29.24	V	-18.00
1098.000	35.05	---	74.00	38.95	V	-17.61
2491.000	---	26.07	54.00	27.93	V	-10.47
2666.000	38.73	---	68.20	29.47	V	-9.60
3499.000	---	30.45	54.00	23.55	V	-5.20
3513.000	41.50	---	68.20	26.70	V	-5.65
5270.000	---	30.69	54.00	23.31	V	-2.95
5284.000	42.19	---	68.20	26.01	V	-2.92
6558.000	44.30	---	68.20	23.90	V	-1.12
6621.000	---	32.01	54.00	21.99	V	-1.12
7489.000	43.77	---	74.00	30.23	V	-0.40
7972.000	---	32.03	54.00	21.97	V	0.66




(802.11n _5230MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
9440.000	---	31.99	54.00	22.01	V	2.13
9460.000	44.36	---	74.00	29.64	V	2.20
11300.000	43.76	---	74.00	30.24	V	3.51
11520.000	---	31.93	54.00	22.07	V	3.93
13070.000	44.45	---	68.20	23.75	V	6.13
13340.000	---	32.35	54.00	21.65	V	6.40
14410.000	---	34.34	54.00	19.66	V	8.96
14430.000	47.32	---	68.20	20.88	V	8.94
15690.000	56.02	---	74.00	17.98	V	11.11
15690.000	---	45.48	54.00	8.52	V	11.11
17730.000	49.80	---	74.00	24.20	V	14.66
17890.000	---	37.42	54.00	16.58	V	15.64




Plot for Channel = 54




(802.11n _5270MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	20.25	---	40.00	19.75	H	13.90
48.3318	14.73	---	40.00	25.27	H	15.53
102.3597	14.33	---	43.50	29.17	H	14.59
170.7926	22.20	---	43.50	21.30	H	12.28
426.5210	20.40	---	46.00	25.60	H	19.49
599.3213	25.68	---	46.00	20.32	H	23.49




(802.11n_5270MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	---	29.35	54.00	24.65	H	-17.61
1112.000	38.24	---	74.00	35.76	H	-17.53
2505.000	38.91	---	68.20	29.29	H	-10.99
3002.000	---	28.52	54.00	25.48	H	-9.17
3786.000	43.38	---	74.00	30.62	H	-5.85
3786.000	---	30.63	54.00	23.37	H	-5.85
5270.000	---	30.75	54.00	23.25	H	-2.95
5277.000	42.72	---	68.20	25.48	H	-2.94
6019.000	---	32.24	54.00	21.76	H	-2.80
6033.000	44.42	---	68.20	23.78	H	-2.87
7223.000	44.44	---	68.20	23.76	H	-0.58
7965.000	---	32.20	54.00	21.80	H	0.61




(802.11n_5270MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
9450.000	---	31.98	54.00	22.02	H	1.96
9460.000	43.83	---	74.00	30.17	H	1.96
10540.000	---	32.46	54.00	21.54	H	2.89
10550.000	43.38	---	68.20	24.82	H	2.80
12080.000	44.26	---	74.00	29.74	H	4.29
13260.000	---	31.98	54.00	22.02	H	5.91
14410.000	46.71	---	68.20	21.49	H	8.84
14410.000	---	34.22	54.00	19.78	H	8.84
15810.000	---	44.01	54.00	9.99	H	10.43
15830.000	54.96	---	74.00	19.04	H	10.67
17890.000	48.83	---	74.00	25.17	H	15.24
17890.000	---	37.44	54.00	16.56	H	15.24




(802.11n_5270MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	33.45	---	40.00	6.55	V	13.90
37.6798	28.72	---	40.00	11.28	V	13.87
71.8320	26.33	---	40.00	13.67	V	10.69
159.7844	17.84	---	43.50	25.66	V	12.13
414.7223	20.14	---	46.00	25.86	V	19.46
903.3094	27.75	---	46.00	18.25	V	28.09



(802.11n_5270MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1070.000	---	24.63	54.00	29.37	V	-17.96
1084.000	35.19	---	74.00	38.81	V	-17.85
2050.000	37.01	---	68.20	31.19	V	-12.14
2505.000	---	26.21	54.00	27.79	V	-9.95
3002.000	40.47	---	68.20	27.73	V	-6.96
3499.000	---	30.61	54.00	23.39	V	-5.20
3828.000	44.01	---	74.00	29.99	V	-5.72
5270.000	43.41	---	68.20	24.79	V	-2.95
5277.000	---	31.14	54.00	22.86	V	-2.94
6509.000	44.95	---	68.20	23.25	V	-1.37
6523.000	---	31.75	54.00	22.25	V	-1.41
7629.000	---	31.43	54.00	22.57	V	0.09




(802.11n _5270MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
8720.000	---	31.84	54.00	22.16	V	1.68
9470.000	44.38	---	74.00	29.62	V	2.22
10480.000	---	32.25	54.00	21.75	V	3.71
11690.000	44.62	---	74.00	29.38	V	3.89
12050.000	---	32.04	54.00	21.96	V	5.10
13350.000	44.36	---	74.00	29.64	V	6.53
14380.000	45.79	---	68.20	22.41	V	9.08
14410.000	---	34.41	54.00	19.59	V	8.96
15820.000	56.50	---	74.00	17.50	V	10.55
15820.000	---	45.48	54.00	8.52	V	10.55
17880.000	49.60	---	74.00	24.40	V	15.81
17890.000	---	37.83	54.00	16.17	V	15.64




Plots for Channel = 62




(802.11n _5310MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	18.65	---	40.00	21.35	H	13.33
47.6586	13.89	---	40.00	26.11	H	15.50
109.4116	14.04	---	43.50	29.46	H	14.89
168.4138	20.53	---	43.50	22.97	H	12.07
344.3855	18.00	---	46.00	28.00	H	18.19
744.8661	26.82	---	46.00	19.18	H	25.90




(802.11n_5310MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
1098.000	---	28.61	54.00	25.39	H	-17.61
1112.000	37.82	---	74.00	36.18	H	-17.53
2001.000	37.07	---	68.20	31.13	H	-13.96
2498.000	---	26.14	54.00	27.86	H	-11.31
3009.000	40.88	---	68.20	27.32	H	-9.05
3506.000	---	29.84	54.00	24.16	H	-7.97
4227.000	44.12	---	74.00	29.88	H	-4.48
4227.000	---	32.20	54.00	21.80	H	-4.48
5319.000	---	32.44	54.00	21.56	H	-2.83
5375.000	42.82	---	74.00	31.18	H	-2.72
6964.000	43.85	---	68.20	24.35	H	-1.31
6999.000	---	31.64	54.00	22.36	H	-1.30




(802.11n _5310MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8750.000	---	31.97	54.00	22.03	H	1.66
8870.000	43.89	---	68.20	24.31	H	1.91
10620.000	---	32.43	54.00	21.57	H	2.70
11520.000	43.59	---	74.00	30.41	H	3.61
12050.000	---	32.03	54.00	21.97	H	4.58
13680.000	44.51	---	68.20	23.69	H	7.25
14410.000	---	34.33	54.00	19.67	H	8.84
15250.000	47.16	---	68.20	21.04	H	10.02
15920.000	54.71	---	74.00	19.29	H	11.26
15930.000	---	43.99	54.00	10.01	H	11.32
17890.000	49.62	---	74.00	24.38	H	15.24
17900.000	---	37.59	54.00	16.41	H	15.01




(802.11n_5310MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	33.49	---	40.00	6.51	V	13.71
39.2991	28.18	---	40.00	11.82	V	14.64
71.5806	26.54	---	40.00	13.46	V	10.89
167.8243	18.98	---	43.50	24.52	V	11.88
440.1963	20.23	---	46.00	25.77	V	20.57
893.8567	29.00	---	46.00	17.00	V	27.93



(802.11n_5310MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1007.000	34.81	---	74.00	39.19	V	-17.70
1007.000	---	24.26	54.00	29.74	V	-17.70
2057.000	36.18	---	68.20	32.02	V	-11.95
2498.000	---	26.18	54.00	27.82	V	-9.63
3002.000	40.28	---	68.20	27.92	V	-6.96
3506.000	---	29.56	54.00	24.44	V	-5.42
4234.000	---	30.38	54.00	23.62	V	-4.44
4353.000	42.78	---	74.00	31.22	V	-3.97
5319.000	44.63	---	68.20	23.57	V	-2.83
5319.000	---	35.29	54.00	18.71	V	-2.83
6971.000	45.00	---	68.20	23.20	V	-1.22
6999.000	---	31.68	54.00	22.32	V	-1.20




(802.11n _5310MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8490.000	---	31.84	54.00	22.16	V	1.21
8790.000	43.87	---	68.20	24.33	V	1.66
10500.000	44.25	---	68.20	23.95	V	3.99
10510.000	---	32.21	54.00	21.79	V	3.87
12090.000	---	31.93	54.00	22.07	V	4.57
12390.000	43.71	---	74.00	30.29	V	4.46
14400.000	46.11	---	68.20	22.09	V	8.98
14410.000	---	34.23	54.00	19.77	V	8.96
15920.000	56.50	---	74.00	17.50	V	11.20
15940.000	---	45.64	54.00	8.36	V	11.33
17700.000	48.92	---	68.20	19.28	V	14.37
17710.000	---	37.58	54.00	16.42	V	14.47




Plot for Channel = 151




(802.11n _5755MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	19.12	---	40.00	20.88	H	13.52
48.6719	14.62	---	40.00	25.38	H	15.55
103.0800	15.18	---	43.50	28.32	H	14.43
173.8135	18.03	---	43.50	25.47	H	11.67
300.3673	17.18	---	46.00	28.82	H	17.45
638.3686	25.08	---	46.00	20.92	H	23.99




(802.11n _5755MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.000	---	30.89	54.00	23.11	H	-14.56
1112.000	40.30	---	74.00	33.70	H	-14.67
2491.000	---	27.47	54.00	26.53	H	-9.44
2554.000	39.33	---	68.20	28.87	H	-8.82
3807.000	45.84	---	74.00	28.16	H	-5.15
3807.000	---	33.95	54.00	20.05	H	-5.15
4976.000	43.03	---	74.00	30.97	H	-3.62
5011.000	---	30.25	54.00	23.75	H	-4.01
6005.000	---	32.56	54.00	21.44	H	-3.19
6012.000	44.22	---	68.20	23.98	H	-3.30
6775.000	43.53	---	68.20	24.67	H	-1.91
6999.000	---	31.16	54.00	22.84	H	-1.60




(802.11n _5755MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8270.000	45.09	---	74.00	28.91	H	1.34
8730.000	---	32.86	54.00	21.14	H	1.69
10490.000	---	33.21	54.00	20.79	H	3.13
10530.000	45.19	---	68.20	23.01	H	2.98
11740.000	45.24	---	74.00	28.76	H	4.14
12050.000	---	32.92	54.00	21.08	H	4.58
14110.000	46.63	---	68.20	21.57	H	8.19
14410.000	---	35.13	54.00	18.87	H	8.84
15940.000	---	36.18	54.00	17.82	H	11.40
16320.000	49.02	---	68.20	19.18	H	11.28
17700.000	---	38.17	54.00	15.83	H	14.37
17890.000	50.08	---	74.00	23.92	H	15.24




(802.11n_5755MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.5306	33.40	---	40.00	6.60	V	12.95
38.8879	28.44	---	40.00	11.56	V	14.17
71.5806	25.93	---	40.00	14.07	V	10.89
158.1123	18.94	---	43.50	24.56	V	11.60
381.2487	18.81	---	46.00	27.19	V	19.06
689.5644	26.90	---	46.00	19.10	V	24.82



(802.11n_5755MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1021.000	---	27.67	54.00	26.33	V	-14.28
1630.000	37.56	---	68.20	30.64	V	-11.84
3002.000	40.87	---	68.20	27.33	V	-5.36
3002.000	---	29.43	54.00	24.57	V	-5.36
4017.000	---	30.48	54.00	23.52	V	-3.58
4045.000	42.63	---	74.00	31.37	V	-4.27
5592.000	42.88	---	68.20	25.32	V	-2.67
5998.000	---	31.91	54.00	22.09	V	-1.68
6754.000	44.50	---	68.20	23.70	V	-1.99
6775.000	---	31.16	54.00	22.84	V	-1.91
7587.000	---	29.60	54.00	24.40	V	-1.00
7944.000	41.86	---	68.20	26.34	V	-1.10




(802.11n _5755MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
9300.000	44.45	---	68.20	23.75	V	2.13
9470.000	---	32.00	54.00	22.00	V	2.22
10500.000	---	32.39	54.00	21.61	V	3.99
11000.000	44.03	---	74.00	29.97	V	3.43
12060.000	---	31.97	54.00	22.03	V	4.99
13340.000	44.29	---	74.00	29.71	V	6.40
13630.000	---	32.88	54.00	21.12	V	7.00
14400.000	45.74	---	68.20	22.46	V	8.98
15240.000	---	34.72	54.00	19.28	V	10.02
15930.000	47.49	---	74.00	26.51	V	11.26
17260.000	---	38.80	54.00	15.20	V	12.80
17270.000	48.83	---	68.20	19.37	V	12.86




Plot for Channel = 159




(802.11n _5795MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	19.75	---	40.00	20.25	H	13.14
47.1599	14.02	---	40.00	25.98	H	15.48
102.7192	12.90	---	43.50	30.60	H	14.51
167.8243	18.97	---	43.50	24.53	H	11.88
344.3855	18.51	---	46.00	27.49	H	18.19
658.8362	25.42	---	46.00	20.58	H	24.35




(802.11n _5795MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.000	40.67	---	74.00	33.33	H	-14.56
1105.000	---	31.17	54.00	22.83	H	-14.56
2001.000	38.88	---	68.20	29.32	H	-11.69
2001.000	---	26.63	54.00	27.37	H	-11.69
3506.000	---	30.56	54.00	23.44	H	-6.98
3513.000	42.24	---	68.20	25.96	H	-6.82
4234.000	---	31.48	54.00	22.52	H	-4.05
4248.000	42.88	---	74.00	31.12	H	-4.08
5991.000	---	33.17	54.00	20.83	H	-3.06
6005.000	45.24	---	68.20	22.96	H	-3.19
6999.000	44.61	---	68.20	23.59	H	-1.60
6999.000	---	31.18	54.00	22.82	H	-1.60




(802.11n_5795MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
9360.000	43.74	---	74.00	30.26	H	2.07
9460.000	---	32.07	54.00	21.93	H	1.96
10500.000	---	32.40	54.00	21.60	H	3.19
10980.000	43.75	---	74.00	30.25	H	3.52
13240.000	44.14	---	68.20	24.06	H	5.94
13420.000	---	32.20	54.00	21.80	H	6.63
14410.000	45.96	---	68.20	22.24	H	8.84
15250.000	---	34.59	54.00	19.41	H	10.02
15940.000	---	35.66	54.00	18.34	H	11.40
16320.000	46.88	---	68.20	21.32	H	11.28
17710.000	---	37.38	54.00	16.62	H	14.47
17730.000	49.64	---	74.00	24.36	H	14.66




(802.11n_5795MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	33.52	---	40.00	6.48	V	13.52
39.2991	28.47	---	40.00	11.53	V	14.64
71.8320	27.80	---	40.00	12.20	V	10.69
160.9089	19.72	---	43.50	23.78	V	12.04
286.9823	17.07	---	46.00	28.93	V	15.68
919.2866	28.88	---	46.00	17.12	V	28.00



(802.11n_5795MHz, Antenna Vertical, 1GHz to 8GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1497.000	---	25.15	54.00	28.85	V	-11.69
1616.000	38.21	---	74.00	35.79	V	-12.20
2484.000	39.08	---	74.00	34.92	V	-9.37
3002.000	---	29.42	54.00	24.58	V	-5.36
3471.000	41.66	---	68.20	26.54	V	-5.25
4318.000	---	30.21	54.00	23.79	V	-3.34
4423.000	43.39	---	68.20	24.81	V	-4.16
5599.000	---	31.27	54.00	22.73	V	-2.69
5998.000	---	32.38	54.00	21.62	V	-1.68
6012.000	43.50	---	68.20	24.70	V	-1.89
6936.000	---	31.12	54.00	22.88	V	-1.60
6957.000	43.84	---	68.20	24.36	V	-1.53



(802.11n _5795MHz, Antenna Vertical, 8GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8740.000	---	32.89	54.00	21.11	V	1.67
9270.000	45.70	---	68.20	22.50	V	2.18
10490.000	---	33.22	54.00	20.78	V	3.85
11380.000	45.93	---	74.00	28.07	V	3.59
13010.000	---	32.96	54.00	21.04	V	5.87
13090.000	45.29	---	68.20	22.91	V	5.91
14410.000	47.16	---	68.20	21.04	V	8.96
14410.000	---	35.15	54.00	18.85	V	8.96
15920.000	49.20	---	74.00	24.80	V	11.20
15930.000	---	36.24	54.00	17.76	V	11.26
17640.000	50.23	---	68.20	17.97	V	13.72
17910.000	---	38.07	54.00	15.93	V	15.28

802.11ac (HT20) Test mode




(802.11ac _5180MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	18.31	---	40.00	21.69	H	13.33
39.5757	16.54	---	40.00	23.46	H	15.06
73.3593	17.62	---	40.00	22.38	H	10.21
108.6470	15.49	---	43.50	28.01	H	14.70
169.0054	24.90	---	43.50	18.60	H	12.23
564.6389	24.73	---	46.00	21.27	H	22.89




(802.11ac_5180MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.000	36.73	---	74.00	37.27	H	-17.56
1112.000	---	28.10	54.00	25.90	H	-17.53
2505.000	38.82	---	68.20	29.38	H	-10.99
3002.000	---	28.44	54.00	25.56	H	-9.17
3891.000	43.04	---	74.00	30.96	H	-5.39
4241.000	---	31.72	54.00	22.28	H	-4.40
5179.000	43.49	---	68.20	24.71	H	-3.00
5179.000	---	34.02	54.00	19.98	H	-3.00
6586.000	---	32.06	54.00	21.94	H	-0.99
6635.000	45.03	---	68.20	23.17	H	-1.27
7958.000	---	32.03	54.00	21.97	H	0.72
7972.000	44.61	---	68.20	23.59	H	0.49




(802.11ac _5180MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8280.000	44.29	---	74.00	29.71	H	1.41
8280.000	---	32.02	54.00	21.98	H	1.41
10500.000	43.75	---	68.20	24.45	H	3.19
10520.000	---	32.19	54.00	21.81	H	3.06
11690.000	---	31.69	54.00	22.31	H	3.89
13000.000	44.41	---	68.20	23.79	H	6.00
13260.000	---	32.22	54.00	21.78	H	5.91
14480.000	45.98	---	74.00	28.02	H	8.06
15530.000	56.67	---	74.00	17.33	H	11.32
15540.000	---	44.71	54.00	9.29	H	11.21
17900.000	48.80	---	74.00	25.20	H	15.01
17910.000	---	37.49	54.00	16.51	H	14.79




(802.11ac_5180MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	35.07	---	40.00	4.93	V	13.14
37.6798	28.23	---	40.00	11.77	V	13.87
71.5806	28.30	---	40.00	11.70	V	10.89
167.8243	17.05	---	43.50	26.45	V	11.88
459.1144	21.06	---	46.00	24.94	V	21.02
758.0408	27.42	---	46.00	18.58	V	26.17




(802.11ac_5180MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1007.000	---	25.84	54.00	28.16	V	-17.70
1056.000	34.69	---	74.00	39.31	V	-18.00
3002.000	---	28.39	54.00	25.61	V	-6.96
3009.000	40.64	---	68.20	27.56	V	-7.17
3975.000	---	31.55	54.00	22.45	V	-5.05
3982.000	42.03	---	74.00	31.97	V	-4.80
5179.000	44.92	---	68.20	23.28	V	-3.00
5179.000	---	35.10	54.00	18.90	V	-3.00
6607.000	44.96	---	68.20	23.24	V	-0.97
6999.000	---	31.89	54.00	22.11	V	-1.20
7958.000	---	32.16	54.00	21.84	V	0.88
7972.000	44.30	---	68.20	23.90	V	0.66



(802.11ac_5180MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
8750.000	---	31.86	54.00	22.14	V	1.66
9150.000	43.45	---	74.00	30.55	V	1.89
10510.000	44.32	---	68.20	23.88	V	3.87
10510.000	---	32.05	54.00	21.95	V	3.87
11750.000	43.32	---	74.00	30.68	V	4.19
12080.000	---	31.88	54.00	22.12	V	4.71
13650.000	45.87	---	68.20	22.33	V	7.21
14400.000	---	34.21	54.00	19.79	V	8.98
15540.000	55.70	---	74.00	18.30	V	10.67
15540.000	---	42.83	54.00	11.17	V	10.67
17700.000	---	37.43	54.00	16.57	V	14.37
17730.000	48.75	---	74.00	25.25	V	14.66



(802.11ac _5220MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
47.9940	14.86	---	40.00	25.14	H	15.51
71.5806	13.45	---	40.00	26.55	H	10.89
104.5361	14.85	---	43.50	28.65	H	14.22
170.7926	22.48	---	43.50	21.02	H	12.28
301.4224	17.52	---	46.00	28.48	H	17.31
842.1296	28.01	---	46.00	17.99	H	26.87