




B25 15M QPSK 1@0 CH 26115




B25 15M 16QAM 1@0 CH 26115




B25 15M QPSK 1@0 CH 26365




B25 15M 16QAM 1@0 CH 26365




B25 15M QPSK 1@0 CH 26615




B25 15M 16QAM 1@0 CH 26615



B25 10M QPSK 1@0 CH 26090



B25 10M 16QAM 1@0 CH 26090



B25 10M QPSK 1@0 CH 26365



B25 10M 16QAM 1@0 CH 26365



B25 10M QPSK 1@0 CH 26640



B25 10M 16QAM 1@0 CH 26640




B25 5M QPSK 1@0 CH 26065




B25 5M 16QAM 1@0 CH 26065




B25 5M QPSK 1@0 CH 26365



B25 5M 16QAM 1@0 CH 26365




B25 5M QPSK 1@0 CH 26665




B25 5M 16QAM 1@0 CH 26665



B25 3M QPSK 1@0 CH 26055



B25 3M 16QAM 1@0 CH 26055




B25 3M QPSK 1@0 CH 26365




B25 3M 16QAM 1@0 CH 26365




B25 3M QPSK 1@0 CH 26675




B25 3M 16QAM 1@0 CH 26675




B25 1.4M QPSK 1@0 CH 26047




B25 1.4M 16QAM 1@0 CH 26047




B25 1.4M QPSK 1@0 CH 26365




B25 1.4M 16QAM 1@0 CH 26365



B25 1.4M QPSK 1@0 CH 26683




B25 1.4M 16QAM 1@0 CH 26683




5.7.7 LTE Band 26


B26 15M QPSK 1@0 CH 26865



B26 15M 16QAM 1@0 CH 26865




B26 15M QPSK 1@0 CH 26915




B26 15M 16QAM 1@0 CH 26915



B26 15M QPSK 1@0 CH 26965



B26 15M 16QAM 1@0 CH 26965



B26 10M QPSK 1@0 CH 26840



B26 10M 16QAM 1@0 CH 26840



B26 10M QPSK 1@0 CH 26915



B26 10M 16QAM 1@0 CH 26915



B26 10M QPSK 1@0 CH 26990



B26 10M 16QAM 1@0 CH 26990



B26 5M QPSK 1@0 CH 26815



B26 5M 16QAM 1@0 CH 26815



B26 5M QPSK 1@0 CH 26915



B26 5M 16QAM 1@0 CH 26915



B26 5M QPSK 1@0 CH 27015



B26 5M 16QAM 1@0 CH 27015



B26 3M QPSK 1@0 CH 26805



B26 3M 16QAM 1@0 CH 26805




B26 3M QPSK 1@0 CH 26915




B26 3M 16QAM 1@0 CH 26915




B26 3M QPSK 1@0 CH 27025




B26 3M 16QAM 1@0 CH 27025



B26 1.4M QPSK 1@0 CH 26797



B26 1.4M 16QAM 1@0 CH 26797




B26 1.4M QPSK 1@0 CH 26915




B26 1.4M 16QAM 1@0 CH 26915



B26 1.4M QPSK 1@0 CH 27033




B26 1.4M 16QAM 1@0 CH 27033




5.7.8 LTE Band 26 (Part 90S)

B26 15M QPSK 1@0 CH 26765



B26 15M 16QAM 1@0 CH 26765



B26 10M QPSK 1@0 CH 26740



B26 10M 16QAM 1@0 CH 26740



B26 5M QPSK 1@0 CH 26715




B26 5M 16QAM 1@0 CH 26715



B26 5M QPSK 1@0 CH 26740




B26 5M 16QAM 1@0 CH 26740



B26 5M QPSK 1@0 CH 26765



B26 5M 16QAM 1@0 CH 26765



B26 3M QPSK 1@0 CH 26705



B26 3M 16QAM 1@0 CH 26705



B26 3M QPSK 1@0 CH 26740




B26 3M 16QAM 1@0 CH 26740




B26 3M QPSK 1@0 CH 26775




B26 3M 16QAM 1@0 CH 26775



B26 1.4M QPSK 1@0 CH 26697




B26 1.4M 16QAM 1@0 CH 26697



B26 1.4M QPSK 1@0 CH 26740



B26 1.4M 16QAM 1@0 CH 26740



B26 1.4M QPSK 1@0 CH 26783



B26 1.4M 16QAM 1@0 CH 26783





Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8 FIELD STRENGTH OF SPURIOUS RADIATION

Test Requirement: LTE Band 2 & LTE Band 25: FCC 47 CFR Part 24.238(a)
LTE Band 4: FCC 47 CFR Part 27.53(h)
LTE Band 5 & LTE Band 26: FCC 47 CFR Part 22.917(a)
LTE Band 12: FCC 47 CFR Part 27.53(g)
LTE Band 13: FCC 47 CFR Part 27.53
LTE Band 26: FCC 47 CFR Part 90.691

Test Method: ANSI C63.26-2015 & KDB 971168 D01v03r01

Receiver Setup:

Frequency	Detector	RBW	VBW	Remark
0.009 MHz-30 MHz	Peak	10 kHz	30 KHz	Peak
30 MHz-1 GHz	Quasi-peak	100 kHz	300 KHz	Peak
Above 1 GHz	Peak	1 MHz	3 MHz	Peak

Limits:

FCC 47 CFR Part 24.238(a), 27.53(h)(1), 22.917(a), 27.53(g), 27.53(c)(2), 90.691:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. The emission limit equal to -13 dBm.

FCC 47 CFR Part 27.53:

(c) The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

(f) Emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals. (-70 dBW/MHz = -40dBm/MHz).

Test Setup: Refer to section 4.2.1 for details.

Test Procedures: KDB 971168 D01v03r01 Section 7

Equipment Used: Refer to section 3 for details.

Test Result: Pass

The measurement data as follows:

5.8.1 LTE Band 2

LTE Band 2_20 MHz_QPSK							
No.	Frequency (MHz)	SA Reading (dBm)	Correction factor (dB/m)	EIRP Result (dBm)	Limit (dBm)	Margin (dB)	Ant. Pol.
Lowest Channel							
1	481.511	-67.32	6.54	-60.78	-13.00	-47.78	Horizontal
2	628.894	-74.76	10.51	-64.25	-13.00	-51.25	Horizontal
3	875.013	-75.86	14.01	-61.85	-13.00	-48.85	Horizontal
4	3720.000	-47.65	7.77	-39.88	-13.00	-26.88	Horizontal
5	5580.000	-52.51	11.42	-41.09	-13.00	-28.09	Horizontal
6	527.571	-71.31	7.85	-63.46	-13.00	-50.46	Vertical
7	844.803	-74.61	13.17	-61.44	-13.00	-48.44	Vertical
8	868.886	-75.08	13.69	-61.39	-13.00	-48.39	Vertical
9	3720.000	-47.97	7.77	-40.20	-13.00	-27.20	Vertical
10	5580.000	-59.31	11.42	-47.89	-13.00	-34.89	Vertical
Middle Channel							
1	320.331	-69.82	4.07	-65.75	-13.00	-52.75	Horizontal
2	481.511	-67.91	6.54	-61.37	-13.00	-48.37	Horizontal
3	771.047	-76.35	12.54	-63.81	-13.00	-50.81	Horizontal
4	3760.000	-38.90	7.88	-31.02	-13.00	-18.02	Horizontal
5	5640.000	-47.94	11.36	-36.58	-13.00	-23.58	Horizontal
6	527.571	-71.67	7.85	-63.82	-13.00	-50.82	Vertical
7	844.803	-73.98	13.17	-60.81	-13.00	-47.81	Vertical
8	912.695	-75.24	14.39	-60.85	-13.00	-47.85	Vertical
9	3760.000	-40.22	7.88	-32.34	-13.00	-19.34	Vertical
10	5640.000	-49.59	11.36	-38.23	-13.00	-25.23	Vertical
Highest Channel							
1	320.331	-69.32	4.07	-65.25	-13.00	-52.25	Horizontal
2	481.511	-68.34	6.54	-61.80	-13.00	-48.80	Horizontal
3	771.047	-76.37	12.54	-63.83	-13.00	-50.83	Horizontal
4	3800.000	-41.47	7.99	-33.48	-13.00	-20.48	Horizontal
5	5700.000	-62.25	11.31	-50.94	-13.00	-37.94	Horizontal
6	655.977	-73.42	11.11	-62.31	-13.00	-49.31	Vertical
7	844.803	-74.69	13.17	-61.52	-13.00	-48.52	Vertical
8	912.695	-75.26	14.39	-60.87	-13.00	-47.87	Vertical
9	3800.000	-41.79	7.99	-33.80	-13.00	-20.80	Vertical
10	5700.000	-60.62	11.31	-49.31	-13.00	-36.31	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.2 LTE Band 4

LTE Band 4_ 20 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Lowest Channel							
1	320.331	-69.36	4.07	-65.29	-13.00	-52.29	Horizontal
2	481.511	-68.81	6.54	-62.27	-13.00	-49.27	Horizontal
3	771.047	-76.63	12.54	-64.09	-13.00	-51.09	Horizontal
4	3440.000	-52.74	6.78	-45.96	-13.00	-32.96	Horizontal
5	5160.000	-58.67	9.97	-48.70	-13.00	-35.70	Horizontal
6	527.571	-71.64	7.85	-63.79	-13.00	-50.79	Vertical
7	844.803	-73.55	13.17	-60.38	-13.00	-47.38	Vertical
8	868.886	-74.57	13.69	-60.88	-13.00	-47.88	Vertical
9	3440.000	-53.73	6.78	-46.95	-13.00	-33.95	Vertical
10	5160.000	-58.75	9.97	-48.78	-13.00	-35.78	Vertical
Middle Channel							
1	320.331	-68.85	4.07	-64.78	-13.00	-51.78	Horizontal
2	481.511	-67.74	6.54	-61.20	-13.00	-48.20	Horizontal
3	771.047	-75.71	12.54	-63.17	-13.00	-50.17	Horizontal
4	3465.000	-53.46	6.89	-46.57	-13.00	-33.57	Horizontal
5	5197.500	-56.64	10.09	-46.55	-13.00	-33.55	Horizontal
6	655.977	-74.42	11.11	-63.31	-13.00	-50.31	Vertical
7	844.803	-74.67	13.17	-61.50	-13.00	-48.50	Vertical
8	912.695	-75.35	14.39	-60.96	-13.00	-47.96	Vertical
9	3465.000	-53.39	6.89	-46.50	-13.00	-33.50	Vertical
10	5197.500	-59.94	10.09	-49.85	-13.00	-36.85	Vertical
Highest Channel							
1	320.331	-68.98	4.07	-64.91	-13.00	-51.91	Horizontal
2	481.511	-68.42	6.54	-61.88	-13.00	-48.88	Horizontal
3	771.047	-76.06	12.54	-63.52	-13.00	-50.52	Horizontal
4	3490.000	-58.29	7.00	-51.29	-13.00	-38.29	Horizontal
5	5235.000	-60.53	10.25	-50.28	-13.00	-37.28	Horizontal
6	527.571	-71.01	7.85	-63.16	-13.00	-50.16	Vertical
7	602.929	-73.69	10.04	-63.65	-13.00	-50.65	Vertical
8	844.803	-74.25	13.17	-61.08	-13.00	-48.08	Vertical
9	3490.000	-62.97	7.00	-55.97	-13.00	-42.97	Vertical
10	5235.000	-63.03	10.25	-52.78	-13.00	-39.78	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.3 LTE Band 5

LTE Band 5_ 10 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Lowest Channel							
1	646.822	-89.35	39.75	-49.60	-13.00	-36.60	Horizontal
2	703.731	-89.51	40.72	-48.79	-13.00	-35.79	Horizontal
3	925.613	-87.88	43.20	-44.68	-13.00	-31.68	Horizontal
4	1658.000	-47.21	0.17	-47.04	-13.00	-34.04	Horizontal
5	2487.000	-55.97	3.84	-52.13	-13.00	-39.13	Horizontal
6	655.977	-89.11	39.94	-49.17	-13.00	-36.17	Vertical
7	708.694	-89.02	40.46	-48.56	-13.00	-35.56	Vertical
8	932.141	-88.40	43.32	-45.08	-13.00	-32.08	Vertical
9	1658.000	-45.83	0.17	-45.66	-13.00	-32.66	Vertical
10	2487.000	-53.46	3.84	-49.62	-13.00	-36.62	Vertical
Middle Channel							
1	793.028	-88.70	41.79	-46.91	-13.00	-33.91	Horizontal
2	925.613	-88.03	43.20	-44.83	-13.00	-31.83	Horizontal
3	986.044	-87.46	43.06	-44.40	-13.00	-31.40	Horizontal
4	1673.000	-45.08	0.26	-44.82	-13.00	-31.82	Horizontal
5	2509.500	-58.56	3.90	-54.66	-13.00	-41.66	Horizontal
6	527.571	-87.49	36.71	-50.78	-13.00	-37.78	Vertical
7	728.897	-86.85	40.34	-46.51	-13.00	-33.51	Vertical
8	925.613	-87.19	43.20	-43.99	-13.00	-30.99	Vertical
9	1673.000	-46.97	0.26	-46.71	-13.00	-33.71	Vertical
10	2509.500	-43.13	3.90	-39.23	-13.00	-26.23	Vertical
Highest Channel							
1	689.051	-88.44	40.41	-48.03	-13.00	-35.03	Horizontal
2	938.714	-87.61	43.17	-44.44	-13.00	-31.44	Horizontal
3	992.997	-87.57	43.17	-44.40	-13.00	-31.40	Horizontal
4	1688.000	-46.82	0.36	-46.46	-13.00	-33.46	Horizontal
5	2532.000	-56.51	3.94	-52.57	-13.00	-39.57	Horizontal
6	674.677	-88.77	39.92	-48.85	-13.00	-35.85	Vertical
7	781.961	-88.99	41.56	-47.43	-13.00	-34.43	Vertical
8	919.132	-88.19	43.02	-45.17	-13.00	-32.17	Vertical
9	1688.000	-49.75	0.36	-49.39	-13.00	-36.39	Vertical
10	2532.000	-46.86	3.94	-42.92	-13.00	-29.92	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.4 LTE Band 12

LTE Band 12_ 10 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Lowest Channel							
1	793.028	-87.92	41.79	-46.13	-13.00	-33.13	Horizontal
2	899.958	-86.78	42.87	-43.91	-13.00	-30.91	Horizontal
3	952.000	-86.28	42.93	-43.35	-13.00	-30.35	Horizontal
4	1408.000	-52.41	-1.05	-53.46	-13.00	-40.46	Horizontal
5	2112.000	-57.78	2.39	-55.39	-13.00	-42.39	Horizontal
6	642.292	-88.45	39.59	-48.86	-13.00	-35.86	Vertical
7	749.676	-87.95	40.76	-47.19	-13.00	-34.19	Vertical
8	986.044	-87.85	43.06	-44.79	-13.00	-31.79	Vertical
9	1408.000	-53.33	-1.05	-54.38	-13.00	-41.38	Vertical
10	2112.000	-59.10	2.39	-56.71	-13.00	-43.71	Vertical
Middle Channel							
1	674.677	-88.80	39.92	-48.88	-13.00	-35.88	Horizontal
2	809.924	-88.73	41.48	-47.25	-13.00	-34.25	Horizontal
3	952.000	-87.69	42.93	-44.76	-13.00	-31.76	Horizontal
4	1415.000	-55.14	-1.01	-56.15	-13.00	-43.15	Horizontal
5	2122.500	-57.26	2.43	-54.83	-13.00	-41.83	Horizontal
6	669.952	-87.79	39.83	-47.96	-13.00	-34.96	Vertical
7	844.803	-88.15	41.85	-46.30	-13.00	-33.30	Vertical
8	932.141	-87.24	43.32	-43.92	-13.00	-30.92	Vertical
9	1415.000	-54.20	-1.01	-55.21	-13.00	-42.21	Vertical
10	2122.500	-59.61	2.43	-57.18	-13.00	-44.18	Vertical
Highest Channel							
1	187.783	-84.48	27.75	-56.73	-13.00	-43.73	Horizontal
2	804.252	-87.59	41.68	-45.91	-13.00	-32.91	Horizontal
3	958.714	-87.65	42.87	-44.78	-13.00	-31.78	Horizontal
4	1422.000	-49.54	-0.99	-50.53	-13.00	-37.53	Horizontal
5	2133.000	-55.70	2.44	-53.26	-13.00	-40.26	Horizontal
6	481.511	-88.17	35.29	-52.88	-13.00	-39.88	Vertical
7	655.977	-88.11	39.94	-48.17	-13.00	-35.17	Vertical
8	875.013	-88.76	42.62	-46.14	-13.00	-33.14	Vertical
9	1422.000	-51.76	-0.99	-52.75	-13.00	-39.75	Vertical
10	2133.000	-59.69	2.44	-57.25	-13.00	-44.25	Vertical

5.8.5 LTE Band 13

LTE Band 13_ 10 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Middle Channel							
1	693.910	-89.11	40.68	-48.43	-13.00	-35.43	Horizontal
2	875.013	-87.68	42.62	-45.06	-13.00	-32.06	Horizontal
3	965.474	-87.43	42.84	-44.59	-13.00	-31.59	Horizontal
4	1564.000	-49.78	-0.38	-50.16	-13.00	-37.16	Horizontal
5	2346.000	-58.86	3.24	-55.62	-13.00	-42.62	Horizontal
6	187.783	-84.24	27.75	-56.49	-13.00	-43.49	Vertical
7	646.822	-88.50	39.75	-48.75	-13.00	-35.75	Vertical
8	919.132	-88.59	43.02	-45.57	-13.00	-32.57	Vertical
9	1564.000	-52.48	-0.38	-52.86	-13.00	-39.86	Vertical
10	2346.000	-58.88	3.24	-55.64	-13.00	-42.64	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.6 LTE Band 25

LTE Band 25_ 20 MHz_ QPSK							
No.	Frequency (MHz)	SA Reading (dBm)	Correction factor (dB/m)	EIRP Result (dBm)	Limit (dBm)	Margin (dB)	Ant. Pol.
Lowest Channel							
1	282.270	-67.05	2.39	-64.66	-13.00	-51.66	Horizontal
2	320.331	-68.26	4.07	-64.19	-13.00	-51.19	Horizontal
3	481.511	-68.38	6.54	-61.84	-13.00	-48.84	Horizontal
4	3720.000	-53.74	7.77	-45.97	-13.00	-32.97	Horizontal
5	5580.000	-60.94	11.42	-49.52	-13.00	-36.52	Horizontal
6	531.291	-70.94	7.99	-62.95	-13.00	-49.95	Vertical
7	844.803	-74.93	13.17	-61.76	-13.00	-48.76	Vertical
8	868.886	-74.52	13.69	-60.83	-13.00	-47.83	Vertical
9	3720.000	-57.43	7.77	-49.66	-13.00	-36.66	Vertical
10	5580.000	-63.25	11.42	-51.83	-13.00	-38.83	Vertical
Middle Channel							
1	282.270	-67.01	2.39	-64.62	-13.00	-51.62	Horizontal
2	320.331	-67.75	4.07	-63.68	-13.00	-50.68	Horizontal
3	481.511	-68.99	6.54	-62.45	-13.00	-49.45	Horizontal
4	3760.000	-48.74	7.88	-40.86	-13.00	-27.86	Horizontal
5	5640.000	-55.72	11.36	-44.36	-13.00	-31.36	Horizontal
6	343.651	-68.80	4.67	-64.13	-13.00	-51.13	Vertical
7	527.571	-70.44	7.85	-62.59	-13.00	-49.59	Vertical
8	912.695	-76.77	14.39	-62.38	-13.00	-49.38	Vertical
9	3760.000	-56.93	7.88	-49.05	-13.00	-36.05	Vertical
10	5640.000	-62.35	11.36	-50.99	-13.00	-37.99	Vertical
Highest Channel							
1	187.783	-58.74	-0.60	-59.34	-13.00	-46.34	Horizontal
2	771.047	-76.76	12.54	-64.22	-13.00	-51.22	Horizontal
3	875.013	-76.98	14.01	-62.97	-13.00	-49.97	Horizontal
4	3810.000	-50.01	8.02	-41.99	-13.00	-28.99	Horizontal
5	5715.000	-55.76	11.30	-44.46	-13.00	-31.46	Horizontal
6	481.511	-67.75	6.54	-61.21	-13.00	-48.21	Vertical
7	527.571	-67.03	7.85	-59.18	-13.00	-46.18	Vertical
8	602.929	-68.90	10.04	-58.86	-13.00	-45.86	Vertical
9	3810.000	-56.13	8.02	-48.11	-13.00	-35.11	Vertical
10	5715.000	-61.90	11.30	-50.60	-13.00	-37.60	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.7 LTE Band 26

LTE Band 26_ 15 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Lowest Channel							
1	282.270	-86.23	30.14	-56.09	-13.00	-43.09	Horizontal
2	698.804	-89.79	40.84	-48.95	-13.00	-35.95	Horizontal
3	925.613	-88.34	43.20	-45.14	-13.00	-32.14	Horizontal
4	1663.000	-44.95	0.20	-44.75	-13.00	-31.75	Horizontal
5	2494.500	-53.16	3.86	-49.30	-13.00	-36.30	Horizontal
6	669.952	-88.30	39.83	-48.47	-13.00	-35.47	Vertical
7	787.475	-89.00	41.73	-47.27	-13.00	-34.27	Vertical
8	938.714	-87.78	43.17	-44.61	-13.00	-31.61	Vertical
9	1663.000	-46.55	0.20	-46.35	-13.00	-33.35	Vertical
10	2494.500	-52.41	3.86	-48.55	-13.00	-35.55	Vertical
Middle Channel							
1	703.731	-88.69	40.72	-47.97	-13.00	-34.97	Horizontal
2	912.695	-87.28	42.91	-44.37	-13.00	-31.37	Horizontal
3	979.139	-87.46	43.21	-44.25	-13.00	-31.25	Horizontal
4	1673.000	-44.52	0.26	-44.26	-13.00	-31.26	Horizontal
5	2509.500	-48.95	3.90	-45.05	-13.00	-32.05	Horizontal
6	651.383	-88.57	39.87	-48.70	-13.00	-35.70	Vertical
7	698.804	-89.36	40.84	-48.52	-13.00	-35.52	Vertical
8	972.283	-88.22	42.96	-45.26	-13.00	-32.26	Vertical
9	1673.000	-45.21	0.26	-44.95	-13.00	-31.95	Vertical
10	2509.500	-52.51	3.90	-48.61	-13.00	-35.61	Vertical
Highest Channel							
1	679.435	-88.99	40.12	-48.87	-13.00	-35.87	Horizontal
2	754.963	-87.70	40.87	-46.83	-13.00	-33.83	Horizontal
3	952.000	-88.05	42.93	-45.12	-13.00	-32.12	Horizontal
4	1683.000	-44.84	0.33	-44.51	-13.00	-31.51	Horizontal
5	2524.500	-55.74	3.93	-51.81	-13.00	-38.81	Horizontal
6	607.181	-89.21	38.93	-50.28	-13.00	-37.28	Vertical
7	809.924	-88.34	41.48	-46.86	-13.00	-33.86	Vertical
8	932.141	-88.15	43.32	-44.83	-13.00	-31.83	Vertical
9	1683.000	-46.80	0.33	-46.47	-13.00	-33.47	Vertical
10	2524.500	-53.81	3.93	-49.88	-13.00	-36.88	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1

5.8.8 LTE Band 26 (Part 90S)

LTE Band 26_ 10 MHz_ QPSK							
No.	Frequency	SA Reading	Correction factor	EIRP Result	Limit	Margin	Ant. Pol.
	(MHz)	(dBm)	(dB/m)	(dBm)	(dBm)	(dB)	
Middle Channel							
1	646.822	-88.47	39.75	-48.72	-13.00	-35.72	Horizontal
2	798.620	-88.80	41.76	-47.04	-13.00	-34.04	Horizontal
3	938.714	-88.28	43.17	-45.11	-13.00	-32.11	Horizontal
4	1638.000	-47.75	0.04	-47.71	-13.00	-34.71	Horizontal
5	2457.000	-50.85	3.71	-47.14	-13.00	-34.14	Horizontal
6	187.783	-83.58	27.75	-55.83	-13.00	-42.83	Vertical
7	781.961	-88.65	41.56	-47.09	-13.00	-34.09	Vertical
8	925.613	-88.04	43.20	-44.84	-13.00	-31.84	Vertical
9	1638.000	-50.84	0.04	-50.80	-13.00	-37.80	Vertical
10	2457.000	-56.66	3.71	-52.95	-13.00	-39.95	Vertical

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China

Tel: +86-755-28230888

Fax: +86-755-28230886

E-mail: info@uttlab.com

<http://www.uttlab.com>

UTTR-RF-FCC4G-V1.1