



Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.97	23.64	52.61	74.00	-21.39	peak
2	1047.429	11.18	23.64	34.82	54.00	-19.18	AVG
3	1743.795	23.96	24.93	48.89	74.00	-25.11	peak
4	1743.795	7.88	24.93	32.81	54.00	-21.19	AVG
5	2462.000	52.13	26.44	78.57	74.00	4.57	peak
6	2462.000	29.60	26.44	56.04	54.00	2.04	AVG
7	3474.152	18.16	28.25	46.41	74.00	-27.59	peak
8	3474.152	3.56	28.25	31.81	54.00	-22.19	AVG
9	4975.246	14.48	30.45	44.93	74.00	-29.07	peak
10	4975.246	0.77	30.45	31.22	54.00	-22.78	AVG
11	7002.185	13.29	35.80	49.09	74.00	-24.91	peak
12	7002.185	-6.31	35.80	29.49	54.00	-24.51	AVG


Test mode:	802.11g 2412MHz	Test channel:	lowest
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.04	23.64	51.68	74.00	-22.32	peak
2	1047.429	9.99	23.64	33.63	54.00	-20.37	AVG
3	1891.095	22.92	25.37	48.29	74.00	-25.71	peak
4	1891.095	6.95	25.37	32.32	54.00	-21.68	AVG
5	2412.000	50.77	26.36	77.13	74.00	3.13	peak
6	2412.000	35.84	26.36	62.20	54.00	8.20	AVG
7	3638.928	24.74	28.47	53.21	74.00	-20.79	peak
8	3638.928	2.18	28.47	30.65	54.00	-23.35	AVG
9	5521.982	12.94	31.27	44.21	74.00	-29.79	peak
10	5521.982	0.65	31.27	31.92	54.00	-22.08	AVG
11	7002.185	13.28	35.80	49.08	74.00	-24.92	peak
12	7002.185	-6.36	35.80	29.44	54.00	-24.56	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.32	23.64	51.96	74.00	-22.04	peak
2	1047.429	11.07	23.64	34.71	54.00	-19.29	AVG
3	1544.074	24.18	24.44	48.62	74.00	-25.38	peak
4	1544.074	7.57	24.44	32.01	54.00	-21.99	AVG
5	2412.000	51.06	26.36	77.42	74.00	3.42	peak
6	2412.000	36.87	26.36	63.23	54.00	9.23	AVG
7	3454.087	18.35	28.22	46.57	74.00	-27.43	peak
8	3454.087	3.09	28.22	31.31	54.00	-22.69	AVG
9	4561.219	14.80	29.53	44.33	74.00	-29.67	peak
10	4561.219	1.18	29.53	30.71	54.00	-23.29	AVG
11	7002.185	13.90	35.80	49.70	74.00	-24.30	peak
12	7002.185	-6.36	35.80	29.44	54.00	-24.56	AVG


Test mode:	802.11g 2437MHz	Test channel:	Middle
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	27.86	23.64	51.50	74.00	-22.50	peak
2	1047.429	9.71	23.64	33.35	54.00	-20.65	AVG
3	1847.783	22.27	25.24	47.51	74.00	-26.49	peak
4	1847.783	8.38	25.24	33.62	54.00	-20.38	AVG
5	2437.000	48.58	26.40	74.98	74.00	0.98	peak
6	2437.000	37.39	26.40	63.79	54.00	9.79	AVG
7	3454.087	17.70	28.22	45.92	74.00	-28.08	peak
8	3454.087	3.00	28.22	31.22	54.00	-22.78	AVG
9	4534.876	15.54	29.48	45.02	74.00	-28.98	peak
10	4534.876	0.55	29.48	30.03	54.00	-23.97	AVG
11	7002.185	12.53	35.80	48.33	74.00	-25.67	peak
12	7002.185	-6.36	35.80	29.44	54.00	-24.56	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.45	23.64	52.09	74.00	-21.91	peak
2	1047.429	11.07	23.64	34.71	54.00	-19.29	AVG
3	1743.795	30.63	24.93	55.56	74.00	-18.44	peak
4	1743.795	7.82	24.93	32.75	54.00	-21.25	AVG
5	2437.000	49.60	26.40	76.00	74.00	2.00	peak
6	2437.000	38.53	26.40	64.93	54.00	10.93	AVG
7	3454.087	17.56	28.22	45.78	74.00	-28.22	peak
8	3454.087	3.05	28.22	31.27	54.00	-22.73	AVG
9	4561.219	15.11	29.53	44.64	74.00	-29.36	peak
10	4561.219	1.18	29.53	30.71	54.00	-23.29	AVG
11	7002.185	13.10	35.80	48.90	74.00	-25.10	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG


Test mode:	802.11g 2462MHz	Test channel:	Highest
------------	-----------------	---------------	---------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	27.26	23.64	50.90	74.00	-23.10	peak
2	1047.429	9.99	23.64	33.63	54.00	-20.37	AVG
3	1743.795	37.05	24.93	61.98	74.00	-12.02	peak
4	1743.795	7.76	24.93	32.69	54.00	-21.31	AVG
5	2462.000	48.30	26.44	74.74	74.00	0.74	peak
6	2462.000	36.54	26.44	62.98	54.00	8.98	AVG
7	3094.121	19.02	27.57	46.59	74.00	-27.41	peak
8	3094.121	3.23	27.57	30.80	54.00	-23.20	AVG
9	4205.938	15.64	29.11	44.75	74.00	-29.25	peak
10	4205.938	0.95	29.11	30.06	54.00	-23.94	AVG
11	7002.185	13.60	35.80	49.40	74.00	-24.60	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	29.02	23.64	52.66	74.00	-21.34	peak
2	1047.429	11.13	23.64	34.77	54.00	-19.23	AVG
3	1924.244	23.99	25.47	49.46	74.00	-24.54	peak
4	1924.244	8.36	25.47	33.83	54.00	-20.17	AVG
5	2462.000	48.18	26.44	74.62	74.00	0.62	peak
6	2462.000	34.78	26.44	61.22	54.00	7.22	AVG
7	3535.050	19.14	28.34	47.48	74.00	-26.52	peak
8	3535.050	2.24	28.34	30.58	54.00	-23.42	AVG
9	4695.251	14.62	29.83	44.45	74.00	-29.55	peak
10	4695.251	0.11	29.83	29.94	54.00	-24.06	AVG
11	7002.185	13.27	35.80	49.07	74.00	-24.93	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG

Test mode:	802.11n(HT20) 2412MHz	Test channel:	Lowest
------------	-----------------------	---------------	--------


Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	27.24	23.64	50.88	74.00	-23.12	peak
2	1047.429	9.93	23.64	33.57	54.00	-20.43	AVG
3	1847.783	22.39	25.24	47.63	74.00	-26.37	peak
4	1847.783	8.28	25.24	33.52	54.00	-20.48	AVG
5	2412.000	48.14	26.36	74.50	74.00	0.50	peak
6	2412.000	33.65	26.36	60.01	54.00	6.01	AVG
7	3454.087	19.00	28.22	47.22	74.00	-26.78	peak
8	3454.087	3.09	28.22	31.31	54.00	-22.69	AVG
9	5458.381	13.35	31.14	44.49	74.00	-29.51	peak
10	5458.381	0.73	31.14	31.87	54.00	-22.13	AVG
11	7002.185	13.95	35.80	49.75	74.00	-24.25	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG

Vertical:


Global United Technology Services Co., Ltd.
 No. 123-128, Tower A, Jinyuan Business Building, No.2, Laodong Industrial Zone,
 Xixiang Road, Baoan District, Shenzhen, Guangdong, China 518102
 Telephone: +86 (0) 755 2779 8480 Fax: +86 (0) 755 2779 8960



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.69	23.64	52.33	74.00	-21.67	peak
2	1047.429	11.17	23.64	34.81	54.00	-19.19	AVG
3	1743.795	23.63	24.93	48.56	74.00	-25.44	peak
4	1743.795	7.83	24.93	32.76	54.00	-21.24	AVG
5	2412.000	49.70	26.36	76.06	74.00	2.06	peak
6	2412.000	35.32	26.36	61.68	54.00	7.68	AVG
7	3394.584	18.30	28.11	46.41	74.00	-27.59	peak
8	3394.584	2.73	28.11	30.84	54.00	-23.16	AVG
9	6058.208	12.69	32.87	45.56	74.00	-28.44	peak
10	6058.208	0.21	32.87	33.08	54.00	-20.92	AVG
11	7002.185	13.16	35.80	48.96	74.00	-25.04	peak
12	7002.185	-6.36	35.80	29.44	54.00	-24.56	AVG


Test mode:	802.11n(HT20 2437MHz)	Test channel:	Middle
------------	-----------------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	26.80	23.64	50.44	74.00	-23.56	peak
2	1047.429	9.99	23.64	33.63	54.00	-20.37	AVG
3	1935.422	26.56	25.51	52.07	74.00	-21.93	peak
4	1935.422	6.87	25.51	32.38	54.00	-21.62	AVG
5	2437.000	47.47	26.40	73.87	74.00	-0.13	peak
6	2437.000	32.30	26.40	58.70	54.00	4.70	AVG
7	3394.584	19.15	28.11	47.26	74.00	-26.74	peak
8	3394.584	2.74	28.11	30.85	54.00	-23.15	AVG
9	5062.457	14.07	30.59	44.66	74.00	-29.34	peak
10	5062.457	1.19	30.59	31.78	54.00	-22.22	AVG
11	7002.185	14.48	35.80	50.28	74.00	-23.72	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	29.15	23.64	52.79	74.00	-21.21	peak
2	1047.429	11.22	23.64	34.86	54.00	-19.14	AVG
3	1913.130	32.44	25.44	57.88	74.00	-16.12	peak
4	1913.130	5.91	25.44	31.35	54.00	-22.65	AVG
5	2437.000	48.43	26.40	74.83	74.00	0.83	peak
6	2437.000	33.83	26.40	60.23	54.00	6.23	AVG
7	3394.584	17.67	28.11	45.78	74.00	-28.22	peak
8	3394.584	2.73	28.11	30.84	54.00	-23.16	AVG
9	4695.251	15.94	29.83	45.77	74.00	-28.23	peak
10	4695.251	0.10	29.83	29.93	54.00	-24.07	AVG
11	7002.185	13.02	35.80	48.82	74.00	-25.18	peak
12	7002.185	-6.37	35.80	29.43	54.00	-24.57	AVG


Test mode:	802.11n(HT20 2462MHz)	Test channel:	Highest
------------	-----------------------	---------------	---------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	27.75	23.64	51.39	74.00	-22.61	peak
2	1047.429	10.02	23.64	33.66	54.00	-20.34	AVG
3	1743.795	35.93	24.93	60.86	74.00	-13.14	peak
4	1743.795	7.78	24.93	32.71	54.00	-21.29	AVG
5	2462.000	46.84	26.44	73.28	74.00	-0.72	peak
6	2462.000	34.12	26.44	60.56	54.00	6.56	AVG
7	3394.584	20.15	28.11	48.26	74.00	-25.74	peak
8	3394.584	2.74	28.11	30.85	54.00	-23.15	AVG
9	5364.350	14.03	31.01	45.04	74.00	-28.96	peak
10	5364.350	0.23	31.01	31.24	54.00	-22.76	AVG
11	7002.185	12.41	35.80	48.21	74.00	-25.79	peak
12	7002.185	-6.38	35.80	29.42	54.00	-24.58	AVG

Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.64	23.64	52.28	74.00	-21.72	peak
2	1047.429	11.24	23.64	34.88	54.00	-19.12	AVG
3	1743.795	26.03	24.93	50.96	74.00	-23.04	peak
4	1743.795	7.82	24.93	32.75	54.00	-21.25	AVG
5	2462.000	45.33	26.44	71.77	74.00	-2.23	peak
6	2462.000	32.72	26.44	59.16	54.00	5.16	AVG
7	3454.087	20.57	28.22	48.79	74.00	-25.21	peak
8	3454.087	3.59	28.22	31.81	54.00	-22.19	AVG
9	5521.982	13.74	31.27	45.01	74.00	-28.99	peak
10	5521.982	0.65	31.27	31.92	54.00	-22.08	AVG
11	7002.185	12.97	35.80	48.77	74.00	-25.23	peak
12	7002.185	-6.37	35.80	29.43	54.00	-24.57	AVG

Remarks:

1. Final Level = Receiver Read level + Antenna Factor + Cable Loss – Preamplifier Factor
2. The emission levels of other frequencies are very lower than the limit and not show in test report.

8 Test Setup Photo

Reference to the **appendix I** for details.

9 EUT Constructional Details

Reference to the **appendix II** and **appendix III** for details.

-----End-----