




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0



6.7 Radiated Spurious Emission

LTE Band 2 10MHz CH-High

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3801	-30.18	-13	-17.18	-39.02	-37.36	4.56	11.74	H	Pass
5701.5	-44.12	-13	-31.12	-58.31	-50.18	5.96	12.02	H	Pass
7602	-40.87	-13	-27.87	-60.88	-45.93	6.62	11.68	H	Pass
9502.5	-48.23	-13	-35.23	-68.38	-51.92	7.31	11	H	Pass
11403	-45.12	-13	-32.12	-70.69	-48.9	8.02	11.8	H	Pass
13303.5	-43.36	-13	-30.36	-71.03	-46.94	8.91	12.49	H	Pass
15204	-42.12	-13	-29.12	-69.37	-46.27	10.55	14.7	H	Pass
17104.5	-39.36	-13	-26.36	-71.1	-44.09	11.47	16.2	H	Pass
19005	--	--	--	--	--	--	--	--	--
3801	-30.18	-13	-17.18	-39	-37.36	4.56	11.74	V	Pass
5701.5	-49.35	-13	-36.35	-63.21	-55.41	5.96	12.02	V	Pass
7602	-43.01	-13	-30.01	-62.91	-48.07	6.62	11.68	V	Pass
9502.5	-48.13	-13	-35.13	-67.94	-51.82	7.31	11	V	Pass
11403	-44.74	-13	-31.74	-70.1	-48.52	8.02	11.8	V	Pass
13303.5	-43.13	-13	-30.13	-70.57	-46.71	8.91	12.49	V	Pass
15204	-42.38	-13	-29.38	-70.03	-46.53	10.55	14.7	V	Pass
17104.5	-39.12	-13	-26.12	-71.15	-43.85	11.47	16.2	V	Pass
19005	--	--	--	--	--	--	--	--	--

LTE Band 4 10MHz CH-Low

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3421	-51.18	-13	-38.18	-58.99	-58.29	4.31	11.42	H	Pass
5131.5	-51.26	-13	-38.26	-64.14	-57.31	5.59	11.64	H	Pass
6842	-45.12	-13	-32.12	-62.96	-50.06	6.36	11.3	H	Pass
8552.5	-46.65	-13	-33.65	-66.21	-50.67	6.98	11	H	Pass
10263	-46.12	-13	-33.12	-68.35	-50.07	7.55	11.5	H	Pass
11973.5	-44.69	-13	-31.69	-69.66	-49.46	8.33	13.1	H	Pass
13684	-42.01	-13	-29.01	-69.37	-45.39	9.1	12.48	H	Pass
15394.5	-43.18	-13	-30.18	-70.08	-48.1	10.68	15.6	H	Pass
17105	-39.67	-13	-26.67	-71.39	-44.4	11.47	16.2	H	Pass
3421	-51.32	-13	-38.32	-59.36	-58.43	4.31	11.42	V	Pass
5131.5	-54.18	-13	-41.18	-66.83	-60.23	5.59	11.64	V	Pass
6842	-45.14	-13	-32.14	-62.66	-50.08	6.36	11.3	V	Pass
8552.5	-47.35	-13	-34.35	-66.57	-51.37	6.98	11	V	Pass
10263	-46.12	-13	-33.12	-68.37	-50.07	7.55	11.5	V	Pass
11973.5	-44.67	-13	-31.67	-69.35	-49.44	8.33	13.1	V	Pass
13684	-42.36	-13	-29.36	-69.7	-45.74	9.1	12.48	V	Pass
15394.5	-42.74	-13	-29.74	-69.65	-47.66	10.68	15.6	V	Pass
17105	-39.13	-13	-26.13	-70.85	-43.86	11.47	16.2	V	Pass

LTE Band 5 10MHz CH-Low

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649	-46.23	-13	-33.23	-51.7	-52.83	2.95	9.55	H	Pass
2473.5	-42.57	-13	-29.57	-51.06	-49.64	3.63	10.7	H	Pass
3298	-50.13	-13	-37.13	-57.38	-56.71	4.22	10.8	H	Pass
4122.5	-56.87	-13	-43.87	-66.15	-63.57	4.8	11.5	H	Pass
4947	-55.72	-13	-42.72	-68.13	-61.35	5.47	11.1	H	Pass
5771.5	-49.12	-13	-36.12	-63.17	-55.14	5.98	12	H	Pass
6596	-53.13	-13	-40.13	-69.75	-57.77	6.29	10.93	H	Pass
7420.5	-49.28	-13	-36.28	-69.37	-53.94	6.55	11.21	H	Pass
8245	-47.32	-13	-34.32	-66.8	-51.81	6.85	11.34	H	Pass
1649	-45.23	-13	-32.23	-51.46	-51.83	2.95	9.55	V	Pass
2473.5	-49.18	-13	-36.18	-57.95	-56.25	3.63	10.7	V	Pass
3298	-49.35	-13	-36.35	-56.85	-55.93	4.22	10.8	V	Pass
4122.5	-57.49	-13	-44.49	-66.7	-64.19	4.8	11.5	V	Pass
4947	-55.78	-13	-42.78	-67.8	-61.41	5.47	11.1	V	Pass
5771.5	-47.63	-13	-34.63	-61.6	-53.65	5.98	12	V	Pass
6596	-52.35	-13	-39.35	-69.17	-56.99	6.29	10.93	V	Pass
7420.5	-49.49	-13	-36.49	-69.61	-54.15	6.55	11.21	V	Pass
8245	-47.28	-13	-34.28	-66.73	-51.77	6.85	11.34	V	Pass

LTE Band 7 10MHz CH-Middle

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5061	-46.39	-25	-21.39	-59.16	-52.37	5.54	11.52	H	Pass
7591.5	-35.28	-25	-10.28	-55.32	-40.39	6.61	11.72	H	Pass
10122	-44.35	-25	-19.35	-66.31	-48.2	7.5	11.35	H	Pass
12652.5	-42.67	-25	-17.67	-68.42	-46.58	8.61	12.52	H	Pass
15183	-42.29	-25	-17.29	-69.53	-46.4	10.53	14.64	H	Pass
17713.5	-37.18	-25	-12.18	-70.76	-40.17	11.69	14.68	H	Pass
20244	--	--	--	--	--	--	--	--	--
22774.5	--	--	--	--	--	--	--	--	--
25305	--	--	--	--	--	--	--	--	--
5061	-48.79	-25	-23.79	-61.14	-54.77	5.54	11.52	V	Pass
7591.5	-36.12	-25	-11.12	-56.37	-41.23	6.61	11.72	V	Pass
10122	-40.13	-25	-15.13	-61.89	-43.98	7.5	11.35	V	Pass
12652.5	-37.28	-25	-12.28	-62.18	-41.19	8.61	12.52	V	Pass
15183	-41.49	-25	-16.49	-69.32	-45.6	10.53	14.64	V	Pass
17713.5	-36.12	-25	-11.12	-71.5	-39.11	11.69	14.68	V	Pass
20244	--	--	--	--	--	--	--	--	--
22774.5	--	--	--	--	--	--	--	--	--
25305	--	--	--	--	--	--	--	--	--

LTE Band 66 10MHz CH-Low

Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Margin (dB)	SPA. Reading (dBm)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3421	-51.35	-13	-38.35	-59.25	-58.46	4.31	11.42	H	Pass
5131.5	-52.38	-13	-39.38	-64.87	-58.43	5.59	11.64	H	Pass
6842	-46.18	-13	-33.18	-63.59	-51.12	6.36	11.3	H	Pass
8552.5	-46.27	-13	-33.27	-65.74	-50.29	6.98	11	H	Pass
10263	-46.13	-13	-33.13	-68.32	-50.08	7.55	11.5	H	Pass
11973.5	-44.27	-13	-31.27	-69.34	-49.04	8.33	13.1	H	Pass
13684	-41.69	-13	-28.69	-69.03	-45.07	9.1	12.48	H	Pass
15394.5	-43.12	-13	-30.12	-70.02	-48.04	10.68	15.6	H	Pass
17105	-39.27	-13	-26.27	-70.9	-44	11.47	16.2	H	Pass
3421	-51.82	-13	-38.82	-59.66	-58.93	4.31	11.42	V	Pass
5131.5	-54.37	-13	-41.37	-66.84	-60.42	5.59	11.64	V	Pass
6842	-45.26	-13	-32.26	-62.95	-50.2	6.36	11.3	V	Pass
8552.5	-46.32	-13	-33.32	-65.48	-50.34	6.98	11	V	Pass
10263	-46.39	-13	-33.39	-68.69	-50.34	7.55	11.5	V	Pass
11973.5	-44.27	-13	-31.27	-69.25	-49.04	8.33	13.1	V	Pass
13684	-42.13	-13	-29.13	-69.19	-45.51	9.1	12.48	V	Pass
15394.5	-43.19	-13	-30.19	-70.03	-48.11	10.68	15.6	V	Pass
17105	-39.12	-13	-26.12	-70.77	-43.85	11.47	16.2	V	Pass

7 Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Wireless Communication Tester	Anritsu	MT8821C	6201538758	2025-05-06	2026-05-05
Climate Chamber	WEISS	VT 4002	582261194500 10	2025-05-06	2026-05-05
Wireless Communication Tester	R&S	CMW500	150415	2025-05-06	2026-05-05
Spectrum Analyzer	Keysight	N9020A	MY52330084	2025-05-06	2026-05-05
DC Power Supply	UNI-T	UTP1310+	C220795889	2025-05-06	2026-05-05
Signal & Specrum Analyzer	R&S	FSW	103495	2025-05-06	2026-05-05
Spectrum Analyzer	R&S	FSV30	104028	2024-05-07	2025-05-06
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	391	2022-09-29	2025-09-28
Horn Antenna	SCHWARZBECK	BBHA 9120D	1594	2023-12-05	2026-12-04
Horn Antenna	ETS-Lindgren	3160-09	00102643	2024-9-24	2027-9-23
Horn Antenna	STEATITE	QSH-SL-26-40-K-15	16779	2023-01-17	2026-01-16

ANNEX A: The EUT Appearance

The EUT Appearance are submitted separately.

ANNEX B: Test Setup Photos

The Test Setup Photos are submitted separately.

***** END OF REPORT *****