



Appendix A: Restricted Band

Mode:	11B-2412
-------	----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.98	74.00	29.02	41.96	54.00	12.04	150	317	Horizontal	PASS
2	2326.08	6.81	46.80	74.00	27.20	42.21	54.00	11.79	150	173	Horizontal	PASS
3	2340.24	6.81	46.39	74.00	27.61	42.02	54.00	11.98	150	90	Horizontal	PASS
4	2359.04	7.01	45.92	74.00	28.08	42.29	54.00	11.71	150	191	Horizontal	PASS
5	2372.96	7.40	46.33	74.00	27.67	42.01	54.00	11.99	150	302	Horizontal	PASS
6	2390	8.15	45.40	74.00	28.60	42.73	54.00	11.27	150	331	Horizontal	PASS


Mode:	11B-2412
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	45.66	74.00	28.34	41.87	54.00	12.13	150	152	Vertical	PASS
2	2364.32	7.14	51.99	74.00	22.01	44.58	54.00	9.42	150	312	Vertical	PASS
3	2370.56	7.23	51.10	74.00	22.90	45.04	54.00	8.96	150	278	Vertical	PASS
4	2381.04	7.66	52.87	74.00	21.13	48.47	54.00	5.53	150	306	Vertical	PASS
5	2383.76	7.87	53.13	74.00	20.87	47.20	54.00	6.80	150	356	Vertical	PASS
6	2390	8.15	49.46	74.00	24.54	46.85	54.00	7.15	150	278	Vertical	PASS


Mode:	11B-2462
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	47.54	74.00	26.46	44.19	54.00	9.81	150	313	Horizontal	PASS
2	2486.041	8.43	48.21	74.00	25.79	44.23	54.00	9.77	150	104	Horizontal	PASS
3	2489.605	8.33	48.69	74.00	25.31	45.27	54.00	8.73	150	49	Horizontal	PASS
4	2493.268	8.53	48.99	74.00	25.01	43.04	54.00	10.96	150	30	Horizontal	PASS
5	2495.1985	8.52	48.24	74.00	25.76	43.25	54.00	10.75	150	38	Horizontal	PASS
6	2500	8.20	46.53	74.00	27.47	43.76	54.00	10.24	150	272	Horizontal	PASS


Mode:	11B-2462
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	47.97	74.00	26.03	46.07	54.00	7.93	150	291	Vertical	PASS
2	2486.2555	8.43	56.22	74.00	17.78	51.39	54.00	2.61	150	254	Vertical	PASS
3	2487.2455	8.37	55.34	74.00	18.66	51.72	54.00	2.28	150	272	Vertical	PASS
4	2491.4365	8.45	54.55	74.00	19.45	51.57	54.00	2.43	150	269	Vertical	PASS
5	2493.4825	8.54	54.96	74.00	19.04	51.79	54.00	2.21	150	257	Vertical	PASS
6	2500.0000	8.20	47.34	74.00	26.66	44.28	54.00	9.72	150	189	Vertical	PASS


Mode:	11G-2412
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.85	74.00	29.15	41.47	54.00	12.53	150	244	Horizontal	PASS
2	2381.2	7.66	51.11	74.00	22.89	48.46	54.00	5.54	150	28	Horizontal	PASS
3	2385.76	7.96	51.79	74.00	22.21	48.96	54.00	5.04	150	31	Horizontal	PASS
4	2386.96	8.02	53.15	74.00	20.85	48.91	54.00	5.09	150	28	Horizontal	PASS
5	2388.32	8.01	53.87	74.00	20.13	49.72	54.00	4.28	150	34	Horizontal	PASS
6	2390	8.15	54.42	74.00	19.58	51.78	54.00	2.22	150	31	Horizontal	PASS


Mode:	11G-2412
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	6.68	44.77	74.00	29.23	42.34	54.00	11.66	150	295	Vertical	PASS
2	2375.36	7.56	56.38	74.00	17.62	50.40	54.00	3.60	150	321	Vertical	PASS
3	2380.9597	7.66	48.98	74.00	25.02	48.18	54.00	5.82	100.2	317.5	Vertical	PASS
4	2386.2398	7.99	53.24	74.00	20.76	49.12	54.00	4.88	100	313.8	Vertical	PASS
5	2389.3604	8.13	55.16	74.00	18.84	49.46	54.00	4.54	104.9	326	Vertical	PASS
6	2390.0000	8.15	63.67	74.00	10.33	49.25	54.00	4.75	150	213	Vertical	PASS


Mode:	11G-2462
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	50.76	74.00	23.24	46.51	54.00	7.49	150	300	Horizontal	PASS
2	2483.632	8.66	54.60	74.00	19.40	50.73	54.00	3.27	150	27	Horizontal	PASS
3	2483.9125	8.62	52.91	74.00	21.09	47.42	54.00	6.58	150	30	Horizontal	PASS
4	2484.787	8.57	53.38	74.00	20.62	50.13	54.00	3.87	150	39	Horizontal	PASS
5	2495.5945	8.49	52.40	74.00	21.60	45.67	54.00	8.33	150	30	Horizontal	PASS
6	2500	8.20	47.83	74.00	26.17	44.36	54.00	9.64	150	30	Horizontal	PASS


Mode:	11G-2462
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	8.67	60.63	74.00	13.37	50.79	54.00	3.21	150	326	Vertical	PASS
2	2483.9951	8.61	49.29	74.00	24.71	48.03	54.00	5.97	155.8	270.4	Vertical	PASS
3	2484.2588	8.60	49.28	74.00	24.72	48.12	54.00	5.88	149.6	254.4	Vertical	PASS
4	2485.0343	8.56	46.10	74.00	27.90	44.89	54.00	9.11	100.2	172	Vertical	PASS
5	2487.4268	8.34	47.60	74.00	26.40	46.26	54.00	7.74	174.8	257.6	Vertical	PASS
6	2500.0000	8.20	54.47	74.00	19.53	50.17	54.00	3.83	150	343	Vertical	PASS


Mode:	11N20-2412
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.38	74.00	29.62	41.41	54.00	12.59	150	128	Horizontal	PASS
2	2338	6.86	45.95	74.00	28.05	41.81	54.00	12.19	150	322	Horizontal	PASS
3	2374.72	7.50	47.04	74.00	26.96	42.66	54.00	11.34	150	328	Horizontal	PASS
4	2386.88	8.02	49.42	74.00	24.58	47.12	54.00	6.88	150	34	Horizontal	PASS
5	2388.88	8.10	52.35	74.00	21.65	48.53	54.00	5.47	150	328	Horizontal	PASS
6	2390	8.15	49.64	74.00	24.36	47.84	54.00	6.16	150	345	Horizontal	PASS


Mode:	11N20-2412
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.68	44.13	74.00	29.87	41.49	54.00	12.51	150	241	Vertical	PASS
2	2375.76	7.59	52.75	74.00	21.25	49.01	54.00	4.99	150	211	Vertical	PASS
3	2379.6	7.61	54.53	74.00	19.47	50.08	54.00	3.92	150	293	Vertical	PASS
4	2386.56	8.01	58.22	74.00	15.78	52.37	54.00	1.63	150	326	Vertical	PASS
5	2387.84	7.98	60.96	74.00	13.04	52.69	54.00	1.31	150	311	Vertical	PASS
6	2390	8.15	59.99	74.00	14.01	51.99	54.00	2.01	150	182	Vertical	PASS


Mode:	11N20-2462
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	50.99	74.00	23.01	48.19	54.00	5.81	150	34	Horizontal	PASS
2	2484.16	8.60	52.63	74.00	21.37	47.46	54.00	6.54	150	334	Horizontal	PASS
3	2485.0015	8.56	52.47	74.00	21.53	46.84	54.00	7.16	150	34	Horizontal	PASS
4	2486.6185	8.42	51.70	74.00	22.30	46.54	54.00	7.46	150	38	Horizontal	PASS
5	2498.383	8.30	52.00	74.00	22.00	48.55	54.00	5.45	150	34	Horizontal	PASS
6	2500	8.20	46.19	74.00	27.81	44.31	54.00	9.69	150	349	Horizontal	PASS


Mode:	11N20-2462
-------	------------




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.501	8.67	50.70	74.00	23.30	49.51	54.00	4.49	146.4	272.2	Vertical	PASS
2	2484.16	8.60	49.68	74.00	24.32	48.50	54.00	5.50	165.4	279.1	Vertical	PASS
3	2485.4143	8.51	49.16	74.00	24.84	48.04	54.00	5.96	174.8	255.9	Vertical	PASS
4	2486.272	8.43	49.24	74.00	24.76	48.03	54.00	5.97	174.4	258.7	Vertical	PASS
5	2491.1727	8.43	45.39	74.00	28.61	44.29	54.00	9.71	174.7	257.5	Vertical	PASS
6	2499.9997	8.20	42.50	74.00	31.50	41.43	54.00	12.57	142.2	341	Vertical	PASS

Appendix B: Spurious emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	38.7300	36.12	-15.92	40.00	3.88	100	211	Vertical	PASS
2	95.9600	25.81	-19.81	43.50	17.69	100	211	Vertical	PASS
3	157.070	26.84	-16.31	43.50	16.66	100	119	Vertical	PASS
4	215.270	31.55	-18.48	43.50	11.95	100	83	Vertical	PASS
5	328.760	31.47	-15.32	46.00	14.53	100	12	Vertical	PASS
6	494.630	39.92	-11.03	46.00	6.08	100	172	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.7900	19.37	-16.27	40.00	20.63	100	348	Horizontal	PASS
2	68.8000	12.09	-18.28	40.00	27.91	100	82	Horizontal	PASS
3	167.740	19.89	-17.08	43.50	23.61	100	256	Horizontal	PASS
4	215.270	23.94	-18.48	43.50	19.56	100	348	Horizontal	PASS
5	328.760	29.36	-15.32	46.00	16.64	100	267	Horizontal	PASS
6	492.690	29.14	-11.08	46.00	16.86	100	317	Horizontal	PASS

Mode:	11B-2412
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1280	43.09	2.29	74.00	30.91	150	120	Horizontal
2	1650	43.03	2.78	74.00	30.97	150	42	Horizontal
3	4911	44.45	-14.47	74.00	29.55	150	215	Horizontal
4	5979	44.01	-12.17	74.00	29.99	150	43	Horizontal
5	8940	45.43	-9.67	74.00	28.57	150	310	Horizontal
6	13122	49.27	-2.87	74.00	24.73	150	13	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.84	2.28	74.00	30.16	150	137	Vertical
2	1816	44.58	5.02	74.00	29.42	150	313	Vertical
3	4737	44.89	-14.66	74.00	29.11	150	262	Vertical
4	6582	45.66	-12.31	74.00	28.34	150	92	Vertical
5	10164	47.35	-7.21	74.00	26.65	150	215	Vertical
6	14355	49.06	-0.77	74.00	24.94	150	288	Vertical

Mode:	11B-2437
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	42.37	2.28	74.00	31.63	150	320	Horizontal
2	2012	46.29	5.95	74.00	27.71	150	305	Horizontal
3	4938	44.29	-15.04	74.00	29.71	150	257	Horizontal
4	6798	44.50	-11.85	74.00	29.50	150	346	Horizontal
5	10266	46.67	-7.45	74.00	27.33	150	230	Horizontal
6	13212	48.49	-2.31	74.00	25.51	150	2	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.64	2.28	74.00	30.36	150	142	Vertical
2	1886	46.06	5.59	74.00	27.94	150	137	Vertical
3	4740	46.22	-14.61	74.00	27.78	150	34	Vertical
4	5913	46.72	-12.67	74.00	27.28	150	141	Vertical
5	7107	46.08	-11.69	74.00	27.92	150	120	Vertical
6	11943	48.45	-4.79	74.00	25.55	150	308	Vertical

Mode:	11B-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1392	43.89	2.00	74.00	30.11	150	331	Horizontal
2	1864	45.49	5.45	74.00	28.51	150	90	Horizontal
3	5064	44.60	-14.35	74.00	29.40	150	135	Horizontal
4	7731	44.39	-11.50	74.00	29.61	150	63	Horizontal
5	10110	46.36	-7.18	74.00	27.64	150	84	Horizontal
6	14247	49.78	-0.81	74.00	24.22	150	293	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1180	42.72	2.00	74.00	31.28	150	351	Vertical
2	1672	42.87	2.98	74.00	31.13	150	174	Vertical
3	4737	54.28	-14.66	74.00	19.72	150	279	Vertical
4	6585	45.39	-12.33	74.00	28.61	150	98	Vertical
5	9195	45.78	-8.78	74.00	28.22	150	4	Vertical
6	12471	48.00	-3.76	74.00	26.00	150	236	Vertical

Mode:	11G-2412
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.35	2.28	74.00	30.65	150	115	Horizontal
2	1774	43.50	4.34	74.00	30.50	150	179	Horizontal
3	4239	42.41	-16.62	74.00	31.59	150	354	Horizontal
4	6255	44.82	-12.42	74.00	29.18	150	333	Horizontal
5	10167	47.22	-7.25	74.00	26.78	150	298	Horizontal
6	14349	50.53	-0.72	74.00	23.47	150	83	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	44.16	2.28	74.00	29.84	150	138	Vertical
2	2342	49.40	6.93	74.00	24.60	150	325	Vertical
3	4746	48.98	-14.52	74.00	25.02	150	286	Vertical
4	6579	45.43	-12.28	74.00	28.57	150	48	Vertical
5	9303	45.51	-9.12	74.00	28.49	150	358	Vertical
6	11907	49.25	-4.39	74.00	24.75	150	178	Vertical

Mode:	11G-2437
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328	42.98	2.21	74.00	31.02	150	356	Horizontal
2	1900	45.56	5.69	74.00	28.44	150	356	Horizontal
3	4896	43.70	-14.31	74.00	30.30	150	39	Horizontal
4	6558	44.63	-12.13	74.00	29.37	150	256	Horizontal
5	10305	46.86	-7.62	74.00	27.14	150	224	Horizontal
6	11862	48.62	-4.49	74.00	25.38	150	80	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1330	42.99	2.20	74.00	31.01	150	181	Vertical
2	2012	45.90	5.95	74.00	28.10	150	6	Vertical
3	4737	49.54	-14.66	74.00	24.46	150	294	Vertical
4	6573	46.97	-12.24	74.00	27.03	150	94	Vertical
5	9288	45.90	-9.16	74.00	28.10	150	82	Vertical
6	10977	47.16	-6.51	74.00	26.84	150	54	Vertical

Mode:	11G-2462
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1302	43.15	2.36	74.00	30.85	150	51	Horizontal
2	1912	45.35	5.67	74.00	28.65	150	87	Horizontal
3	4422	42.80	-15.85	74.00	31.20	150	156	Horizontal
4	5952	44.04	-12.03	74.00	29.96	150	360	Horizontal
5	7263	44.58	-11.81	74.00	29.42	150	306	Horizontal
6	9288	45.48	-9.16	74.00	28.52	150	280	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1260	43.28	2.22	74.00	30.72	150	57	Vertical
2	1808	44.28	4.93	74.00	29.72	150	311	Vertical
3	4743	48.23	-14.56	74.00	25.77	150	279	Vertical
4	6585	45.89	-12.33	74.00	28.11	150	80	Vertical
5	9558	45.95	-8.50	74.00	28.05	150	165	Vertical
6	12915	49.22	-3.06	74.00	24.78	150	336	Vertical

Mode:	11N20-2412
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1224	42.88	2.16	74.00	31.12	150	170	Horizontal
2	2012	45.88	5.95	74.00	28.12	150	208	Horizontal
3	4935	43.31	-14.98	74.00	30.69	150	258	Horizontal
4	6324	44.50	-12.42	74.00	29.50	150	134	Horizontal
5	8523	45.29	-10.86	74.00	28.71	150	2	Horizontal
6	11310	47.21	-5.74	74.00	26.79	150	151	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.88	2.27	74.00	31.12	150	134	Vertical
2	2034	46.03	5.97	74.00	27.97	150	127	Vertical
3	4737	46.61	-14.66	74.00	27.39	150	255	Vertical
4	5253	45.88	-14.10	74.00	28.12	150	42	Vertical
5	8316	45.30	-10.54	74.00	28.70	150	76	Vertical
6	10743	47.11	-6.64	74.00	26.89	150	290	Vertical

Mode:	11N20-2437
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1250	43.01	2.18	74.00	30.99	150	229	Horizontal
2	1734	44.48	3.67	74.00	29.52	150	57	Horizontal
3	4176	42.73	-16.27	74.00	31.27	150	179	Horizontal
4	5265	44.18	-14.01	74.00	29.82	150	107	Horizontal
5	6450	44.72	-12.53	74.00	29.28	150	230	Horizontal
6	11928	48.37	-4.63	74.00	25.63	150	18	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	42.92	2.27	74.00	31.08	150	146	Vertical
2	1680	43.97	3.05	74.00	30.03	150	275	Vertical
3	4725	44.75	-14.85	74.00	29.25	150	111	Vertical
4	7104	48.46	-11.64	74.00	25.54	150	69	Vertical
5	9657	46.03	-8.25	74.00	27.97	150	26	Vertical
6	11991	48.70	-5.00	74.00	25.30	150	61	Vertical

Mode:	11N20-2462
-------	------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	43.12	2.28	74.00	30.88	150	100	Horizontal
2	1832	44.88	5.18	74.00	29.12	150	208	Horizontal
3	4548	41.90	-15.64	74.00	32.10	150	166	Horizontal
4	7797	45.51	-11.06	74.00	28.49	150	15	Horizontal
5	11115	47.22	-5.63	74.00	26.78	150	280	Horizontal
6	14229	49.66	-1.23	74.00	24.34	150	183	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	42.99	2.28	74.00	31.01	150	149	Vertical
2	1998	45.59	5.92	74.00	28.41	150	176	Vertical
3	3948	45.02	-17.25	74.00	28.98	150	157	Vertical
4	4725	47.76	-14.85	74.00	26.24	150	76	Vertical
5	6444	44.12	-12.47	74.00	29.88	150	318	Vertical
6	9648	46.45	-8.23	74.00	27.55	150	233	Vertical