


26.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.7	-25	Pass	2986
30	1000	0.1	RMS	950.3	-61.76	-25	Pass	9701
1000	2396	1	RMS	2383	-48.88	-25	Pass	1397
2396	2790	1	RMS	2688.545	20.09	60	Pass	401
2790	3000	1	RMS	2793.675	-48.09	-25	Pass	401
3000	6500	1	RMS	5378	-61.4	-25	Pass	3501
6500	26500	1	RMS	26430	-45.08	-25	Pass	20001



27. n77 30kHz(3450-3550)


27.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	994.1	-58.71	-13	Pass	9701
1000	3000	1	RMS	2678	-46.73	-13	Pass	2001
3000	3440	1	RMS	3440	-38.63	-13	Pass	441
3440	3560	1	RMS	3452	10.12	60	Pass	401
3560	6500	1	RMS	3560	-61.89	-13	Pass	2941
6500	26500	1	RMS	25317	-44.3	-13	Pass	20001




27.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.21	-13	Pass	2986
30	1000	0.1	RMS	996.2	-57.76	-13	Pass	9701
1000	3000	1	RMS	2656	-46.65	-13	Pass	2001
3000	3440	1	RMS	3440	-45.46	-13	Pass	441
3440	3560	1	RMS	3451.1	21.42	60	Pass	401
3560	6500	1	RMS	3686	-62.05	-13	Pass	2941
6500	26500	1	RMS	25324	-44.25	-13	Pass	20001




27.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-53.26	-13	Pass	2986
30	1000	0.1	RMS	971	-59	-13	Pass	9701
1000	3000	1	RMS	2695	-46.64	-13	Pass	2001
3000	3440	1	RMS	3433	-45.49	-13	Pass	441
3440	3560	1	RMS	3469.1	21.32	60	Pass	401
3560	6500	1	RMS	3686	-61.9	-13	Pass	2941
6500	26500	1	RMS	25277	-43.86	-13	Pass	20001




27.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2986
30	1000	0.1	RMS	951.2	-58.25	-13	Pass	9701
1000	3000	1	RMS	2700	-46.64	-13	Pass	2001
3000	3440	1	RMS	3203	-46.27	-13	Pass	441
3440	3560	1	RMS	3492.5	10.06	60	Pass	401
3560	6500	1	RMS	3584	-60.94	-13	Pass	2941
6500	26500	1	RMS	26406	-44.16	-13	Pass	20001




27.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.76	-13	Pass	2986
30	1000	0.1	RMS	913.6	-58.65	-13	Pass	9701
1000	3000	1	RMS	2696	-46.73	-13	Pass	2001
3000	3440	1	RMS	3312	-46.27	-13	Pass	441
3440	3560	1	RMS	3491	21.46	60	Pass	401
3560	6500	1	RMS	3563	-59.38	-13	Pass	2941
6500	26500	1	RMS	25281	-44.23	-13	Pass	20001




27.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2986
30	1000	0.1	RMS	931.4	-58.26	-13	Pass	9701
1000	3000	1	RMS	2679	-46.66	-13	Pass	2001
3000	3440	1	RMS	3202	-46.25	-13	Pass	441
3440	3560	1	RMS	3509	21.3	60	Pass	401
3560	6500	1	RMS	3592	-61.21	-13	Pass	2941
6500	26500	1	RMS	26430	-44.23	-13	Pass	20001




27.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.66	-13	Pass	2986
30	1000	0.1	RMS	981.4	-58.67	-13	Pass	9701
1000	3000	1	RMS	2648	-46.61	-13	Pass	2001
3000	3440	1	RMS	3319	-46.17	-13	Pass	441
3440	3560	1	RMS	3532.1	9.86	60	Pass	401
3560	6500	1	RMS	3560	-38.05	-13	Pass	2941
6500	26500	1	RMS	26422	-44.3	-13	Pass	20001




27.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-13	Pass	2986
30	1000	0.1	RMS	901.6	-57.75	-13	Pass	9701
1000	3000	1	RMS	2704	-46.68	-13	Pass	2001
3000	3440	1	RMS	3322	-46.29	-13	Pass	441
3440	3560	1	RMS	3530.9	21.14	60	Pass	401
3560	6500	1	RMS	3567	-47.87	-13	Pass	2941
6500	26500	1	RMS	25347	-44.42	-13	Pass	20001




27.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-13	Pass	2986
30	1000	0.1	RMS	950.1	-57.9	-13	Pass	9701
1000	3000	1	RMS	2667	-46.82	-13	Pass	2001
3000	3440	1	RMS	3318	-46.29	-13	Pass	441
3440	3560	1	RMS	3548.9	21.14	60	Pass	401
3560	6500	1	RMS	3562	-50.93	-13	Pass	2941
6500	26500	1	RMS	26439	-43.8	-13	Pass	20001




27.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.91	-13	Pass	2986
30	1000	0.1	RMS	775.8	-58.04	-13	Pass	9701
1000	3000	1	RMS	2693	-46.73	-13	Pass	2001
3000	3440	1	RMS	3440	-39.32	-13	Pass	441
3440	3560	1	RMS	3452.9	5.16	60	Pass	401
3560	6500	1	RMS	3560	-45.48	-13	Pass	2941
6500	26500	1	RMS	25743	-44.35	-13	Pass	20001




27.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2986
30	1000	0.1	RMS	977.7	-58.39	-13	Pass	9701
1000	3000	1	RMS	2698	-46.78	-13	Pass	2001
3000	3440	1	RMS	3422	-45.33	-13	Pass	441
3440	3560	1	RMS	3451.1	21.16	60	Pass	401
3560	6500	1	RMS	3567	-49.67	-13	Pass	2941
6500	26500	1	RMS	25302	-44.2	-13	Pass	20001




27.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.15	-13	Pass	2986
30	1000	0.1	RMS	799.7	-58.12	-13	Pass	9701
1000	3000	1	RMS	2689	-46.72	-13	Pass	2001
3000	3440	1	RMS	3422	-44.71	-13	Pass	441
3440	3560	1	RMS	3509	21.08	60	Pass	401
3560	6500	1	RMS	4224	-50.57	-13	Pass	2941
6500	26500	1	RMS	25330	-44.15	-13	Pass	20001




27.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.7	-13	Pass	2986
30	1000	0.1	RMS	998.7	-58.35	-13	Pass	9701
1000	3000	1	RMS	2675	-46.73	-13	Pass	2001
3000	3440	1	RMS	3440	-42.2	-13	Pass	441
3440	3560	1	RMS	3471.8	5.1	60	Pass	401
3560	6500	1	RMS	3560	-40.6	-13	Pass	2941
6500	26500	1	RMS	26428	-44.14	-13	Pass	20001




27.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2986
30	1000	0.1	RMS	861.4	-58.13	-13	Pass	9701
1000	3000	1	RMS	2664	-46.75	-13	Pass	2001
3000	3440	1	RMS	3318	-46.24	-13	Pass	441
3440	3560	1	RMS	3470.9	21.3	60	Pass	401
3560	6500	1	RMS	3587	-48.99	-13	Pass	2941
6500	26500	1	RMS	25261	-44.22	-13	Pass	20001




27.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.89	-13	Pass	2986
30	1000	0.1	RMS	982.2	-57.93	-13	Pass	9701
1000	3000	1	RMS	2708	-46.69	-13	Pass	2001
3000	3440	1	RMS	3413	-45.57	-13	Pass	441
3440	3560	1	RMS	3528.8	20.84	60	Pass	401
3560	6500	1	RMS	4225	-50.82	-13	Pass	2941
6500	26500	1	RMS	25357	-44.28	-13	Pass	20001




27.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.69	-13	Pass	2986
30	1000	0.1	RMS	978.6	-58.49	-13	Pass	9701
1000	3000	1	RMS	2678	-46.64	-13	Pass	2001
3000	3440	1	RMS	3440	-44.82	-13	Pass	441
3440	3560	1	RMS	3494.6	5.08	60	Pass	401
3560	6500	1	RMS	3560	-37.84	-13	Pass	2941
6500	26500	1	RMS	26430	-44.18	-13	Pass	20001




27.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.18	-55.23	-13	Pass	2986
30	1000	0.1	RMS	964	-58.39	-13	Pass	9701
1000	3000	1	RMS	2651	-46.66	-13	Pass	2001
3000	3440	1	RMS	3314	-46.21	-13	Pass	441
3440	3560	1	RMS	3491	21.19	60	Pass	401
3560	6500	1	RMS	4224	-50.47	-13	Pass	2941
6500	26500	1	RMS	26431	-44.25	-13	Pass	20001




27.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-55.57	-13	Pass	2986
30	1000	0.1	RMS	818.2	-59.22	-13	Pass	9701
1000	3000	1	RMS	2653	-46.82	-13	Pass	2001
3000	3440	1	RMS	3433	-45.59	-13	Pass	441
3440	3560	1	RMS	3548.9	20.88	60	Pass	401
3560	6500	1	RMS	4224	-50.56	-13	Pass	2941
6500	26500	1	RMS	25732	-44.22	-13	Pass	20001




27.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.44	-13	Pass	2986
30	1000	0.1	RMS	819.9	-58.67	-13	Pass	9701
1000	3000	1	RMS	2672	-46.75	-13	Pass	2001
3000	3440	1	RMS	3440	-39.08	-13	Pass	441
3440	3560	1	RMS	3465.8	2.65	60	Pass	401
3560	6500	1	RMS	3560	-39.51	-13	Pass	2941
6500	26500	1	RMS	25741	-44.21	-13	Pass	20001




27.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.83	-13	Pass	2986
30	1000	0.1	RMS	961.8	-58.21	-13	Pass	9701
1000	3000	1	RMS	2648	-46.7	-13	Pass	2001
3000	3440	1	RMS	3402	-44.59	-13	Pass	441
3440	3560	1	RMS	3451.1	21.1	60	Pass	401
3560	6500	1	RMS	4224	-50.64	-13	Pass	2941
6500	26500	1	RMS	25247	-43.96	-13	Pass	20001



27.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.79	-13	Pass	2986
30	1000	0.1	RMS	992.7	-58.62	-13	Pass	9701
1000	3000	1	RMS	2675	-46.71	-13	Pass	2001
3000	3440	1	RMS	3402	-44.69	-13	Pass	441
3440	3560	1	RMS	3548.9	21.05	60	Pass	401
3560	6500	1	RMS	4224	-50.57	-13	Pass	2941
6500	26500	1	RMS	26439	-44.14	-13	Pass	20001



28. n77 30kHz(3700-3980)


28.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-13	Pass	2986
30	1000	0.1	RMS	925.7	-58.33	-13	Pass	9701
1000	3000	1	RMS	2687	-46.76	-13	Pass	2001
3000	3690	1	RMS	3690	-41.42	-13	Pass	691
3690	3990	1	RMS	3702	6.56	60	Pass	401
3990	6500	1	RMS	6219	-65.21	-13	Pass	2511
6500	26500	1	RMS	25284	-44.38	-13	Pass	20001




28.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.34	-13	Pass	2986
30	1000	0.1	RMS	931.2	-58.17	-13	Pass	9701
1000	3000	1	RMS	2700	-46.76	-13	Pass	2001
3000	3690	1	RMS	3600	-43.41	-13	Pass	691
3690	3990	1	RMS	3701.25	17.08	60	Pass	401
3990	6500	1	RMS	4008	-64.83	-13	Pass	2511
6500	26500	1	RMS	26424	-44.15	-13	Pass	20001




28.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	1000	0.1	RMS	908.9	-58.63	-13	Pass	9701
1000	3000	1	RMS	2700	-46.6	-13	Pass	2001
3000	3690	1	RMS	3600	-43.41	-13	Pass	691
3690	3990	1	RMS	3719.25	16.92	60	Pass	401
3990	6500	1	RMS	4026	-65.26	-13	Pass	2511
6500	26500	1	RMS	26413	-44.08	-13	Pass	20001




28.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.51	-13	Pass	2986
30	1000	0.1	RMS	833.1	-58.42	-13	Pass	9701
1000	3000	1	RMS	2688	-46.76	-13	Pass	2001
3000	3690	1	RMS	3600	-43.5	-13	Pass	691
3690	3990	1	RMS	3833.25	7.9	60	Pass	401
3990	6500	1	RMS	6224	-65.35	-13	Pass	2511
6500	26500	1	RMS	26429	-44.25	-13	Pass	20001




28.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.95	-13	Pass	2986
30	1000	0.1	RMS	944.7	-58.18	-13	Pass	9701
1000	3000	1	RMS	2663	-46.75	-13	Pass	2001
3000	3690	1	RMS	3602	-43.46	-13	Pass	691
3690	3990	1	RMS	3831	18.82	60	Pass	401
3990	6500	1	RMS	4138	-65	-13	Pass	2511
6500	26500	1	RMS	26409	-44.4	-13	Pass	20001




28.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54	-13	Pass	2986
30	1000	0.1	RMS	845.4	-58.24	-13	Pass	9701
1000	3000	1	RMS	2672	-46.67	-13	Pass	2001
3000	3690	1	RMS	3601	-43.58	-13	Pass	691
3690	3990	1	RMS	3849	18.91	60	Pass	401
3990	6500	1	RMS	4156	-64.95	-13	Pass	2511
6500	26500	1	RMS	26413	-44.32	-13	Pass	20001




28.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2986
30	1000	0.1	RMS	930.7	-57.74	-13	Pass	9701
1000	3000	1	RMS	2672	-46.82	-13	Pass	2001
3000	3690	1	RMS	3600	-43.37	-13	Pass	691
3690	3990	1	RMS	3963.75	8.8	60	Pass	401
3990	6500	1	RMS	3990	-39.01	-13	Pass	2511
6500	26500	1	RMS	25277	-43.85	-13	Pass	20001




28.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.84	-13	Pass	2986
30	1000	0.1	RMS	936	-58.55	-13	Pass	9701
1000	3000	1	RMS	2684	-46.78	-13	Pass	2001
3000	3690	1	RMS	3617	-43.5	-13	Pass	691
3690	3990	1	RMS	3960.75	19.2	60	Pass	401
3990	6500	1	RMS	3997	-49.34	-13	Pass	2511
6500	26500	1	RMS	25768	-44.43	-13	Pass	20001




28.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	944.5	-58.14	-13	Pass	9701
1000	3000	1	RMS	2650	-46.63	-13	Pass	2001
3000	3690	1	RMS	3600	-43.51	-13	Pass	691
3690	3990	1	RMS	3978.75	19.29	60	Pass	401
3990	6500	1	RMS	3991	-51.55	-13	Pass	2511
6500	26500	1	RMS	26437	-44.21	-13	Pass	20001




28.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.41	-13	Pass	2986
30	1000	0.1	RMS	929.5	-58.59	-13	Pass	9701
1000	3000	1	RMS	2691	-46.79	-13	Pass	2001
3000	3690	1	RMS	3689	-42.87	-13	Pass	691
3690	3990	1	RMS	3756	1.7	60	Pass	401
3990	6500	1	RMS	4224	-50.5	-13	Pass	2511
6500	26500	1	RMS	25739	-44.61	-13	Pass	20001




28.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.17	-13	Pass	2986
30	1000	0.1	RMS	978.8	-58.4	-13	Pass	9701
1000	3000	1	RMS	2672	-46.66	-13	Pass	2001
3000	3690	1	RMS	3600	-43.56	-13	Pass	691
3690	3990	1	RMS	3701.25	17	60	Pass	401
3990	6500	1	RMS	4224	-50	-13	Pass	2511
6500	26500	1	RMS	25341	-44	-13	Pass	20001




28.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.44	-13	Pass	2986
30	1000	0.1	RMS	989.8	-58.75	-13	Pass	9701
1000	3000	1	RMS	2688	-46.76	-13	Pass	2001
3000	3690	1	RMS	3603	-43.43	-13	Pass	691
3690	3990	1	RMS	3759	17.72	60	Pass	401
3990	6500	1	RMS	4224	-49.99	-13	Pass	2511
6500	26500	1	RMS	25305	-43.78	-13	Pass	20001




28.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.84	-13	Pass	2986
30	1000	0.1	RMS	977.6	-58.63	-13	Pass	9701
1000	3000	1	RMS	2646	-46.74	-13	Pass	2001
3000	3690	1	RMS	3603	-43.42	-13	Pass	691
3690	3990	1	RMS	3866.25	2.78	60	Pass	401
3990	6500	1	RMS	4224	-50.79	-13	Pass	2511
6500	26500	1	RMS	26413	-44.22	-13	Pass	20001




28.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.54	-13	Pass	2986
30	1000	0.1	RMS	908.1	-58.53	-13	Pass	9701
1000	3000	1	RMS	2699	-46.67	-13	Pass	2001
3000	3690	1	RMS	3603	-43.56	-13	Pass	691
3690	3990	1	RMS	3810.75	17.88	60	Pass	401
3990	6500	1	RMS	4224	-51.07	-13	Pass	2511
6500	26500	1	RMS	25739	-44.52	-13	Pass	20001




28.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.4	-13	Pass	2986
30	1000	0.1	RMS	937.4	-58.28	-13	Pass	9701
1000	3000	1	RMS	2674	-46.75	-13	Pass	2001
3000	3690	1	RMS	3604	-43.48	-13	Pass	691
3690	3990	1	RMS	3869.25	18.15	60	Pass	401
3990	6500	1	RMS	4224	-51.39	-13	Pass	2511
6500	26500	1	RMS	25317	-44.25	-13	Pass	20001




28.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.22	-13	Pass	2986
30	1000	0.1	RMS	975.7	-58.13	-13	Pass	9701
1000	3000	1	RMS	2684	-46.78	-13	Pass	2001
3000	3690	1	RMS	3601	-43.49	-13	Pass	691
3690	3990	1	RMS	3972	3.67	60	Pass	401
3990	6500	1	RMS	3991	-40.19	-13	Pass	2511
6500	26500	1	RMS	25357	-44.29	-13	Pass	20001




28.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-53.03	-13	Pass	2986
30	1000	0.1	RMS	993.8	-58.76	-13	Pass	9701
1000	3000	1	RMS	2699	-46.85	-13	Pass	2001
3000	3690	1	RMS	3600	-43.52	-13	Pass	691
3690	3990	1	RMS	3921	19.25	60	Pass	401
3990	6500	1	RMS	4037	-50.29	-13	Pass	2511
6500	26500	1	RMS	25308	-44.21	-13	Pass	20001




28.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.13	-13	Pass	2986
30	1000	0.1	RMS	862.909	-61.24	-13	Pass	9701
1000	3000	1	RMS	2885	-48.66	-13	Pass	2001
3000	3690	1	RMS	3686	-43.22	-13	Pass	691
3690	3990	1	RMS	3978.75	20.47	60	Pass	401
3990	6500	1	RMS	4224	-47.82	-13	Pass	2511
6500	26500	1	RMS	25522	-45.59	-13	Pass	20003




28.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.78	-13	Pass	2986
30	1000	0.1	RMS	966.9	-58.57	-13	Pass	9701
1000	3000	1	RMS	2656	-46.74	-13	Pass	2001
3000	3690	1	RMS	3686	-43.19	-13	Pass	691
3690	3990	1	RMS	3708	-0.72	60	Pass	401
3990	6500	1	RMS	4224	-50.4	-13	Pass	2511
6500	26500	1	RMS	25734	-44.39	-13	Pass	20001




28.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.6	-13	Pass	2986
30	1000	0.1	RMS	954.6	-57.89	-13	Pass	9701
1000	3000	1	RMS	2692	-46.7	-13	Pass	2001
3000	3690	1	RMS	3652	-43.38	-13	Pass	691
3690	3990	1	RMS	3701.25	16.79	60	Pass	401
3990	6500	1	RMS	4224	-50.26	-13	Pass	2511
6500	26500	1	RMS	25342	-43.8	-13	Pass	20001




28.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	1000	0.1	RMS	780.5	-58.23	-13	Pass	9701
1000	3000	1	RMS	2666	-46.84	-13	Pass	2001
3000	3690	1	RMS	3603	-43.22	-13	Pass	691
3690	3990	1	RMS	3798.75	17.48	60	Pass	401
3990	6500	1	RMS	4224	-50.45	-13	Pass	2511
6500	26500	1	RMS	25264	-44.16	-13	Pass	20001




28.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-53.94	-13	Pass	2986
30	1000	0.1	RMS	939.4	-58.32	-13	Pass	9701
1000	3000	1	RMS	2698	-46.61	-13	Pass	2001
3000	3690	1	RMS	3608	-43.52	-13	Pass	691
3690	3990	1	RMS	3868.5	0.3	60	Pass	401
3990	6500	1	RMS	3993	-50.82	-13	Pass	2511
6500	26500	1	RMS	26428	-43.77	-13	Pass	20001




28.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	1000	0.1	RMS	956.2	-58.1	-13	Pass	9701
1000	3000	1	RMS	2662	-46.69	-13	Pass	2001
3000	3690	1	RMS	3601	-43.44	-13	Pass	691
3690	3990	1	RMS	3791.25	17.62	60	Pass	401
3990	6500	1	RMS	4224	-51.39	-13	Pass	2511
6500	26500	1	RMS	26444	-44.47	-13	Pass	20001




28.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-13	Pass	2986
30	1000	0.1	RMS	819.6	-57.63	-13	Pass	9701
1000	3000	1	RMS	2699	-46.78	-13	Pass	2001
3000	3690	1	RMS	3605	-43.4	-13	Pass	691
3690	3990	1	RMS	3888.75	18.68	60	Pass	401
3990	6500	1	RMS	4224	-51.44	-13	Pass	2511
6500	26500	1	RMS	25339	-44.29	-13	Pass	20001




28.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2986
30	1000	0.1	RMS	904.2	-58.55	-13	Pass	9701
1000	3000	1	RMS	2699	-46.63	-13	Pass	2001
3000	3690	1	RMS	3606	-43.54	-13	Pass	691
3690	3990	1	RMS	3969.75	1.03	60	Pass	401
3990	6500	1	RMS	3990	-42.02	-13	Pass	2511
6500	26500	1	RMS	25754	-44.43	-13	Pass	20001




28.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.79	-13	Pass	2986
30	1000	0.1	RMS	866.2	-57.74	-13	Pass	9701
1000	3000	1	RMS	2649	-46.7	-13	Pass	2001
3000	3690	1	RMS	3602	-43.57	-13	Pass	691
3690	3990	1	RMS	3881.25	18.49	60	Pass	401
3990	6500	1	RMS	4224	-51.56	-13	Pass	2511
6500	26500	1	RMS	26366	-44.41	-13	Pass	20001



28.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.01	-13	Pass	2986
30	1000	0.1	RMS	982.6	-58.8	-13	Pass	9701
1000	3000	1	RMS	2699	-46.78	-13	Pass	2001
3000	3690	1	RMS	3601	-43.55	-13	Pass	691
3690	3990	1	RMS	3978.75	19.24	60	Pass	401
3990	6500	1	RMS	4225	-52.25	-13	Pass	2511
6500	26500	1	RMS	25316	-43.77	-13	Pass	20001



29. n78 30kHz(3450-3550)


29.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	955.7	-59.5	-13	Pass	9701
1000	3000	1	RMS	2686	-46.74	-13	Pass	2001
3000	3440	1	RMS	3440	-37.17	-13	Pass	441
3440	3560	1	RMS	3467.9	10.1	60	Pass	401
3560	6500	1	RMS	3560	-61.73	-13	Pass	2941
6500	26500	1	RMS	25295	-43.96	-13	Pass	20001




29.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.4	-13	Pass	2986
30	1000	0.1	RMS	962.4	-58.19	-13	Pass	9701
1000	3000	1	RMS	2669	-46.73	-13	Pass	2001
3000	3440	1	RMS	3440	-45.48	-13	Pass	441
3440	3560	1	RMS	3451.1	21.35	60	Pass	401
3560	6500	1	RMS	3564	-63.15	-13	Pass	2941
6500	26500	1	RMS	26426	-43.81	-13	Pass	20001




29.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-13	Pass	2986
30	1000	0.1	RMS	875.2	-58.59	-13	Pass	9701
1000	3000	1	RMS	2651	-46.73	-13	Pass	2001
3000	3440	1	RMS	3433	-45.62	-13	Pass	441
3440	3560	1	RMS	3469.1	21.28	60	Pass	401
3560	6500	1	RMS	3561	-61.94	-13	Pass	2941
6500	26500	1	RMS	26435	-43.82	-13	Pass	20001




29.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-13	Pass	2986
30	1000	0.1	RMS	999.1	-58.2	-13	Pass	9701
1000	3000	1	RMS	2681	-46.69	-13	Pass	2001
3000	3440	1	RMS	3307	-46.32	-13	Pass	441
3440	3560	1	RMS	3492.5	9.93	60	Pass	401
3560	6500	1	RMS	3584	-61.12	-13	Pass	2941
6500	26500	1	RMS	26447	-44.12	-13	Pass	20001




29.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.24	-13	Pass	2986
30	1000	0.1	RMS	958.9	-58.48	-13	Pass	9701
1000	3000	1	RMS	2693	-46.73	-13	Pass	2001
3000	3440	1	RMS	3309	-46.25	-13	Pass	441
3440	3560	1	RMS	3491	21.23	60	Pass	401
3560	6500	1	RMS	3563	-59.5	-13	Pass	2941
6500	26500	1	RMS	25391	-44.08	-13	Pass	20001




29.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	1000	0.1	RMS	943.8	-58.52	-13	Pass	9701
1000	3000	1	RMS	2696	-46.62	-13	Pass	2001
3000	3440	1	RMS	3320	-46.25	-13	Pass	441
3440	3560	1	RMS	3509	21.19	60	Pass	401
3560	6500	1	RMS	3583	-61.4	-13	Pass	2941
6500	26500	1	RMS	26434	-44.2	-13	Pass	20001




29.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	911.2	-58.51	-13	Pass	9701
1000	3000	1	RMS	2656	-46.76	-13	Pass	2001
3000	3440	1	RMS	3295	-46.24	-13	Pass	441
3440	3560	1	RMS	3546.2	9.7	60	Pass	401
3560	6500	1	RMS	3560	-38.28	-13	Pass	2941
6500	26500	1	RMS	26421	-44.09	-13	Pass	20001




29.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2986
30	1000	0.1	RMS	937.4	-58.21	-13	Pass	9701
1000	3000	1	RMS	2658	-46.64	-13	Pass	2001
3000	3440	1	RMS	3318	-46.24	-13	Pass	441
3440	3560	1	RMS	3530.9	20.97	60	Pass	401
3560	6500	1	RMS	3567	-48.46	-13	Pass	2941
6500	26500	1	RMS	25308	-43.93	-13	Pass	20001




29.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.65	-13	Pass	2986
30	1000	0.1	RMS	926.7	-58.59	-13	Pass	9701
1000	3000	1	RMS	2673	-46.74	-13	Pass	2001
3000	3440	1	RMS	3319	-46.19	-13	Pass	441
3440	3560	1	RMS	3548.9	21.06	60	Pass	401
3560	6500	1	RMS	3560	-51.59	-13	Pass	2941
6500	26500	1	RMS	25762	-44.09	-13	Pass	20001




29.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.48	-13	Pass	2986
30	1000	0.1	RMS	737.5	-61.6	-13	Pass	9701
1000	3000	1	RMS	2870	-48.7	-13	Pass	2001
3000	3440	1	RMS	3440	-38.85	-13	Pass	441
3440	3560	1	RMS	3453.2	7.49	60	Pass	401
3560	6500	1	RMS	4225	-48.87	-13	Pass	2941
6500	26500	1	RMS	25210	-45.59	-13	Pass	20003




29.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.68	-13	Pass	2986
30	1000	0.1	RMS	910.341	-61.14	-13	Pass	9701
1000	3000	1	RMS	2872	-48.55	-13	Pass	2001
3000	3440	1	RMS	3032	-43.81	-13	Pass	441
3440	3560	1	RMS	3451.4	21.08	60	Pass	401
3560	6500	1	RMS	4224	-48.81	-13	Pass	2941
6500	26500	1	RMS	25185	-45.95	-13	Pass	20003




29.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-67.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.78	-13	Pass	2986
30	1000	0.1	RMS	905.137	-61.27	-13	Pass	9701
1000	3000	1	RMS	2878	-48.71	-13	Pass	2001
3000	3440	1	RMS	3404	-43.73	-13	Pass	441
3440	3560	1	RMS	3498.8	21.28	60	Pass	401
3560	6500	1	RMS	4225	-49.3	-13	Pass	2941
6500	26500	1	RMS	25189	-45.44	-13	Pass	20003




29.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-69.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.22	-13	Pass	2986
30	1000	0.1	RMS	856.605	-61.23	-13	Pass	9701
1000	3000	1	RMS	2877	-48.58	-13	Pass	2001
3000	3440	1	RMS	3438	-42.8	-13	Pass	441
3440	3560	1	RMS	3478.1	7.45	60	Pass	401
3560	6500	1	RMS	3562	-44.15	-13	Pass	2941
6500	26500	1	RMS	25867	-45.66	-13	Pass	20003




29.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.91	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.43	-13	Pass	2986
30	1000	0.1	RMS	912.242	-61.19	-13	Pass	9701
1000	3000	1	RMS	2866	-48.49	-13	Pass	2001
3000	3440	1	RMS	3031	-43.8	-13	Pass	441
3440	3560	1	RMS	3476.3	21.27	60	Pass	401
3560	6500	1	RMS	4225	-47.87	-13	Pass	2941
6500	26500	1	RMS	25527	-45.77	-13	Pass	20003




29.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.17	-13	Pass	2986
30	1000	0.1	RMS	898.933	-61.44	-13	Pass	9701
1000	3000	1	RMS	2875	-48.57	-13	Pass	2001
3000	3440	1	RMS	3029	-43.76	-13	Pass	441
3440	3560	1	RMS	3523.7	21.37	60	Pass	401
3560	6500	1	RMS	4225	-48.92	-13	Pass	2941
6500	26500	1	RMS	25212	-45.6	-13	Pass	20003




29.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.89	-13	Pass	2986
30	1000	0.1	RMS	850.701	-61.38	-13	Pass	9701
1000	3000	1	RMS	2868	-48.62	-13	Pass	2001
3000	3440	1	RMS	3025	-43.84	-13	Pass	441
3440	3560	1	RMS	3503.3	8.74	60	Pass	401
3560	6500	1	RMS	3569	-37.58	-13	Pass	2941
6500	26500	1	RMS	25189	-45.88	-13	Pass	20003




29.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.99	-13	Pass	2986
30	1000	0.1	RMS	886.125	-61.5	-13	Pass	9701
1000	3000	1	RMS	2872	-48.53	-13	Pass	2001
3000	3440	1	RMS	3034	-43.86	-13	Pass	441
3440	3560	1	RMS	3501.2	21.31	60	Pass	401
3560	6500	1	RMS	4225	-48.74	-13	Pass	2941
6500	26500	1	RMS	25193	-45.22	-13	Pass	20003




29.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-13	Pass	2986
30	1000	0.1	RMS	881.121	-60.85	-13	Pass	9701
1000	3000	1	RMS	2879	-48.59	-13	Pass	2001
3000	3440	1	RMS	3100	-43.86	-13	Pass	441
3440	3560	1	RMS	3548.6	20.91	60	Pass	401
3560	6500	1	RMS	4225	-48.55	-13	Pass	2941
6500	26500	1	RMS	25928	-45.63	-13	Pass	20003




29.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.2	-13	Pass	2986
30	1000	0.1	RMS	801.6	-58.7	-13	Pass	9701
1000	3000	1	RMS	2698	-46.72	-13	Pass	2001
3000	3440	1	RMS	3440	-39.3	-13	Pass	441
3440	3560	1	RMS	3465.2	2.45	60	Pass	401
3560	6500	1	RMS	3560	-39.87	-13	Pass	2941
6500	26500	1	RMS	25345	-44.15	-13	Pass	20001




29.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.49	-13	Pass	2986
30	1000	0.1	RMS	920.9	-58.31	-13	Pass	9701
1000	3000	1	RMS	2641	-46.81	-13	Pass	2001
3000	3440	1	RMS	3402	-44.42	-13	Pass	441
3440	3560	1	RMS	3451.1	20.95	60	Pass	401
3560	6500	1	RMS	4224	-50.23	-13	Pass	2941
6500	26500	1	RMS	26418	-44.21	-13	Pass	20001



29.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	1000	0.1	RMS	851.5	-58.42	-13	Pass	9701
1000	3000	1	RMS	2651	-46.76	-13	Pass	2001
3000	3440	1	RMS	3402	-44.8	-13	Pass	441
3440	3560	1	RMS	3548.9	20.89	60	Pass	401
3560	6500	1	RMS	4224	-50.34	-13	Pass	2941
6500	26500	1	RMS	26423	-44.19	-13	Pass	20001



30. n78 30kHz(3700-3800)


30.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.04	-13	Pass	2986
30	1000	0.1	RMS	900.7	-59.39	-13	Pass	9701
1000	3000	1	RMS	2663	-46.78	-13	Pass	2001
3000	3690	1	RMS	3690	-41.36	-13	Pass	691
3690	3810	1	RMS	3702.6	6.44	60	Pass	401
3810	6500	1	RMS	6220	-65.07	-13	Pass	2691
6500	26500	1	RMS	25366	-43.8	-13	Pass	20001




30.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.19	-53.08	-13	Pass	2986
30	1000	0.1	RMS	859.5	-59.41	-13	Pass	9701
1000	3000	1	RMS	2694	-46.8	-13	Pass	2001
3000	3690	1	RMS	3600	-43.83	-13	Pass	691
3690	3810	1	RMS	3701.1	17.73	60	Pass	401
3810	6500	1	RMS	4008	-64.66	-13	Pass	2691
6500	26500	1	RMS	25285	-44.26	-13	Pass	20001




30.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.74	-13	Pass	2986
30	1000	0.1	RMS	935.1	-59.13	-13	Pass	9701
1000	3000	1	RMS	2679	-46.75	-13	Pass	2001
3000	3690	1	RMS	3604	-43.78	-13	Pass	691
3690	3810	1	RMS	3719.1	17.91	60	Pass	401
3810	6500	1	RMS	6209	-64.99	-13	Pass	2691
6500	26500	1	RMS	26421	-44.24	-13	Pass	20001




30.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.95	-13	Pass	2986
30	1000	0.1	RMS	785.4	-59.56	-13	Pass	9701
1000	3000	1	RMS	2671	-46.89	-13	Pass	2001
3000	3690	1	RMS	3601	-43.76	-13	Pass	691
3690	3810	1	RMS	3741.9	6.83	60	Pass	401
3810	6500	1	RMS	3810	-64.43	-13	Pass	2691
6500	26500	1	RMS	25322	-44.15	-13	Pass	20001




30.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.9	-13	Pass	2986
30	1000	0.1	RMS	964.8	-59.61	-13	Pass	9701
1000	3000	1	RMS	2672	-46.71	-13	Pass	2001
3000	3690	1	RMS	3602	-43.74	-13	Pass	691
3690	3810	1	RMS	3741	18.17	60	Pass	401
3810	6500	1	RMS	4048	-64.93	-13	Pass	2691
6500	26500	1	RMS	26422	-44.12	-13	Pass	20001




30.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.39	-13	Pass	2986
30	1000	0.1	RMS	919.3	-58.82	-13	Pass	9701
1000	3000	1	RMS	2704	-46.87	-13	Pass	2001
3000	3690	1	RMS	3603	-43.84	-13	Pass	691
3690	3810	1	RMS	3759	18.4	60	Pass	401
3810	6500	1	RMS	3811	-64.31	-13	Pass	2691
6500	26500	1	RMS	26454	-44.03	-13	Pass	20001




30.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.99	-13	Pass	2986
30	1000	0.1	RMS	950.2	-59.42	-13	Pass	9701
1000	3000	1	RMS	2653	-46.86	-13	Pass	2001
3000	3690	1	RMS	3600	-43.73	-13	Pass	691
3690	3810	1	RMS	3782.1	7.13	60	Pass	401
3810	6500	1	RMS	3811	-41.07	-13	Pass	2691
6500	26500	1	RMS	26431	-44.29	-13	Pass	20001




30.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-53.92	-13	Pass	2986
30	1000	0.1	RMS	984.1	-59.68	-13	Pass	9701
1000	3000	1	RMS	2659	-46.82	-13	Pass	2001
3000	3690	1	RMS	3602	-43.75	-13	Pass	691
3690	3810	1	RMS	3780.9	18.45	60	Pass	401
3810	6500	1	RMS	3817	-53.7	-13	Pass	2691
6500	26500	1	RMS	25751	-44.21	-13	Pass	20001




30.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	885.3	-59.29	-13	Pass	9701
1000	3000	1	RMS	2652	-46.73	-13	Pass	2001
3000	3690	1	RMS	3602	-43.78	-13	Pass	691
3690	3810	1	RMS	3798.9	18.66	60	Pass	401
3810	6500	1	RMS	3810	-51.96	-13	Pass	2691
6500	26500	1	RMS	26428	-43.77	-13	Pass	20001




30.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.81	-13	Pass	2986
30	1000	0.1	RMS	766	-60.73	-13	Pass	9701
1000	3000	1	RMS	2882	-48.56	-13	Pass	2001
3000	3690	1	RMS	3690	-39.13	-13	Pass	691
3690	3810	1	RMS	3703.2	9.28	60	Pass	401
3810	6500	1	RMS	4225	-48.38	-13	Pass	2691
6500	26500	1	RMS	25501	-45.29	-13	Pass	20003




30.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.23	-13	Pass	2986
30	1000	0.1	RMS	882.622	-61.52	-13	Pass	9701
1000	3000	1	RMS	2888	-48.59	-13	Pass	2001
3000	3690	1	RMS	3686	-42.67	-13	Pass	691
3690	3810	1	RMS	3701.1	21.67	60	Pass	401
3810	6500	1	RMS	4225	-48.31	-13	Pass	2691
6500	26500	1	RMS	25198	-45.79	-13	Pass	20003




30.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.95	-13	Pass	2986
30	1000	0.1	RMS	901.235	-61.29	-13	Pass	9701
1000	3000	1	RMS	2865	-48.58	-13	Pass	2001
3000	3690	1	RMS	3678	-42.8	-13	Pass	691
3690	3810	1	RMS	3748.8	21.46	60	Pass	401
3810	6500	1	RMS	4225	-48.19	-13	Pass	2691
6500	26500	1	RMS	25193	-45.37	-13	Pass	20003




30.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.29	-70.09	-13	Pass	2986
30	1000	0.1	RMS	887.125	-61.29	-13	Pass	9701
1000	3000	1	RMS	2864	-48.71	-13	Pass	2001
3000	3690	1	RMS	3690	-41.67	-13	Pass	691
3690	3810	1	RMS	3728.4	7.88	60	Pass	401
3810	6500	1	RMS	3812	-44.33	-13	Pass	2691
6500	26500	1	RMS	25191	-45.59	-13	Pass	20003




30.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.69	-70.67	-13	Pass	2986
30	1000	0.1	RMS	716.9	-61.63	-13	Pass	9701
1000	3000	1	RMS	2870	-48.63	-13	Pass	2001
3000	3690	1	RMS	3030	-43.71	-13	Pass	691
3690	3810	1	RMS	3726.3	21.84	60	Pass	401
3810	6500	1	RMS	4225	-48.36	-13	Pass	2691
6500	26500	1	RMS	25908	-45.38	-13	Pass	20003




30.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.75	-13	Pass	2986
30	1000	0.1	RMS	864.81	-61	-13	Pass	9701
1000	3000	1	RMS	2873	-48.71	-13	Pass	2001
3000	3690	1	RMS	3679	-43.42	-13	Pass	691
3690	3810	1	RMS	3773.7	21.57	60	Pass	401
3810	6500	1	RMS	4225	-48.41	-13	Pass	2691
6500	26500	1	RMS	25210	-45.31	-13	Pass	20003




30.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:128, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	1000	0.1	RMS	972.182	-61.64	-13	Pass	9701
1000	3000	1	RMS	2871	-48.67	-13	Pass	2001
3000	3690	1	RMS	3686	-43.49	-13	Pass	691
3690	3810	1	RMS	3753.3	7.2	60	Pass	401
3810	6500	1	RMS	3821	-38.26	-13	Pass	2691
6500	26500	1	RMS	25210	-45.25	-13	Pass	20003




30.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.03	-13	Pass	2986
30	1000	0.1	RMS	847.1	-61.6	-13	Pass	9701
1000	3000	1	RMS	2870	-48.56	-13	Pass	2001
3000	3690	1	RMS	3102	-43.8	-13	Pass	691
3690	3810	1	RMS	3751.2	21.6	60	Pass	401
3810	6500	1	RMS	4225	-48.49	-13	Pass	2691
6500	26500	1	RMS	25898	-45.59	-13	Pass	20003




30.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.58	-13	Pass	2986
30	1000	0.1	RMS	899.333	-61.48	-13	Pass	9701
1000	3000	1	RMS	2866	-48.6	-13	Pass	2001
3000	3690	1	RMS	3031	-43.78	-13	Pass	691
3690	3810	1	RMS	3798.6	21.57	60	Pass	401
3810	6500	1	RMS	4225	-48.42	-13	Pass	2691
6500	26500	1	RMS	25496	-45.45	-13	Pass	20003




30.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.55	-13	Pass	2986
30	1000	0.1	RMS	987.6	-59.61	-13	Pass	9701
1000	3000	1	RMS	2653	-46.68	-13	Pass	2001
3000	3690	1	RMS	3690	-43.26	-13	Pass	691
3690	3810	1	RMS	3706.8	-0.73	60	Pass	401
3810	6500	1	RMS	3811	-43.95	-13	Pass	2691
6500	26500	1	RMS	25747	-44.31	-13	Pass	20001




30.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.03	-13	Pass	2986
30	1000	0.1	RMS	953	-59.83	-13	Pass	9701
1000	3000	1	RMS	2680	-46.78	-13	Pass	2001
3000	3690	1	RMS	3652	-43.67	-13	Pass	691
3690	3810	1	RMS	3701.1	17.44	60	Pass	401
3810	6500	1	RMS	4224	-50.44	-13	Pass	2691
6500	26500	1	RMS	25300	-44.13	-13	Pass	20001



30.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-54.93	-13	Pass	2986
30	1000	0.1	RMS	999.9	-59.05	-13	Pass	9701
1000	3000	1	RMS	2653	-46.74	-13	Pass	2001
3000	3690	1	RMS	3603	-43.61	-13	Pass	691
3690	3810	1	RMS	3798.9	18.34	60	Pass	401
3810	6500	1	RMS	4224	-50.53	-13	Pass	2691
6500	26500	1	RMS	26415	-44.13	-13	Pass	20001



--BLANK BELOW--