


95.2 NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(CH18900)+60MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_2A\_n77A(Mid)\_1850-1920&3650-3700\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 142.520         | -70.92       | -17.73      | -30.0          | -40.92          | 103.00    | Vertical | Horizontal | Pass    |
| 375.757         | -70.44       | -9.86       | -30.0          | -40.44          | 154.00    | Vertical | Horizontal | Pass    |
| 1957.600        | -38.70       | 4.10        | -30.0          | -8.70           | 44.00     | Vertical | Horizontal | Pass    |
| 3543.250        | -41.93       | 13.58       | -30.0          | -11.93          | 360.00    | Vertical | Horizontal | Pass    |
| 9247.825        | -45.86       | 16.50       | -30.0          | -15.86          | 181.00    | Vertical | Horizontal | Pass    |
| 17894.738       | -41.09       | 23.46       | -30.0          | -11.09          | 15.00     | Vertical | Horizontal | Pass    |

RSE-H&H NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(CH18900)+60MHz(CH636666)

RSE(SG NSA FCC)\_NSA\_2A\_n77A(Mid)\_1850-1920&3650-3700\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 141.259         | -69.91       | -17.79      | -30.0          | -39.91          | 131.00    | Horizontal | Horizontal | Pass    |
| 347.190         | -70.01       | -9.92       | -30.0          | -40.01          | 360.00    | Horizontal | Horizontal | Pass    |
| 1956.900        | -46.46       | 4.11        | -30.0          | -16.46          | 292.00    | Horizontal | Horizontal | Pass    |
| 3546.500        | -48.14       | 13.59       | -30.0          | -18.14          | 122.00    | Horizontal | Horizontal | Pass    |
| 9299.363        | -45.90       | 17.00       | -30.0          | -15.90          | 91.00     | Horizontal | Horizontal | Pass    |
| 18092.225       | -40.69       | 23.80       | -30.0          | -10.69          | 86.00     | Horizontal | Horizontal | Pass    |

95.3 NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(CH18900)+100MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_2A\_n77A(Mid)\_1850-1920&3650-3700\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|------------|---------|
| 143.102         | -74.59       | -17.65      | -30.0          | -44.59          | 105.00    | Vertical | Horizontal | Pass    |
| 380.073         | -70.02       | -9.74       | -30.0          | -40.02          | 170.00    | Vertical | Horizontal | Pass    |
| 1953.500        | -38.73       | 4.27        | -30.0          | -8.73           | 151.00    | Vertical | Horizontal | Pass    |
| 3547.000        | -42.47       | 13.60       | -30.0          | -12.47          | 5.00      | Vertical | Horizontal | Pass    |
| 9304.825        | -45.80       | 16.99       | -30.0          | -15.80          | 188.00    | Vertical | Horizontal | Pass    |
| 18100.300       | -40.81       | 23.62       | -30.0          | -10.81          | 1.00      | Vertical | Horizontal | Pass    |

RSE-H&H NR\_DC\_2A\_n77A(3450-3650MHz) 20MHz(CH18900)+100MHz(CH636666)

RSE(SG NSA FCC)\_NSA\_2A\_n77A(Mid)\_1850-1920&3650-3700\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 147.322         | -71.88       | -17.35      | -30.0          | -41.88          | 108.00    | Horizontal | Horizontal | Pass    |
| 396.320         | -69.71       | -8.40       | -30.0          | -39.71          | 149.00    | Horizontal | Horizontal | Pass    |
| 1957.600        | -45.10       | 4.10        | -30.0          | -15.10          | 203.00    | Horizontal | Horizontal | Pass    |
| 3547.500        | -46.46       | 13.60       | -30.0          | -16.46          | 110.00    | Horizontal | Horizontal | Pass    |
| 9297.225        | -45.72       | 16.91       | -30.0          | -15.72          | 0.00      | Horizontal | Horizontal | Pass    |
| 18098.600       | -40.98       | 23.65       | -30.0          | -10.98          | 259.00    | Horizontal | Horizontal | Pass    |

96 NR\_DC\_66A\_n77A(3450-3650MHz)

96.1 NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+20MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 141.792         | -73.62       | -17.75      | -30.0          | -43.62          | 353.00    | Vertical | Vertical | Pass    |
| 390.355         | -70.89       | -8.69       | -30.0          | -40.89          | 154.00    | Vertical | Vertical | Pass    |
| 2148.900        | -38.11       | 4.54        | -30.0          | -8.11           | 160.00    | Vertical | Vertical | N/A     |
| 3546.000        | -40.82       | 13.59       | -30.0          | -10.82          | 125.00    | Vertical | Vertical | N/A     |
| 7965.750        | -45.36       | 17.43       | -30.0          | -15.36          | 0.00      | Vertical | Vertical | Pass    |
| 17933.750       | -41.05       | 22.97       | -30.0          | -11.05          | 16.00     | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+20MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 155.566         | -70.43       | -16.75      | -30.0          | -40.43          | 140.00    | Horizontal | Vertical | Pass    |
| 381.916         | -70.37       | -9.52       | -30.0          | -40.37          | 167.00    | Horizontal | Vertical | Pass    |
| 2136.600        | -47.57       | 4.83        | -30.0          | -17.57          | 233.00    | Horizontal | Vertical | N/A     |
| 3547.000        | -44.97       | 13.60       | -30.0          | -14.97          | 86.00     | Horizontal | Vertical | N/A     |
| 7982.750        | -45.37       | 17.19       | -30.0          | -15.37          | 86.00     | Horizontal | Vertical | Pass    |
| 18130.375       | -40.50       | 23.82       | -30.0          | -10.50          | 320.00    | Horizontal | Vertical | Pass    |

## 96.2 NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+60MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 157.749         | -72.07       | -16.53      | -30.0          | -42.07          | 269.00    | Vertical | Vertical | Pass    |
| 392.246         | -71.47       | -8.59       | -30.0          | -41.47          | 152.00    | Vertical | Vertical | Pass    |
| 2142.500        | -38.93       | 4.50        | -30.0          | -8.93           | 271.00    | Vertical | Vertical | N/A     |
| 3543.250        | -40.21       | 13.58       | -30.0          | -10.21          | 121.00    | Vertical | Vertical | N/A     |
| 7985.250        | -45.47       | 17.17       | -30.0          | -15.47          | 207.00    | Vertical | Vertical | Pass    |
| 18094.625       | -41.21       | 23.69       | -30.0          | -11.21          | 157.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+60MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 148.437         | -71.64       | -17.27      | -30.0          | -41.64          | 134.00    | Horizontal | Vertical | Pass    |
| 402.383         | -70.20       | -8.11       | -30.0          | -40.20          | 271.00    | Horizontal | Vertical | Pass    |
| 2140.800        | -47.07       | 4.56        | -30.0          | -17.07          | 238.00    | Horizontal | Vertical | N/A     |
| 3543.500        | -46.52       | 13.58       | -30.0          | -16.52          | 161.00    | Horizontal | Vertical | N/A     |
| 7858.750        | -45.70       | 17.02       | -30.0          | -15.70          | 5.00      | Horizontal | Vertical | Pass    |
| 18052.688       | -40.93       | 23.10       | -30.0          | -10.93          | 166.00    | Horizontal | Vertical | Pass    |

### 96.3 NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+100MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 137.767         | -71.52       | -17.78      | -30.0          | -41.52          | 106.00    | Vertical | Vertical | Pass    |
| 465.966         | -72.61       | -6.68       | -30.0          | -42.61          | 159.00    | Vertical | Vertical | Pass    |
| 2151.000        | -38.04       | 4.61        | -30.0          | -8.04           | 161.00    | Vertical | Vertical | N/A     |
| 3543.250        | -42.43       | 13.58       | -30.0          | -12.43          | 131.00    | Vertical | Vertical | N/A     |
| 7987.250        | -45.38       | 17.19       | -30.0          | -15.38          | 338.00    | Vertical | Vertical | Pass    |
| 19050.250       | -40.78       | 20.51       | -30.0          | -10.78          | 329.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3450-3650MHz) 20MHz(CH132322)+100MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 137.476         | -71.54       | -17.78      | -30.0          | -41.54          | 119.00    | Horizontal | Vertical | Pass    |
| 395.496         | -69.94       | -8.44       | -30.0          | -39.94          | 263.00    | Horizontal | Vertical | Pass    |
| 2140.600        | -47.49       | 4.56        | -30.0          | -17.49          | 238.00    | Horizontal | Vertical | N/A     |
| 3546.000        | -47.08       | 13.59       | -30.0          | -17.08          | 72.00     | Horizontal | Vertical | N/A     |
| 7958.250        | -45.46       | 17.55       | -30.0          | -15.46          | 241.00    | Horizontal | Vertical | Pass    |
| 18142.751       | -40.68       | 23.59       | -30.0          | -10.68          | 82.00     | Horizontal | Vertical | Pass    |

97 NR\_DC\_12A\_n77A(3450-3650MHz)

97.1 NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+20MHz(CH636666)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 46.393          | -86.15       | -12.35      | -30.0          | -56.15          | 204.00    | Horizontal | Vertical | Pass    |
| 257.659         | -83.53       | -9.69       | -30.0          | -53.53          | 129.00    | Horizontal | Vertical | Pass    |
| 1191.900        | -62.53       | -2.06       | -30.0          | -32.53          | 1.00      | Horizontal | Vertical | Pass    |
| 3547.250        | -45.88       | 13.60       | -30.0          | -15.88          | 131.00    | Horizontal | Vertical | N/A     |
| 5994.500        | -42.67       | 20.26       | -30.0          | -12.67          | 0.00      | Horizontal | Vertical | Pass    |
| 18118.687       | -41.14       | 23.97       | -30.0          | -11.14          | 337.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+20MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 44.307          | -87.31       | -12.20      | -30.0          | -57.31          | 127.00    | Horizontal | Horizontal | Pass    |
| 1005.000        | -63.36       | -2.00       | -30.0          | -33.36          | 0.00      | Horizontal | Horizontal | Pass    |
| 3548.000        | -44.90       | 13.60       | -30.0          | -14.90          | 73.00     | Horizontal | Horizontal | N/A     |
| 5995.250        | -42.75       | 20.24       | -30.0          | -12.75          | 271.00    | Horizontal | Horizontal | Pass    |
| 9332.375        | -45.48       | 16.81       | -30.0          | -15.48          | 252.00    | Horizontal | Horizontal | Pass    |
| 18143.437       | -40.74       | 23.64       | -30.0          | -10.74          | 333.00    | Horizontal | Horizontal | Pass    |

## 97.2 NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+60MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.326          | -87.41       | -12.24      | -30.0          | -57.41          | 48.00     | Horizontal | Vertical | Pass    |
| 113.759         | -89.36       | -15.25      | -30.0          | -59.36          | 8.00      | Horizontal | Vertical | Pass    |
| 1199.300        | -62.46       | -1.75       | -30.0          | -32.46          | 260.00    | Horizontal | Vertical | Pass    |
| 3547.750        | -45.87       | 13.60       | -30.0          | -15.87          | 313.00    | Horizontal | Vertical | N/A     |
| 7203.500        | -45.48       | 16.40       | -30.0          | -15.48          | 355.00    | Horizontal | Vertical | Pass    |
| 18093.937       | -40.69       | 23.74       | -30.0          | -10.69          | 345.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+60MHz(CH636666)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 46.781          | -86.05       | -12.40      | -30.0          | -56.05          | 299.00    | Horizontal | Horizontal | Pass    |
| 996.654         | -63.05       | 7.98        | -30.0          | -33.05          | 80.00     | Horizontal | Horizontal | Pass    |
| 2235.600        | -60.38       | -0.08       | -30.0          | -30.38          | 355.00    | Horizontal | Horizontal | Pass    |
| 3548.500        | -45.76       | 13.61       | -30.0          | -15.76          | 88.00     | Horizontal | Horizontal | N/A     |
| 7860.250        | -45.20       | 17.01       | -30.0          | -15.20          | 357.00    | Horizontal | Horizontal | Pass    |
| 18053.376       | -40.84       | 23.06       | -30.0          | -10.84          | 0.00      | Horizontal | Horizontal | Pass    |

97.3 NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+100MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 47.703          | -87.83       | -12.57      | -30.0          | -57.83          | 360.00    | Horizontal | Vertical | Pass    |
| 1197.900        | -62.43       | -1.77       | -30.0          | -32.43          | 68.00     | Horizontal | Vertical | Pass    |
| 3542.500        | -47.45       | 13.57       | -30.0          | -17.45          | 65.00     | Horizontal | Vertical | N/A     |
| 5988.000        | -42.73       | 20.35       | -30.0          | -12.73          | 242.00    | Horizontal | Vertical | Pass    |
| 9303.400        | -45.55       | 16.97       | -30.0          | -15.55          | 57.00     | Horizontal | Vertical | Pass    |
| 18087.750       | -40.81       | 23.56       | -30.0          | -10.81          | 320.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3450-3650MHz) 10MHz(CH23095)+100MHz(CH636666)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 44.114          | -87.55       | -12.21      | -30.0          | -57.55          | 0.00      | Horizontal | Horizontal | Pass    |
| 239.860         | -84.09       | -9.66       | -30.0          | -54.09          | 290.00    | Horizontal | Horizontal | Pass    |
| 1197.400        | -62.46       | -1.78       | -30.0          | -32.46          | 360.00    | Horizontal | Horizontal | Pass    |
| 3543.000        | -46.15       | 13.57       | -30.0          | -16.15          | 89.00     | Horizontal | Horizontal | N/A     |
| 7961.750        | -44.50       | 17.51       | -30.0          | -14.50          | 25.00     | Horizontal | Horizontal | Pass    |
| 18111.126       | -41.08       | 23.73       | -30.0          | -11.08          | 39.00     | Horizontal | Horizontal | Pass    |

98 NR\_DC\_14A\_n77A(3450-3650MHz)

98.1 NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+20MHz(CH636666)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.035          | -87.95       | -12.19      | -30.0          | -57.95          | 356.00    | Horizontal | Vertical | Pass    |
| 94.893          | -88.86       | -15.64      | -30.0          | -58.86          | 230.00    | Horizontal | Vertical | Pass    |
| 1196.900        | -61.99       | -1.79       | -30.0          | -31.99          | 93.00     | Horizontal | Vertical | Pass    |
| 3547.500        | -44.28       | 13.60       | -30.0          | -14.28          | 70.00     | Horizontal | Vertical | N/A     |
| 7959.500        | -45.24       | 17.56       | -30.0          | -15.24          | 169.00    | Horizontal | Vertical | Pass    |
| 18094.625       | -40.75       | 23.69       | -30.0          | -10.75          | 294.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+20MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 43.822          | -87.74       | -12.23      | -30.0          | -57.74          | 90.00     | Horizontal | Horizontal | Pass    |
| 101.586         | -89.72       | -15.04      | -30.0          | -59.72          | 193.00    | Horizontal | Horizontal | Pass    |
| 1209.600        | -60.85       | -2.23       | -30.0          | -30.85          | 268.00    | Horizontal | Horizontal | Pass    |
| 3547.250        | -44.81       | 13.60       | -30.0          | -14.81          | 89.00     | Horizontal | Horizontal | N/A     |
| 7964.500        | -45.31       | 17.47       | -30.0          | -15.31          | 260.00    | Horizontal | Horizontal | Pass    |
| 18091.188       | -40.53       | 23.75       | -30.0          | -10.53          | 116.00    | Horizontal | Horizontal | Pass    |

98.2 NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+60MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 45.520          | -87.55       | -12.26      | -30.0          | -57.55          | 346.00    | Horizontal | Vertical | Pass    |
| 290.687         | -82.31       | -8.31       | -30.0          | -52.31          | 200.00    | Horizontal | Vertical | Pass    |
| 1210.400        | -62.54       | -2.28       | -30.0          | -32.54          | 26.00     | Horizontal | Vertical | Pass    |
| 3547.250        | -45.25       | 13.60       | -30.0          | -15.25          | 70.00     | Horizontal | Vertical | N/A     |
| 7984.250        | -45.14       | 17.17       | -30.0          | -15.14          | 277.00    | Horizontal | Vertical | Pass    |
| 18096.001       | -40.78       | 23.58       | -30.0          | -10.78          | 220.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+60MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 44.453          | -86.40       | -12.20      | -30.0          | -56.40          | 240.00    | Horizontal | Horizontal | Pass    |
| 406.360         | -77.82       | -4.72       | -30.0          | -47.82          | 208.00    | Horizontal | Horizontal | Pass    |
| 1201.400        | -62.35       | -1.78       | -30.0          | -32.35          | 295.00    | Horizontal | Horizontal | Pass    |
| 3543.000        | -45.04       | 13.57       | -30.0          | -15.04          | 89.00     | Horizontal | Horizontal | N/A     |
| 7956.750        | -45.38       | 17.56       | -30.0          | -15.38          | 340.00    | Horizontal | Horizontal | Pass    |
| 18073.999       | -40.99       | 23.41       | -30.0          | -10.99          | 90.00     | Horizontal | Horizontal | Pass    |

# 98.3 NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+100MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 47.897          | -86.85       | -12.60      | -30.0          | -56.85          | 3.00      | Horizontal | Vertical | Pass    |
| 393.750         | -78.48       | -5.29       | -30.0          | -48.48          | 290.00    | Horizontal | Vertical | Pass    |
| 1195.600        | -62.30       | -1.87       | -30.0          | -32.30          | 226.00    | Horizontal | Vertical | Pass    |
| 3543.000        | -48.15       | 13.57       | -30.0          | -18.15          | 150.00    | Horizontal | Vertical | N/A     |
| 7954.500        | -45.59       | 17.50       | -30.0          | -15.59          | 241.00    | Horizontal | Vertical | Pass    |
| 18092.562       | -41.15       | 23.80       | -30.0          | -11.15          | 143.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3450-3650MHz) 10MHz(CH23330)+100MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 46.636          | -86.41       | -12.38      | -30.0          | -56.41          | 50.00     | Horizontal | Horizontal | Pass    |
| 723.841         | -67.81       | 4.84        | -30.0          | -37.81          | 0.00      | Horizontal | Horizontal | Pass    |
| 1398.400        | -62.32       | -2.40       | -30.0          | -32.32          | 353.00    | Horizontal | Horizontal | Pass    |
| 3548.250        | -47.23       | 13.61       | -30.0          | -17.23          | 316.00    | Horizontal | Horizontal | N/A     |
| 7918.000        | -45.19       | 17.01       | -30.0          | -15.19          | 245.00    | Horizontal | Horizontal | Pass    |
| 18124.876       | -41.04       | 24.05       | -30.0          | -11.04          | 115.00    | Horizontal | Horizontal | Pass    |

99 NR\_DC\_13A\_n77A(3450-3650MHz)

99.1 NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+20MHz(CH636666)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 137.719         | -72.33       | -16.24      | -13.0          | -59.33          | 0.00      | Horizontal | Vertical | Pass    |
| 749.304         | -49.91       | 3.83        | -13.0          | -36.91          | 257.00    | Horizontal | Vertical | N/A     |
| 1384.800        | -62.39       | -2.76       | -13.0          | -49.39          | 353.00    | Horizontal | Vertical | Pass    |
| 3548.750        | -44.91       | 13.61       | -13.0          | -31.91          | 55.00     | Horizontal | Vertical | N/A     |
| 7987.250        | -45.13       | 17.19       | -13.0          | -32.13          | 191.00    | Horizontal | Vertical | Pass    |
| 18103.562       | -40.63       | 23.64       | -13.0          | -27.63          | 358.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+20MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 366.493         | -70.10       | -7.29       | -13.0          | -57.10          | 165.00    | Horizontal | Horizontal | Pass    |
| 748.576         | -49.87       | 3.81        | -13.0          | -36.87          | 310.00    | Horizontal | Horizontal | Pass    |
| 1500.800        | -62.52       | -2.64       | -13.0          | -49.52          | 280.00    | Horizontal | Horizontal | Pass    |
| 3547.750        | -44.36       | 13.60       | -13.0          | -31.36          | 83.00     | Horizontal | Horizontal | N/A     |
| 9306.250        | -45.66       | 16.95       | -13.0          | -32.66          | 192.00    | Horizontal | Horizontal | Pass    |
| 18071.937       | -40.97       | 23.27       | -13.0          | -27.97          | 24.00     | Horizontal | Horizontal | Pass    |

99.2 NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+60MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 342.146         | -70.18       | -7.36       | -13.0          | -57.18          | 360.00    | Horizontal | Vertical | Pass    |
| 754.347         | -50.02       | 4.54        | -13.0          | -37.02          | 295.00    | Horizontal | Vertical | N/A     |
| 2019.700        | -60.39       | -1.11       | -13.0          | -47.39          | 99.00     | Horizontal | Vertical | Pass    |
| 3566.500        | -48.79       | 13.57       | -13.0          | -35.79          | 271.00    | Horizontal | Vertical | Pass    |
| 7858.000        | -45.21       | 16.98       | -13.0          | -32.21          | 360.00    | Horizontal | Vertical | Pass    |
| 18119.375       | -40.54       | 24.00       | -13.0          | -27.54          | 360.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+60MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 366.154         | -69.96       | -7.31       | -13.0          | -56.96          | 166.00    | Horizontal | Horizontal | Pass    |
| 748.285         | -49.21       | 3.81        | -13.0          | -36.21          | 262.00    | Horizontal | Horizontal | N/A     |
| 1205.900        | -62.16       | -2.00       | -13.0          | -49.16          | 307.00    | Horizontal | Horizontal | Pass    |
| 3582.500        | -48.61       | 13.53       | -13.0          | -35.61          | 354.00    | Horizontal | Horizontal | Pass    |
| 7895.250        | -45.14       | 16.77       | -13.0          | -32.14          | 89.00     | Horizontal | Horizontal | Pass    |
| 18426.687       | -41.10       | 22.71       | -13.0          | -28.10          | 206.00    | Horizontal | Horizontal | Pass    |

# 99.3 NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+100MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 372.022         | -70.17       | -7.05       | -13.0          | -57.17          | 164.00    | Horizontal | Vertical | Pass    |
| 746.588         | -49.91       | 3.84        | -13.0          | -36.91          | 302.00    | Horizontal | Vertical | N/A     |
| 1626.100        | -61.94       | -2.55       | -13.0          | -48.94          | 10.00     | Horizontal | Vertical | Pass    |
| 3520.000        | -47.09       | 13.44       | -13.0          | -34.09          | 194.00    | Horizontal | Vertical | N/A     |
| 7857.750        | -45.40       | 16.97       | -13.0          | -32.40          | 73.00     | Horizontal | Vertical | Pass    |
| 18100.812       | -40.36       | 23.59       | -13.0          | -27.36          | 1.00      | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3450-3650MHz) 10MHz(CH23230)+100MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 346.074         | -70.57       | -7.13       | -13.0          | -57.57          | 15.00     | Horizontal | Horizontal | Pass    |
| 747.073         | -49.48       | 3.84        | -13.0          | -36.48          | 254.00    | Horizontal | Horizontal | N/A     |
| 2149.200        | -60.52       | -1.04       | -13.0          | -47.52          | 219.00    | Horizontal | Horizontal | Pass    |
| 3519.250        | -46.81       | 13.43       | -13.0          | -33.81          | 53.00     | Horizontal | Horizontal | N/A     |
| 7961.750        | -45.33       | 17.51       | -13.0          | -32.33          | 60.00     | Horizontal | Horizontal | Pass    |
| 18096.687       | -40.93       | 23.59       | -13.0          | -27.93          | 357.00    | Horizontal | Horizontal | Pass    |

100 NR\_DC\_5A\_n77A(3450-3650MHz)

100.1 NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+20MHz(CH636666)


RSE(5G NSA FCC)\_NSA 5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 405.487         | -68.41       | -4.55       | -30.0          | -38.41          | 270.00    | Horizontal | Vertical | Pass    |
| 884.473         | -51.47       | 7.50        | -30.0          | -21.47          | 212.00    | Horizontal | Vertical | N/A     |
| 1417.100        | -62.36       | -2.84       | -30.0          | -32.36          | 185.00    | Horizontal | Vertical | Pass    |
| 3546.250        | -45.17       | 13.59       | -30.0          | -15.17          | 50.00     | Horizontal | Vertical | N/A     |
| 7930.250        | -45.36       | 17.21       | -30.0          | -15.36          | 135.00    | Horizontal | Vertical | Pass    |
| 18109.063       | -40.72       | 23.66       | -30.0          | -10.72          | 238.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+20MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 347.432         | -70.78       | -6.84       | -30.0          | -40.78          | 0.00      | Horizontal | Horizontal | Pass    |
| 879.041         | -50.66       | 7.94        | -30.0          | -20.66          | 210.00    | Horizontal | Horizontal | N/A     |
| 2058.200        | -60.66       | -0.91       | -30.0          | -30.66          | 336.00    | Horizontal | Horizontal | Pass    |
| 3548.000        | -44.65       | 13.60       | -30.0          | -14.65          | 316.00    | Horizontal | Horizontal | N/A     |
| 7860.500        | -44.95       | 17.02       | -30.0          | -14.95          | 260.00    | Horizontal | Horizontal | Pass    |
| 18098.063       | -40.90       | 23.65       | -30.0          | -10.90          | 123.00    | Horizontal | Horizontal | Pass    |

100.2 NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+60MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 345.541         | -70.42       | -6.96       | -30.0          | -40.42          | 360.00    | Horizontal | Vertical | Pass    |
| 884.085         | -52.74       | 7.52        | -30.0          | -22.74          | 149.00    | Horizontal | Vertical | N/A     |
| 1934.700        | -61.25       | -1.78       | -30.0          | -31.25          | 0.00      | Horizontal | Vertical | Pass    |
| 3578.250        | -42.44       | 13.54       | -30.0          | -12.44          | 110.00    | Horizontal | Vertical | N/A     |
| 7930.500        | -45.08       | 17.22       | -30.0          | -15.08          | 205.00    | Horizontal | Vertical | Pass    |
| 18087.062       | -40.28       | 23.60       | -30.0          | -10.28          | 238.00    | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+60MHz(CH636666)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 347.093         | -70.07       | -6.86       | -30.0          | -40.07          | 359.00    | Horizontal | Horizontal | Pass    |
| 884.570         | -50.79       | 7.49        | -30.0          | -20.79          | 210.00    | Horizontal | Horizontal | N/A     |
| 2237.900        | -60.01       | -0.02       | -30.0          | -30.01          | 266.00    | Horizontal | Horizontal | Pass    |
| 3578.250        | -43.64       | 13.54       | -30.0          | -13.64          | 114.00    | Horizontal | Horizontal | N/A     |
| 7962.000        | -45.07       | 17.51       | -30.0          | -15.07          | 0.00      | Horizontal | Horizontal | Pass    |
| 18467.250       | -41.03       | 21.89       | -30.0          | -11.03          | 135.00    | Horizontal | Horizontal | Pass    |

# 100.3 NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+100MHz(CH636666)


RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 370.906         | -68.69       | -6.65       | -30.0          | -38.69          | 163.00    | Horizontal | Vertical | Pass    |
| 884.570         | -52.18       | 7.49        | -30.0          | -22.18          | 210.00    | Horizontal | Vertical | N/A     |
| 2242.400        | -60.02       | 0.15        | -30.0          | -30.02          | 125.00    | Horizontal | Vertical | Pass    |
| 3652.750        | -39.45       | 13.05       | -30.0          | -9.45           | 142.00    | Horizontal | Vertical | N/A     |
| 7997.250        | -45.35       | 17.21       | -30.0          | -15.35          | 80.00     | Horizontal | Vertical | Pass    |
| 18302.937       | -40.92       | 23.42       | -30.0          | -10.92          | 12.00     | Horizontal | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3450-3650MHz) 10MHz(CH20525)+100MHz(CH636666)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT        | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|------------|---------|
| 352.282         | -69.55       | -6.80       | -30.0          | -39.55          | 358.00    | Horizontal | Horizontal | Pass    |
| 880.399         | -51.93       | 7.80        | -30.0          | -21.93          | 211.00    | Horizontal | Horizontal | N/A     |
| 1959.900        | -61.39       | -1.51       | -30.0          | -31.39          | 279.00    | Horizontal | Horizontal | Pass    |
| 3652.750        | -40.24       | 13.05       | -30.0          | -10.24          | 301.00    | Horizontal | Horizontal | N/A     |
| 7902.000        | -45.30       | 16.87       | -30.0          | -15.30          | 65.00     | Horizontal | Horizontal | Pass    |
| 18099.438       | -40.96       | 23.65       | -30.0          | -10.96          | 339.00    | Horizontal | Horizontal | Pass    |

## 101 NR\_DC\_2A\_n77A(3650-3700MHz)

### 101.1 NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+20MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 146.158         | -69.12       | -17.43      | -13.0          | -56.12          | 339.00    | Vertical | Vertical | Pass    |
| 387.397         | -68.02       | -8.94       | -13.0          | -55.02          | 152.00    | Vertical | Vertical | Pass    |
| 1957.500        | -42.44       | 4.10        | -13.0          | -29.44          | 80.00     | Vertical | Vertical | N/A     |
| 5063.750        | -39.00       | 23.69       | -13.0          | -26.00          | 161.00    | Vertical | Vertical | Pass    |
| 7951.500        | -28.81       | 33.23       | -13.0          | -15.81          | 212.00    | Vertical | Vertical | Pass    |
| 18053.376       | -40.64       | 23.06       | -13.0          | -27.64          | 180.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 157.555         | -69.51       | -16.57      | -13.0          | -56.51          | 108.00    | Horizontal | Vertical | Pass    |
| 342.437         | -71.54       | -10.17      | -13.0          | -58.54          | 85.00     | Horizontal | Vertical | Pass    |
| 1967.500        | -51.92       | 5.37        | -13.0          | -38.92          | 52.00     | Horizontal | Vertical | N/A     |
| 5798.500        | -36.48       | 24.66       | -13.0          | -23.48          | 92.00     | Horizontal | Vertical | Pass    |
| 7863.750        | -29.35       | 33.22       | -13.0          | -16.35          | 338.00    | Horizontal | Vertical | Pass    |
| 18180.563       | -40.71       | 23.38       | -13.0          | -27.71          | 345.00    | Horizontal | Vertical | Pass    |

# 101.2 NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(LTE)+30MHz(NR), Middle Channel

RSE-V&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+30MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 145.042         | -68.91       | -17.52      | -13.0          | -55.91          | 11.00     | Vertical | Vertical | Pass    |
| 383.080         | -69.31       | -9.41       | -13.0          | -56.31          | 175.00    | Vertical | Vertical | Pass    |
| 1957.800        | -42.40       | 4.11        | -13.0          | -29.40          | 221.00    | Vertical | Vertical | N/A     |
| 4186.250        | -42.09       | 20.64       | -13.0          | -29.09          | 310.00    | Vertical | Vertical | Pass    |
| 7864.000        | -29.26       | 33.23       | -13.0          | -16.26          | 178.00    | Vertical | Vertical | Pass    |
| 18146.875       | -40.58       | 23.87       | -13.0          | -27.58          | 188.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 151.105         | -70.14       | -17.06      | -13.0          | -57.14          | 284.00    | Horizontal | Vertical | Pass    |
| 412.714         | -71.44       | -7.85       | -13.0          | -58.44          | 206.00    | Horizontal | Vertical | Pass    |
| 1968.800        | -51.73       | 5.39        | -13.0          | -38.73          | 37.00     | Horizontal | Vertical | N/A     |
| 3659.000        | -40.01       | 17.71       | -13.0          | -27.01          | 133.00    | Horizontal | Vertical | Pass    |
| 7959.000        | -28.72       | 33.60       | -13.0          | -15.72          | 69.00     | Horizontal | Vertical | Pass    |
| 18300.875       | -40.77       | 23.46       | -13.0          | -27.77          | 228.00    | Horizontal | Vertical | Pass    |

# 101.3 NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+40MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 148.583         | -66.38       | -17.26      | -13.0          | -53.38          | 359.00    | Vertical | Vertical | Pass    |
| 407.670         | -68.55       | -7.89       | -13.0          | -55.55          | 160.00    | Vertical | Vertical | Pass    |
| 1209.600        | -58.15       | 2.09        | -13.0          | -45.15          | 72.00     | Vertical | Vertical | Pass    |
| 1956.000        | -42.88       | 4.13        | -13.0          | -29.88          | 246.00    | Vertical | Vertical | N/A     |
| 5188.000        | -36.01       | 22.00       | -13.0          | -23.01          | 359.00    | Vertical | Vertical | Pass    |
| 18146.187       | -40.95       | 23.85       | -13.0          | -27.95          | 231.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_2A\_n77A(3650-3700MHz) 20MHz(CH18900)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA 2A\_n77A\_1850-1960&1930-1990&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 163.957         | -71.40       | -16.37      | -13.0          | -58.40          | 223.00    | Horizontal | Vertical | Pass    |
| 343.068         | -71.49       | -10.13      | -13.0          | -58.49          | 84.00     | Horizontal | Vertical | Pass    |
| 1955.400        | -51.72       | 4.16        | -13.0          | -38.72          | 41.00     | Horizontal | Vertical | N/A     |
| 5180.750        | -36.87       | 22.06       | -13.0          | -23.87          | 86.00     | Horizontal | Vertical | Pass    |
| 7867.500        | -28.69       | 33.22       | -13.0          | -15.69          | 126.00    | Horizontal | Vertical | Pass    |
| 18114.562       | -40.73       | 23.88       | -13.0          | -27.73          | 257.00    | Horizontal | Vertical | Pass    |

102 NR\_DC\_66A\_n77A(3650-3700MHz)

102.1 NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+20MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 142.035         | -73.46       | -17.74      | -13.0          | -60.46          | 80.00     | Vertical | Vertical | Pass    |
| 403.207         | -71.15       | -8.09       | -13.0          | -58.15          | 143.00    | Vertical | Vertical | Pass    |
| 2142.900        | -38.38       | 4.48        | -13.0          | -25.38          | 237.00    | Vertical | Vertical | N/A     |
| 3995.250        | -41.63       | 19.83       | -13.0          | -28.63          | 225.00    | Vertical | Vertical | Pass    |
| 7976.500        | -29.25       | 33.10       | -13.0          | -16.25          | 196.00    | Vertical | Vertical | Pass    |
| 18148.938       | -40.73       | 23.74       | -13.0          | -27.73          | 117.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 156.585         | -64.86       | -16.63      | -13.0          | -51.86          | 240.00    | Horizontal | Vertical | Pass    |
| 404.371         | -69.91       | -8.03       | -13.0          | -56.91          | 213.00    | Horizontal | Vertical | Pass    |
| 2137.500        | -46.86       | 4.76        | -13.0          | -33.86          | 309.00    | Horizontal | Vertical | N/A     |
| 5200.500        | -36.89       | 21.82       | -13.0          | -23.89          | 193.00    | Horizontal | Vertical | Pass    |
| 7857.250        | -29.39       | 32.89       | -13.0          | -16.39          | 176.00    | Horizontal | Vertical | Pass    |
| 18097.375       | -40.89       | 23.62       | -13.0          | -27.89          | 31.00     | Horizontal | Vertical | Pass    |

## 102.2 NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(LTE)+30MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+30MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 153.432         | -72.85       | -16.87      | -13.0          | -59.85          | 354.00    | Vertical | Vertical | Pass    |
| 405.826         | -71.35       | -7.97       | -13.0          | -58.35          | 162.00    | Vertical | Vertical | Pass    |
| 2153.100        | -39.01       | 4.73        | -13.0          | -26.01          | 49.00     | Vertical | Vertical | N/A     |
| 3658.750        | -36.41       | 17.71       | -13.0          | -23.41          | 115.00    | Vertical | Vertical | N/A     |
| 7858.250        | -29.03       | 32.95       | -13.0          | -16.03          | 96.00     | Vertical | Vertical | Pass    |
| 18135.187       | -40.69       | 23.75       | -13.0          | -27.69          | 359.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 148.777         | -66.96       | -17.24      | -13.0          | -53.96          | 260.00    | Horizontal | Vertical | Pass    |
| 403.498         | -69.88       | -8.09       | -13.0          | -56.88          | 198.00    | Horizontal | Vertical | Pass    |
| 2138.500        | -45.99       | 4.70        | -13.0          | -32.99          | 309.00    | Horizontal | Vertical | N/A     |
| 3658.500        | -41.56       | 17.71       | -13.0          | -28.56          | 127.00    | Horizontal | Vertical | Pass    |
| 5237.500        | -36.10       | 22.32       | -13.0          | -23.10          | 13.00     | Horizontal | Vertical | Pass    |
| 18429.438       | -40.62       | 22.63       | -13.0          | -27.62          | 360.00    | Horizontal | Vertical | Pass    |

# 102.3 NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+40MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 144.072         | -70.07       | -17.59      | -13.0          | -57.07          | 41.00     | Vertical | Vertical | Pass    |
| 404.614         | -69.17       | -8.00       | -13.0          | -56.17          | 150.00    | Vertical | Vertical | Pass    |
| 2142.600        | -39.19       | 4.49        | -13.0          | -26.19          | 244.00    | Vertical | Vertical | N/A     |
| 4776.000        | -40.13       | 23.01       | -13.0          | -27.13          | 62.00     | Vertical | Vertical | Pass    |
| 7961.250        | -29.00       | 33.50       | -13.0          | -16.00          | 187.00    | Vertical | Vertical | Pass    |
| 17859.500       | -40.81       | 23.37       | -13.0          | -27.81          | 357.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_66A\_n77A(3650-3700MHz) 20MHz(CH132322)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_66A\_n77A\_1710-1785&2110-2200&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 144.460         | -66.43       | -17.56      | -13.0          | -53.43          | 142.00    | Horizontal | Vertical | Pass    |
| 407.863         | -70.84       | -7.88       | -13.0          | -57.84          | 218.00    | Horizontal | Vertical | Pass    |
| 2139.300        | -46.35       | 4.66        | -13.0          | -33.35          | 309.00    | Horizontal | Vertical | N/A     |
| 5181.500        | -36.70       | 22.05       | -13.0          | -23.70          | 117.00    | Horizontal | Vertical | Pass    |
| 7864.000        | -28.25       | 33.23       | -13.0          | -15.25          | 357.00    | Horizontal | Vertical | Pass    |
| 18136.562       | -40.56       | 23.68       | -13.0          | -27.56          | 73.00     | Horizontal | Vertical | Pass    |

103 NR\_DC\_12A\_n77A(3650-3700MHz)

103.1 NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+20MHz(CH645000)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 53.038          | -87.78       | -13.91      | -13.0          | -74.78          | 48.00     | Vertical | Vertical | Pass    |
| 517.667         | -74.86       | -1.79       | -13.0          | -61.86          | 0.00      | Vertical | Vertical | Pass    |
| 1199.900        | -61.67       | -1.72       | -13.0          | -48.67          | 360.00    | Vertical | Vertical | Pass    |
| 3672.750        | -43.77       | 17.78       | -13.0          | -30.77          | 115.00    | Vertical | Vertical | Pass    |
| 7868.000        | -29.16       | 33.18       | -13.0          | -16.16          | 295.00    | Vertical | Vertical | Pass    |
| 19061.250       | -40.79       | 20.33       | -13.0          | -27.79          | 100.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 44.647          | -87.11       | -12.19      | -13.0          | -74.11          | 229.00    | Horizontal | Vertical | Pass    |
| 630.284         | -69.94       | 2.47        | -13.0          | -56.94          | 309.00    | Horizontal | Vertical | Pass    |
| 736.887         | -66.78       | 5.33        | -13.0          | -53.78          | 112.00    | Horizontal | Vertical | N/A     |
| 5179.500        | -33.82       | 22.06       | -13.0          | -20.82          | 63.00     | Horizontal | Vertical | Pass    |
| 7962.500        | -29.00       | 33.43       | -13.0          | -16.00          | 104.00    | Horizontal | Vertical | Pass    |
| 19022.750       | -40.80       | 20.67       | -13.0          | -27.80          | 166.00    | Horizontal | Vertical | Pass    |

# 103.2 NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(LTE)+30MHz(NR), Middle Channel

RSE-V&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+30MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 42.270          | -87.19       | -12.30      | -13.0          | -74.19          | 35.00     | Vertical | Vertical | Pass    |
| 738.148         | -67.55       | 5.39        | -13.0          | -54.55          | 224.00    | Vertical | Vertical | N/A     |
| 1474.300        | -61.47       | -3.44       | -13.0          | -48.47          | 319.00    | Vertical | Vertical | Pass    |
| 3658.750        | -36.01       | 17.71       | -13.0          | -23.01          | 186.00    | Vertical | Vertical | Pass    |
| 7957.750        | -29.00       | 33.60       | -13.0          | -16.00          | 360.00    | Vertical | Vertical | Pass    |
| 18095.313       | -40.63       | 23.64       | -13.0          | -27.63          | 91.00     | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 42.804          | -87.70       | -12.27      | -13.0          | -74.70          | 288.00    | Horizontal | Vertical | Pass    |
| 714.093         | -67.25       | 4.50        | -13.0          | -54.25          | 41.00     | Horizontal | Vertical | N/A     |
| 1199.800        | -62.16       | -1.72       | -13.0          | -49.16          | 96.00     | Horizontal | Vertical | Pass    |
| 3659.500        | -40.79       | 17.72       | -13.0          | -27.79          | 132.00    | Horizontal | Vertical | Pass    |
| 5246.000        | -36.92       | 22.27       | -13.0          | -23.92          | 59.00     | Horizontal | Vertical | Pass    |
| 18107.687       | -40.78       | 23.61       | -13.0          | -27.78          | 0.00      | Horizontal | Vertical | Pass    |

# 103.3 NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(LTE)+40MHz(NR), Middle Channel


RSE-V&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_12A\_n77A\_699-716&729-746&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 46.005          | -86.79       | -12.32      | -13.0          | -73.79          | 338.00    | Vertical | Vertical | Pass    |
| 513.157         | -75.02       | -1.67       | -13.0          | -62.02          | 225.00    | Vertical | Vertical | Pass    |
| 1204.000        | -62.11       | -1.92       | -13.0          | -49.11          | 296.00    | Vertical | Vertical | Pass    |
| 5181.750        | -36.38       | 22.05       | -13.0          | -23.38          | 223.00    | Vertical | Vertical | Pass    |
| 7981.500        | -28.96       | 32.97       | -13.0          | -15.96          | 268.00    | Vertical | Vertical | Pass    |
| 18392.312       | -41.23       | 22.99       | -13.0          | -28.23          | 64.00     | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_12A\_n77A(3650-3700MHz) 10MHz(CH23095)+40MHz(CH645000)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 43.532          | -86.87       | -12.25      | -13.0          | -73.87          | 112.00    | Horizontal | Vertical | Pass    |
| 741.156         | -67.42       | 5.42        | -13.0          | -54.42          | 136.00    | Horizontal | Vertical | N/A     |
| 1202.300        | -61.56       | -1.81       | -13.0          | -48.56          | 111.00    | Horizontal | Vertical | Pass    |
| 5016.000        | -38.93       | 23.52       | -13.0          | -25.93          | 55.00     | Horizontal | Vertical | Pass    |
| 7865.250        | -29.12       | 33.25       | -13.0          | -16.12          | 115.00    | Horizontal | Vertical | Pass    |
| 18132.437       | -40.93       | 23.75       | -13.0          | -27.93          | 278.00    | Horizontal | Vertical | Pass    |

104 NR\_DC\_14A\_n77A(3650-3700MHz)

104.1 NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+20MHz(CH645000)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 160.320         | -73.12       | -14.56      | -13.0          | -60.12          | 255.00    | Vertical | Vertical | Pass    |
| 382.062         | -70.19       | -6.66       | -13.0          | -57.19          | 174.00    | Vertical | Vertical | Pass    |
| 760.265         | -40.64       | 4.04        | -13.0          | -27.64          | 77.00     | Vertical | Vertical | N/A     |
| 3994.500        | -43.93       | 19.82       | -13.0          | -30.93          | 47.00     | Vertical | Vertical | Pass    |
| 7984.250        | -30.99       | 32.89       | -13.0          | -17.99          | 111.00    | Vertical | Vertical | Pass    |
| 18415.688       | -44.25       | 22.71       | -13.0          | -31.25          | 360.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA 14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 147.079         | -72.94       | -15.69      | -13.0          | -59.94          | 149.00    | Horizontal | Vertical | Pass    |
| 759.003         | -52.45       | 4.26        | -13.0          | -39.45          | 284.00    | Horizontal | Vertical | N/A     |
| 4256.250        | -42.86       | 21.57       | -13.0          | -29.86          | 4.00      | Horizontal | Vertical | Pass    |
| 7329.500        | -31.88       | 31.40       | -13.0          | -18.88          | 242.00    | Horizontal | Vertical | Pass    |
| 9287.963        | -46.65       | 16.72       | -13.0          | -33.65          | 360.00    | Horizontal | Vertical | Pass    |
| 18295.376       | -43.55       | 23.44       | -13.0          | -30.55          | 4.00      | Horizontal | Vertical | Pass    |

# 104.2 NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(LTE)+30MHz(NR), Middle Channel


RSE-V&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 146.740         | -72.37       | -15.72      | -13.0          | -59.37          | 82.00     | Vertical | Vertical | Pass    |
| 376.872         | -69.84       | -6.95       | -13.0          | -56.84          | 170.00    | Vertical | Vertical | Pass    |
| 760.022         | -40.80       | 4.08        | -13.0          | -27.80          | 68.00     | Vertical | Vertical | N/A     |
| 3657.000        | -39.78       | 17.70       | -13.0          | -26.78          | 82.00     | Vertical | Vertical | N/A     |
| 7867.250        | -30.98       | 33.23       | -13.0          | -17.98          | 3.00      | Vertical | Vertical | Pass    |
| 18417.062       | -43.78       | 22.74       | -13.0          | -30.78          | 106.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+30MHz(CH645000)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 136.749         | -72.81       | -16.21      | -13.0          | -59.81          | 165.00    | Horizontal | Vertical | Pass    |
| 368.676         | -67.11       | -7.20       | -13.0          | -54.11          | 170.00    | Horizontal | Vertical | Pass    |
| 759.440         | -51.53       | 4.19        | -13.0          | -38.53          | 224.00    | Horizontal | Vertical | N/A     |
| 3658.000        | -43.48       | 17.71       | -13.0          | -30.48          | 91.00     | Horizontal | Vertical | N/A     |
| 7883.750        | -31.04       | 32.64       | -13.0          | -18.04          | 226.00    | Horizontal | Vertical | Pass    |
| 18416.376       | -42.94       | 22.73       | -13.0          | -29.94          | 52.00     | Horizontal | Vertical | Pass    |

### 104.3 NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+40MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 149.068         | -72.94       | -15.53      | -13.0          | -59.94          | 0.00      | Vertical | Vertical | Pass    |
| 381.965         | -69.92       | -6.67       | -13.0          | -56.92          | 0.00      | Vertical | Vertical | Pass    |
| 762.399         | -41.47       | 3.88        | -13.0          | -28.47          | 59.00     | Vertical | Vertical | N/A     |
| 795.766         | -61.78       | 4.52        | -13.0          | -48.78          | 167.00    | Vertical | Vertical | N/A     |
| 7862.250        | -31.04       | 33.20       | -13.0          | -18.04          | 175.00    | Vertical | Vertical | Pass    |
| 18301.563       | -43.58       | 23.44       | -13.0          | -30.58          | 195.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_14A\_n77A(3650-3700MHz) 10MHz(CH23330)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA 14A\_n77A\_788-798&758-768&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 153.384         | -73.09       | -15.21      | -13.0          | -60.09          | 81.00     | Horizontal | Vertical | Pass    |
| 377.793         | -68.03       | -6.92       | -13.0          | -55.03          | 337.00    | Horizontal | Vertical | Pass    |
| 761.380         | -52.10       | 3.94        | -13.0          | -39.10          | 290.00    | Horizontal | Vertical | N/A     |
| 3255.750        | -46.01       | 16.32       | -13.0          | -33.01          | 208.00    | Horizontal | Vertical | Pass    |
| 7862.750        | -30.39       | 33.21       | -13.0          | -17.39          | 48.00     | Horizontal | Vertical | Pass    |
| 18124.188       | -43.35       | 24.05       | -13.0          | -30.35          | 116.00    | Horizontal | Vertical | Pass    |

105 NR\_DC\_13A\_n77A(3650-3700MHz)

105.1 NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+20MHz(CH645000)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 148.292         | -72.67       | -15.58      | -13.0          | -59.67          | 28.00     | Vertical | Vertical | Pass    |
| 382.013         | -70.02       | -6.67       | -13.0          | -57.02          | 167.00    | Vertical | Vertical | Pass    |
| 751.729         | -41.75       | 4.10        | -13.0          | -28.75          | 249.00    | Vertical | Vertical | N/A     |
| 3198.500        | -45.04       | 16.54       | -13.0          | -32.04          | 197.00    | Vertical | Vertical | Pass    |
| 7898.500        | -31.23       | 32.47       | -13.0          | -18.23          | 360.00    | Vertical | Vertical | Pass    |
| 18705.814       | -44.38       | 21.81       | -13.0          | -31.38          | 202.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 148.583         | -69.12       | -15.56      | -13.0          | -56.12          | 123.00    | Horizontal | Vertical | Pass    |
| 372.944         | -68.03       | -7.05       | -13.0          | -55.03          | 162.00    | Horizontal | Vertical | Pass    |
| 748.576         | -51.40       | 3.81        | -13.0          | -38.40          | 260.00    | Horizontal | Vertical | N/A     |
| 4171.250        | -43.53       | 20.49       | -13.0          | -30.53          | 62.00     | Horizontal | Vertical | Pass    |
| 7864.500        | -30.91       | 33.25       | -13.0          | -17.91          | 105.00    | Horizontal | Vertical | Pass    |
| 18120.749       | -45.42       | 24.08       | -13.0          | -32.42          | 183.00    | Horizontal | Vertical | Pass    |

# 105.2 NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(LTE)+30MHz(NR), Middle Channel


RSE-V&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 149.116         | -72.80       | -15.52      | -13.0          | -59.80          | 359.00    | Vertical | Vertical | Pass    |
| 398.261         | -70.73       | -5.36       | -13.0          | -57.73          | 165.00    | Vertical | Vertical | Pass    |
| 747.849         | -41.80       | 3.80        | -13.0          | -28.80          | 76.00     | Vertical | Vertical | N/A     |
| 3668.750        | -44.18       | 17.76       | -13.0          | -31.18          | 86.00     | Vertical | Vertical | N/A     |
| 7968.250        | -30.88       | 33.07       | -13.0          | -17.88          | 347.00    | Vertical | Vertical | Pass    |
| 18122.125       | -44.85       | 24.00       | -13.0          | -31.85          | 51.00     | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+30MHz(CH645000)




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 136.700         | -71.70       | -16.20      | -13.0          | -58.70          | 123.00    | Horizontal | Vertical | Pass    |
| 378.133         | -66.63       | -6.91       | -13.0          | -53.63          | 154.00    | Horizontal | Vertical | Pass    |
| 747.169         | -50.07       | 3.85        | -13.0          | -37.07          | 308.00    | Horizontal | Vertical | N/A     |
| 4771.000        | -41.50       | 22.99       | -13.0          | -28.50          | 360.00    | Horizontal | Vertical | Pass    |
| 7859.000        | -31.13       | 32.99       | -13.0          | -18.13          | 56.00     | Horizontal | Vertical | Pass    |
| 18423.937       | -44.69       | 22.80       | -13.0          | -31.69          | 299.00    | Horizontal | Vertical | Pass    |

# 105.3 NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+40MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 142.180         | -73.10       | -16.13      | -13.0          | -60.10          | 147.00    | Vertical | Vertical | Pass    |
| 377.890         | -70.44       | -6.92       | -13.0          | -57.44          | 170.00    | Vertical | Vertical | Pass    |
| 755.026         | -41.67       | 4.59        | -13.0          | -28.67          | 251.00    | Vertical | Vertical | N/A     |
| 3668.000        | -44.32       | 17.76       | -13.0          | -31.32          | 229.00    | Vertical | Vertical | Pass    |
| 7923.750        | -31.29       | 32.90       | -13.0          | -18.29          | 236.00    | Vertical | Vertical | Pass    |
| 18430.124       | -43.79       | 22.63       | -13.0          | -30.79          | 1.00      | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_13A\_n77A(3650-3700MHz) 10MHz(CH23230)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_13A\_n77A\_777-787&746-756&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 146.303         | -70.37       | -15.75      | -13.0          | -57.37          | 123.00    | Horizontal | Vertical | Pass    |
| 402.189         | -68.84       | -5.15       | -13.0          | -55.84          | 269.00    | Horizontal | Vertical | Pass    |
| 749.013         | -51.18       | 3.82        | -13.0          | -38.18          | 291.00    | Horizontal | Vertical | N/A     |
| 3569.500        | -45.72       | 17.46       | -13.0          | -32.72          | 104.00    | Horizontal | Vertical | Pass    |
| 7920.000        | -31.06       | 32.86       | -13.0          | -18.06          | 0.00      | Horizontal | Vertical | Pass    |
| 18417.062       | -45.01       | 22.74       | -13.0          | -32.01          | 317.00    | Horizontal | Vertical | Pass    |

106 NR\_DC\_5A\_n77A(3650-3700MHz)

106.1 NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+20MHz(CH645000)



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 160.222         | -72.15       | -14.37      | -13.0          | -59.15          | 247.00    | Vertical | Vertical | Pass    |
| 833.111         | -54.03       | 6.31        | -13.0          | -41.03          | 72.00     | Vertical | Vertical | N/A     |
| 885.540         | -41.09       | 7.50        | -13.0          | -28.09          | 359.00    | Vertical | Vertical | N/A     |
| 3832.750        | -43.77       | 19.04       | -13.0          | -30.77          | 0.00      | Vertical | Vertical | Pass    |
| 7867.500        | -29.43       | 33.22       | -13.0          | -16.43          | 354.00    | Vertical | Vertical | Pass    |
| 18099.438       | -40.82       | 23.65       | -13.0          | -27.82          | 356.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+20MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 148.534         | -69.44       | -15.39      | -13.0          | -56.44          | 106.00    | Horizontal | Vertical | Pass    |
| 347.336         | -71.80       | -6.84       | -13.0          | -58.80          | 357.00    | Horizontal | Vertical | Pass    |
| 883.067         | -53.11       | 7.55        | -13.0          | -40.11          | 210.00    | Horizontal | Vertical | N/A     |
| 3996.500        | -43.98       | 19.83       | -13.0          | -30.98          | 172.00    | Horizontal | Vertical | Pass    |
| 7856.250        | -31.03       | 32.84       | -13.0          | -18.03          | 82.00     | Horizontal | Vertical | Pass    |
| 18182.625       | -45.06       | 23.38       | -13.0          | -32.06          | 151.00    | Horizontal | Vertical | Pass    |

# 106.2 NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(LTE)+30MHz(NR), Middle Channel

RSE-V&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+30MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 136.458         | -73.06       | -15.95      | -13.0          | -60.06          | 72.00     | Vertical | Vertical | Pass    |
| 833.257         | -54.34       | 6.32        | -13.0          | -41.34          | 61.00     | Vertical | Vertical | N/A     |
| 884.861         | -40.94       | 7.49        | -13.0          | -27.94          | 68.00     | Vertical | Vertical | N/A     |
| 4258.500        | -42.58       | 21.76       | -13.0          | -29.58          | 2.00      | Vertical | Vertical | Pass    |
| 7865.500        | -29.19       | 33.24       | -13.0          | -16.19          | 239.00    | Vertical | Vertical | Pass    |
| 17895.938       | -40.82       | 23.56       | -13.0          | -27.82          | 192.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+30MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz




| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 140.725         | -72.36       | -15.96      | -13.0          | -59.36          | 154.00    | Horizontal | Vertical | Pass    |
| 833.596         | -59.86       | 6.34        | -13.0          | -46.86          | 96.00     | Horizontal | Vertical | N/A     |
| 882.775         | -51.92       | 7.57        | -13.0          | -38.92          | 212.00    | Horizontal | Vertical | N/A     |
| 3192.500        | -46.01       | 16.77       | -13.0          | -33.01          | 292.00    | Horizontal | Vertical | Pass    |
| 7853.250        | -31.33       | 32.73       | -13.0          | -18.33          | 355.00    | Horizontal | Vertical | Pass    |
| 18133.813       | -44.93       | 23.79       | -13.0          | -31.93          | 88.00     | Horizontal | Vertical | Pass    |

# 106.3 NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+40MHz(CH645000)


RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT      | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|----------|----------|---------|
| 148.340         | -73.27       | -15.41      | -13.0          | -60.27          | 0.00      | Vertical | Vertical | Pass    |
| 833.500         | -54.89       | 6.33        | -13.0          | -41.89          | 70.00     | Vertical | Vertical | N/A     |
| 882.436         | -42.09       | 7.59        | -13.0          | -29.09          | 139.00    | Vertical | Vertical | N/A     |
| 3666.500        | -44.41       | 17.75       | -13.0          | -31.41          | 235.00    | Vertical | Vertical | N/A     |
| 7862.250        | -31.23       | 33.20       | -13.0          | -18.23          | 203.00    | Vertical | Vertical | Pass    |
| 18121.437       | -46.04       | 24.05       | -13.0          | -33.04          | 316.00    | Vertical | Vertical | Pass    |

RSE-H&H NR\_DC\_5A\_n77A(3650-3700MHz) 10MHz(CH20525)+40MHz(CH645000)

RSE(5G NSA FCC)\_NSA\_5A\_n77A\_824-849&869-894&3300-4200\_30MHz-27GHz



| Frequency (MHz) | Result (dBm) | Factor (dB) | PK Limit (dBm) | Over Limit (dB) | Table (o) | ANT        | EUT      | Verdict |
|-----------------|--------------|-------------|----------------|-----------------|-----------|------------|----------|---------|
| 148.583         | -70.42       | -15.39      | -13.0          | -57.42          | 93.00     | Horizontal | Vertical | Pass    |
| 403.402         | -70.87       | -4.68       | -13.0          | -57.87          | 257.00    | Horizontal | Vertical | Pass    |
| 882.242         | -51.71       | 7.59        | -13.0          | -38.71          | 210.00    | Horizontal | Vertical | N/A     |
| 4254.000        | -43.30       | 21.25       | -13.0          | -30.30          | 240.00    | Horizontal | Vertical | Pass    |
| 7928.000        | -31.80       | 32.93       | -13.0          | -18.80          | 360.00    | Horizontal | Vertical | Pass    |
| 18412.937       | -45.27       | 22.77       | -13.0          | -32.27          | 309.00    | Horizontal | Vertical | Pass    |

END