



**39.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.41	-13	Pass	2986
30	1000	0.1	RMS	834	-59.56	-13	Pass	9701
1000	3000	1	RMS	2987	-46.17	-13	Pass	2001
3000	3690	1	RMS	3690	-43.88	-13	Pass	691
3690	3990	1	RMS	3836.5	8.92	60	Pass	601
3990	6500	1	RMS	4150	-61.39	-13	Pass	2511
6500	40000	1	RMS	38810	-45.58	-13	Pass	33501




**39.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.54	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.04	-13	Pass	2986
30	1000	0.1	RMS	948.5	-58.91	-13	Pass	9701
1000	3000	1	RMS	2997	-45.92	-13	Pass	2001
3000	3690	1	RMS	3684	-43.93	-13	Pass	691
3690	3990	1	RMS	3843	9.63	60	Pass	601
3990	6500	1	RMS	5048	-62.56	-13	Pass	2511
6500	40000	1	RMS	38886	-46.15	-13	Pass	33501




**39.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.68	-13	Pass	2986
30	1000	0.1	RMS	872.1	-59.37	-13	Pass	9701
1000	3000	1	RMS	2999	-46.18	-13	Pass	2001
3000	3690	1	RMS	3690	-43.79	-13	Pass	691
3690	3990	1	RMS	3967.5	10.55	60	Pass	601
3990	6500	1	RMS	3990	-43.99	-13	Pass	2511
6500	40000	1	RMS	38857	-45.47	-13	Pass	33501




**39.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.85	-13	Pass	2986
30	1000	0.1	RMS	860.3	-59.45	-13	Pass	9701
1000	3000	1	RMS	2998	-46.14	-13	Pass	2001
3000	3690	1	RMS	3688	-43.91	-13	Pass	691
3690	3990	1	RMS	3968.5	9.27	60	Pass	601
3990	6500	1	RMS	3990	-37.46	-13	Pass	2511
6500	40000	1	RMS	38846	-46.11	-13	Pass	33501




**39.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.86	-13	Pass	2986
30	1000	0.1	RMS	905.6	-59.18	-13	Pass	9701
1000	3000	1	RMS	2998	-46.25	-13	Pass	2001
3000	3690	1	RMS	3687	-39.86	-13	Pass	691
3690	3990	1	RMS	3741.5	3.77	60	Pass	601
3990	6500	1	RMS	5051	-62.45	-13	Pass	2511
6500	40000	1	RMS	38836	-45.19	-13	Pass	33501




**39.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.32	-13	Pass	2986
30	1000	0.1	RMS	968.7	-58.91	-13	Pass	9701
1000	3000	1	RMS	2989	-46.27	-13	Pass	2001
3000	3690	1	RMS	3689	-35.64	-13	Pass	691
3690	3990	1	RMS	3737	4.49	60	Pass	601
3990	6500	1	RMS	5050	-62.37	-13	Pass	2511
6500	40000	1	RMS	38818	-45.9	-13	Pass	33501




**39.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.99	-13	Pass	2986
30	1000	0.1	RMS	904.7	-59.25	-13	Pass	9701
1000	3000	1	RMS	2998	-46.08	-13	Pass	2001
3000	3690	1	RMS	3686	-43.91	-13	Pass	691
3690	3990	1	RMS	3829	4.88	60	Pass	601
3990	6500	1	RMS	5049	-62.55	-13	Pass	2511
6500	40000	1	RMS	38865	-45.96	-13	Pass	33501




**39.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.17	-13	Pass	2986
30	1000	0.1	RMS	818.2	-59.15	-13	Pass	9701
1000	3000	1	RMS	2998	-46.06	-13	Pass	2001
3000	3690	1	RMS	3686	-43.97	-13	Pass	691
3690	3990	1	RMS	3831	4.94	60	Pass	601
3990	6500	1	RMS	5047	-62.45	-13	Pass	2511
6500	40000	1	RMS	38865	-45.83	-13	Pass	33501




**39.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.18	-66.18	-13	Pass	2986
30	1000	0.1	RMS	924.7	-59.03	-13	Pass	9701
1000	3000	1	RMS	2998	-45.89	-13	Pass	2001
3000	3690	1	RMS	3690	-43.82	-13	Pass	691
3690	3990	1	RMS	3941.5	4.77	60	Pass	601
3990	6500	1	RMS	4000	-43.47	-13	Pass	2511
6500	40000	1	RMS	38800	-46	-13	Pass	33501




**39.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.06	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.25	-13	Pass	2986
30	1000	0.1	RMS	955.5	-59.16	-13	Pass	9701
1000	3000	1	RMS	2999	-46.05	-13	Pass	2001
3000	3690	1	RMS	3686	-43.92	-13	Pass	691
3690	3990	1	RMS	3956.5	4.9	60	Pass	601
3990	6500	1	RMS	4001	-40.68	-13	Pass	2511
6500	40000	1	RMS	38841	-46.11	-13	Pass	33501




**39.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.72	-13	Pass	2986
30	1000	0.1	RMS	954.4	-59.37	-13	Pass	9701
1000	3000	1	RMS	2999	-46.09	-13	Pass	2001
3000	3690	1	RMS	3687	-37.59	-13	Pass	691
3690	3990	1	RMS	3740.5	1.65	60	Pass	601
3990	6500	1	RMS	5050	-62.43	-13	Pass	2511
6500	40000	1	RMS	38839	-45.94	-13	Pass	33501




**39.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.42	-13	Pass	2986
30	1000	0.1	RMS	934.1	-58.58	-13	Pass	9701
1000	3000	1	RMS	2999	-46.08	-13	Pass	2001
3000	3690	1	RMS	3680	-35	-13	Pass	691
3690	3990	1	RMS	3736.5	2.67	60	Pass	601
3990	6500	1	RMS	5051	-62.35	-13	Pass	2511
6500	40000	1	RMS	38845	-46.32	-13	Pass	33501




**39.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.6	-13	Pass	2986
30	1000	0.1	RMS	892.2	-59.36	-13	Pass	9701
1000	3000	1	RMS	2988	-46.14	-13	Pass	2001
3000	3690	1	RMS	3690	-43.91	-13	Pass	691
3690	3990	1	RMS	3818	1.16	60	Pass	601
3990	6500	1	RMS	5049	-62.51	-13	Pass	2511
6500	40000	1	RMS	38873	-45.89	-13	Pass	33501




**39.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.35	-13	Pass	2986
30	1000	0.1	RMS	846.4	-59.4	-13	Pass	9701
1000	3000	1	RMS	2986	-46.22	-13	Pass	2001
3000	3690	1	RMS	3690	-43.94	-13	Pass	691
3690	3990	1	RMS	3819.5	2.65	60	Pass	601
3990	6500	1	RMS	3999	-61.95	-13	Pass	2511
6500	40000	1	RMS	38849	-45.45	-13	Pass	33501




**39.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.9	-13	Pass	601
0.15	30	0.01	RMS	0.19	-63.01	-13	Pass	2986
30	1000	0.1	RMS	809	-59.41	-13	Pass	9701
1000	3000	1	RMS	2991	-45.98	-13	Pass	2001
3000	3690	1	RMS	3689	-43.86	-13	Pass	691
3690	3990	1	RMS	3907	2.19	60	Pass	601
3990	6500	1	RMS	3992	-36.34	-13	Pass	2511
6500	40000	1	RMS	38836	-46.07	-13	Pass	33501



**39.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.38	-13	Pass	2986
30	1000	0.1	RMS	881.1	-59.08	-13	Pass	9701
1000	3000	1	RMS	2993	-46.25	-13	Pass	2001
3000	3690	1	RMS	3689	-43.94	-13	Pass	691
3690	3990	1	RMS	3949	2.38	60	Pass	601
3990	6500	1	RMS	4001	-32.72	-13	Pass	2511
6500	40000	1	RMS	38800	-45.86	-13	Pass	33501



40. n77 30kHz(3450-3650)


**40.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.2	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.66	-30	Pass	2986
30	1000	0.1	RMS	925.6	-56.11	-30	Pass	9701
1000	3000	1	RMS	2997	-42.38	-30	Pass	2001
3000	3439	1	RMS	3272.912	-42.08	-30	Pass	601
3439	3661	1	RMS	3459.72	12.83	60	Pass	601
3661	6500	1	RMS	3763	-59.01	-30	Pass	2840
6500	38000	1	RMS	37933	-45.26	-30	Pass	31501




**40.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.04	-30	Pass	601
0.15	30	0.01	RMS	0.16	-59.17	-30	Pass	2986
30	1000	0.1	RMS	834.7	-55.9	-30	Pass	9701
1000	3000	1	RMS	2994	-42.36	-30	Pass	2001
3000	3439	1	RMS	3280.228	-42.12	-30	Pass	601
3439	3661	1	RMS	3463.05	12.21	60	Pass	601
3661	6500	1	RMS	3764	-58.17	-30	Pass	2840
6500	38000	1	RMS	37968	-45.66	-30	Pass	31501




**40.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-46.65	-30	Pass	601
0.15	30	0.01	RMS	0.17	-59.77	-30	Pass	2986
30	1000	0.1	RMS	867.3	-56.1	-30	Pass	9701
1000	3000	1	RMS	2986	-42.39	-30	Pass	2001
3000	3439	1	RMS	3278.765	-42.08	-30	Pass	601
3439	3661	1	RMS	3547.78	12.26	60	Pass	601
3661	6500	1	RMS	3690	-52.75	-30	Pass	2840
6500	38000	1	RMS	37945	-45.45	-30	Pass	31501




**40.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.9	-30	Pass	601
0.15	30	0.01	RMS	0.16	-62.33	-30	Pass	2986
30	1000	0.1	RMS	996.6	-56.08	-30	Pass	9701
1000	3000	1	RMS	3000	-42.34	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.15	-30	Pass	601
3439	3661	1	RMS	3553.33	13.04	60	Pass	601
3661	6500	1	RMS	3701	-56.59	-30	Pass	2840
6500	38000	1	RMS	37984	-45.37	-30	Pass	31501




**40.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.88	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.02	-30	Pass	2986
30	1000	0.1	RMS	956.2	-55.74	-30	Pass	9701
1000	3000	1	RMS	3000	-42.23	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.14	-30	Pass	601
3439	3661	1	RMS	3639.91	11.08	60	Pass	601
3661	6500	1	RMS	3667	-42.63	-30	Pass	2840
6500	38000	1	RMS	34944	-45.57	-30	Pass	31501




**40.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.9	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.7	-30	Pass	2986
30	1000	0.1	RMS	934.2	-56.07	-30	Pass	9701
1000	3000	1	RMS	2999	-42.34	-30	Pass	2001
3000	3439	1	RMS	3278.033	-42.07	-30	Pass	601
3439	3661	1	RMS	3636.21	11.05	60	Pass	601
3661	6500	1	RMS	3661	-46.89	-30	Pass	2840
6500	38000	1	RMS	34543	-45.42	-30	Pass	31501




**40.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-30	Pass	601
0.15	30	0.01	RMS	0.2	-61.74	-30	Pass	2986
30	1000	0.1	RMS	919.8	-56.27	-30	Pass	9701
1000	3000	1	RMS	2996	-42.21	-30	Pass	2001
3000	3439	1	RMS	3438.268	-36.65	-30	Pass	601
3439	3661	1	RMS	3478.22	7.35	60	Pass	601
3661	6500	1	RMS	5051	-59.12	-30	Pass	2840
6500	38000	1	RMS	34966	-45.8	-30	Pass	31501




**40.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-46.11	-30	Pass	601
0.15	30	0.01	RMS	0.18	-59.83	-30	Pass	2986
30	1000	0.1	RMS	896	-56.09	-30	Pass	9701
1000	3000	1	RMS	2999	-42.31	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.42	-30	Pass	601
3439	3661	1	RMS	3482.29	5.62	60	Pass	601
3661	6500	1	RMS	5561	-59.03	-30	Pass	2840
6500	38000	1	RMS	37998	-44.79	-30	Pass	31501




**40.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.71	-30	Pass	601
0.15	30	0.01	RMS	0.16	-57.38	-30	Pass	2986
30	1000	0.1	RMS	866.8	-55.81	-30	Pass	9701
1000	3000	1	RMS	2999	-42.26	-30	Pass	2001
3000	3439	1	RMS	3275.107	-42.18	-30	Pass	601
3439	3661	1	RMS	3554.44	6.55	60	Pass	601
3661	6500	1	RMS	3704	-50.72	-30	Pass	2840
6500	38000	1	RMS	34530	-45.4	-30	Pass	31501




**40.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.32	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.54	-30	Pass	2986
30	1000	0.1	RMS	926.3	-55.39	-30	Pass	9701
1000	3000	1	RMS	2995	-42.42	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.17	-30	Pass	601
3439	3661	1	RMS	3555.92	7.76	60	Pass	601
3661	6500	1	RMS	3712	-58.62	-30	Pass	2840
6500	38000	1	RMS	34513	-45.4	-30	Pass	31501




**40.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.5	-30	Pass	601
0.15	30	0.01	RMS	0.17	-58.36	-30	Pass	2986
30	1000	0.1	RMS	889.6	-56.16	-30	Pass	9701
1000	3000	1	RMS	2996	-42.31	-30	Pass	2001
3000	3439	1	RMS	3269.985	-42.03	-30	Pass	601
3439	3661	1	RMS	3607.35	6.34	60	Pass	601
3661	6500	1	RMS	3661	-33.36	-30	Pass	2840
6500	38000	1	RMS	34526	-45.42	-30	Pass	31501




**40.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.34	-30	Pass	601
0.15	30	0.01	RMS	0.18	-59.8	-30	Pass	2986
30	1000	0.1	RMS	875.2	-55.92	-30	Pass	9701
1000	3000	1	RMS	3000	-42.27	-30	Pass	2001
3000	3439	1	RMS	3269.253	-42.17	-30	Pass	601
3439	3661	1	RMS	3618.82	6.65	60	Pass	601
3661	6500	1	RMS	3666	-41.25	-30	Pass	2840
6500	38000	1	RMS	38000	-45	-30	Pass	31501




**40.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-30	Pass	601
0.15	30	0.01	RMS	0.15	-61.33	-30	Pass	2986
30	1000	0.1	RMS	917.3	-55.25	-30	Pass	9701
1000	3000	1	RMS	2989	-42.26	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.37	-30	Pass	601
3439	3661	1	RMS	3484.51	5.01	60	Pass	601
3661	6500	1	RMS	3735	-58.76	-30	Pass	2840
6500	38000	1	RMS	35270	-45.7	-30	Pass	31501




**40.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.44	-30	Pass	2986
30	1000	0.1	RMS	943.2	-56.06	-30	Pass	9701
1000	3000	1	RMS	2999	-42.33	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.32	-30	Pass	601
3439	3661	1	RMS	3484.51	5.65	60	Pass	601
3661	6500	1	RMS	3784	-59.02	-30	Pass	2840
6500	38000	1	RMS	35887	-45.59	-30	Pass	31501




**40.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.72	-30	Pass	601
0.15	30	0.01	RMS	0.17	-62.34	-30	Pass	2986
30	1000	0.1	RMS	890.2	-55.29	-30	Pass	9701
1000	3000	1	RMS	2999	-42.3	-30	Pass	2001
3000	3439	1	RMS	3269.985	-42.13	-30	Pass	601
3439	3661	1	RMS	3534.09	3.41	60	Pass	601
3661	6500	1	RMS	3669	-53.81	-30	Pass	2840
6500	38000	1	RMS	35126	-45.39	-30	Pass	31501




**40.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-30	Pass	601
0.15	30	0.01	RMS	0.15	-62.55	-30	Pass	2986
30	1000	0.1	RMS	726.5	-55.47	-30	Pass	9701
1000	3000	1	RMS	2999	-42.24	-30	Pass	2001
3000	3439	1	RMS	3272.912	-42.14	-30	Pass	601
3439	3661	1	RMS	3536.31	5	60	Pass	601
3661	6500	1	RMS	3666	-52.54	-30	Pass	2840
6500	38000	1	RMS	35035	-45.58	-30	Pass	31501




**40.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.33	-30	Pass	2986
30	1000	0.1	RMS	886	-56.09	-30	Pass	9701
1000	3000	1	RMS	2997	-42.24	-30	Pass	2001
3000	3439	1	RMS	3273.643	-42.08	-30	Pass	601
3439	3661	1	RMS	3577.75	5.12	60	Pass	601
3661	6500	1	RMS	3662	-33.62	-30	Pass	2840
6500	38000	1	RMS	37982	-45.07	-30	Pass	31501



**40.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.34	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.68	-30	Pass	2986
30	1000	0.1	RMS	983.7	-55.72	-30	Pass	9701
1000	3000	1	RMS	2999	-42.26	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.01	-30	Pass	601
3439	3661	1	RMS	3579.6	5.14	60	Pass	601
3661	6500	1	RMS	3663	-34.22	-30	Pass	2840
6500	38000	1	RMS	35025	-45.38	-30	Pass	31501



41. n77 30kHz(3650-3700)


**41.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.05	-13	Pass	2986
30	1000	0.1	RMS	870.5	-55.73	-13	Pass	9701
1000	3000	1	RMS	2996	-42.32	-13	Pass	2001
3000	3640	1	RMS	3638	-40.54	-13	Pass	641
3640	3710	1	RMS	3660.3	10.79	60	Pass	601
3710	6500	1	RMS	3750	-57.26	-13	Pass	2791
6500	38000	1	RMS	37919	-45.25	-13	Pass	31501




**41.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.37	-13	Pass	2986
30	1000	0.1	RMS	898.1	-55.88	-13	Pass	9701
1000	3000	1	RMS	2996	-42.13	-13	Pass	2001
3000	3640	1	RMS	3640	-40.75	-13	Pass	641
3640	3710	1	RMS	3660.883	10.73	60	Pass	601
3710	6500	1	RMS	3711	-58.47	-13	Pass	2791
6500	38000	1	RMS	34997	-45.13	-13	Pass	31501




**41.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.96	-13	Pass	2986
30	1000	0.1	RMS	889.3	-56	-13	Pass	9701
1000	3000	1	RMS	2992	-42.28	-13	Pass	2001
3000	3640	1	RMS	3624	-41.24	-13	Pass	641
3640	3710	1	RMS	3672.317	8.16	60	Pass	601
3710	6500	1	RMS	3711	-57.24	-13	Pass	2791
6500	38000	1	RMS	34532	-45.14	-13	Pass	31501




**41.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.21	-13	Pass	2986
30	1000	0.1	RMS	976.5	-55.39	-13	Pass	9701
1000	3000	1	RMS	2996	-42.21	-13	Pass	2001
3000	3640	1	RMS	3637	-41.13	-13	Pass	641
3640	3710	1	RMS	3675.7	10.01	60	Pass	601
3710	6500	1	RMS	3712	-56.97	-13	Pass	2791
6500	38000	1	RMS	35149	-45.27	-13	Pass	31501




**41.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.14	-13	Pass	601
0.15	30	0.01	RMS	0.19	-59.87	-13	Pass	2986
30	1000	0.1	RMS	974.4	-55.6	-13	Pass	9701
1000	3000	1	RMS	2997	-42.27	-13	Pass	2001
3000	3640	1	RMS	3614	-41.18	-13	Pass	641
3640	3710	1	RMS	3690.517	9.77	60	Pass	601
3710	6500	1	RMS	3721	-54.14	-13	Pass	2791
6500	38000	1	RMS	34662	-45.76	-13	Pass	31501




**41.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.86	-13	Pass	2986
30	1000	0.1	RMS	932.2	-56.23	-13	Pass	9701
1000	3000	1	RMS	2998	-42.23	-13	Pass	2001
3000	3640	1	RMS	3634	-41.16	-13	Pass	641
3640	3710	1	RMS	3690.983	9.6	60	Pass	601
3710	6500	1	RMS	3711	-49.36	-13	Pass	2791
6500	38000	1	RMS	34530	-45.36	-13	Pass	31501




**41.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.11	-13	Pass	2986
30	1000	0.1	RMS	857.5	-56.11	-13	Pass	9701
1000	3000	1	RMS	2993	-42.36	-13	Pass	2001
3000	3640	1	RMS	3640	-37.85	-13	Pass	641
3640	3710	1	RMS	3659.483	9.06	60	Pass	601
3710	6500	1	RMS	3737	-58.8	-13	Pass	2791
6500	38000	1	RMS	37982	-45.49	-13	Pass	31501




**41.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-44.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.12	-13	Pass	2986
30	1000	0.1	RMS	846	-56.28	-13	Pass	9701
1000	3000	1	RMS	2995	-42.31	-13	Pass	2001
3000	3640	1	RMS	3638	-40.11	-13	Pass	641
3640	3710	1	RMS	3659.717	9.13	60	Pass	601
3710	6500	1	RMS	3711	-57	-13	Pass	2791
6500	38000	1	RMS	34520	-45.48	-13	Pass	31501




**41.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.18	-61.59	-13	Pass	2986
30	1000	0.1	RMS	894.6	-56.14	-13	Pass	9701
1000	3000	1	RMS	2997	-42.27	-13	Pass	2001
3000	3640	1	RMS	3638	-41.19	-13	Pass	641
3640	3710	1	RMS	3669.633	8.68	60	Pass	601
3710	6500	1	RMS	3723	-57.2	-13	Pass	2791
6500	38000	1	RMS	35000	-45.45	-13	Pass	31501




**41.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.23	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.19	-13	Pass	2986
30	1000	0.1	RMS	872.2	-55.76	-13	Pass	9701
1000	3000	1	RMS	3000	-42.28	-13	Pass	2001
3000	3640	1	RMS	3606	-41.14	-13	Pass	641
3640	3710	1	RMS	3669.283	8.64	60	Pass	601
3710	6500	1	RMS	3717	-55.44	-13	Pass	2791
6500	38000	1	RMS	37982	-45.33	-13	Pass	31501




**41.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.23	-13	Pass	2986
30	1000	0.1	RMS	885.3	-55.72	-13	Pass	9701
1000	3000	1	RMS	2998	-42.33	-13	Pass	2001
3000	3640	1	RMS	3601	-41.19	-13	Pass	641
3640	3710	1	RMS	3681.417	6.9	60	Pass	601
3710	6500	1	RMS	3720	-52.54	-13	Pass	2791
6500	38000	1	RMS	35012	-45.19	-13	Pass	31501




**41.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.53	-13	Pass	2986
30	1000	0.1	RMS	897.5	-55.89	-13	Pass	9701
1000	3000	1	RMS	2997	-42.26	-13	Pass	2001
3000	3640	1	RMS	3633	-41.21	-13	Pass	641
3640	3710	1	RMS	3678.967	8.21	60	Pass	601
3710	6500	1	RMS	3715	-49.26	-13	Pass	2791
6500	38000	1	RMS	34526	-45.03	-13	Pass	31501




**41.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.03	-13	Pass	601
0.15	30	0.01	RMS	0.19	-60.38	-13	Pass	2986
30	1000	0.1	RMS	894.1	-55.49	-13	Pass	9701
1000	3000	1	RMS	2654	-42.32	-13	Pass	2001
3000	3640	1	RMS	3639	-38.59	-13	Pass	641
3640	3710	1	RMS	3661.467	7.63	60	Pass	601
3710	6500	1	RMS	3720	-55.46	-13	Pass	2791
6500	38000	1	RMS	35024	-45.11	-13	Pass	31501




**41.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.99	-13	Pass	2986
30	1000	0.1	RMS	834.1	-55.85	-13	Pass	9701
1000	3000	1	RMS	2667	-42.36	-13	Pass	2001
3000	3640	1	RMS	3640	-38.85	-13	Pass	641
3640	3710	1	RMS	3661.583	7.63	60	Pass	601
3710	6500	1	RMS	3715	-53.61	-13	Pass	2791
6500	38000	1	RMS	35091	-45.5	-13	Pass	31501




**41.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.4	-13	Pass	2986
30	1000	0.1	RMS	860	-55.96	-13	Pass	9701
1000	3000	1	RMS	2997	-42.37	-13	Pass	2001
3000	3640	1	RMS	3638	-40.39	-13	Pass	641
3640	3710	1	RMS	3675.7	6.28	60	Pass	601
3710	6500	1	RMS	3717	-50.34	-13	Pass	2791
6500	38000	1	RMS	37953	-45.55	-13	Pass	31501




**41.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.09	-13	Pass	2986
30	1000	0.1	RMS	936.6	-56.05	-13	Pass	9701
1000	3000	1	RMS	2998	-41.93	-13	Pass	2001
3000	3640	1	RMS	3640	-40.31	-13	Pass	641
3640	3710	1	RMS	3666.367	7.42	60	Pass	601
3710	6500	1	RMS	3712	-48.73	-13	Pass	2791
6500	38000	1	RMS	35036	-45.52	-13	Pass	31501




**41.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.81	-13	Pass	2986
30	1000	0.1	RMS	953.9	-55.96	-13	Pass	9701
1000	3000	1	RMS	2996	-42.22	-13	Pass	2001
3000	3640	1	RMS	3639	-40.91	-13	Pass	641
3640	3710	1	RMS	3671.617	5.81	60	Pass	601
3710	6500	1	RMS	3722	-49.97	-13	Pass	2791
6500	38000	1	RMS	37898	-45.39	-13	Pass	31501



**41.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.33	-13	Pass	2986
30	1000	0.1	RMS	933.5	-56.15	-13	Pass	9701
1000	3000	1	RMS	2991	-42.12	-13	Pass	2001
3000	3640	1	RMS	3640	-40.91	-13	Pass	641
3640	3710	1	RMS	3674.183	7.06	60	Pass	601
3710	6500	1	RMS	3714	-43.15	-13	Pass	2791
6500	38000	1	RMS	35062	-45.34	-13	Pass	31501



42. n78 30kHz(3450-3550)


**42.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-49.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.49	-13	Pass	2986
30	1000	0.1	RMS	996.9	-59.07	-13	Pass	9701
1000	3000	1	RMS	2998	-46.02	-13	Pass	2001
3000	3440	1	RMS	3440	-36.82	-13	Pass	601
3440	3560	1	RMS	3460	11.06	60	Pass	601
3560	6500	1	RMS	3561	-55.17	-13	Pass	2941
6500	38000	1	RMS	6924	-45.8	-13	Pass	31501




**42.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.17	-62.92	-13	Pass	2986
30	1000	0.1	RMS	948.4	-58.87	-13	Pass	9701
1000	3000	1	RMS	3000	-46.12	-13	Pass	2001
3000	3440	1	RMS	3439.267	-34.68	-13	Pass	601
3440	3560	1	RMS	3457	11.79	60	Pass	601
3560	6500	1	RMS	3561	-53.09	-13	Pass	2941
6500	38000	1	RMS	37960	-47.99	-13	Pass	31501




**42.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.91	-13	Pass	2986
30	1000	0.1	RMS	940.9	-59.05	-13	Pass	9701
1000	3000	1	RMS	3000	-46.16	-13	Pass	2001
3000	3440	1	RMS	3274.267	-45.55	-13	Pass	601
3440	3560	1	RMS	3499.8	10.8	60	Pass	601
3560	6500	1	RMS	3568	-53.03	-13	Pass	2941
6500	38000	1	RMS	37984	-48.37	-13	Pass	31501




**42.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.65	-13	Pass	2986
30	1000	0.1	RMS	930.3	-58.94	-13	Pass	9701
1000	3000	1	RMS	2995	-46.12	-13	Pass	2001
3000	3440	1	RMS	3279.4	-45.5	-13	Pass	601
3440	3560	1	RMS	3503.2	10.85	60	Pass	601
3560	6500	1	RMS	3570	-51.82	-13	Pass	2941
6500	38000	1	RMS	37995	-47.94	-13	Pass	31501




**42.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.39	-13	Pass	601
0.15	30	0.01	RMS	0.19	-65.77	-13	Pass	2986
30	1000	0.1	RMS	948.7	-59.42	-13	Pass	9701
1000	3000	1	RMS	2998	-46.21	-13	Pass	2001
3000	3440	1	RMS	3272.067	-45.51	-13	Pass	601
3440	3560	1	RMS	3539.6	10.31	60	Pass	601
3560	6500	1	RMS	3563	-33.41	-13	Pass	2941
6500	38000	1	RMS	37962	-48.39	-13	Pass	31501




**42.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.41	-13	Pass	2986
30	1000	0.1	RMS	979.6	-59.51	-13	Pass	9701
1000	3000	1	RMS	3000	-46.22	-13	Pass	2001
3000	3440	1	RMS	3281.6	-45.48	-13	Pass	601
3440	3560	1	RMS	3541.2	10.65	60	Pass	601
3560	6500	1	RMS	3573	-41.47	-13	Pass	2941
6500	38000	1	RMS	38000	-48.62	-13	Pass	31501




**42.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.16	-13	Pass	2986
30	1000	0.1	RMS	902.1	-59.06	-13	Pass	9701
1000	3000	1	RMS	2992	-46.11	-13	Pass	2001
3000	3440	1	RMS	3439.267	-32.88	-13	Pass	601
3440	3560	1	RMS	3473.8	4.9	60	Pass	601
3560	6500	1	RMS	3570	-48.68	-13	Pass	2941
6500	38000	1	RMS	37925	-48.21	-13	Pass	31501




**42.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-13	Pass	2986
30	1000	0.1	RMS	913.2	-59.31	-13	Pass	9701
1000	3000	1	RMS	2997	-46.24	-13	Pass	2001
3000	3440	1	RMS	3440	-34.33	-13	Pass	601
3440	3560	1	RMS	3472.2	7.95	60	Pass	601
3560	6500	1	RMS	3572	-60.72	-13	Pass	2941
6500	38000	1	RMS	37993	-47.76	-13	Pass	31501




**42.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-13	Pass	601
0.15	30	0.01	RMS	0.19	-65.72	-13	Pass	2986
30	1000	0.1	RMS	978.2	-59.33	-13	Pass	9701
1000	3000	1	RMS	2988	-46.21	-13	Pass	2001
3000	3440	1	RMS	3438.533	-42.29	-13	Pass	601
3440	3560	1	RMS	3495.6	5.04	60	Pass	601
3560	6500	1	RMS	3561	-38.93	-13	Pass	2941
6500	38000	1	RMS	35414	-48.08	-13	Pass	31501




**42.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.21	-13	Pass	2986
30	1000	0.1	RMS	891.1	-59.5	-13	Pass	9701
1000	3000	1	RMS	2989	-46.18	-13	Pass	2001
3000	3440	1	RMS	3275	-45.49	-13	Pass	601
3440	3560	1	RMS	3497.2	7.92	60	Pass	601
3560	6500	1	RMS	3560	-54.22	-13	Pass	2941
6500	38000	1	RMS	34501	-48.52	-13	Pass	31501




**42.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.74	-13	Pass	601
0.15	30	0.01	RMS	0.18	-63.96	-13	Pass	2986
30	1000	0.1	RMS	911.5	-59.24	-13	Pass	9701
1000	3000	1	RMS	2998	-46.19	-13	Pass	2001
3000	3440	1	RMS	3271.333	-45.45	-13	Pass	601
3440	3560	1	RMS	3523.8	6.71	60	Pass	601
3560	6500	1	RMS	3568	-31.21	-13	Pass	2941
6500	38000	1	RMS	7049	-48.08	-13	Pass	31501




**42.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.82	-13	Pass	2986
30	1000	0.1	RMS	908.3	-58.89	-13	Pass	9701
1000	3000	1	RMS	2998	-45.94	-13	Pass	2001
3000	3440	1	RMS	3275	-45.42	-13	Pass	601
3440	3560	1	RMS	3522.8	7.16	60	Pass	601
3560	6500	1	RMS	3570	-34.82	-13	Pass	2941
6500	38000	1	RMS	34956	-48.22	-13	Pass	31501




**42.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.77	-13	Pass	2986
30	1000	0.1	RMS	922.7	-59.64	-13	Pass	9701
1000	3000	1	RMS	2997	-46.28	-13	Pass	2001
3000	3440	1	RMS	3440	-28.28	-13	Pass	601
3440	3560	1	RMS	3497.6	1.41	60	Pass	601
3560	6500	1	RMS	3562	-26.67	-13	Pass	2941
6500	38000	1	RMS	37970	-48.2	-13	Pass	31501



**42.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.35	-13	Pass	2986
30	1000	0.1	RMS	784.2	-59.62	-13	Pass	9701
1000	3000	1	RMS	2999	-46.16	-13	Pass	2001
3000	3440	1	RMS	3439.267	-33.36	-13	Pass	601
3440	3560	1	RMS	3486.4	3.49	60	Pass	601
3560	6500	1	RMS	3560	-30.37	-13	Pass	2941
6500	38000	1	RMS	34512	-48.36	-13	Pass	31501



43. n78 30kHz(3700-3800)


**43.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.46	-13	Pass	2986
30	1000	0.1	RMS	876.3	-59.49	-13	Pass	9701
1000	3000	1	RMS	2664	-46.24	-13	Pass	2001
3000	3690	1	RMS	3688	-41.84	-13	Pass	691
3690	3810	1	RMS	3710.4	9.51	60	Pass	601
3810	6500	1	RMS	4017	-60.41	-13	Pass	2691
6500	38000	1	RMS	37982	-48.24	-13	Pass	31501




**43.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.72	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.88	-13	Pass	2986
30	1000	0.1	RMS	918.1	-59.23	-13	Pass	9701
1000	3000	1	RMS	2993	-46.2	-13	Pass	2001
3000	3690	1	RMS	3687	-42.65	-13	Pass	691
3690	3810	1	RMS	3707.4	9.62	60	Pass	601
3810	6500	1	RMS	5555	-62.14	-13	Pass	2691
6500	38000	1	RMS	34509	-48.51	-13	Pass	31501




**43.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.13	-13	Pass	2986
30	1000	0.1	RMS	861.4	-59.43	-13	Pass	9701
1000	3000	1	RMS	2996	-46.16	-13	Pass	2001
3000	3690	1	RMS	3690	-43.86	-13	Pass	691
3690	3810	1	RMS	3749.8	10.15	60	Pass	601
3810	6500	1	RMS	4057	-60.96	-13	Pass	2691
6500	38000	1	RMS	37979	-47.48	-13	Pass	31501




**43.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2986
30	1000	0.1	RMS	968.3	-59.54	-13	Pass	9701
1000	3000	1	RMS	3000	-46.05	-13	Pass	2001
3000	3690	1	RMS	3688	-43.88	-13	Pass	691
3690	3810	1	RMS	3746.6	8.95	60	Pass	601
3810	6500	1	RMS	4054	-60.07	-13	Pass	2691
6500	38000	1	RMS	37961	-48.22	-13	Pass	31501




**43.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.8	-13	Pass	2986
30	1000	0.1	RMS	942.4	-59.18	-13	Pass	9701
1000	3000	1	RMS	2996	-46.13	-13	Pass	2001
3000	3690	1	RMS	3689	-43.93	-13	Pass	691
3690	3810	1	RMS	3790.4	10.91	60	Pass	601
3810	6500	1	RMS	3810	-46.07	-13	Pass	2691
6500	38000	1	RMS	35181	-48.33	-13	Pass	31501




**43.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.61	-13	Pass	2986
30	1000	0.1	RMS	805.2	-59.71	-13	Pass	9701
1000	3000	1	RMS	2998	-46.03	-13	Pass	2001
3000	3690	1	RMS	3690	-43.9	-13	Pass	691
3690	3810	1	RMS	3786.6	11.07	60	Pass	601
3810	6500	1	RMS	3821	-54.59	-13	Pass	2691
6500	38000	1	RMS	37937	-48.54	-13	Pass	31501




**43.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.67	-13	Pass	2986
30	1000	0.1	RMS	963.3	-59.25	-13	Pass	9701
1000	3000	1	RMS	2998	-46.08	-13	Pass	2001
3000	3690	1	RMS	3689	-35.97	-13	Pass	691
3690	3810	1	RMS	3732.6	5.97	60	Pass	601
3810	6500	1	RMS	3818	-60.87	-13	Pass	2691
6500	38000	1	RMS	35156	-48.47	-13	Pass	31501




**43.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.48	-13	Pass	2986
30	1000	0.1	RMS	912.2	-59.31	-13	Pass	9701
1000	3000	1	RMS	2998	-46.24	-13	Pass	2001
3000	3690	1	RMS	3684	-40.54	-13	Pass	691
3690	3810	1	RMS	3722.6	5.89	60	Pass	601
3810	6500	1	RMS	3810	-61.68	-13	Pass	2691
6500	38000	1	RMS	37872	-47.72	-13	Pass	31501




**43.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.32	-13	Pass	601
0.15	30	0.01	RMS	0.19	-62.28	-13	Pass	2986
30	1000	0.1	RMS	889.6	-59.56	-13	Pass	9701
1000	3000	1	RMS	2998	-46.06	-13	Pass	2001
3000	3690	1	RMS	3688	-43.51	-13	Pass	691
3690	3810	1	RMS	3744.8	5.9	60	Pass	601
3810	6500	1	RMS	3816	-54.04	-13	Pass	2691
6500	38000	1	RMS	37966	-47.99	-13	Pass	31501




**43.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.38	-13	Pass	2986
30	1000	0.1	RMS	884.8	-59.51	-13	Pass	9701
1000	3000	1	RMS	2985	-46.1	-13	Pass	2001
3000	3690	1	RMS	3684	-43.83	-13	Pass	691
3690	3810	1	RMS	3746.8	5.33	60	Pass	601
3810	6500	1	RMS	3817	-56.8	-13	Pass	2691
6500	38000	1	RMS	37969	-48.18	-13	Pass	31501




**43.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-49.97	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.9	-13	Pass	2986
30	1000	0.1	RMS	948.8	-58.51	-13	Pass	9701
1000	3000	1	RMS	2991	-46.06	-13	Pass	2001
3000	3690	1	RMS	3687	-43.76	-13	Pass	691
3690	3810	1	RMS	3769.8	6.78	60	Pass	601
3810	6500	1	RMS	3816	-37.67	-13	Pass	2691
6500	38000	1	RMS	35069	-48.25	-13	Pass	31501




**43.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65.3	-13	Pass	2986
30	1000	0.1	RMS	874.3	-59.84	-13	Pass	9701
1000	3000	1	RMS	3000	-46.14	-13	Pass	2001
3000	3690	1	RMS	3686	-43.88	-13	Pass	691
3690	3810	1	RMS	3772	7.04	60	Pass	601
3810	6500	1	RMS	3819	-41.74	-13	Pass	2691
6500	38000	1	RMS	35090	-48.49	-13	Pass	31501




**43.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.38	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.68	-13	Pass	2986
30	1000	0.1	RMS	863.3	-58.89	-13	Pass	9701
1000	3000	1	RMS	3000	-46.07	-13	Pass	2001
3000	3690	1	RMS	3689	-33.99	-13	Pass	691
3690	3810	1	RMS	3734.4	3.26	60	Pass	601
3810	6500	1	RMS	3811	-30.01	-13	Pass	2691
6500	38000	1	RMS	34976	-48.55	-13	Pass	31501



**43.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.92	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.27	-13	Pass	2986
30	1000	0.1	RMS	863.1	-59.16	-13	Pass	9701
1000	3000	1	RMS	2993	-46.1	-13	Pass	2001
3000	3690	1	RMS	3682	-33.73	-13	Pass	691
3690	3810	1	RMS	3736.4	1.8	60	Pass	601
3810	6500	1	RMS	3812	-32.39	-13	Pass	2691
6500	38000	1	RMS	34516	-48.4	-13	Pass	31501



44. n78 30kHz(3450-3650)


**44.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-25	Pass	601
0.15	30	0.01	RMS	0.19	-66.23	-25	Pass	2986
30	1000	0.1	RMS	841.6	-59.68	-25	Pass	9701
1000	3000	1	RMS	2998	-46.11	-25	Pass	2001
3000	3440	1	RMS	3438.533	-35.89	-25	Pass	601
3440	3660	1	RMS	3456.5	11.16	60	Pass	601
3660	6500	1	RMS	3730	-59.99	-25	Pass	2841
6500	38000	1	RMS	37892	-48.6	-25	Pass	31501




**44.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.72	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.01	-25	Pass	2986
30	1000	0.1	RMS	862.4	-59.4	-25	Pass	9701
1000	3000	1	RMS	2994	-46.24	-25	Pass	2001
3000	3440	1	RMS	3439.267	-43.35	-25	Pass	601
3440	3660	1	RMS	3456.867	11.05	60	Pass	601
3660	6500	1	RMS	3767	-60.84	-25	Pass	2841
6500	38000	1	RMS	34515	-48.54	-25	Pass	31501




**44.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.69	-25	Pass	601
0.15	30	0.01	RMS	0.2	-64.44	-25	Pass	2986
30	1000	0.1	RMS	871.3	-59.19	-25	Pass	9701
1000	3000	1	RMS	2999	-46.02	-25	Pass	2001
3000	3440	1	RMS	3279.4	-45.5	-25	Pass	601
3440	3660	1	RMS	3547.8	10.01	60	Pass	601
3660	6500	1	RMS	3662	-57.51	-25	Pass	2841
6500	38000	1	RMS	35178	-48.58	-25	Pass	31501




**44.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.99	-25	Pass	2986
30	1000	0.1	RMS	873.4	-59.73	-25	Pass	9701
1000	3000	1	RMS	2995	-45.76	-25	Pass	2001
3000	3440	1	RMS	3274.267	-45.57	-25	Pass	601
3440	3660	1	RMS	3552.567	9.06	60	Pass	601
3660	6500	1	RMS	3672	-56.62	-25	Pass	2841
6500	38000	1	RMS	35068	-48.32	-25	Pass	31501




**44.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.77	-25	Pass	2986
30	1000	0.1	RMS	944.7	-58.49	-25	Pass	9701
1000	3000	1	RMS	2990	-45.62	-25	Pass	2001
3000	3440	1	RMS	3269.867	-45.48	-25	Pass	601
3440	3660	1	RMS	3640.2	8.67	60	Pass	601
3660	6500	1	RMS	3665	-34.8	-25	Pass	2841
6500	38000	1	RMS	34970	-48.33	-25	Pass	31501




**44.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.72	-25	Pass	601
0.15	30	0.01	RMS	0.19	-64.29	-25	Pass	2986
30	1000	0.1	RMS	991.1	-58.38	-25	Pass	9701
1000	3000	1	RMS	2998	-45.82	-25	Pass	2001
3000	3440	1	RMS	3271.333	-45.54	-25	Pass	601
3440	3660	1	RMS	3641.3	9.21	60	Pass	601
3660	6500	1	RMS	3672	-40.67	-25	Pass	2841
6500	38000	1	RMS	34596	-48.23	-25	Pass	31501




**44.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-25	Pass	2986
30	1000	0.1	RMS	855.3	-59.06	-25	Pass	9701
1000	3000	1	RMS	2999	-45.65	-25	Pass	2001
3000	3440	1	RMS	3438.533	-35.29	-25	Pass	601
3440	3660	1	RMS	3482.533	7.2	60	Pass	601
3660	6500	1	RMS	3680	-56.2	-25	Pass	2841
6500	38000	1	RMS	35265	-48.19	-25	Pass	31501




**44.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.74	-25	Pass	2986
30	1000	0.1	RMS	874.9	-59.77	-25	Pass	9701
1000	3000	1	RMS	3000	-45.76	-25	Pass	2001
3000	3440	1	RMS	3439.267	-37.27	-25	Pass	601
3440	3660	1	RMS	3472.633	7.73	60	Pass	601
3660	6500	1	RMS	3771	-61.76	-25	Pass	2841
6500	38000	1	RMS	37981	-48.24	-25	Pass	31501




**44.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.92	-25	Pass	2986
30	1000	0.1	RMS	900.8	-58.84	-25	Pass	9701
1000	3000	1	RMS	2992	-45.73	-25	Pass	2001
3000	3440	1	RMS	3270.6	-45.56	-25	Pass	601
3440	3660	1	RMS	3544.867	6.44	60	Pass	601
3660	6500	1	RMS	3662	-50.28	-25	Pass	2841
6500	38000	1	RMS	34517	-48.32	-25	Pass	31501




**44.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.68	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.8	-25	Pass	2986
30	1000	0.1	RMS	887.5	-59.12	-25	Pass	9701
1000	3000	1	RMS	2996	-45.61	-25	Pass	2001
3000	3440	1	RMS	3274.267	-45.41	-25	Pass	601
3440	3660	1	RMS	3547.067	6.69	60	Pass	601
3660	6500	1	RMS	3674	-51.31	-25	Pass	2841
6500	38000	1	RMS	34515	-48.43	-25	Pass	31501




**44.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.64	-25	Pass	2986
30	1000	0.1	RMS	860.1	-59.43	-25	Pass	9701
1000	3000	1	RMS	2995	-45.72	-25	Pass	2001
3000	3440	1	RMS	3269.133	-45.53	-25	Pass	601
3440	3660	1	RMS	3619.667	5.19	60	Pass	601
3660	6500	1	RMS	3668	-30.14	-25	Pass	2841
6500	38000	1	RMS	35258	-48.48	-25	Pass	31501




**44.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.4	-25	Pass	601
0.15	30	0.01	RMS	0.19	-63.33	-25	Pass	2986
30	1000	0.1	RMS	802.4	-59.38	-25	Pass	9701
1000	3000	1	RMS	2993	-45.61	-25	Pass	2001
3000	3440	1	RMS	3275	-45.54	-25	Pass	601
3440	3660	1	RMS	3617.467	5.54	60	Pass	601
3660	6500	1	RMS	3667	-30.3	-25	Pass	2841
6500	38000	1	RMS	35212	-47.9	-25	Pass	31501




**44.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.08	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.16	-25	Pass	2986
30	1000	0.1	RMS	934.5	-59.66	-25	Pass	9701
1000	3000	1	RMS	2998	-45.69	-25	Pass	2001
3000	3440	1	RMS	3439.267	-27.8	-25	Pass	601
3440	3660	1	RMS	3484.367	1.6	60	Pass	601
3660	6500	1	RMS	3666	-48.59	-25	Pass	2841
6500	38000	1	RMS	35021	-48.46	-25	Pass	31501




**44.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.53	-25	Pass	2986
30	1000	0.1	RMS	926.6	-59.27	-25	Pass	9701
1000	3000	1	RMS	3000	-45.72	-25	Pass	2001
3000	3440	1	RMS	3439.267	-34.47	-25	Pass	601
3440	3660	1	RMS	3486.2	3.91	60	Pass	601
3660	6500	1	RMS	3660	-60.95	-25	Pass	2841
6500	38000	1	RMS	34932	-48.39	-25	Pass	31501




**44.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.47	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.92	-25	Pass	2986
30	1000	0.1	RMS	864.9	-59.21	-25	Pass	9701
1000	3000	1	RMS	2999	-45.68	-25	Pass	2001
3000	3440	1	RMS	3439.267	-42.27	-25	Pass	601
3440	3660	1	RMS	3533.867	3.11	60	Pass	601
3660	6500	1	RMS	3662	-38.23	-25	Pass	2841
6500	38000	1	RMS	35262	-48.38	-25	Pass	31501




**44.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-25	Pass	601
0.15	30	0.01	RMS	0.18	-65.3	-25	Pass	2986
30	1000	0.1	RMS	950.6	-58.98	-25	Pass	9701
1000	3000	1	RMS	2999	-45.72	-25	Pass	2001
3000	3440	1	RMS	3438.533	-42.66	-25	Pass	601
3440	3660	1	RMS	3536.433	3.38	60	Pass	601
3660	6500	1	RMS	3671	-41.59	-25	Pass	2841
6500	38000	1	RMS	35175	-48.29	-25	Pass	31501




**44.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	601
0.15	30	0.01	RMS	0.17	-63.85	-25	Pass	2986
30	1000	0.1	RMS	910.5	-59.12	-25	Pass	9701
1000	3000	1	RMS	3000	-45.54	-25	Pass	2001
3000	3440	1	RMS	3269.133	-45.46	-25	Pass	601
3440	3660	1	RMS	3584.1	2.19	60	Pass	601
3660	6500	1	RMS	3673	-30.28	-25	Pass	2841
6500	38000	1	RMS	35278	-48.43	-25	Pass	31501



**44.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.45	-25	Pass	2986
30	1000	0.1	RMS	944.8	-59.63	-25	Pass	9701
1000	3000	1	RMS	2997	-45.57	-25	Pass	2001
3000	3440	1	RMS	3271.333	-45.48	-25	Pass	601
3440	3660	1	RMS	3602.067	2.32	60	Pass	601
3660	6500	1	RMS	3701	-31.33	-25	Pass	2841
6500	38000	1	RMS	37946	-48.31	-25	Pass	31501



45. n78 30kHz(3650-3700)


**45.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.37	-13	Pass	2986
30	1000	0.1	RMS	937.8	-59.49	-13	Pass	9701
1000	3000	1	RMS	2994	-45.69	-13	Pass	2001
3000	3640	1	RMS	3638	-37.28	-13	Pass	641
3640	3710	1	RMS	3656.8	9.21	60	Pass	601
3710	6500	1	RMS	3723	-48.83	-13	Pass	2791
6500	38000	1	RMS	35112	-48.09	-13	Pass	31501




**45.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.43	-13	Pass	2986
30	1000	0.1	RMS	878.6	-59.41	-13	Pass	9701
1000	3000	1	RMS	2996	-45.58	-13	Pass	2001
3000	3640	1	RMS	3634	-39.75	-13	Pass	641
3640	3710	1	RMS	3657.733	9.47	60	Pass	601
3710	6500	1	RMS	3717	-47.33	-13	Pass	2791
6500	38000	1	RMS	35259	-48.26	-13	Pass	31501




**45.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62	-13	Pass	2986
30	1000	0.1	RMS	857.6	-58.79	-13	Pass	9701
1000	3000	1	RMS	2999	-45.66	-13	Pass	2001
3000	3640	1	RMS	3640	-42.19	-13	Pass	641
3640	3710	1	RMS	3672.083	9.03	60	Pass	601
3710	6500	1	RMS	3717	-43.04	-13	Pass	2791
6500	38000	1	RMS	35010	-48.48	-13	Pass	31501




**45.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.5	-13	Pass	2986
30	1000	0.1	RMS	805.1	-59.69	-13	Pass	9701
1000	3000	1	RMS	2997	-45.73	-13	Pass	2001
3000	3640	1	RMS	3639	-43.76	-13	Pass	641
3640	3710	1	RMS	3671.383	9.76	60	Pass	601
3710	6500	1	RMS	3712	-42.59	-13	Pass	2791
6500	38000	1	RMS	34514	-48	-13	Pass	31501




**45.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.88	-13	Pass	2986
30	1000	0.1	RMS	884.7	-58.78	-13	Pass	9701
1000	3000	1	RMS	2996	-45.62	-13	Pass	2001
3000	3640	1	RMS	3638	-43.95	-13	Pass	641
3640	3710	1	RMS	3686.667	9.01	60	Pass	601
3710	6500	1	RMS	3715	-33.9	-13	Pass	2791
6500	38000	1	RMS	34504	-48.24	-13	Pass	31501




**45.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.78	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.81	-13	Pass	2986
30	1000	0.1	RMS	886	-59.37	-13	Pass	9701
1000	3000	1	RMS	2996	-45.66	-13	Pass	2001
3000	3640	1	RMS	3636	-44.56	-13	Pass	641
3640	3710	1	RMS	3686.433	6.92	60	Pass	601
3710	6500	1	RMS	3721	-51.2	-13	Pass	2791
6500	38000	1	RMS	35218	-48.21	-13	Pass	31501




**45.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-13	Pass	2986
30	1000	0.1	RMS	871.5	-59.42	-13	Pass	9701
1000	3000	1	RMS	2991	-45.64	-13	Pass	2001
3000	3640	1	RMS	3638	-33.84	-13	Pass	641
3640	3710	1	RMS	3664.967	6.35	60	Pass	601
3710	6500	1	RMS	3717	-35.09	-13	Pass	2791
6500	38000	1	RMS	34523	-48.3	-13	Pass	31501




**45.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	999.7	-59.33	-13	Pass	9701
1000	3000	1	RMS	3000	-45.69	-13	Pass	2001
3000	3640	1	RMS	3640	-34.05	-13	Pass	641
3640	3710	1	RMS	3668.933	4.86	60	Pass	601
3710	6500	1	RMS	3714	-38.04	-13	Pass	2791
6500	38000	1	RMS	35193	-47.94	-13	Pass	31501




**45.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.85	-13	Pass	2986
30	1000	0.1	RMS	840.5	-59.26	-13	Pass	9701
1000	3000	1	RMS	2994	-45.78	-13	Pass	2001
3000	3640	1	RMS	3635	-35.08	-13	Pass	641
3640	3710	1	RMS	3675.583	5.27	60	Pass	601
3710	6500	1	RMS	3711	-30.15	-13	Pass	2791
6500	38000	1	RMS	37960	-48.34	-13	Pass	31501




**45.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.72	-13	Pass	2986
30	1000	0.1	RMS	908	-59.77	-13	Pass	9701
1000	3000	1	RMS	2997	-45.52	-13	Pass	2001
3000	3640	1	RMS	3634	-37.6	-13	Pass	641
3640	3710	1	RMS	3666.6	7.34	60	Pass	601
3710	6500	1	RMS	3711	-29.4	-13	Pass	2791
6500	38000	1	RMS	34548	-48.25	-13	Pass	31501




**45.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	1000	0.1	RMS	866.7	-59.24	-13	Pass	9701
1000	3000	1	RMS	2999	-45.78	-13	Pass	2001
3000	3640	1	RMS	3640	-35.11	-13	Pass	641
3640	3710	1	RMS	3675	5.82	60	Pass	601
3710	6500	1	RMS	3713	-28.55	-13	Pass	2791
6500	38000	1	RMS	34980	-48.6	-13	Pass	31501




**45.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-49.6	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.69	-13	Pass	2986
30	1000	0.1	RMS	851.9	-59.11	-13	Pass	9701
1000	3000	1	RMS	2998	-45.72	-13	Pass	2001
3000	3640	1	RMS	3639	-40.68	-13	Pass	641
3640	3710	1	RMS	3671.85	7.26	60	Pass	601
3710	6500	1	RMS	3718	-35.59	-13	Pass	2791
6500	38000	1	RMS	34531	-48.24	-13	Pass	31501




**45.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.98	-13	Pass	2986
30	1000	0.1	RMS	867.7	-58.92	-13	Pass	9701
1000	3000	1	RMS	2997	-45.63	-13	Pass	2001
3000	3640	1	RMS	3639	-35.04	-13	Pass	641
3640	3710	1	RMS	3670.1	4.99	60	Pass	601
3710	6500	1	RMS	3719	-30.72	-13	Pass	2791
6500	38000	1	RMS	34555	-48.43	-13	Pass	31501



**45.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.08	-13	Pass	601
0.15	30	0.01	RMS	0.2	-63.84	-13	Pass	2986
30	1000	0.1	RMS	876.2	-59.48	-13	Pass	9701
1000	3000	1	RMS	2996	-45.63	-13	Pass	2001
3000	3640	1	RMS	3640	-35.74	-13	Pass	641
3640	3710	1	RMS	3672.2	6.02	60	Pass	601
3710	6500	1	RMS	3717	-39.19	-13	Pass	2791
6500	38000	1	RMS	37947	-48.71	-13	Pass	31501



46. n41 30kHz_MIMO-ANT0


**46.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.55	-25	Pass	601
0.15	30	0.01	RMS	0.19	-59.18	-25	Pass	2986
30	1000	0.1	RMS	915.3	-55.64	-25	Pass	9701
1000	2486	1	RMS	2483	-41.67	-25	Pass	1487
2486	2700	1	RMS	2507.4	14.04	60	Pass	601
2700	3000	1	RMS	2996	-43.58	-25	Pass	601
3000	6500	1	RMS	5053	-58.76	-25	Pass	3501
6500	18000	1	RMS	17337	-51.86	-25	Pass	11501
18000	27000	1	RMS	26229	-48.68	-25	Pass	9001




**46.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.43	-25	Pass	2986
30	1000	0.1	RMS	925	-56.11	-25	Pass	9701
1000	2486	1	RMS	2481	-41.63	-25	Pass	1487
2486	2700	1	RMS	2505.617	14.01	60	Pass	601
2700	3000	1	RMS	2998	-43.59	-25	Pass	601
3000	6500	1	RMS	5055	-58.59	-25	Pass	3501
6500	18000	1	RMS	17760	-51.72	-25	Pass	11501
18000	27000	1	RMS	26224	-48.84	-25	Pass	9001




**46.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.89	-25	Pass	601
0.15	30	0.01	RMS	0.18	-60.06	-25	Pass	2986
30	1000	0.1	RMS	849.9	-55.47	-25	Pass	9701
1000	2486	1	RMS	2484	-42.75	-25	Pass	1487
2486	2700	1	RMS	2594.427	13.85	60	Pass	601
2700	3000	1	RMS	2995.5	-43.67	-25	Pass	601
3000	6500	1	RMS	5059	-58.86	-25	Pass	3501
6500	18000	1	RMS	17347	-51.92	-25	Pass	11501
18000	27000	1	RMS	26308	-48.81	-25	Pass	9001




**46.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.38	-25	Pass	2986
30	1000	0.1	RMS	866.2	-55.58	-25	Pass	9701
1000	2486	1	RMS	2477	-42.88	-25	Pass	1487
2486	2700	1	RMS	2591.217	13.91	60	Pass	601
2700	3000	1	RMS	2996.5	-43.6	-25	Pass	601
3000	6500	1	RMS	5053	-58.73	-25	Pass	3501
6500	18000	1	RMS	17552	-51.99	-25	Pass	11501
18000	27000	1	RMS	26207	-48.64	-25	Pass	9001




**46.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.81	-25	Pass	2986
30	1000	0.1	RMS	938.4	-55.2	-25	Pass	9701
1000	2486	1	RMS	2466	-42.94	-25	Pass	1487
2486	2700	1	RMS	2678.6	13.46	60	Pass	601
2700	3000	1	RMS	2700.5	-40.95	-25	Pass	601
3000	6500	1	RMS	5555	-58.75	-25	Pass	3501
6500	18000	1	RMS	17321	-51.81	-25	Pass	11501
18000	27000	1	RMS	26352	-48.93	-25	Pass	9001




**46.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.89	-25	Pass	2986
30	1000	0.1	RMS	928.8	-55.78	-25	Pass	9701
1000	2486	1	RMS	2475	-42.76	-25	Pass	1487
2486	2700	1	RMS	2679.67	13.82	60	Pass	601
2700	3000	1	RMS	2700	-41.1	-25	Pass	601
3000	6500	1	RMS	5055	-58.85	-25	Pass	3501
6500	18000	1	RMS	17624	-51.9	-25	Pass	11501
18000	27000	1	RMS	26256	-48.74	-25	Pass	9001




**46.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.67	-25	Pass	601
0.15	30	0.01	RMS	0.17	-60.28	-25	Pass	2986
30	1000	0.1	RMS	849.3	-55.6	-25	Pass	9701
1000	2486	1	RMS	2480	-41.35	-25	Pass	1487
2486	2700	1	RMS	2537.717	9.03	60	Pass	601
2700	3000	1	RMS	2999.5	-43.61	-25	Pass	601
3000	6500	1	RMS	5057	-58.77	-25	Pass	3501
6500	18000	1	RMS	17491	-51.94	-25	Pass	11501
18000	27000	1	RMS	26285	-48.74	-25	Pass	9001




**46.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-25	Pass	601
0.15	30	0.01	RMS	0.2	-61.56	-25	Pass	2986
30	1000	0.1	RMS	868	-55.62	-25	Pass	9701
1000	2486	1	RMS	2483	-37.25	-25	Pass	1487
2486	2700	1	RMS	2535.933	9.05	60	Pass	601
2700	3000	1	RMS	2998.5	-43.51	-25	Pass	601
3000	6500	1	RMS	5051	-58.77	-25	Pass	3501
6500	18000	1	RMS	17767	-51.77	-25	Pass	11501
18000	27000	1	RMS	26294	-48.7	-25	Pass	9001




**46.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-47.52	-25	Pass	601
0.15	30	0.01	RMS	0.21	-61.45	-25	Pass	2986
30	1000	0.1	RMS	792.7	-55.79	-25	Pass	9701
1000	2486	1	RMS	2486	-42.88	-25	Pass	1487
2486	2700	1	RMS	2583.727	7.11	60	Pass	601
2700	3000	1	RMS	2998	-43.62	-25	Pass	601
3000	6500	1	RMS	5055	-58.76	-25	Pass	3501
6500	18000	1	RMS	17331	-51.79	-25	Pass	11501
18000	27000	1	RMS	26180	-48.62	-25	Pass	9001




**46.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.02	-25	Pass	2986
30	1000	0.1	RMS	901.5	-55.5	-25	Pass	9701
1000	2486	1	RMS	2482	-42.88	-25	Pass	1487
2486	2700	1	RMS	2591.93	6.2	60	Pass	601
2700	3000	1	RMS	2993	-43.59	-25	Pass	601
3000	6500	1	RMS	5051	-58.74	-25	Pass	3501
6500	18000	1	RMS	17364	-51.86	-25	Pass	11501
18000	27000	1	RMS	26220	-48.7	-25	Pass	9001




**46.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.41	-25	Pass	2986
30	1000	0.1	RMS	982	-55.72	-25	Pass	9701
1000	2486	1	RMS	2467	-42.85	-25	Pass	1487
2486	2700	1	RMS	2667.543	9.08	60	Pass	601
2700	3000	1	RMS	2700.5	-41.59	-25	Pass	601
3000	6500	1	RMS	5553	-58.73	-25	Pass	3501
6500	18000	1	RMS	17526	-51.87	-25	Pass	11501
18000	27000	1	RMS	26313	-48.9	-25	Pass	9001




**46.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.93	-25	Pass	2986
30	1000	0.1	RMS	891.6	-55.13	-25	Pass	9701
1000	2486	1	RMS	2483	-42.76	-25	Pass	1487
2486	2700	1	RMS	2664.69	9.04	60	Pass	601
2700	3000	1	RMS	2700.5	-38.9	-25	Pass	601
3000	6500	1	RMS	5050	-58.8	-25	Pass	3501
6500	18000	1	RMS	17587	-51.72	-25	Pass	11501
18000	27000	1	RMS	26151	-48.78	-25	Pass	9001




46.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.89	-25	Pass	2986
30	1000	0.1	RMS	886	-56.13	-25	Pass	9701
1000	2486	1	RMS	2486	-32.15	-25	Pass	1487
2486	2700	1	RMS	2559.83	6.5	60	Pass	601
2700	3000	1	RMS	2999	-43.5	-25	Pass	601
3000	6500	1	RMS	5051	-58.78	-25	Pass	3501
6500	18000	1	RMS	17716	-52.05	-25	Pass	11501
18000	27000	1	RMS	26303	-48.95	-25	Pass	9001




**46.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.77	-25	Pass	601
0.15	30	0.01	RMS	0.19	-59.53	-25	Pass	2986
30	1000	0.1	RMS	893.6	-55.21	-25	Pass	9701
1000	2486	1	RMS	2484	-33.87	-25	Pass	1487
2486	2700	1	RMS	2555.55	6.87	60	Pass	601
2700	3000	1	RMS	2991.5	-43.54	-25	Pass	601
3000	6500	1	RMS	5050	-58.83	-25	Pass	3501
6500	18000	1	RMS	17367	-52.02	-25	Pass	11501
18000	27000	1	RMS	26309	-48.88	-25	Pass	9001




**46.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.22	-25	Pass	601
0.15	30	0.01	RMS	0.17	-60.94	-25	Pass	2986
30	1000	0.1	RMS	875.4	-55.04	-25	Pass	9701
1000	2486	1	RMS	2481	-42.65	-25	Pass	1487
2486	2700	1	RMS	2578.733	6.85	60	Pass	601
2700	3000	1	RMS	2997.5	-43.48	-25	Pass	601
3000	6500	1	RMS	5048	-58.77	-25	Pass	3501
6500	18000	1	RMS	17351	-51.95	-25	Pass	11501
18000	27000	1	RMS	26247	-48.69	-25	Pass	9001




**46.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.14	-25	Pass	2986
30	1000	0.1	RMS	996.6	-55.92	-25	Pass	9701
1000	2486	1	RMS	2480	-42.17	-25	Pass	1487
2486	2700	1	RMS	2571.243	6.86	60	Pass	601
2700	3000	1	RMS	2997	-43.66	-25	Pass	601
3000	6500	1	RMS	5054	-58.74	-25	Pass	3501
6500	18000	1	RMS	17307	-51.72	-25	Pass	11501
18000	27000	1	RMS	26233	-48.77	-25	Pass	9001




46.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.62	-25	Pass	2986
30	1000	0.1	RMS	864.4	-55.84	-25	Pass	9701
1000	2486	1	RMS	2481	-42.86	-25	Pass	1487
2486	2700	1	RMS	2661.837	6.66	60	Pass	601
2700	3000	1	RMS	2700.5	-39.36	-25	Pass	601
3000	6500	1	RMS	5050	-58.65	-25	Pass	3501
6500	18000	1	RMS	17837	-52.14	-25	Pass	11501
18000	27000	1	RMS	26209	-48.87	-25	Pass	9001



**46.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.89	-25	Pass	601
0.15	30	0.01	RMS	0.18	-60.01	-25	Pass	2986
30	1000	0.1	RMS	871.2	-55.72	-25	Pass	9701
1000	2486	1	RMS	2482	-42.88	-25	Pass	1487
2486	2700	1	RMS	2661.48	6.69	60	Pass	601
2700	3000	1	RMS	2701	-54.36	-25	Pass	601
3000	6500	1	RMS	5050	-58.88	-25	Pass	3501
6500	18000	1	RMS	17988	-51.71	-25	Pass	11501
18000	27000	1	RMS	26202	-48.81	-25	Pass	9001



47. n41 30kHz_MIMO-ANT3


**47.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60	-25	Pass	2986
30	1000	0.1	RMS	942.2	-56.93	-25	Pass	9701
1000	2486	1	RMS	2485	-40.7	-25	Pass	1487
2486	2700	1	RMS	2509.183	9.33	60	Pass	601
2700	3000	1	RMS	2998.5	-43.61	-25	Pass	601
3000	6500	1	RMS	5554	-58.92	-25	Pass	3501
6500	18000	1	RMS	17537	-52.33	-25	Pass	11501
18000	27000	1	RMS	26279	-49.26	-25	Pass	9001




**47.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.78	-25	Pass	2986
30	1000	0.1	RMS	929.8	-56.96	-25	Pass	9701
1000	2486	1	RMS	2484	-41.64	-25	Pass	1487
2486	2700	1	RMS	2506.33	9.27	60	Pass	601
2700	3000	1	RMS	3000	-43.66	-25	Pass	601
3000	6500	1	RMS	5049	-58.88	-25	Pass	3501
6500	18000	1	RMS	17345	-52.37	-25	Pass	11501
18000	27000	1	RMS	26293	-49.17	-25	Pass	9001




**47.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-25	Pass	601
0.15	30	0.01	RMS	0.17	-61.48	-25	Pass	2986
30	1000	0.1	RMS	919.6	-56.41	-25	Pass	9701
1000	2486	1	RMS	2483	-42.91	-25	Pass	1487
2486	2700	1	RMS	2594.07	9.15	60	Pass	601
2700	3000	1	RMS	2998.5	-43.71	-25	Pass	601
3000	6500	1	RMS	5045	-59.02	-25	Pass	3501
6500	18000	1	RMS	17341	-52.33	-25	Pass	11501
18000	27000	1	RMS	26232	-49.26	-25	Pass	9001




**47.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-47.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.91	-25	Pass	2986
30	1000	0.1	RMS	976.4	-57.15	-25	Pass	9701
1000	2486	1	RMS	2485	-43	-25	Pass	1487
2486	2700	1	RMS	2593	9.25	60	Pass	601
2700	3000	1	RMS	3000	-43.63	-25	Pass	601
3000	6500	1	RMS	5052	-58.97	-25	Pass	3501
6500	18000	1	RMS	17357	-52.42	-25	Pass	11501
18000	27000	1	RMS	26208	-49.12	-25	Pass	9001




**47.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.11	-25	Pass	2986
30	1000	0.1	RMS	882.3	-57.05	-25	Pass	9701
1000	2486	1	RMS	2484	-42.9	-25	Pass	1487
2486	2700	1	RMS	2676.103	9.13	60	Pass	601
2700	3000	1	RMS	2700	-42.46	-25	Pass	601
3000	6500	1	RMS	5051	-58.93	-25	Pass	3501
6500	18000	1	RMS	17315	-52.32	-25	Pass	11501
18000	27000	1	RMS	26244	-49.17	-25	Pass	9001




**47.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-47.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60	-25	Pass	2986
30	1000	0.1	RMS	998.7	-56.91	-25	Pass	9701
1000	2486	1	RMS	2483	-42.98	-25	Pass	1487
2486	2700	1	RMS	2676.46	9.1	60	Pass	601
2700	3000	1	RMS	2700	-43	-25	Pass	601
3000	6500	1	RMS	5048	-58.94	-25	Pass	3501
6500	18000	1	RMS	17335	-52.18	-25	Pass	11501
18000	27000	1	RMS	26305	-48.93	-25	Pass	9001




**47.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.92	-25	Pass	2986
30	1000	0.1	RMS	803.2	-57	-25	Pass	9701
1000	2486	1	RMS	2485	-37.74	-25	Pass	1487
2486	2700	1	RMS	2532.367	4.37	60	Pass	601
2700	3000	1	RMS	2997	-43.64	-25	Pass	601
3000	6500	1	RMS	5050	-58.96	-25	Pass	3501
6500	18000	1	RMS	17789	-52.25	-25	Pass	11501
18000	27000	1	RMS	26211	-49.24	-25	Pass	9001




**47.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.8	-25	Pass	2986
30	1000	0.1	RMS	874.6	-56.73	-25	Pass	9701
1000	2486	1	RMS	2486	-35.19	-25	Pass	1487
2486	2700	1	RMS	2525.233	4.42	60	Pass	601
2700	3000	1	RMS	3000	-43.67	-25	Pass	601
3000	6500	1	RMS	5048	-58.87	-25	Pass	3501
6500	18000	1	RMS	17304	-52.44	-25	Pass	11501
18000	27000	1	RMS	26342	-49.11	-25	Pass	9001




**47.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.13	-25	Pass	2986
30	1000	0.1	RMS	995.5	-56.27	-25	Pass	9701
1000	2486	1	RMS	2481	-42.9	-25	Pass	1487
2486	2700	1	RMS	2583.727	4.28	60	Pass	601
2700	3000	1	RMS	3000	-43.63	-25	Pass	601
3000	6500	1	RMS	5048	-58.9	-25	Pass	3501
6500	18000	1	RMS	17305	-52.2	-25	Pass	11501
18000	27000	1	RMS	26355	-49.09	-25	Pass	9001




**47.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.86	-25	Pass	2986
30	1000	0.1	RMS	992.8	-57.07	-25	Pass	9701
1000	2486	1	RMS	2485	-42.96	-25	Pass	1487
2486	2700	1	RMS	2580.16	4.2	60	Pass	601
2700	3000	1	RMS	2998.5	-43.68	-25	Pass	601
3000	6500	1	RMS	5050	-58.91	-25	Pass	3501
6500	18000	1	RMS	17339	-52.38	-25	Pass	11501
18000	27000	1	RMS	26262	-49.13	-25	Pass	9001




**47.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.19	-25	Pass	2986
30	1000	0.1	RMS	871.6	-56.82	-25	Pass	9701
1000	2486	1	RMS	2484	-42.94	-25	Pass	1487
2486	2700	1	RMS	2666.117	4.42	60	Pass	601
2700	3000	1	RMS	2700	-42.46	-25	Pass	601
3000	6500	1	RMS	5049	-58.92	-25	Pass	3501
6500	18000	1	RMS	17364	-52.27	-25	Pass	11501
18000	27000	1	RMS	26345	-49.21	-25	Pass	9001




**47.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.31	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.14	-25	Pass	2986
30	1000	0.1	RMS	864.2	-56.93	-25	Pass	9701
1000	2486	1	RMS	2486	-42.87	-25	Pass	1487
2486	2700	1	RMS	2664.333	4.39	60	Pass	601
2700	3000	1	RMS	2700	-41.49	-25	Pass	601
3000	6500	1	RMS	5051	-58.85	-25	Pass	3501
6500	18000	1	RMS	17454	-52.36	-25	Pass	11501
18000	27000	1	RMS	26243	-49.22	-25	Pass	9001




47.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.1	-25	Pass	2986
30	1000	0.1	RMS	860.4	-56.83	-25	Pass	9701
1000	2486	1	RMS	2484	-38.54	-25	Pass	1487
2486	2700	1	RMS	2558.047	2	60	Pass	601
2700	3000	1	RMS	2995.5	-43.63	-25	Pass	601
3000	6500	1	RMS	5054	-58.78	-25	Pass	3501
6500	18000	1	RMS	17717	-52.26	-25	Pass	11501
18000	27000	1	RMS	26366	-49.07	-25	Pass	9001




**47.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.01	-25	Pass	601
0.15	30	0.01	RMS	0.17	-59.59	-25	Pass	2986
30	1000	0.1	RMS	926.1	-57.09	-25	Pass	9701
1000	2486	1	RMS	2486	-35.18	-25	Pass	1487
2486	2700	1	RMS	2558.403	2.06	60	Pass	601
2700	3000	1	RMS	2999	-43.7	-25	Pass	601
3000	6500	1	RMS	5050	-58.88	-25	Pass	3501
6500	18000	1	RMS	17323	-52.29	-25	Pass	11501
18000	27000	1	RMS	26353	-49.2	-25	Pass	9001




**47.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.13	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.21	-25	Pass	2986
30	1000	0.1	RMS	975.8	-56.72	-25	Pass	9701
1000	2486	1	RMS	2485	-42.45	-25	Pass	1487
2486	2700	1	RMS	2579.09	2.12	60	Pass	601
2700	3000	1	RMS	3000	-43.64	-25	Pass	601
3000	6500	1	RMS	5051	-58.88	-25	Pass	3501
6500	18000	1	RMS	17322	-52.33	-25	Pass	11501
18000	27000	1	RMS	26258	-49.02	-25	Pass	9001




**47.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.72	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60.55	-25	Pass	2986
30	1000	0.1	RMS	985.9	-56.69	-25	Pass	9701
1000	2486	1	RMS	2484	-42.74	-25	Pass	1487
2486	2700	1	RMS	2576.95	2.19	60	Pass	601
2700	3000	1	RMS	2998.5	-43.66	-25	Pass	601
3000	6500	1	RMS	5047	-58.9	-25	Pass	3501
6500	18000	1	RMS	17345	-52.25	-25	Pass	11501
18000	27000	1	RMS	26262	-49.18	-25	Pass	9001




47.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.03	-25	Pass	2986
30	1000	0.1	RMS	898.7	-56.77	-25	Pass	9701
1000	2486	1	RMS	2479	-42.96	-25	Pass	1487
2486	2700	1	RMS	2661.48	1.96	60	Pass	601
2700	3000	1	RMS	2700	-41.53	-25	Pass	601
3000	6500	1	RMS	5051	-58.95	-25	Pass	3501
6500	18000	1	RMS	17294	-52.42	-25	Pass	11501
18000	27000	1	RMS	26220	-49.06	-25	Pass	9001



**47.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.51	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60.98	-25	Pass	2986
30	1000	0.1	RMS	924.7	-57.1	-25	Pass	9701
1000	2486	1	RMS	2485	-42.9	-25	Pass	1487
2486	2700	1	RMS	2652.207	1.94	60	Pass	601
2700	3000	1	RMS	2700	-56.3	-25	Pass	601
3000	6500	1	RMS	5560	-58.91	-25	Pass	3501
6500	18000	1	RMS	17341	-52.43	-25	Pass	11501
18000	27000	1	RMS	26222	-49.2	-25	Pass	9001



48. n77 30kHz(3450-3550)_MIMO-ANT1


**48.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.69	-13	Pass	2986
30	1000	0.1	RMS	966.8	-56.03	-13	Pass	9701
1000	3000	1	RMS	3000	-42.37	-13	Pass	2001
3000	3440	1	RMS	3440	-40.72	-13	Pass	601
3440	3560	1	RMS	3461	14.16	60	Pass	601
3560	6500	1	RMS	3593	-57.93	-13	Pass	2941
6500	18000	1	RMS	17333	-51.98	-13	Pass	11501
18000	38000	1	RMS	37999	-42.72	-13	Pass	20001




**48.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.56	-13	Pass	2986
30	1000	0.1	RMS	878.9	-56.04	-13	Pass	9701
1000	3000	1	RMS	2999	-42.34	-13	Pass	2001
3000	3440	1	RMS	3278.667	-41.83	-13	Pass	601
3440	3560	1	RMS	3459.2	14.09	60	Pass	601
3560	6500	1	RMS	3595	-58.51	-13	Pass	2941
6500	18000	1	RMS	17627	-52.02	-13	Pass	11501
18000	38000	1	RMS	37985	-42.96	-13	Pass	20001




**48.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.09	-13	Pass	2986
30	1000	0.1	RMS	938.7	-55.95	-13	Pass	9701
1000	3000	1	RMS	2998	-42.42	-13	Pass	2001
3000	3440	1	RMS	3272.8	-41.77	-13	Pass	601
3440	3560	1	RMS	3501.4	13.63	60	Pass	601
3560	6500	1	RMS	3804	-57.31	-13	Pass	2941
6500	18000	1	RMS	17353	-51.55	-13	Pass	11501
18000	38000	1	RMS	37972	-42.88	-13	Pass	20001




**48.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.03	-13	Pass	2986
30	1000	0.1	RMS	819.2	-55.48	-13	Pass	9701
1000	3000	1	RMS	2998	-42.39	-13	Pass	2001
3000	3440	1	RMS	3279.4	-41.79	-13	Pass	601
3440	3560	1	RMS	3501.2	14.33	60	Pass	601
3560	6500	1	RMS	3806	-57.53	-13	Pass	2941
6500	18000	1	RMS	17604	-51.77	-13	Pass	11501
18000	38000	1	RMS	37979	-42.85	-13	Pass	20001




**48.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.59	-13	Pass	2986
30	1000	0.1	RMS	932.5	-55.81	-13	Pass	9701
1000	3000	1	RMS	2997	-42.36	-13	Pass	2001
3000	3440	1	RMS	3274.267	-41.81	-13	Pass	601
3440	3560	1	RMS	3539.8	12.33	60	Pass	601
3560	6500	1	RMS	3567	-47.97	-13	Pass	2941
6500	18000	1	RMS	17937	-51.9	-13	Pass	11501
18000	38000	1	RMS	37986	-42.27	-13	Pass	20001




**48.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.62	-13	Pass	2986
30	1000	0.1	RMS	877	-55.72	-13	Pass	9701
1000	3000	1	RMS	2994	-42.31	-13	Pass	2001
3000	3440	1	RMS	3277.933	-41.84	-13	Pass	601
3440	3560	1	RMS	3541	14.12	60	Pass	601
3560	6500	1	RMS	3571	-51.15	-13	Pass	2941
6500	18000	1	RMS	17851	-51.92	-13	Pass	11501
18000	38000	1	RMS	37987	-42.96	-13	Pass	20001




**48.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.48	-13	Pass	2986
30	1000	0.1	RMS	931.6	-55.44	-13	Pass	9701
1000	3000	1	RMS	2990	-42.17	-13	Pass	2001
3000	3440	1	RMS	3438.533	-37.63	-13	Pass	601
3440	3560	1	RMS	3470.2	10.23	60	Pass	601
3560	6500	1	RMS	3560	-58.07	-13	Pass	2941
6500	18000	1	RMS	17668	-51.81	-13	Pass	11501
18000	38000	1	RMS	37975	-42.61	-13	Pass	20001




**48.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.18	-58.96	-13	Pass	2986
30	1000	0.1	RMS	981.9	-55.65	-13	Pass	9701
1000	3000	1	RMS	3000	-42.34	-13	Pass	2001
3000	3440	1	RMS	3439.267	-39.17	-13	Pass	601
3440	3560	1	RMS	3472.2	9.72	60	Pass	601
3560	6500	1	RMS	3595	-58.28	-13	Pass	2941
6500	18000	1	RMS	17524	-51.87	-13	Pass	11501
18000	38000	1	RMS	37946	-42.6	-13	Pass	20001




**48.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	1000	0.1	RMS	965.1	-55.65	-13	Pass	9701
1000	3000	1	RMS	2997	-42.33	-13	Pass	2001
3000	3440	1	RMS	3273.533	-41.83	-13	Pass	601
3440	3560	1	RMS	3494.6	9.7	60	Pass	601
3560	6500	1	RMS	3560	-54.51	-13	Pass	2941
6500	18000	1	RMS	17538	-52.08	-13	Pass	11501
18000	38000	1	RMS	37972	-43.02	-13	Pass	20001




**48.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	1000	0.1	RMS	808.8	-55.34	-13	Pass	9701
1000	3000	1	RMS	2998	-42.48	-13	Pass	2001
3000	3440	1	RMS	3275.733	-41.73	-13	Pass	601
3440	3560	1	RMS	3497	9.41	60	Pass	601
3560	6500	1	RMS	3560	-55.56	-13	Pass	2941
6500	18000	1	RMS	17289	-51.77	-13	Pass	11501
18000	38000	1	RMS	37940	-42.86	-13	Pass	20001




**48.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.45	-13	Pass	601
0.15	30	0.01	RMS	0.19	-61.3	-13	Pass	2986
30	1000	0.1	RMS	903.9	-55.7	-13	Pass	9701
1000	3000	1	RMS	2993	-42.54	-13	Pass	2001
3000	3440	1	RMS	3276.467	-41.63	-13	Pass	601
3440	3560	1	RMS	3519.8	10.17	60	Pass	601
3560	6500	1	RMS	3560	-37.18	-13	Pass	2941
6500	18000	1	RMS	17278	-51.98	-13	Pass	11501
18000	38000	1	RMS	37952	-42.74	-13	Pass	20001




**48.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.68	-13	Pass	2986
30	1000	0.1	RMS	920.9	-56.05	-13	Pass	9701
1000	3000	1	RMS	2999	-42.38	-13	Pass	2001
3000	3440	1	RMS	3277.2	-41.84	-13	Pass	601
3440	3560	1	RMS	3522.2	10.04	60	Pass	601
3560	6500	1	RMS	3570	-42.3	-13	Pass	2941
6500	18000	1	RMS	17328	-51.68	-13	Pass	11501
18000	38000	1	RMS	37994	-42.76	-13	Pass	20001




**48.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.64	-13	Pass	2986
30	1000	0.1	RMS	884.1	-54.94	-13	Pass	9701
1000	3000	1	RMS	2997	-42.42	-13	Pass	2001
3000	3440	1	RMS	3440	-36.03	-13	Pass	601
3440	3560	1	RMS	3470.4	11.47	60	Pass	601
3560	6500	1	RMS	3771	-57.88	-13	Pass	2941
6500	18000	1	RMS	17293	-51.8	-13	Pass	11501
18000	38000	1	RMS	37988	-42.62	-13	Pass	20001



48.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.65	-13	Pass	2986
30	1000	0.1	RMS	903	-55.97	-13	Pass	9701
1000	3000	1	RMS	3000	-42.36	-13	Pass	2001
3000	3440	1	RMS	3439.267	-38.84	-13	Pass	601
3440	3560	1	RMS	3472.8	11.51	60	Pass	601
3560	6500	1	RMS	3776	-58.06	-13	Pass	2941
6500	18000	1	RMS	17579	-51.64	-13	Pass	11501
18000	38000	1	RMS	37999	-42.7	-13	Pass	20001



49. n77 30kHz(3450-3550)_MIMO-ANT4


**49.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.04	-13	Pass	2986
30	1000	0.1	RMS	927.2	-55.57	-13	Pass	9701
1000	3000	1	RMS	2999	-42.31	-13	Pass	2001
3000	3440	1	RMS	3440	-41.76	-13	Pass	601
3440	3560	1	RMS	3463.4	13.91	60	Pass	601
3560	6500	1	RMS	3564	-58.69	-13	Pass	2941
6500	18000	1	RMS	17727	-51.73	-13	Pass	11501
18000	40000	1	RMS	38867	-40.06	-13	Pass	22001




**49.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.66	-13	Pass	2986
30	1000	0.1	RMS	937.7	-55.86	-13	Pass	9701
1000	3000	1	RMS	2997	-42.39	-13	Pass	2001
3000	3440	1	RMS	3272.8	-41.73	-13	Pass	601
3440	3560	1	RMS	3459.8	13.99	60	Pass	601
3560	6500	1	RMS	3765	-57.24	-13	Pass	2941
6500	18000	1	RMS	17334	-51.82	-13	Pass	11501
18000	40000	1	RMS	38845	-39.71	-13	Pass	22001




**49.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.93	-13	Pass	2986
30	1000	0.1	RMS	929	-55.38	-13	Pass	9701
1000	3000	1	RMS	3000	-42.3	-13	Pass	2001
3000	3440	1	RMS	3278.667	-41.81	-13	Pass	601
3440	3560	1	RMS	3501	14.14	60	Pass	601
3560	6500	1	RMS	3809	-57.87	-13	Pass	2941
6500	18000	1	RMS	17590	-52.08	-13	Pass	11501
18000	40000	1	RMS	38875	-40.37	-13	Pass	22001




**49.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	1000	0.1	RMS	897.6	-54.96	-13	Pass	9701
1000	3000	1	RMS	2997	-42.38	-13	Pass	2001
3000	3440	1	RMS	3280.867	-41.81	-13	Pass	601
3440	3560	1	RMS	3497.8	11.56	60	Pass	601
3560	6500	1	RMS	3564	-58.58	-13	Pass	2941
6500	18000	1	RMS	17686	-51.9	-13	Pass	11501
18000	40000	1	RMS	38840	-43.01	-13	Pass	22001




**49.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.79	-13	Pass	2986
30	1000	0.1	RMS	864.6	-55.82	-13	Pass	9701
1000	3000	1	RMS	2997	-42.35	-13	Pass	2001
3000	3440	1	RMS	3282.333	-41.72	-13	Pass	601
3440	3560	1	RMS	3540.6	13.86	60	Pass	601
3560	6500	1	RMS	3567	-48.59	-13	Pass	2941
6500	18000	1	RMS	17340	-51.77	-13	Pass	11501
18000	40000	1	RMS	38907	-40.02	-13	Pass	22001



**49.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.14	-13	Pass	2986
30	1000	0.1	RMS	951.8	-55.72	-13	Pass	9701
1000	3000	1	RMS	3000	-42.47	-13	Pass	2001
3000	3440	1	RMS	3276.467	-41.75	-13	Pass	601
3440	3560	1	RMS	3539.4	13.93	60	Pass	601
3560	6500	1	RMS	3568	-41.3	-13	Pass	2941
6500	18000	1	RMS	17752	-51.8	-13	Pass	11501
18000	40000	1	RMS	38823	-40.1	-13	Pass	22001



**49.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.16	-13	Pass	2986
30	1000	0.1	RMS	906.9	-55.52	-13	Pass	9701
1000	3000	1	RMS	2999	-42.41	-13	Pass	2001
3000	3440	1	RMS	3440	-36.19	-13	Pass	601
3440	3560	1	RMS	3486.6	7.73	60	Pass	601
3560	6500	1	RMS	3573	-57.72	-13	Pass	2941
6500	18000	1	RMS	17734	-51.87	-13	Pass	11501
18000	40000	1	RMS	38817	-40.2	-13	Pass	22001

