



**60.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.48	-30	Pass	601
0.15	30	0.01	RMS	0.16	-58.94	-30	Pass	2986
30	1000	0.1	RMS	845.8	-55.53	-30	Pass	9701
1000	3000	1	RMS	2991	-42.22	-30	Pass	2001
3000	3439	1	RMS	3267.79	-41.97	-30	Pass	601
3439	3661	1	RMS	3619.93	8.25	60	Pass	601
3661	6500	1	RMS	3661	-37.58	-30	Pass	2840
6500	38000	1	RMS	37887	-45.65	-30	Pass	31501




**60.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.51	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.18	-30	Pass	2986
30	1000	0.1	RMS	943.4	-55.97	-30	Pass	9701
1000	3000	1	RMS	2998	-41.84	-30	Pass	2001
3000	3439	1	RMS	3271.448	-41.93	-30	Pass	601
3439	3661	1	RMS	3615.86	7.89	60	Pass	601
3661	6500	1	RMS	3661	-39.08	-30	Pass	2840
6500	38000	1	RMS	35091	-45.44	-30	Pass	31501




**60.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.32	-30	Pass	601
0.15	30	0.01	RMS	0.15	-57.92	-30	Pass	2986
30	1000	0.1	RMS	989.7	-55.66	-30	Pass	9701
1000	3000	1	RMS	2997	-42.13	-30	Pass	2001
3000	3439	1	RMS	3437.537	-32.59	-30	Pass*	601
3439	3661	1	RMS	3484.14	7.14	60	Pass	601
3661	6500	1	RMS	3722	-58.51	-30	Pass	2840
6500	38000	1	RMS	34585	-45.43	-30	Pass	31501




60.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-30	Pass	601
0.15	30	0.01	RMS	0.18	-62.59	-30	Pass	2986
30	1000	0.1	RMS	925.7	-55.4	-30	Pass	9701
1000	3000	1	RMS	2997	-41.96	-30	Pass	2001
3000	3439	1	RMS	3438.268	-32.8	-30	Pass*	601
3439	3661	1	RMS	3486.73	6.95	60	Pass	601
3661	6500	1	RMS	3747	-58.79	-30	Pass	2840
6500	38000	1	RMS	37925	-45.37	-30	Pass	31501




**60.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.29	-30	Pass	2986
30	1000	0.1	RMS	923.8	-55.81	-30	Pass	9701
1000	3000	1	RMS	3000	-42.2	-30	Pass	2001
3000	3439	1	RMS	3271.448	-42	-30	Pass	601
3439	3661	1	RMS	3535.57	5.01	60	Pass	601
3661	6500	1	RMS	3667	-51.61	-30	Pass	2840
6500	38000	1	RMS	37957	-45.15	-30	Pass	31501




**60.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-47.37	-30	Pass	601
0.15	30	0.01	RMS	0.15	-58.16	-30	Pass	2986
30	1000	0.1	RMS	853.7	-55.67	-30	Pass	9701
1000	3000	1	RMS	3000	-42.02	-30	Pass	2001
3000	3439	1	RMS	3275.107	-41.93	-30	Pass	601
3439	3661	1	RMS	3584.41	5.81	60	Pass	601
3661	6500	1	RMS	3674	-36.67	-30	Pass	2840
6500	38000	1	RMS	34555	-45.39	-30	Pass	31501



**60.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.44	-30	Pass	601
0.15	30	0.01	RMS	0.17	-60.74	-30	Pass	2986
30	1000	0.1	RMS	891.5	-55.93	-30	Pass	9701
1000	3000	1	RMS	2990	-42.12	-30	Pass	2001
3000	3439	1	RMS	3272.912	-41.91	-30	Pass	601
3439	3661	1	RMS	3578.86	5.09	60	Pass	601
3661	6500	1	RMS	3670	-32.68	-30	Pass*	2840
6500	38000	1	RMS	37899	-45.97	-30	Pass	31501



61. n78 30kHz(3450-3650)_MIMO-ANT4


**61.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.28	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.16	-30	Pass	2986
30	1000	0.1	RMS	881.3	-56.08	-30	Pass	9701
1000	3000	1	RMS	2998	-42.26	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.14	-30	Pass	601
3439	3661	1	RMS	3459.72	13.4	60	Pass	601
3661	6500	1	RMS	3715	-59.3	-30	Pass	2840
6500	38000	1	RMS	37960	-45.17	-30	Pass	31501




**61.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-30	Pass	601
0.15	30	0.01	RMS	0.15	-58.04	-30	Pass	2986
30	1000	0.1	RMS	935.2	-55.35	-30	Pass	9701
1000	3000	1	RMS	2992	-42.37	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.22	-30	Pass	601
3439	3661	1	RMS	3463.05	13.3	60	Pass	601
3661	6500	1	RMS	3767	-58.91	-30	Pass	2840
6500	38000	1	RMS	37962	-45.65	-30	Pass	31501




**61.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-30	Pass	601
0.15	30	0.01	RMS	0.15	-57.94	-30	Pass	2986
30	1000	0.1	RMS	981.9	-55.63	-30	Pass	9701
1000	3000	1	RMS	3000	-42.12	-30	Pass	2001
3000	3439	1	RMS	3279.497	-42.13	-30	Pass	601
3439	3661	1	RMS	3549.26	11.29	60	Pass	601
3661	6500	1	RMS	3678	-56.34	-30	Pass	2840
6500	38000	1	RMS	34563	-45.59	-30	Pass	31501




**61.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-30	Pass	601
0.15	30	0.01	RMS	0.15	-58.97	-30	Pass	2986
30	1000	0.1	RMS	870.3	-56.23	-30	Pass	9701
1000	3000	1	RMS	2992	-42.21	-30	Pass	2001
3000	3439	1	RMS	3269.253	-42.19	-30	Pass	601
3439	3661	1	RMS	3553.33	13.22	60	Pass	601
3661	6500	1	RMS	3713	-59.04	-30	Pass	2840
6500	38000	1	RMS	34528	-45.47	-30	Pass	31501




**61.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:642666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.81	-30	Pass	601
0.15	30	0.01	RMS	0.17	-61.97	-30	Pass	2986
30	1000	0.1	RMS	841.1	-56.22	-30	Pass	9701
1000	3000	1	RMS	2990	-42.34	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.23	-30	Pass	601
3439	3661	1	RMS	3639.54	8.86	60	Pass	601
3661	6500	1	RMS	3665	-40.07	-30	Pass	2840
6500	38000	1	RMS	34523	-45.33	-30	Pass	31501




**61.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:642666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-30	Pass	601
0.15	30	0.01	RMS	0.19	-60.3	-30	Pass	2986
30	1000	0.1	RMS	896.3	-55.57	-30	Pass	9701
1000	3000	1	RMS	2998	-42.21	-30	Pass	2001
3000	3439	1	RMS	3273.643	-42.21	-30	Pass	601
3439	3661	1	RMS	3639.17	10.74	60	Pass	601
3661	6500	1	RMS	3664	-48.21	-30	Pass	2840
6500	38000	1	RMS	37958	-45.69	-30	Pass	31501




**61.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.69	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.71	-30	Pass	2986
30	1000	0.1	RMS	868.6	-55.68	-30	Pass	9701
1000	3000	1	RMS	2999	-42.29	-30	Pass	2001
3000	3439	1	RMS	3437.537	-38.85	-30	Pass	601
3439	3661	1	RMS	3469.71	6.74	60	Pass	601
3661	6500	1	RMS	5052	-59.19	-30	Pass	2840
6500	38000	1	RMS	34536	-45.41	-30	Pass	31501




**61.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-30	Pass	601
0.15	30	0.01	RMS	0.18	-60.85	-30	Pass	2986
30	1000	0.1	RMS	871.2	-55.89	-30	Pass	9701
1000	3000	1	RMS	2997	-42.21	-30	Pass	2001
3000	3439	1	RMS	3437.537	-40.65	-30	Pass	601
3439	3661	1	RMS	3475.26	9.44	60	Pass	601
3661	6500	1	RMS	3751	-59.13	-30	Pass	2840
6500	38000	1	RMS	37981	-45.58	-30	Pass	31501




**61.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.76	-30	Pass	601
0.15	30	0.01	RMS	0.15	-61.52	-30	Pass	2986
30	1000	0.1	RMS	861.6	-56	-30	Pass	9701
1000	3000	1	RMS	2999	-42.23	-30	Pass	2001
3000	3439	1	RMS	3269.253	-42.12	-30	Pass	601
3439	3661	1	RMS	3548.52	8.24	60	Pass	601
3661	6500	1	RMS	3714	-58.83	-30	Pass	2840
6500	38000	1	RMS	37930	-45.58	-30	Pass	31501




**61.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46	-30	Pass	601
0.15	30	0.01	RMS	0.15	-58.35	-30	Pass	2986
30	1000	0.1	RMS	866.6	-55.99	-30	Pass	9701
1000	3000	1	RMS	2998	-42.01	-30	Pass	2001
3000	3439	1	RMS	3275.838	-42.1	-30	Pass	601
3439	3661	1	RMS	3547.04	8.11	60	Pass	601
3661	6500	1	RMS	3725	-58.93	-30	Pass	2840
6500	38000	1	RMS	35108	-45.55	-30	Pass	31501




**61.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.29	-30	Pass	601
0.15	30	0.01	RMS	0.15	-57.56	-30	Pass	2986
30	1000	0.1	RMS	881.8	-55.88	-30	Pass	9701
1000	3000	1	RMS	3000	-42.18	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.09	-30	Pass	601
3439	3661	1	RMS	3619.93	7.78	60	Pass	601
3661	6500	1	RMS	3671	-43.45	-30	Pass	2840
6500	38000	1	RMS	34506	-45.67	-30	Pass	31501




**61.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.59	-30	Pass	601
0.15	30	0.01	RMS	0.16	-62.42	-30	Pass	2986
30	1000	0.1	RMS	861.7	-55.88	-30	Pass	9701
1000	3000	1	RMS	2991	-42.39	-30	Pass	2001
3000	3439	1	RMS	3279.497	-42.14	-30	Pass	601
3439	3661	1	RMS	3622.15	7.47	60	Pass	601
3661	6500	1	RMS	3664	-39.96	-30	Pass	2840
6500	38000	1	RMS	37997	-45.34	-30	Pass	31501




**61.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-30	Pass	601
0.15	30	0.01	RMS	0.18	-61.64	-30	Pass	2986
30	1000	0.1	RMS	978.1	-55.85	-30	Pass	9701
1000	3000	1	RMS	2994	-42.4	-30	Pass	2001
3000	3439	1	RMS	3437.537	-34.6	-30	Pass*	601
3439	3661	1	RMS	3483.77	6.19	60	Pass	601
3661	6500	1	RMS	3663	-58.8	-30	Pass	2840
6500	38000	1	RMS	37986	-45.51	-30	Pass	31501




61.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-46.89	-30	Pass	601
0.15	30	0.01	RMS	0.17	-58.9	-30	Pass	2986
30	1000	0.1	RMS	952.3	-56.31	-30	Pass	9701
1000	3000	1	RMS	3000	-42.31	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.7	-30	Pass	601
3439	3661	1	RMS	3485.99	5.47	60	Pass	601
3661	6500	1	RMS	3745	-59.17	-30	Pass	2840
6500	38000	1	RMS	38000	-45.2	-30	Pass	31501




**61.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.35	-30	Pass	601
0.15	30	0.01	RMS	0.15	-58.7	-30	Pass	2986
30	1000	0.1	RMS	900.1	-55.52	-30	Pass	9701
1000	3000	1	RMS	2994	-42.4	-30	Pass	2001
3000	3439	1	RMS	3273.643	-42.13	-30	Pass	601
3439	3661	1	RMS	3533.72	6.04	60	Pass	601
3661	6500	1	RMS	3671	-54.89	-30	Pass	2840
6500	38000	1	RMS	34509	-45.8	-30	Pass	31501




**61.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-30	Pass	601
0.15	30	0.01	RMS	0.16	-59.54	-30	Pass	2986
30	1000	0.1	RMS	934.2	-55.68	-30	Pass	9701
1000	3000	1	RMS	2998	-42.02	-30	Pass	2001
3000	3439	1	RMS	3278.765	-42.15	-30	Pass	601
3439	3661	1	RMS	3534.09	5.48	60	Pass	601
3661	6500	1	RMS	3667	-52.07	-30	Pass	2840
6500	38000	1	RMS	37982	-45.17	-30	Pass	31501




**61.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.16	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.37	-30	Pass	2986
30	1000	0.1	RMS	937.6	-55.84	-30	Pass	9701
1000	3000	1	RMS	2992	-42.19	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.17	-30	Pass	601
3439	3661	1	RMS	3602.91	4.69	60	Pass	601
3661	6500	1	RMS	3669	-33.55	-30	Pass*	2840
6500	38000	1	RMS	35248	-45.13	-30	Pass	31501



**61.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.65	-30	Pass	601
0.15	30	0.01	RMS	0.17	-59.89	-30	Pass	2986
30	1000	0.1	RMS	974.9	-56	-30	Pass	9701
1000	3000	1	RMS	2998	-42.26	-30	Pass	2001
3000	3439	1	RMS	3278.033	-42.06	-30	Pass	601
3439	3661	1	RMS	3585.52	5.3	60	Pass	601
3661	6500	1	RMS	3666	-34.33	-30	Pass*	2840
6500	38000	1	RMS	34925	-45.58	-30	Pass	31501



62. n78 30kHz(3650-3700)_MIMO-ANT1


**62.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.22	-13	Pass	2986
30	1000	0.1	RMS	892.7	-55.53	-13	Pass	9701
1000	3000	1	RMS	2992	-42.34	-13	Pass	2001
3000	3640	1	RMS	3638	-40.88	-13	Pass	641
3640	3710	1	RMS	3659.833	9.39	60	Pass	601
3710	6500	1	RMS	3715	-58.85	-13	Pass	2791
6500	38000	1	RMS	34512	-45.45	-13	Pass	31501




**62.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.11	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.54	-13	Pass	2986
30	1000	0.1	RMS	932.3	-55.03	-13	Pass	9701
1000	3000	1	RMS	2998	-42.46	-13	Pass	2001
3000	3640	1	RMS	3638	-40.95	-13	Pass	641
3640	3710	1	RMS	3656.45	8.4	60	Pass	601
3710	6500	1	RMS	3720	-59.03	-13	Pass	2791
6500	38000	1	RMS	34545	-45.57	-13	Pass	31501




**62.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.95	-13	Pass	2986
30	1000	0.1	RMS	891.7	-55.75	-13	Pass	9701
1000	3000	1	RMS	2996	-42.34	-13	Pass	2001
3000	3640	1	RMS	3631	-41.31	-13	Pass	641
3640	3710	1	RMS	3674.883	8.59	60	Pass	601
3710	6500	1	RMS	3715	-58.06	-13	Pass	2791
6500	38000	1	RMS	37819	-45.75	-13	Pass	31501




**62.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.31	-13	Pass	2986
30	1000	0.1	RMS	919.6	-55.74	-13	Pass	9701
1000	3000	1	RMS	2992	-42.3	-13	Pass	2001
3000	3640	1	RMS	3634	-41.3	-13	Pass	641
3640	3710	1	RMS	3671.85	10.2	60	Pass	601
3710	6500	1	RMS	3720	-58.54	-13	Pass	2791
6500	38000	1	RMS	35109	-45.5	-13	Pass	31501




**62.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2986
30	1000	0.1	RMS	890.5	-55.43	-13	Pass	9701
1000	3000	1	RMS	2641	-42.49	-13	Pass	2001
3000	3640	1	RMS	3639	-41.3	-13	Pass	641
3640	3710	1	RMS	3689.933	9.64	60	Pass	601
3710	6500	1	RMS	3712	-46.64	-13	Pass	2791
6500	38000	1	RMS	37954	-45.45	-13	Pass	31501




**62.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.72	-13	Pass	601
0.15	30	0.01	RMS	0.17	-62.31	-13	Pass	2986
30	1000	0.1	RMS	924.9	-55.53	-13	Pass	9701
1000	3000	1	RMS	2999	-42.47	-13	Pass	2001
3000	3640	1	RMS	3619	-41.27	-13	Pass	641
3640	3710	1	RMS	3690.983	9.57	60	Pass	601
3710	6500	1	RMS	3720	-55.48	-13	Pass	2791
6500	38000	1	RMS	35082	-45.62	-13	Pass	31501




**62.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.27	-13	Pass	2986
30	1000	0.1	RMS	789.4	-55.34	-13	Pass	9701
1000	3000	1	RMS	2998	-42.3	-13	Pass	2001
3000	3640	1	RMS	3640	-37.33	-13	Pass	641
3640	3710	1	RMS	3661.35	7.54	60	Pass	601
3710	6500	1	RMS	3714	-51.84	-13	Pass	2791
6500	38000	1	RMS	34628	-45.51	-13	Pass	31501




**62.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.25	-13	Pass	2986
30	1000	0.1	RMS	864.5	-55.07	-13	Pass	9701
1000	3000	1	RMS	2997	-42.46	-13	Pass	2001
3000	3640	1	RMS	3638	-39.65	-13	Pass	641
3640	3710	1	RMS	3662.167	7.5	60	Pass	601
3710	6500	1	RMS	3717	-54.53	-13	Pass	2791
6500	38000	1	RMS	37921	-45.48	-13	Pass	31501




**62.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.98	-13	Pass	2986
30	1000	0.1	RMS	919.9	-55.47	-13	Pass	9701
1000	3000	1	RMS	2989	-42.26	-13	Pass	2001
3000	3640	1	RMS	3640	-39.56	-13	Pass	641
3640	3710	1	RMS	3672.667	5.65	60	Pass	601
3710	6500	1	RMS	3714	-46.8	-13	Pass	2791
6500	38000	1	RMS	37979	-45.53	-13	Pass	31501




**62.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.01	-13	Pass	2986
30	1000	0.1	RMS	928.3	-55.62	-13	Pass	9701
1000	3000	1	RMS	2990	-42.43	-13	Pass	2001
3000	3640	1	RMS	3639	-40.54	-13	Pass	641
3640	3710	1	RMS	3666.6	7.4	60	Pass	601
3710	6500	1	RMS	3717	-53.28	-13	Pass	2791
6500	38000	1	RMS	34522	-44.93	-13	Pass	31501




**62.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.19	-60.08	-13	Pass	2986
30	1000	0.1	RMS	935.1	-55.11	-13	Pass	9701
1000	3000	1	RMS	2991	-42.37	-13	Pass	2001
3000	3640	1	RMS	3639	-41.03	-13	Pass	641
3640	3710	1	RMS	3671.033	7.1	60	Pass	601
3710	6500	1	RMS	3721	-47.9	-13	Pass	2791
6500	38000	1	RMS	37966	-45.6	-13	Pass	31501




**62.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.41	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.6	-13	Pass	2986
30	1000	0.1	RMS	950.7	-55.3	-13	Pass	9701
1000	3000	1	RMS	2996	-42.29	-13	Pass	2001
3000	3640	1	RMS	3605	-41.28	-13	Pass	641
3640	3710	1	RMS	3671.85	7.28	60	Pass	601
3710	6500	1	RMS	3713	-41.68	-13	Pass	2791
6500	38000	1	RMS	35046	-45.45	-13	Pass	31501




**62.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:645000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.89	-13	Pass	2986
30	1000	0.1	RMS	970.7	-54.95	-13	Pass	9701
1000	3000	1	RMS	2997	-42.23	-13	Pass	2001
3000	3640	1	RMS	3638	-38.94	-13	Pass	641
3640	3710	1	RMS	3670.217	5.22	60	Pass	601
3710	6500	1	RMS	3713	-37.25	-13	Pass	2791
6500	38000	1	RMS	37986	-45.14	-13	Pass	31501



**62.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:645000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.92	-13	Pass	601
0.15	30	0.01	RMS	0.22	-61	-13	Pass	2986
30	1000	0.1	RMS	888.4	-55.33	-13	Pass	9701
1000	3000	1	RMS	2995	-42.4	-13	Pass	2001
3000	3640	1	RMS	3640	-36.29	-13	Pass	641
3640	3710	1	RMS	3666.017	6.14	60	Pass	601
3710	6500	1	RMS	3711	-38.25	-13	Pass	2791
6500	38000	1	RMS	37987	-45.57	-13	Pass	31501



63. n78 30kHz(3650-3700) _MIMO-ANT4


**63.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.61	-13	Pass	601
0.15	30	0.01	RMS	0.17	-60.46	-13	Pass	2986
30	1000	0.1	RMS	876.1	-55.44	-13	Pass	9701
1000	3000	1	RMS	2998	-42.25	-13	Pass	2001
3000	3640	1	RMS	3640	-40.08	-13	Pass	641
3640	3710	1	RMS	3660.183	10.7	60	Pass	601
3710	6500	1	RMS	3719	-59.1	-13	Pass	2791
6500	38000	1	RMS	37964	-45.28	-13	Pass	31501




**63.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.17	-60.85	-13	Pass	2986
30	1000	0.1	RMS	933.8	-56.25	-13	Pass	9701
1000	3000	1	RMS	2998	-42.39	-13	Pass	2001
3000	3640	1	RMS	3640	-40.89	-13	Pass	641
3640	3710	1	RMS	3656.217	10.51	60	Pass	601
3710	6500	1	RMS	5559	-59.14	-13	Pass	2791
6500	38000	1	RMS	34526	-45.51	-13	Pass	31501




**63.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-45.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.72	-13	Pass	2986
30	1000	0.1	RMS	871.6	-55.28	-13	Pass	9701
1000	3000	1	RMS	2999	-42.38	-13	Pass	2001
3000	3640	1	RMS	3638	-41.3	-13	Pass	641
3640	3710	1	RMS	3674.65	10.04	60	Pass	601
3710	6500	1	RMS	3722	-58.6	-13	Pass	2791
6500	38000	1	RMS	35340	-45.41	-13	Pass	31501




**63.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.43	-13	Pass	601
0.15	30	0.01	RMS	0.2	-62.79	-13	Pass	2986
30	1000	0.1	RMS	922.8	-55.99	-13	Pass	9701
1000	3000	1	RMS	2996	-42.23	-13	Pass	2001
3000	3640	1	RMS	3619	-41.29	-13	Pass	641
3640	3710	1	RMS	3675.817	9.78	60	Pass	601
3710	6500	1	RMS	3716	-57.94	-13	Pass	2791
6500	38000	1	RMS	34506	-45.81	-13	Pass	31501




**63.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.71	-13	Pass	601
0.15	30	0.01	RMS	0.18	-59.56	-13	Pass	2986
30	1000	0.1	RMS	837.7	-55.78	-13	Pass	9701
1000	3000	1	RMS	2999	-42.24	-13	Pass	2001
3000	3640	1	RMS	3634	-41.26	-13	Pass	641
3640	3710	1	RMS	3690.4	9.6	60	Pass	601
3710	6500	1	RMS	3719	-53.36	-13	Pass	2791
6500	38000	1	RMS	35100	-45.83	-13	Pass	31501




**63.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.18	-61.03	-13	Pass	2986
30	1000	0.1	RMS	896	-55.93	-13	Pass	9701
1000	3000	1	RMS	2994	-42.27	-13	Pass	2001
3000	3640	1	RMS	3612	-41.26	-13	Pass	641
3640	3710	1	RMS	3691.1	9.39	60	Pass	601
3710	6500	1	RMS	3710	-49.35	-13	Pass	2791
6500	38000	1	RMS	34540	-45.45	-13	Pass	31501




**63.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.27	-13	Pass	2986
30	1000	0.1	RMS	937.6	-55.28	-13	Pass	9701
1000	3000	1	RMS	3000	-41.96	-13	Pass	2001
3000	3640	1	RMS	3639	-38.71	-13	Pass	641
3640	3710	1	RMS	3661.467	7.54	60	Pass	601
3710	6500	1	RMS	3715	-51.26	-13	Pass	2791
6500	38000	1	RMS	38000	-44.79	-13	Pass	31501




**63.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.84	-13	Pass	2986
30	1000	0.1	RMS	885.6	-55.82	-13	Pass	9701
1000	3000	1	RMS	3000	-42.4	-13	Pass	2001
3000	3640	1	RMS	3638	-39.88	-13	Pass	641
3640	3710	1	RMS	3662.283	4.74	60	Pass	601
3710	6500	1	RMS	3713	-52.28	-13	Pass	2791
6500	38000	1	RMS	35033	-44.93	-13	Pass	31501




**63.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-47.62	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.41	-13	Pass	2986
30	1000	0.1	RMS	946.6	-56.08	-13	Pass	9701
1000	3000	1	RMS	2999	-42.25	-13	Pass	2001
3000	3640	1	RMS	3639	-40.69	-13	Pass	641
3640	3710	1	RMS	3666.133	6.1	60	Pass	601
3710	6500	1	RMS	3716	-48.15	-13	Pass	2791
6500	38000	1	RMS	34934	-45.51	-13	Pass	31501




**63.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.12	-13	Pass	2986
30	1000	0.1	RMS	820.4	-56.33	-13	Pass	9701
1000	3000	1	RMS	2994	-42.07	-13	Pass	2001
3000	3640	1	RMS	3639	-40.28	-13	Pass	641
3640	3710	1	RMS	3666.367	4.71	60	Pass	601
3710	6500	1	RMS	3722	-54.48	-13	Pass	2791
6500	38000	1	RMS	35101	-45.52	-13	Pass	31501




63.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:53, RB Position:26)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.09	-13	Pass	2986
30	1000	0.1	RMS	979.9	-55.96	-13	Pass	9701
1000	3000	1	RMS	3000	-42.33	-13	Pass	2001
3000	3640	1	RMS	3638	-41.24	-13	Pass	641
3640	3710	1	RMS	3672.083	6.94	60	Pass	601
3710	6500	1	RMS	3712	-39.38	-13	Pass	2791
6500	38000	1	RMS	37973	-45.38	-13	Pass	31501




**63.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:53, RB Position:26)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.28	-13	Pass	2986
30	1000	0.1	RMS	892.2	-56.2	-13	Pass	9701
1000	3000	1	RMS	2993	-42.29	-13	Pass	2001
3000	3640	1	RMS	3638	-41.29	-13	Pass	641
3640	3710	1	RMS	3673.133	6.03	60	Pass	601
3710	6500	1	RMS	3717	-46.64	-13	Pass	2791
6500	38000	1	RMS	35283	-45.84	-13	Pass	31501




**63.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:645000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.93	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.75	-13	Pass	2986
30	1000	0.1	RMS	896.4	-55.21	-13	Pass	9701
1000	3000	1	RMS	2999	-42.23	-13	Pass	2001
3000	3640	1	RMS	3638	-38.58	-13	Pass	641
3640	3710	1	RMS	3669.867	6.14	60	Pass	601
3710	6500	1	RMS	3717	-40.94	-13	Pass	2791
6500	38000	1	RMS	34519	-45.52	-13	Pass	31501



**63.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:645000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:67, RB Position:33)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-44.64	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.48	-13	Pass	2986
30	1000	0.1	RMS	986.4	-55.38	-13	Pass	9701
1000	3000	1	RMS	2998	-42.16	-13	Pass	2001
3000	3640	1	RMS	3639	-37.5	-13	Pass	641
3640	3710	1	RMS	3665.667	6.17	60	Pass	601
3710	6500	1	RMS	3720	-45.14	-13	Pass	2791
6500	38000	1	RMS	36821	-45.74	-13	Pass	31501



END