


Annex C. Band Edge for SA

28. n2 15kHz


28.1. Band Edge for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1843.573	-51.21	-13	Pass	401
1848	1849	1	RMS	1849	-45.06	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-23.03	-13	Pass	401
1850	1870	1	RMS	1850.25	16.05	30	Pass	401




28.2. Band Edge for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.828	-39.76	-13	Pass	401
1848	1849	1	RMS	1848	-41.61	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-38.1	-13	Pass	401
1850	1870	1	RMS	1853.65	10.18	30	Pass	401




28.3. Band Edge for SA(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.828	-49.64	-13	Pass	401
1848	1849	1	RMS	1849	-45.61	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.61	-13	Pass	401
1850	1870	1	RMS	1850.3	15.57	30	Pass	401




28.4. Band Edge for SA(NTNV)(Subtest:4, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-38.37	-13	Pass	401
1848	1849	1	RMS	1849	-39.67	-13	Pass	2
1849	1850	0.051	RMS	1850	-38.41	-13	Pass	401
1850	1870	1	RMS	1853.6	8.81	30	Pass	401




28.5. Band Edge for SA(NTNV)(Subtest:5, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.6	14.67	30	Pass	401
1910	1911	0.051	RMS	1910.008	-24.94	-13	Pass	401
1911	1912	1	RMS	1911	-44.93	-13	Pass	2
1912	1935	1	RMS	1912.058	-49.32	-13	Pass	401




28.6. Band Edge for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1908.45	9.83	30	Pass	401
1910	1911	0.051	RMS	1910.008	-37.16	-13	Pass	401
1911	1912	1	RMS	1911	-41.3	-13	Pass	2
1912	1935	1	RMS	1912.115	-40.21	-13	Pass	401




28.7. Band Edge for SA(NTNV)(Subtest:7, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.55	15.3	30	Pass	401
1910	1911	0.051	RMS	1910.008	-25.48	-13	Pass	401
1911	1912	1	RMS	1911	-45.39	-13	Pass	2
1912	1935	1	RMS	1912.115	-49.74	-13	Pass	401




28.8. Band Edge for SA(NTNV)(Subtest:8, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1906.35	8.98	30	Pass	401
1910	1911	0.051	RMS	1910.008	-37.4	-13	Pass	401
1911	1912	1	RMS	1911	-38.63	-13	Pass	2
1912	1935	1	RMS	1912	-38.69	-13	Pass	401




28.9. Band Edge for SA(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.885	-49.56	-13	Pass	401
1848	1849	1	RMS	1849	-45.11	-13	Pass	2
1849	1850	0.15	RMS	1850	-22.83	-13	Pass	401
1850	1870	1	RMS	1850.4	16.02	30	Pass	401




28.10. Band Edge for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1843.918	-43.98	-13	Pass	401
1848	1849	1	RMS	1849	-45.29	-13	Pass	2
1849	1850	0.15	RMS	1850	-41.54	-13	Pass	401
1850	1870	1	RMS	1860.2	5.34	30	Pass	401




28.11. Band Edge for SA(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.828	-49.92	-13	Pass	401
1848	1849	1	RMS	1849	-46.29	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-24.41	-13	Pass	401
1850	1870	1	RMS	1850.4	15.45	30	Pass	401




28.12. Band Edge for SA(NTNV)(Subtest:4, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.885	-41.86	-13	Pass	401
1848	1849	1	RMS	1849	-43.29	-13	Pass	2
1849	1850	0.15	RMS	1850	-40.11	-13	Pass	401
1850	1870	1	RMS	1862.85	3.87	30	Pass	401




28.13. Band Edge for SA(NTNV)(Subtest:5, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.5	15.13	30	Pass	401
1910	1911	0.15	RMS	1910.008	-25.02	-13	Pass	401
1911	1912	1	RMS	1911	-45.08	-13	Pass	2
1912	1935	1	RMS	1912	-49.13	-13	Pass	401




28.14. Band Edge for SA(NTNV)(Subtest:6, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1897.3	4.61	30	Pass	401
1910	1911	0.15	RMS	1910	-49.44	-13	Pass	401
1911	1912	1	RMS	1911	-44.86	-13	Pass	2
1912	1935	1	RMS	1916.198	-43.75	-13	Pass	401




28.15. Band Edge for SA(NTNV)(Subtest:7, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.5	15.4	30	Pass	401
1910	1911	0.15	RMS	1910.005	-26.1	-13	Pass	401
1911	1912	1	RMS	1911	-46.11	-13	Pass	2
1912	1935	1	RMS	1912.058	-49.6	-13	Pass	401




28.16. Band Edge for SA(NTNV)(Subtest:8, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1897.05	4.74	30	Pass	401
1910	1911	0.15	RMS	1910.188	-47.43	-13	Pass	401
1911	1912	1	RMS	1911	-42.24	-13	Pass	2
1912	1935	1	RMS	1912.115	-42.52	-13	Pass	401




28.17. Band Edge for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.943	-49.56	-13	Pass	401
1848	1849	1	RMS	1849	-46.08	-13	Pass	2
1849	1850	0.2	RMS	1850	-24.42	-13	Pass	401
1850	1870	1	RMS	1850.6	15.13	30	Pass	401




28.18. Band Edge for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1842.02	-44.48	-13	Pass	401
1848	1849	1	RMS	1849	-45.09	-13	Pass	2
1849	1850	0.2	RMS	1850	-42.34	-13	Pass	401
1850	1870	1	RMS	1855.1	2.74	30	Pass	401




28.19. Band Edge for SA(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1847.943	-49.6	-13	Pass	401
1848	1849	1	RMS	1849	-46.95	-13	Pass	2
1849	1850	0.2	RMS	1850	-27.01	-13	Pass	401
1850	1870	1	RMS	1850.6	15.37	30	Pass	401




28.20. Band Edge for SA(NTNV)(Subtest:4, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1848	1	RMS	1848	-40.16	-13	Pass	401
1848	1849	1	RMS	1849	-40.94	-13	Pass	2
1849	1850	0.2	RMS	1849.998	-41.75	-13	Pass	401
1850	1870	1	RMS	1865.4	2.41	30	Pass	401




28.21. Band Edge for SA(NTNV)(Subtest:5, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.45	15.89	30	Pass	401
1910	1911	0.2	RMS	1910.008	-26.03	-13	Pass	401
1911	1912	1	RMS	1911	-45.56	-13	Pass	2
1912	1935	1	RMS	1912.115	-49.49	-13	Pass	401




28.22. Band Edge for SA(NTNV)(Subtest:6, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1894.9	3.96	30	Pass	401
1910	1911	0.2	RMS	1910.04	-50.27	-13	Pass	401
1911	1912	1	RMS	1911	-46.68	-13	Pass	2
1912	1935	1	RMS	1918.038	-44.88	-13	Pass	401




28.23. Band Edge for SA(NTNV)(Subtest:7, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	15.42	30	Pass	401
1910	1911	0.2	RMS	1910.018	-25.9	-13	Pass	401
1911	1912	1	RMS	1911	-46.45	-13	Pass	2
1912	1935	1	RMS	1912.115	-49.78	-13	Pass	401



28.24. Band Edge for SA(NTNV)(Subtest:8, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1896	2.95	30	Pass	401
1910	1911	0.2	RMS	1910.618	-48.58	-13	Pass	401
1911	1912	1	RMS	1911	-44.29	-13	Pass	2
1912	1935	1	RMS	1913.495	-42.28	-13	Pass	401



29. n5 15kHz


29.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-48.88	-13	Pass	401
823	824	0.051	RMS	823.998	-23.77	-13	Pass	401
824	844	0.1	RMS	824.25	10.71	30	Pass	401




29.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.04	-42.58	-13	Pass	401
823	824	0.051	RMS	824	-34.06	-13	Pass	401
824	844	0.1	RMS	827.7	-0.75	30	Pass	401




29.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.28	-51.92	-13	Pass	401
823	824	0.051	RMS	824	-22.96	-13	Pass	401
824	844	0.1	RMS	824.3	11.83	30	Pass	401




29.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-41.58	-13	Pass	401
823	824	0.051	RMS	823.998	-35.99	-13	Pass	401
824	844	0.1	RMS	824.95	-1.63	30	Pass	401




29.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	11.84	30	Pass	401
849	850	0.051	RMS	849	-25.15	-13	Pass	401
850	874	0.1	RMS	850.9	-57.35	-13	Pass	401




29.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.25	-0.48	30	Pass	401
849	850	0.051	RMS	849.008	-37.5	-13	Pass	401
850	874	0.1	RMS	850.84	-45.14	-13	Pass	401




29.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	9.35	30	Pass	401
849	850	0.051	RMS	849.008	-25.77	-13	Pass	401
850	874	0.1	RMS	850.06	-57.13	-13	Pass	401




29.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844.7	-0.56	30	Pass	401
849	850	0.051	RMS	849	-37.66	-13	Pass	401
850	874	0.1	RMS	850.18	-45.29	-13	Pass	401




29.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-57.32	-13	Pass	401
823	824	0.15	RMS	823.998	-23.63	-13	Pass	401
824	844	0.1	RMS	824.55	11.02	30	Pass	401




29.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-48.42	-13	Pass	401
823	824	0.15	RMS	823.978	-39.86	-13	Pass	401
824	844	0.1	RMS	827	-4.91	30	Pass	401




29.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-56.33	-13	Pass	401
823	824	0.15	RMS	823.998	-22.9	-13	Pass	401
824	844	0.1	RMS	824.5	12.28	30	Pass	401




29.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.46	-45.83	-13	Pass	401
823	824	0.15	RMS	824	-38.95	-13	Pass	401
824	844	0.1	RMS	826.2	-5.31	30	Pass	401




29.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	11.33	30	Pass	401
849	850	0.15	RMS	849.008	-24.8	-13	Pass	401
850	874	0.1	RMS	850.12	-56.82	-13	Pass	401




29.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	844	-4.85	30	Pass	401
849	850	0.15	RMS	849.11	-48.25	-13	Pass	401
850	874	0.1	RMS	850.18	-52.42	-13	Pass	401




29.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	11.81	30	Pass	401
849	850	0.15	RMS	849	-26.22	-13	Pass	401
850	874	0.1	RMS	850.06	-57.33	-13	Pass	401




29.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.65	-6.47	30	Pass	401
849	850	0.15	RMS	849.098	-46	-13	Pass	401
850	874	0.1	RMS	850.06	-48.97	-13	Pass	401




29.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-57.09	-13	Pass	401
823	824	0.2	RMS	824	-27.33	-13	Pass	6
824	844	0.1	RMS	824.45	10.28	30	Pass	401




29.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.82	-47.35	-13	Pass	401
823	824	0.2	RMS	824	-39.87	-13	Pass	401
824	844	0.1	RMS	833.85	-6.49	30	Pass	401




29.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-57.6	-13	Pass	401
823	824	0.2	RMS	824	-27.62	-13	Pass	6
824	844	0.1	RMS	824.6	11.77	30	Pass	401




29.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-46.62	-13	Pass	401
823	824	0.2	RMS	824	-41.46	-13	Pass	401
824	844	0.1	RMS	832.75	-7.13	30	Pass	401




29.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.4	12.01	30	Pass	401
849	850	0.2	RMS	849	-29.4	-13	Pass	6
850	874	0.1	RMS	850.12	-57.77	-13	Pass	401




29.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.85	-5.58	30	Pass	401
849	850	0.2	RMS	849.44	-44.8	-13	Pass	401
850	874	0.1	RMS	850.18	-51.17	-13	Pass	401




29.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	9.25	30	Pass	401
849	850	0.2	RMS	849	-26.62	-13	Pass	401
850	874	0.1	RMS	850.06	-57.32	-13	Pass	401



29.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	839.55	-6.35	30	Pass	401
849	850	0.2	RMS	849.798	-45.26	-13	Pass	401
850	874	0.1	RMS	850.06	-48.64	-13	Pass	401



30. n12 15kHz


30.1. Band Edge for SA(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-26.47	-13	Pass	401
698.9	699	0.03	RMS	699	-25.65	-13	Pass	401
699	719	0.1	RMS	699.35	12.92	30	Pass	401




30.2. Band Edge for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-35.63	-13	Pass	401
698.9	699	0.03	RMS	699	-36.13	-13	Pass	401
699	719	0.1	RMS	702.25	0.37	30	Pass	401




30.3. Band Edge for SA(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-26.29	-13	Pass	401
698.9	699	0.03	RMS	698.994	-26.05	-13	Pass	401
699	719	0.1	RMS	699.35	12.8	30	Pass	401




30.4. Band Edge for SA(NTNV)(Subtest:4, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-35.37	-13	Pass	401
698.9	699	0.03	RMS	698.999	-36.89	-13	Pass	401
699	719	0.1	RMS	699.75	-0.95	30	Pass	401




30.5. Band Edge for SA(NTNV)(Subtest:5, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.65	10.21	30	Pass	401
716	716.1	0.03	RMS	716	-27.36	-13	Pass	401
716.1	741	0.1	RMS	716.1	-27.18	-13	Pass	401




30.6. Band Edge for SA(NTNV)(Subtest:6, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	711.7	-0.04	30	Pass	401
716	716.1	0.03	RMS	716.001	-38.14	-13	Pass	401
716.1	741	0.1	RMS	716.1	-39.04	-13	Pass	401




30.7. Band Edge for SA(NTNV)(Subtest:7, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.6	11.45	30	Pass	401
716	716.1	0.03	RMS	716	-28.25	-13	Pass	401
716.1	741	0.1	RMS	716.1	-30.65	-13	Pass	401




30.8. Band Edge for SA(NTNV)(Subtest:8, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	712.1	-1.6	30	Pass	401
716	716.1	0.03	RMS	716.001	-38.48	-13	Pass	401
716.1	741	0.1	RMS	716.225	-39.73	-13	Pass	401




30.9. Band Edge for SA(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-26.84	-13	Pass	401
698.9	699	0.03	RMS	699	-27.28	-13	Pass	401
699	719	0.1	RMS	699.45	12.65	30	Pass	401




30.10. Band Edge for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.838	-39.25	-13	Pass	401
698.9	699	0.03	RMS	698.968	-42.56	-13	Pass	401
699	719	0.1	RMS	706.65	-2.75	30	Pass	401




30.11. Band Edge for SA(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-27.33	-13	Pass	401
698.9	699	0.03	RMS	699	-28.33	-13	Pass	401
699	719	0.1	RMS	699.35	11.4	30	Pass	401




30.12. Band Edge for SA(NTNV)(Subtest:4, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.838	-40.55	-13	Pass	401
698.9	699	0.03	RMS	698.953	-41.79	-13	Pass	401
699	719	0.1	RMS	707	-3.37	30	Pass	401




30.13. Band Edge for SA(NTNV)(Subtest:5, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.55	12.78	30	Pass	401
716	716.1	0.03	RMS	716.001	-29.16	-13	Pass	401
716.1	741	0.1	RMS	716.1	-28.5	-13	Pass	401




30.14. Band Edge for SA(NTNV)(Subtest:6, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	708.35	-3.46	30	Pass	401
716	716.1	0.03	RMS	716.058	-46.18	-13	Pass	401
716.1	741	0.1	RMS	716.162	-42.83	-13	Pass	401




30.15. Band Edge for SA(NTNV)(Subtest:7, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.6	11.95	30	Pass	401
716	716.1	0.03	RMS	716.002	-29.97	-13	Pass	401
716.1	741	0.1	RMS	716.1	-32.66	-13	Pass	401




30.16. Band Edge for SA(NTNV)(Subtest:8, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	707.35	-3.19	30	Pass	401
716	716.1	0.03	RMS	716.01	-46.04	-13	Pass	401
716.1	741	0.1	RMS	717.034	-40.76	-13	Pass	401




30.17. Band Edge for SA(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-34.08	-13	Pass	401
698.9	699	0.03	RMS	699	-30.64	-13	Pass	401
699	719	0.1	RMS	699.5	12.84	30	Pass	401




30.18. Band Edge for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-43.04	-13	Pass	401
698.9	699	0.03	RMS	698.968	-45.94	-13	Pass	401
699	719	0.1	RMS	709.05	-4.36	30	Pass	401




30.19. Band Edge for SA(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-33.61	-13	Pass	401
698.9	699	0.03	RMS	699	-31.39	-13	Pass	401
699	719	0.1	RMS	699.55	10.77	30	Pass	401




30.20. Band Edge for SA(NTNV)(Subtest:4, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.838	-43.11	-13	Pass	401
698.9	699	0.03	RMS	698.972	-44.83	-13	Pass	401
699	719	0.1	RMS	709.2	-6.54	30	Pass	401




30.21. Band Edge for SA(NTNV)(Subtest:5, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.6	10.61	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.45	-13	Pass	401
716.1	741	0.1	RMS	716.1	-35.53	-13	Pass	401




30.22. Band Edge for SA(NTNV)(Subtest:6, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	707.75	-4.66	30	Pass	401
716	716.1	0.03	RMS	716.042	-51.65	-13	Pass	401
716.1	741	0.1	RMS	716.225	-47.8	-13	Pass	401




30.23. Band Edge for SA(NTNV)(Subtest:7, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.6	10.21	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.15	-13	Pass	401
716.1	741	0.1	RMS	716.1	-35.97	-13	Pass	401



30.24. Band Edge for SA(NTNV)(Subtest:8, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	708.05	-4.79	30	Pass	401
716	716.1	0.03	RMS	716.098	-48.24	-13	Pass	401
716.1	741	0.1	RMS	716.411	-44.57	-13	Pass	401



31. n25 15kHz


31.1. Band Edge for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.785	-48.9	-13	Pass	401
1848	1849	1	RMS	1849	-44.41	-13	Pass	2
1849	1850	0.051	RMS	1849.998	-22.12	-13	Pass	401
1850	1890	1	RMS	1850.1	15.96	30	Pass	401




31.2. Band Edge for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.893	-28.82	-13	Pass	401
1848	1849	1	RMS	1848	-30.77	-13	Pass	2
1849	1850	0.05	RMS	1850	-37.12	-13	Pass	21
1850	1890	1	RMS	1851.3	9.18	30	Pass	401




31.3. Band Edge for SA(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.785	-49.09	-13	Pass	401
1848	1849	1	RMS	1849	-45.5	-13	Pass	2
1849	1850	0.05	RMS	1850	-26.59	-13	Pass	21
1850	1890	1	RMS	1850.1	15.35	30	Pass	401




31.4. Band Edge for SA(NTNV)(Subtest:4, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.785	-26.76	-13	Pass	401
1848	1849	1	RMS	1849	-27.21	-13	Pass	2
1849	1850	0.05	RMS	1850	-36.5	-13	Pass	21
1850	1890	1	RMS	1851.2	9.61	30	Pass	401




31.5. Band Edge for SA(NTNV)(Subtest:5, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.8	14.92	30	Pass	401
1915	1916	0.05	RMS	1915	-26.69	-13	Pass	21
1916	1917	1	RMS	1916	-43.83	-13	Pass	2
1917	1960	1	RMS	1917.108	-49.94	-13	Pass	401




31.6. Band Edge for SA(NTNV)(Subtest:6, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1911.5	10.1	30	Pass	401
1915	1916	0.05	RMS	1915	-37.19	-13	Pass	21
1916	1917	1	RMS	1916	-38.09	-13	Pass	2
1917	1960	1	RMS	1917.108	-37.26	-13	Pass	401




31.7. Band Edge for SA(NTNV)(Subtest:7, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.4	15.03	30	Pass	401
1915	1916	0.05	RMS	1915	-26.74	-13	Pass	21
1916	1917	1	RMS	1916	-44.24	-13	Pass	2
1917	1960	1	RMS	1917.108	-50.1	-13	Pass	401




31.8. Band Edge for SA(NTNV)(Subtest:8, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1911.2	9.71	30	Pass	401
1915	1916	0.05	RMS	1915	-38.03	-13	Pass	21
1916	1917	1	RMS	1916	-33.74	-13	Pass	2
1917	1960	1	RMS	1917	-33.96	-13	Pass	401




31.9. Band Edge for SA(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1848	-49.08	-13	Pass	401
1848	1849	1	RMS	1849	-44.72	-13	Pass	2
1849	1850	0.15	RMS	1850	-25.01	-13	Pass	8
1850	1890	1	RMS	1850.6	15.26	30	Pass	401




31.10. Band Edge for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1843.7	-34.98	-13	Pass	401
1848	1849	1	RMS	1849	-35.97	-13	Pass	2
1849	1850	0.15	RMS	1850	-40.27	-13	Pass	8
1850	1890	1	RMS	1861.4	5.14	30	Pass	401




31.11. Band Edge for SA(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1843.378	-49.83	-13	Pass	401
1848	1849	1	RMS	1849	-44.77	-13	Pass	2
1849	1850	0.15	RMS	1850	-24.9	-13	Pass	8
1850	1890	1	RMS	1850.5	15.82	30	Pass	401




31.12. Band Edge for SA(NTNV)(Subtest:4, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1843.915	-35.27	-13	Pass	401
1848	1849	1	RMS	1849	-35.45	-13	Pass	2
1849	1850	0.15	RMS	1850	-39.83	-13	Pass	8
1850	1890	1	RMS	1861.6	5.05	30	Pass	401




31.13. Band Edge for SA(NTNV)(Subtest:5, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.5	15.65	30	Pass	401
1915	1916	0.15	RMS	1915	-26.47	-13	Pass	8
1916	1917	1	RMS	1916	-45.48	-13	Pass	2
1917	1960	1	RMS	1917.215	-50.02	-13	Pass	401




31.14. Band Edge for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1902.4	5.64	30	Pass	401
1915	1916	0.15	RMS	1915.286	-45.11	-13	Pass	8
1916	1917	1	RMS	1916	-38.88	-13	Pass	2
1917	1960	1	RMS	1917.215	-40.13	-13	Pass	401




31.15. Band Edge for SA(NTNV)(Subtest:7, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1902.2	5.08	30	Pass	401
1915	1916	0.15	RMS	1915.286	-42.71	-13	Pass	8
1916	1917	1	RMS	1916	-35.4	-13	Pass	2
1917	1960	1	RMS	1917.215	-34.84	-13	Pass	401




31.16. Band Edge for SA(NTNV)(Subtest:8, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1902	5.41	30	Pass	401
1915	1916	0.15	RMS	1915.286	-43.2	-13	Pass	8
1916	1917	1	RMS	1916	-36.12	-13	Pass	2
1917	1960	1	RMS	1917.215	-35.7	-13	Pass	401




31.17. Band Edge for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1848	-49.69	-13	Pass	401
1848	1849	1	RMS	1849	-45.81	-13	Pass	2
1849	1850	0.2	RMS	1850	-26.75	-13	Pass	6
1850	1890	1	RMS	1850.4	16.09	30	Pass	401




31.18. Band Edge for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1848	-34.81	-13	Pass	401
1848	1849	1	RMS	1849	-35.63	-13	Pass	2
1849	1850	0.2	RMS	1850	-39	-13	Pass	6
1850	1890	1	RMS	1863.9	4.49	30	Pass	401




31.19. Band Edge for SA(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.785	-49.81	-13	Pass	401
1848	1849	1	RMS	1849	-46.93	-13	Pass	2
1849	1850	0.2	RMS	1850	-28.99	-13	Pass	6
1850	1890	1	RMS	1850.4	14.44	30	Pass	401




31.20. Band Edge for SA(NTNV)(Subtest:4, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1848	1	RMS	1847.355	-32.42	-13	Pass	401
1848	1849	1	RMS	1849	-34.31	-13	Pass	2
1849	1850	0.2	RMS	1850	-39.33	-13	Pass	6
1850	1890	1	RMS	1865.2	4.15	30	Pass	401




31.21. Band Edge for SA(NTNV)(Subtest:5, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.2	15.86	30	Pass	401
1915	1916	0.2	RMS	1915	-28.87	-13	Pass	6
1916	1917	1	RMS	1916	-46.21	-13	Pass	2
1917	1960	1	RMS	1917	-49.73	-13	Pass	401




31.22. Band Edge for SA(NTNV)(Subtest:6, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1896.4	4.64	30	Pass	401
1915	1916	0.2	RMS	1915.2	-42.94	-13	Pass	6
1916	1917	1	RMS	1916	-38.24	-13	Pass	2
1917	1960	1	RMS	1917	-37.35	-13	Pass	401




31.23. Band Edge for SA(NTNV)(Subtest:7, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.4	15.64	30	Pass	401
1915	1916	0.2	RMS	1915	-28.45	-13	Pass	6
1916	1917	1	RMS	1916	-46.51	-13	Pass	2
1917	1960	1	RMS	1917	-50.16	-13	Pass	401



31.24. Band Edge for SA(NTNV)(Subtest:8, Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1896.4	3.54	30	Pass	401
1915	1916	0.2	RMS	1915	-41.72	-13	Pass	6
1916	1917	1	RMS	1916	-36.14	-13	Pass	2
1917	1960	1	RMS	1917.108	-34.8	-13	Pass	401



32. n30 15kHz


32.1. Band Edge for SA(NTNV)(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2268.86	-60.27	-40	Pass	401
2288	2292	1	RMS	2289.07	-50.26	-37	Pass	401
2292	2296	1	RMS	2295.41	-50.29	-31	Pass	401
2296	2300	1	RMS	2299.95	-50.11	-25	Pass	401
2300	2304	1	RMS	2304	-43.21	-13	Pass	5
2304	2305	0.002	RMS	2304.994	-36.34	-13	Pass	500
2305	2320	0.1	RMS	2305.263	12.2	60	Pass	401
2320	2321	0.002	RMS	2320.144	-75.65	-25	Pass	500
2321	2324	1	RMS	2323	-50.93	-25	Pass	4
2324	2328	1	RMS	2327.9	-50.3	-31	Pass	401
2328	2337	1	RMS	2336.663	-50.37	-37	Pass	401
2337	2341	1	RMS	2340.2	-50.17	-31	Pass	401
2341	2345	1	RMS	2343.54	-50.09	-25	Pass	401
2345	2360	1	RMS	2358.838	-50.13	-13	Pass	401
2360	2365	1	RMS	2362.413	-50.1	-13	Pass	401
2365	2395	1	RMS	2386.6	-59.98	-40	Pass	401




32.2. Band Edge for SA(NTNV)(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.18	-60.27	-40	Pass	401
2288	2292	1	RMS	2288.05	-50.27	-37	Pass	401
2292	2296	1	RMS	2295.93	-49.88	-31	Pass	401
2296	2300	1	RMS	2299.94	-46.78	-25	Pass	401
2300	2304	1	RMS	2303	-37.43	-13	Pass	5
2304	2305	0.002	RMS	2304.994	-51.77	-13	Pass	500
2305	2320	0.1	RMS	2308.975	0.71	60	Pass	401
2320	2321	0.002	RMS	2320.323	-74.9	-25	Pass	500
2321	2324	1	RMS	2321	-50.7	-25	Pass	4
2324	2328	1	RMS	2325.33	-50.29	-31	Pass	401
2328	2337	1	RMS	2336.055	-50.4	-37	Pass	401
2337	2341	1	RMS	2340.9	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.97	-50.1	-25	Pass	401
2345	2360	1	RMS	2350.775	-50.12	-13	Pass	401
2360	2365	1	RMS	2364.488	-50.1	-13	Pass	401
2365	2395	1	RMS	2383.825	-59.96	-40	Pass	401




32.3. Band Edge for SA(NTNV)(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.18	-60.27	-40	Pass	401
2288	2292	1	RMS	2290.75	-50.27	-37	Pass	401
2292	2296	1	RMS	2293.64	-50.29	-31	Pass	401
2296	2300	1	RMS	2299.97	-50.15	-25	Pass	401
2300	2304	1	RMS	2304	-44.08	-13	Pass	5
2304	2305	0.002	RMS	2304.994	-37.98	-13	Pass	500
2305	2320	0.1	RMS	2305.263	11.36	60	Pass	401
2320	2321	0.002	RMS	2320.17	-75.72	-25	Pass	500
2321	2324	1	RMS	2321	-50.93	-25	Pass	4
2324	2328	1	RMS	2324.17	-50.28	-31	Pass	401
2328	2337	1	RMS	2336.888	-50.39	-37	Pass	401
2337	2341	1	RMS	2339.35	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.85	-50.08	-25	Pass	401
2345	2360	1	RMS	2357.675	-50.12	-13	Pass	401
2360	2365	1	RMS	2360.838	-50.09	-13	Pass	401
2365	2395	1	RMS	2378.125	-59.97	-40	Pass	401




32.4. Band Edge for SA(NTNV)(Subtest:4, Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.62	-60.23	-40	Pass	401
2288	2292	1	RMS	2291.97	-50.25	-37	Pass	401
2292	2296	1	RMS	2295.97	-49.16	-31	Pass	401
2296	2300	1	RMS	2299.98	-45.2	-25	Pass	401
2300	2304	1	RMS	2304	-37.79	-13	Pass	5
2304	2305	0.002	RMS	2304.99	-51.52	-13	Pass	500
2305	2320	0.1	RMS	2309.5	0.23	60	Pass	401
2320	2321	0.002	RMS	2320.331	-73.53	-25	Pass	500
2321	2324	1	RMS	2321	-50.06	-25	Pass	4
2324	2328	1	RMS	2324.01	-50.17	-31	Pass	401
2328	2337	1	RMS	2336.348	-50.38	-37	Pass	401
2337	2341	1	RMS	2340.49	-50.16	-31	Pass	401
2341	2345	1	RMS	2344.56	-50.08	-25	Pass	401
2345	2360	1	RMS	2352.875	-50.12	-13	Pass	401
2360	2365	1	RMS	2364.725	-50.09	-13	Pass	401
2365	2395	1	RMS	2389.3	-59.96	-40	Pass	401




32.5. Band Edge for SA(NTNV)(Subtest:5, Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2271.94	-60.26	-40	Pass	401
2288	2292	1	RMS	2289.96	-50.29	-37	Pass	401
2292	2296	1	RMS	2294.79	-50.31	-31	Pass	401
2296	2300	1	RMS	2297.27	-50.32	-25	Pass	401
2300	2304	1	RMS	2304	-50.98	-13	Pass	5
2304	2305	0.002	RMS	2304.004	-75.75	-13	Pass	500
2305	2320	0.1	RMS	2314.713	12.6	60	Pass	401
2320	2321	0.002	RMS	2320.289	-75.2	-25	Pass	500
2321	2324	1	RMS	2321	-50.78	-25	Pass	4
2324	2328	1	RMS	2325.58	-50.24	-31	Pass	401
2328	2337	1	RMS	2336.978	-50.4	-37	Pass	401
2337	2341	1	RMS	2340.69	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.54	-50.07	-25	Pass	401
2345	2360	1	RMS	2358.088	-50.08	-13	Pass	401
2360	2365	1	RMS	2363.9	-50.09	-13	Pass	401
2365	2395	1	RMS	2384.725	-59.92	-40	Pass	401




32.6. Band Edge for SA(NTNV)(Subtest:6, Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.18	-60.22	-40	Pass	401
2288	2292	1	RMS	2288.87	-50.28	-37	Pass	401
2292	2296	1	RMS	2295.24	-50.29	-31	Pass	401
2296	2300	1	RMS	2299.93	-49.85	-25	Pass	401
2300	2304	1	RMS	2304	-48.98	-13	Pass	5
2304	2305	0.002	RMS	2304.154	-71.57	-13	Pass	500
2305	2320	0.1	RMS	2313.963	-0.02	60	Pass	401
2320	2321	0.002	RMS	2320.615	-70.81	-25	Pass	500
2321	2324	1	RMS	2321	-48.69	-25	Pass	4
2324	2328	1	RMS	2324.18	-49.84	-31	Pass	401
2328	2337	1	RMS	2337	-50.42	-37	Pass	401
2337	2341	1	RMS	2341	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.27	-50.1	-25	Pass	401
2345	2360	1	RMS	2356.775	-50.1	-13	Pass	401
2360	2365	1	RMS	2362.575	-50.08	-13	Pass	401
2365	2395	1	RMS	2390.275	-59.97	-40	Pass	401




32.7. Band Edge for SA(NTNV)(Subtest:7, Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2269.52	-60.28	-40	Pass	401
2288	2292	1	RMS	2289.68	-50.3	-37	Pass	401
2292	2296	1	RMS	2292.16	-50.3	-31	Pass	401
2296	2300	1	RMS	2296.47	-50.32	-25	Pass	401
2300	2304	1	RMS	2304	-50.99	-13	Pass	5
2304	2305	0.002	RMS	2304.14	-75.62	-13	Pass	500
2305	2320	0.1	RMS	2314.638	12.98	60	Pass	401
2320	2321	0.002	RMS	2320.547	-74.97	-25	Pass	500
2321	2324	1	RMS	2321	-50.85	-25	Pass	4
2324	2328	1	RMS	2325.57	-50.27	-31	Pass	401
2328	2337	1	RMS	2336.73	-50.43	-37	Pass	401
2337	2341	1	RMS	2337.71	-50.14	-31	Pass	401
2341	2345	1	RMS	2344.76	-50.09	-25	Pass	401
2345	2360	1	RMS	2357.375	-50.09	-13	Pass	401
2360	2365	1	RMS	2364.275	-50.07	-13	Pass	401
2365	2395	1	RMS	2389.9	-59.97	-40	Pass	401




32.8. Band Edge for SA(NTNV)(Subtest:8, Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2268.42	-60.29	-40	Pass	401
2288	2292	1	RMS	2288.22	-50.29	-37	Pass	401
2292	2296	1	RMS	2295.95	-50.27	-31	Pass	401
2296	2300	1	RMS	2299.86	-49.1	-25	Pass	401
2300	2304	1	RMS	2303	-46.62	-13	Pass	5
2304	2305	0.002	RMS	2304.713	-68.79	-13	Pass	500
2305	2320	0.1	RMS	2314.488	-0.05	60	Pass	401
2320	2321	0.002	RMS	2320.317	-68.97	-25	Pass	500
2321	2324	1	RMS	2321	-46.9	-25	Pass	4
2324	2328	1	RMS	2324.01	-49.22	-31	Pass	401
2328	2337	1	RMS	2336.235	-50.38	-37	Pass	401
2337	2341	1	RMS	2339.44	-50.17	-31	Pass	401
2341	2345	1	RMS	2344.58	-50.1	-25	Pass	401
2345	2360	1	RMS	2357.375	-50.06	-13	Pass	401
2360	2365	1	RMS	2360.888	-50.09	-13	Pass	401
2365	2395	1	RMS	2390.95	-59.95	-40	Pass	401




32.9. Band Edge for SA(NTNV)(Subtest:9, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.84	-60.24	-40	Pass	401
2288	2292	1	RMS	2289.32	-50.28	-37	Pass	401
2292	2296	1	RMS	2294.04	-50.3	-31	Pass	401
2296	2300	1	RMS	2299.92	-50.1	-25	Pass	401
2300	2304	1	RMS	2304	-43.14	-13	Pass	5
2304	2305	0.002	RMS	2304.994	-37.75	-13	Pass	500
2305	2320	0.1	RMS	2305.45	13	60	Pass	401
2320	2321	0.002	RMS	2320.317	-75.46	-25	Pass	500
2321	2324	1	RMS	2321	-50.96	-25	Pass	4
2324	2328	1	RMS	2325.65	-50.28	-31	Pass	401
2328	2337	1	RMS	2336.663	-50.41	-37	Pass	401
2337	2341	1	RMS	2340.77	-50.17	-31	Pass	401
2341	2345	1	RMS	2343.92	-50.09	-25	Pass	401
2345	2360	1	RMS	2358.163	-50.13	-13	Pass	401
2360	2365	1	RMS	2364	-50.08	-13	Pass	401
2365	2395	1	RMS	2379.1	-59.97	-40	Pass	401




32.10. Band Edge for SA(NTNV)(Subtest:10, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.78	-59.72	-40	Pass	401
2288	2292	1	RMS	2291.99	-49.77	-37	Pass	401
2292	2296	1	RMS	2295.59	-48.93	-31	Pass	401
2296	2300	1	RMS	2299.42	-40.15	-25	Pass	401
2300	2304	1	RMS	2304	-39.94	-13	Pass	5
2304	2305	0.002	RMS	2304.96	-54.69	-13	Pass	500
2305	2320	0.1	RMS	2312.65	-2.82	60	Pass	401
2320	2321	0.002	RMS	2320.429	-66.53	-25	Pass	500
2321	2324	1	RMS	2321	-45.3	-25	Pass	4
2324	2328	1	RMS	2324.14	-48.27	-31	Pass	401
2328	2337	1	RMS	2328.023	-49.91	-37	Pass	401
2337	2341	1	RMS	2339.42	-50.17	-31	Pass	401
2341	2345	1	RMS	2344.3	-50.09	-25	Pass	401
2345	2360	1	RMS	2353.7	-50.1	-13	Pass	401
2360	2365	1	RMS	2360.088	-50.06	-13	Pass	401
2365	2395	1	RMS	2390.05	-59.98	-40	Pass	401




32.11. Band Edge for SA(NTNV)(Subtest:11, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2271.5	-60.25	-40	Pass	401
2288	2292	1	RMS	2288.18	-50.27	-37	Pass	401
2292	2296	1	RMS	2295.99	-50.28	-31	Pass	401
2296	2300	1	RMS	2299.9	-50.1	-25	Pass	401
2300	2304	1	RMS	2304	-44.07	-13	Pass	5
2304	2305	0.002	RMS	2304.994	-39.57	-13	Pass	500
2305	2320	0.1	RMS	2305.45	11.34	60	Pass	401
2320	2321	0.002	RMS	2320.689	-75.35	-25	Pass	500
2321	2324	1	RMS	2322	-50.98	-25	Pass	4
2324	2328	1	RMS	2327.97	-50.25	-31	Pass	401
2328	2337	1	RMS	2337	-50.39	-37	Pass	401
2337	2341	1	RMS	2339.29	-50.17	-31	Pass	401
2341	2345	1	RMS	2344.75	-50.1	-25	Pass	401
2345	2360	1	RMS	2352.125	-50.11	-13	Pass	401
2360	2365	1	RMS	2361.375	-50.07	-13	Pass	401
2365	2395	1	RMS	2381.275	-59.94	-40	Pass	401




32.12. Band Edge for SA(NTNV)(Subtest:12, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.34	-59.39	-40	Pass	401
2288	2292	1	RMS	2291.99	-49.1	-37	Pass	401
2292	2296	1	RMS	2296	-47.85	-31	Pass	401
2296	2300	1	RMS	2299.89	-39.17	-25	Pass	401
2300	2304	1	RMS	2304	-38.41	-13	Pass	5
2304	2305	0.002	RMS	2304.996	-52.15	-13	Pass	500
2305	2320	0.1	RMS	2314.038	-2.06	60	Pass	401
2320	2321	0.002	RMS	2320.543	-63.79	-25	Pass	500
2321	2324	1	RMS	2321	-43.24	-25	Pass	4
2324	2328	1	RMS	2324.05	-47.2	-31	Pass	401
2328	2337	1	RMS	2328.045	-48.86	-37	Pass	401
2337	2341	1	RMS	2340.88	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.85	-50.09	-25	Pass	401
2345	2360	1	RMS	2359.175	-50.12	-13	Pass	401
2360	2365	1	RMS	2363.288	-50.08	-13	Pass	401
2365	2395	1	RMS	2381.35	-59.96	-40	Pass	401




32.13. Band Edge for SA(NTNV)(Subtest:13, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2268.86	-60.27	-40	Pass	401
2288	2292	1	RMS	2288.59	-50.25	-37	Pass	401
2292	2296	1	RMS	2292.24	-50.29	-31	Pass	401
2296	2300	1	RMS	2297.23	-50.3	-25	Pass	401
2300	2304	1	RMS	2300	-50.98	-13	Pass	5
2304	2305	0.002	RMS	2304.008	-75.05	-13	Pass	500
2305	2320	0.1	RMS	2314.6	13.69	60	Pass	401
2320	2321	0.002	RMS	2320.094	-75.31	-25	Pass	500
2321	2324	1	RMS	2321	-50.8	-25	Pass	4
2324	2328	1	RMS	2325.33	-50.25	-31	Pass	401
2328	2337	1	RMS	2337	-50.4	-37	Pass	401
2337	2341	1	RMS	2340.87	-50.15	-31	Pass	401
2341	2345	1	RMS	2344.88	-50.09	-25	Pass	401
2345	2360	1	RMS	2353.888	-50.13	-13	Pass	401
2360	2365	1	RMS	2362.038	-50.08	-13	Pass	401
2365	2395	1	RMS	2386.15	-59.95	-40	Pass	401




32.14. Band Edge for SA(NTNV)(Subtest:14, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-59.77	-40	Pass	401
2288	2292	1	RMS	2291.92	-49.95	-37	Pass	401
2292	2296	1	RMS	2296	-48.56	-31	Pass	401
2296	2300	1	RMS	2299.99	-39.73	-25	Pass	401
2300	2304	1	RMS	2304	-39.8	-13	Pass	5
2304	2305	0.002	RMS	2304.96	-54.21	-13	Pass	500
2305	2320	0.1	RMS	2312.688	-2.74	60	Pass	401
2320	2321	0.002	RMS	2320.429	-65.64	-25	Pass	500
2321	2324	1	RMS	2321	-45.11	-25	Pass	4
2324	2328	1	RMS	2324.14	-48.11	-31	Pass	401
2328	2337	1	RMS	2328.023	-49.92	-37	Pass	401
2337	2341	1	RMS	2340.92	-50.19	-31	Pass	401
2341	2345	1	RMS	2344.74	-50.12	-25	Pass	401
2345	2360	1	RMS	2351.638	-50.15	-13	Pass	401
2360	2365	1	RMS	2364.825	-50.13	-13	Pass	401
2365	2395	1	RMS	2388.925	-60	-40	Pass	401




32.15. Band Edge for SA(NTNV)(Subtest:15, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2270.4	-60.18	-40	Pass	401
2288	2292	1	RMS	2291.26	-50.25	-37	Pass	401
2292	2296	1	RMS	2294.33	-50.26	-31	Pass	401
2296	2300	1	RMS	2299.38	-50.29	-25	Pass	401
2300	2304	1	RMS	2302	-50.94	-13	Pass	5
2304	2305	0.002	RMS	2304.04	-75.57	-13	Pass	500
2305	2320	0.1	RMS	2314.525	12.16	60	Pass	401
2320	2321	0.002	RMS	2320.074	-74.49	-25	Pass	500
2321	2324	1	RMS	2321	-50.88	-25	Pass	4
2324	2328	1	RMS	2326.16	-50.25	-31	Pass	401
2328	2337	1	RMS	2335.898	-50.41	-37	Pass	401
2337	2341	1	RMS	2340.6	-50.16	-31	Pass	401
2341	2345	1	RMS	2344.21	-50.08	-25	Pass	401
2345	2360	1	RMS	2359.925	-50.1	-13	Pass	401
2360	2365	1	RMS	2363.95	-50.08	-13	Pass	401
2365	2395	1	RMS	2390.95	-59.96	-40	Pass	401



32.16. Band Edge for SA(NTNV)(Subtest:16, Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2200	2288	1	RMS	2287.56	-59.23	-40	Pass	401
2288	2292	1	RMS	2292	-49.17	-37	Pass	401
2292	2296	1	RMS	2295.94	-47.94	-31	Pass	401
2296	2300	1	RMS	2299.93	-39.93	-25	Pass	401
2300	2304	1	RMS	2304	-38.14	-13	Pass	5
2304	2305	0.002	RMS	2304.998	-53.56	-13	Pass	500
2305	2320	0.1	RMS	2314	-2.12	60	Pass	401
2320	2321	0.002	RMS	2320.543	-64.38	-25	Pass	500
2321	2324	1	RMS	2321	-43.07	-25	Pass	4
2324	2328	1	RMS	2324.02	-47.17	-31	Pass	401
2328	2337	1	RMS	2328.023	-48.93	-37	Pass	401
2337	2341	1	RMS	2340.99	-50.19	-31	Pass	401
2341	2345	1	RMS	2344.74	-50.1	-25	Pass	401
2345	2360	1	RMS	2356.1	-50.13	-13	Pass	401
2360	2365	1	RMS	2364.138	-50.11	-13	Pass	401
2365	2395	1	RMS	2381.65	-59.98	-40	Pass	401



33. n38 30kHz


33.1. Band Edge for SA(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.792	-44.45	-25	Pass	601
2550	2565	1	RMS	2562.1	-44.03	-13	Pass	601
2565	2569	1	RMS	2569	-28.32	-10	Pass	601
2569	2570	0.39	RMS	2569.997	-18.15	-10	Pass	601
2570	2610	1	RMS	2571.067	18.61	30	Pass	601




33.2. Band Edge for SA(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2548.083	-43.77	-25	Pass	601
2550	2565	1	RMS	2562.1	-35.72	-13	Pass	601
2565	2569	1	RMS	2569	-32.55	-10	Pass	601
2569	2570	0.39	RMS	2570	-32.75	-10	Pass	601
2570	2610	1	RMS	2572.667	6.89	30	Pass	601




33.3. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2543.042	-44.43	-25	Pass	601
2550	2565	1	RMS	2561.925	-44.05	-13	Pass	601
2565	2569	1	RMS	2568.987	-29.5	-10	Pass	601
2569	2570	0.39	RMS	2570	-18.63	-10	Pass	601
2570	2610	1	RMS	2571	18.18	30	Pass	601




33.4. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.958	-42.77	-25	Pass	601
2550	2565	1	RMS	2564.375	-34.18	-13	Pass	601
2565	2569	1	RMS	2568.987	-32.67	-10	Pass	601
2569	2570	0.39	RMS	2569.998	-32.83	-10	Pass	601
2570	2610	1	RMS	2572.733	6.55	30	Pass	601




33.5. Band Edge for SA(NTNV)(Subtest:5, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.933	18.65	30	Pass	601
2620	2621	0.4	RMS	2620	-22.06	-10	Pass	4
2621	2625	1	RMS	2621	-31.11	-10	Pass	601
2625	2640	1	RMS	2625.05	-43.95	-13	Pass	601
2640	2665	1	RMS	2659.458	-43.81	-25	Pass	601




33.6. Band Edge for SA(NTNV)(Subtest:6, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.467	6.92	30	Pass	601
2620	2621	0.4	RMS	2620	-38.34	-10	Pass	4
2621	2625	1	RMS	2621.033	-35.37	-10	Pass	601
2625	2640	1	RMS	2625.025	-39.9	-13	Pass	601
2640	2665	1	RMS	2645.042	-43.31	-25	Pass	601




33.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	18.18	30	Pass	601
2620	2621	0.4	RMS	2620	-21.84	-10	Pass	4
2621	2625	1	RMS	2621	-30.7	-10	Pass	601
2625	2640	1	RMS	2637.5	-43.96	-13	Pass	601
2640	2665	1	RMS	2657.292	-43.84	-25	Pass	601




33.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2614.533	6.39	30	Pass	601
2620	2621	0.4	RMS	2620	-37.75	-10	Pass	4
2621	2625	1	RMS	2621	-33.84	-10	Pass	601
2625	2640	1	RMS	2625.05	-37.85	-13	Pass	601
2640	2665	1	RMS	2645.167	-42.7	-25	Pass	601




33.9. Band Edge for SA(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.2	-44.53	-25	Pass	601
2540	2565	1	RMS	2557.208	-44.15	-13	Pass	601
2565	2569	1	RMS	2569	-32.98	-10	Pass	601
2569	2570	0.51	RMS	2569.998	-19.49	-10	Pass	601
2570	2610	1	RMS	2571.067	18.92	30	Pass	601




33.10. Band Edge for SA(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.775	-44.12	-25	Pass	601
2540	2565	1	RMS	2557.292	-36.98	-13	Pass	601
2565	2569	1	RMS	2568.867	-34.44	-10	Pass	601
2569	2570	0.62	RMS	2569.988	-31.2	-10	Pass	601
2570	2610	1	RMS	2574.2	5.47	30	Pass	601




33.11. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.675	-44.52	-25	Pass	601
2540	2565	1	RMS	2557.292	-44.28	-13	Pass	601
2565	2569	1	RMS	2568.987	-34.52	-10	Pass	601
2569	2570	0.51	RMS	2569.987	-20.17	-10	Pass	601
2570	2610	1	RMS	2571.133	18.31	30	Pass	601




33.12. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2540	1	RMS	2539.725	-43.22	-25	Pass	601
2540	2565	1	RMS	2565	-35.01	-13	Pass	601
2565	2569	1	RMS	2568.9	-33.9	-10	Pass	601
2569	2570	0.62	RMS	2569.998	-31.75	-10	Pass	601
2570	2610	1	RMS	2574.533	4.93	30	Pass	601




33.13. Band Edge for SA(NTNV)(Subtest:5, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	18.78	30	Pass	601
2620	2621	0.5	RMS	2620	-24.88	-10	Pass	3
2621	2625	1	RMS	2621.007	-35.57	-10	Pass	601
2625	2650	1	RMS	2646.125	-43.94	-13	Pass	601
2650	2665	1	RMS	2660.1	-43.84	-25	Pass	601




33.14. Band Edge for SA(NTNV)(Subtest:6, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2615.533	5.28	30	Pass	601
2620	2621	0.6	RMS	2620	-41.58	-10	Pass	3
2621	2625	1	RMS	2621.013	-39.66	-10	Pass	601
2625	2650	1	RMS	2631.292	-41.08	-13	Pass	601
2650	2665	1	RMS	2658.6	-43.55	-25	Pass	601




33.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	18.32	30	Pass	601
2620	2621	0.6	RMS	2620	-22.95	-10	Pass	3
2621	2625	1	RMS	2621.007	-35.17	-10	Pass	601
2625	2650	1	RMS	2647.083	-43.91	-13	Pass	601
2650	2665	1	RMS	2660.975	-43.81	-25	Pass	601




33.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2616.667	5.04	30	Pass	601
2620	2621	0.6	RMS	2620	-39.64	-10	Pass	3
2621	2625	1	RMS	2621.173	-36.88	-10	Pass	601
2625	2650	1	RMS	2625.333	-38.17	-13	Pass	601
2650	2665	1	RMS	2662.4	-42.97	-25	Pass	601




33.17. Band Edge for SA(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.992	-44.63	-25	Pass	601
2530	2565	1	RMS	2552.225	-44.01	-13	Pass	601
2565	2569	1	RMS	2568.993	-32.15	-10	Pass	601
2569	2570	0.51	RMS	2570	-18.42	-10	Pass	601
2570	2610	1	RMS	2571.133	18.9	30	Pass	601




33.18. Band Edge for SA(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.408	-44.1	-25	Pass	601
2530	2565	1	RMS	2553.275	-36.64	-13	Pass	601
2565	2569	1	RMS	2568.993	-35.34	-10	Pass	601
2569	2570	0.82	RMS	2570	-21.64	-10	Pass	601
2570	2610	1	RMS	2573	4.15	30	Pass	601




33.19. Band Edge for SA(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.408	-44.64	-25	Pass	601
2530	2565	1	RMS	2552.108	-44.15	-13	Pass	601
2565	2569	1	RMS	2569	-33.15	-10	Pass	601
2569	2570	0.51	RMS	2570	-19.67	-10	Pass	601
2570	2610	1	RMS	2571.133	18.33	30	Pass	601




33.20. Band Edge for SA(NTNV)(Subtest:4, Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2530	1	RMS	2528.383	-43.67	-25	Pass	601
2530	2565	1	RMS	2564.125	-35.38	-13	Pass	601
2565	2569	1	RMS	2568.967	-34.7	-10	Pass	601
2569	2570	0.82	RMS	2570	-22	-10	Pass	601
2570	2610	1	RMS	2574.333	3.7	30	Pass	601




33.21. Band Edge for SA(NTNV)(Subtest:5, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.867	18.77	30	Pass	601
2620	2621	0.5	RMS	2620	-21.69	-10	Pass	3
2621	2625	1	RMS	2621.007	-32.9	-10	Pass	601
2625	2660	1	RMS	2656.325	-43.84	-13	Pass	601
2660	2665	1	RMS	2660.342	-43.83	-25	Pass	601




33.22. Band Edge for SA(NTNV)(Subtest:6, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2590	4.05	30	Pass	601
2620	2621	0.8	RMS	2620	-40.93	-10	Pass	3
2621	2625	1	RMS	2621	-40.72	-10	Pass	601
2625	2660	1	RMS	2635.15	-41.54	-13	Pass	601
2660	2665	1	RMS	2660.275	-43.56	-25	Pass	601




33.23. Band Edge for SA(NTNV)(Subtest:7, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.8	18.22	30	Pass	601
2620	2621	0.8	RMS	2620	-17.58	-10	Pass	3
2621	2625	1	RMS	2621.007	-32.98	-10	Pass	601
2625	2660	1	RMS	2656.908	-43.86	-13	Pass	601
2660	2665	1	RMS	2661.508	-43.82	-25	Pass	601



33.24. Band Edge for SA(NTNV)(Subtest:8, Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2584.333	3.55	30	Pass	601
2620	2621	0.8	RMS	2620	-39.33	-10	Pass	3
2621	2625	1	RMS	2623.76	-38.57	-10	Pass	601
2625	2660	1	RMS	2625.058	-39.32	-13	Pass	601
2660	2665	1	RMS	2660.05	-43.12	-25	Pass	601



34. n41 30kHz


34.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-44.26	-25	Pass	601
2490	2495	1	RMS	2495	-31.1	-13	Pass	601
2495	2496	0.051	RMS	2496	-31.2	-13	Pass	601
2496	2596	1	RMS	2497.167	17.36	30	Pass	601




34.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-35.82	-25	Pass	601
2490	2495	1	RMS	2494.992	-33.43	-13	Pass	601
2495	2496	0.4	RMS	2496	-33.92	-13	Pass	4
2496	2596	1	RMS	2512.333	7.26	30	Pass	601




34.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.185	-44.24	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.15	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-31.01	-13	Pass	601
2496	2596	1	RMS	2497	17.5	30	Pass	601




34.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-36.09	-25	Pass	601
2490	2495	1	RMS	2494.883	-32.36	-13	Pass	601
2495	2496	0.4	RMS	2496	-34.15	-13	Pass	4
2496	2596	1	RMS	2512.833	7.25	30	Pass	601




34.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	17.34	30	Pass	601
2690	2691	0.1	RMS	2690	-27.41	-13	Pass	601
2691	2695	1	RMS	2691.007	-31.14	-13	Pass	601
2695	2710	1	RMS	2695.125	-44.08	-13	Pass	601
2710	2795	1	RMS	2783.667	-44.19	-25	Pass	601




34.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.667	7.24	30	Pass	601
2690	2691	0.4	RMS	2690	-38.66	-13	Pass	4
2691	2695	1	RMS	2691.06	-35.07	-13	Pass	601
2695	2710	1	RMS	2695.025	-36.91	-13	Pass	601
2710	2715	1	RMS	2710.642	-42.38	-25	Pass	601
2715	2795	1	RMS	2715	-43.01	-25	Pass	601




34.7. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	17.22	30	Pass	601
2690	2691	0.1	RMS	2690.005	-28.61	-13	Pass	601
2691	2695	1	RMS	2691	-31.8	-13	Pass	601
2695	2710	1	RMS	2695.05	-44.07	-13	Pass	601
2710	2795	1	RMS	2750.8	-44.19	-25	Pass	601




34.8. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2672.667	7.28	30	Pass	601
2690	2691	0.4	RMS	2690	-38.62	-13	Pass	4
2691	2695	1	RMS	2691.053	-35.13	-13	Pass	601
2695	2710	1	RMS	2695	-37.78	-13	Pass	601
2710	2715	1	RMS	2711.917	-42.91	-25	Pass	601
2715	2795	1	RMS	2715.133	-42.95	-25	Pass	601




34.9. Band Edge for SA(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-44.31	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.46	-13	Pass	601
2495	2496	0.051	RMS	2495.998	-31.58	-13	Pass	601
2496	2596	1	RMS	2496.833	17.46	30	Pass	601




34.10. Band Edge for SA(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-38.19	-25	Pass	601
2490	2495	1	RMS	2494.6	-35.57	-13	Pass	601
2495	2496	1.2	RMS	2496	-31.38	-13	Pass	2
2496	2596	1	RMS	2547	2.84	30	Pass	601




34.11. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-44.37	-25	Pass	601
2490	2495	1	RMS	2494.992	-31.3	-13	Pass	601
2495	2496	0.051	RMS	2495.997	-31.24	-13	Pass	601
2496	2596	1	RMS	2496.833	17.45	30	Pass	601




34.12. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-38.55	-25	Pass	601
2490	2495	1	RMS	2494.625	-35.38	-13	Pass	601
2495	2496	1.2	RMS	2496	-31.53	-13	Pass	2
2496	2596	1	RMS	2545.833	3.08	30	Pass	601




34.13. Band Edge for SA(NTNV)(Subtest:5, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.48	30	Pass	601
2690	2691	0.1	RMS	2690.002	-29.31	-13	Pass	601
2691	2695	1	RMS	2691	-32.62	-13	Pass	601
2695	2750	1	RMS	2695	-44.08	-13	Pass	601
2750	2795	1	RMS	2786.225	-44.22	-25	Pass	601




34.14. Band Edge for SA(NTNV)(Subtest:6, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.667	2.53	30	Pass	601
2690	2691	1.2	RMS	2690	-30.51	-13	Pass	2
2691	2695	1	RMS	2691.013	-37.9	-13	Pass	601
2695	2750	1	RMS	2695	-39.07	-13	Pass	601
2750	2755	1	RMS	2750.375	-44.16	-25	Pass	601
2755	2795	1	RMS	2783.267	-44.22	-25	Pass	601




34.15. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2688.833	17.22	30	Pass	601
2690	2691	0.1	RMS	2690	-29.46	-13	Pass	601
2691	2695	1	RMS	2691	-33.03	-13	Pass	601
2695	2750	1	RMS	2695.092	-44.07	-13	Pass	601
2750	2795	1	RMS	2755.025	-44.21	-25	Pass	601




34.16. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680	2.73	30	Pass	601
2690	2691	1.2	RMS	2690	-30.35	-13	Pass	2
2691	2695	1	RMS	2691.027	-37.72	-13	Pass	601
2695	2750	1	RMS	2695.092	-39.3	-13	Pass	601
2750	2755	1	RMS	2751.05	-44.21	-25	Pass	601
2755	2795	1	RMS	2784.6	-44.21	-25	Pass	601




34.17. Band Edge for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-44.28	-25	Pass	601
2490	2495	1	RMS	2495	-32.25	-13	Pass	601
2495	2496	0.051	RMS	2496	-32.5	-13	Pass	601
2496	2596	1	RMS	2497	17.57	30	Pass	601




34.18. Band Edge for SA(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.67	-38.88	-25	Pass	601
2490	2495	1	RMS	2494.958	-37.71	-13	Pass	601
2495	2496	1	RMS	2496	-35.45	-13	Pass	2
2496	2596	1	RMS	2550	0.38	30	Pass	601




34.19. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.68	-44.35	-25	Pass	601
2490	2495	1	RMS	2494.992	-32.29	-13	Pass	601
2495	2496	0.051	RMS	2496	-32.03	-13	Pass	601
2496	2596	1	RMS	2497.167	17.27	30	Pass	601




34.20. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.835	-37.99	-25	Pass	601
2490	2495	1	RMS	2494.933	-37.31	-13	Pass	601
2495	2496	1	RMS	2496	-35.02	-13	Pass	2
2496	2596	1	RMS	2558.667	0.18	30	Pass	601




34.21. Band Edge for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	17.32	30	Pass	601
2690	2691	0.1	RMS	2690	-29.14	-13	Pass	601
2691	2695	1	RMS	2691	-32.69	-13	Pass	601
2695	2790	1	RMS	2695	-44.09	-13	Pass	601
2790	2795	1	RMS	2794.075	-44.24	-25	Pass	601




34.22. Band Edge for SA(NTNV)(Subtest:6, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2668.833	0.14	30	Pass	601
2690	2691	2	RMS	2690	-36.24	-13	Pass	2
2691	2695	1	RMS	2691.293	-39.02	-13	Pass	601
2695	2790	1	RMS	2695.158	-39.97	-13	Pass	601
2790	2795	1	RMS	2792.092	-44.21	-25	Pass	601




34.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	16.75	30	Pass	601
2690	2691	0.1	RMS	2690	-29.66	-13	Pass	601
2691	2695	1	RMS	2691.007	-33.43	-13	Pass	601
2695	2790	1	RMS	2695.158	-44.07	-13	Pass	601
2790	2795	1	RMS	2791.442	-44.22	-25	Pass	601



34.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2674.5	0.41	30	Pass	601
2690	2691	2	RMS	2690	-35.3	-13	Pass	2
2691	2695	1	RMS	2691.447	-37.79	-13	Pass	601
2695	2790	1	RMS	2695.95	-38.07	-13	Pass	601
2790	2795	1	RMS	2791.375	-44.24	-25	Pass	601



35. n48 30kHz


35.1. Band Edge for SA(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.65	-43.3	-40	Pass	601
3530	3540	1	RMS	3539.617	-43.06	-25	Pass	601
3540	3549	1	RMS	3549	-23.74	-13	Pass	601
3549	3550	0.01	RMS	3549.998	-32.55	-13	Pass	601
3550	3560	0.1	RMS	3550.867	13.96	30	Pass	601




35.2. Band Edge for SA(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.3	-43.35	-40	Pass	601
3530	3540	1	RMS	3538.667	-40.16	-25	Pass	601
3540	3549	1	RMS	3546.615	-27.55	-13	Pass	601
3549	3550	0.01	RMS	3549.935	-41.48	-13	Pass	601
3550	3560	0.1	RMS	3551.883	0.87	30	Pass	601




35.3. Band Edge for SA(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3525.9	-43.31	-40	Pass	601
3530	3540	1	RMS	3539.45	-43.08	-25	Pass	601
3540	3549	1	RMS	3549	-24.51	-13	Pass	601
3549	3550	0.01	RMS	3549.998	-34.96	-13	Pass	601
3550	3560	0.1	RMS	3550.767	13.36	30	Pass	601




35.4. Band Edge for SA(NTNV)(Subtest:4, Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-43.06	-40	Pass	601
3530	3540	1	RMS	3539.983	-37.88	-25	Pass	601
3540	3549	1	RMS	3548.97	-26.26	-13	Pass	601
3549	3550	0.01	RMS	3549.94	-41.15	-13	Pass	601
3550	3560	0.1	RMS	3552.4	0.54	30	Pass	601




35.5. Band Edge for SA(NTNV)(Subtest:5, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.1	14.49	30	Pass	601
3700	3701	0.01	RMS	3700.013	-39.66	-13	Pass	601
3701	3710	1	RMS	3701	-30.47	-13	Pass	601
3710	3720	1	RMS	3718.933	-40.23	-25	Pass	601
3720	3750	1	RMS	3722.4	-58.52	-40	Pass	601




35.6. Band Edge for SA(NTNV)(Subtest:6, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3696.983	5.83	30	Pass	601
3700	3701	0.01	RMS	3700.045	-47.11	-13	Pass	601
3701	3710	1	RMS	3703.34	-33.27	-13	Pass	601
3710	3720	1	RMS	3718.55	-40.25	-25	Pass	601
3720	3750	1	RMS	3720	-58.93	-40	Pass	601




35.7. Band Edge for SA(NTNV)(Subtest:7, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3699.117	13.83	30	Pass	601
3700	3701	0.01	RMS	3700.007	-39.13	-13	Pass	601
3701	3710	1	RMS	3701	-30.63	-13	Pass	601
3710	3720	1	RMS	3719.65	-40.25	-25	Pass	601
3720	3750	1	RMS	3721.8	-58.67	-40	Pass	601




35.8. Band Edge for SA(NTNV)(Subtest:8, Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3690	3700	1	RMS	3696.833	5.39	30	Pass	601
3700	3701	0.01	RMS	3700.042	-47.55	-13	Pass	601
3701	3710	1	RMS	3701	-31.7	-13	Pass	601
3710	3720	1	RMS	3710	-40.09	-25	Pass	601
3720	3750	1	RMS	3720.15	-59.03	-40	Pass	601




35.9. Band Edge for SA(NTNV)(Subtest:9, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3529.9	-57.23	-40	Pass	601
3530	3540	1	RMS	3533.05	-43.03	-25	Pass	601
3540	3549	1	RMS	3549	-28.52	-13	Pass	601
3549	3550	0.01	RMS	3549.977	-36.2	-13	Pass	601
3550	3570	0.1	RMS	3551	13.71	30	Pass	601




35.10. Band Edge for SA(NTNV)(Subtest:10, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3525.45	-47.77	-40	Pass	601
3530	3540	1	RMS	3538.883	-32.99	-25	Pass	601
3540	3549	1	RMS	3549	-29.83	-13	Pass	601
3549	3550	0.01	RMS	3549.535	-45.78	-13	Pass	601
3550	3570	0.1	RMS	3555.2	-2.65	30	Pass	601




35.11. Band Edge for SA(NTNV)(Subtest:11, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-57.78	-40	Pass	601
3530	3540	1	RMS	3532.95	-43.1	-25	Pass	601
3540	3549	1	RMS	3549	-28.7	-13	Pass	601
3549	3550	0.01	RMS	3549.977	-36.55	-13	Pass	601
3550	3570	0.1	RMS	3550.9	13.22	30	Pass	601




35.12. Band Edge for SA(NTNV)(Subtest:12, Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-45.24	-40	Pass	31
3530	3540	1	RMS	3539	-32.89	-25	Pass	11
3540	3549	1	RMS	3549	-29.22	-13	Pass	601
3549	3550	0.01	RMS	3549.927	-45.58	-13	Pass	601
3550	3570	0.1	RMS	3552.533	-2.99	30	Pass	601




35.13. Band Edge for SA(NTNV)(Subtest:13, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3699.067	14.08	30	Pass	601
3700	3701	0.01	RMS	3700.002	-39.63	-13	Pass	601
3701	3710	1	RMS	3701	-33.37	-13	Pass	601
3710	3720	1	RMS	3719.267	-40.28	-25	Pass	601
3720	3750	1	RMS	3745.95	-49.75	-40	Pass	601




35.14. Band Edge for SA(NTNV)(Subtest:14, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3695.267	2.63	30	Pass	601
3700	3701	0.01	RMS	3700.11	-50.76	-13	Pass	601
3701	3710	1	RMS	3701	-34.7	-13	Pass	601
3710	3720	1	RMS	3710.917	-36.5	-25	Pass	601
3720	3750	1	RMS	3748.05	-49.74	-40	Pass	601




35.15. Band Edge for SA(NTNV)(Subtest:15, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3699.033	13.87	30	Pass	601
3700	3701	0.01	RMS	3700.002	-40.98	-13	Pass	601
3701	3710	1	RMS	3701.015	-34.15	-13	Pass	601
3710	3720	1	RMS	3719.267	-40.26	-25	Pass	601
3720	3750	1	RMS	3749.5	-49.73	-40	Pass	601




35.16. Band Edge for SA(NTNV)(Subtest:16, Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3680	3700	1	RMS	3682.6	2.2	30	Pass	601
3700	3701	0.01	RMS	3700.045	-50.35	-13	Pass	601
3701	3710	1	RMS	3701.015	-33.65	-13	Pass	601
3710	3720	1	RMS	3710.517	-36.7	-25	Pass	601
3720	3750	1	RMS	3720.15	-48.94	-40	Pass	601




35.17. Band Edge for SA(NTNV)(Subtest:17, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3513.1	-52.42	-40	Pass	601
3530	3540	1	RMS	3539.133	-43.44	-25	Pass	601
3540	3549	1	RMS	3549	-32.88	-13	Pass	601
3549	3550	0.01	RMS	3549.985	-40.52	-13	Pass	601
3550	3590	0.1	RMS	3551.067	12.11	30	Pass	601




35.18. Band Edge for SA(NTNV)(Subtest:18, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3528	-42.49	-40	Pass	31
3530	3540	1	RMS	3534	-38.63	-25	Pass	11
3540	3549	1	RMS	3548.97	-34.18	-13	Pass	601
3549	3550	0.01	RMS	3549.99	-50.28	-13	Pass	601
3550	3590	0.1	RMS	3552.8	-6.74	30	Pass	601




35.19. Band Edge for SA(NTNV)(Subtest:19, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3513.15	-56.65	-40	Pass	601
3530	3540	1	RMS	3538.383	-43.41	-25	Pass	601
3540	3549	1	RMS	3548.97	-34.35	-13	Pass	601
3549	3550	0.01	RMS	3549.987	-40.81	-13	Pass	601
3550	3590	0.1	RMS	3551	12.13	30	Pass	601




35.20. Band Edge for SA(NTNV)(Subtest:20, Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3530	1	RMS	3528	-40.02	-40	Pass*	31
3530	3540	1	RMS	3540	-38.99	-25	Pass	11
3540	3549	1	RMS	3548.955	-33.36	-13	Pass	601
3549	3550	0.01	RMS	3549.393	-50.37	-13	Pass	601
3550	3590	0.1	RMS	3582.933	-7.38	30	Pass	601




35.21. Band Edge for SA(NTNV)(Subtest:21, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	1	RMS	3698.867	14.93	30	Pass	601
3700	3701	0.01	RMS	3700	-44.83	-13	Pass	601
3701	3710	1	RMS	3701	-36.8	-13	Pass	601
3710	3720	1	RMS	3719.333	-40.56	-25	Pass	601
3720	3750	1	RMS	3736.5	-53.91	-40	Pass	601




35.22. Band Edge for SA(NTNV)(Subtest:22, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	1	RMS	3669.933	0.16	30	Pass	601
3700	3701	0.01	RMS	3700.477	-53.37	-13	Pass	601
3701	3710	1	RMS	3701.015	-36.98	-13	Pass	601
3710	3720	1	RMS	3714	-41.25	-25	Pass	11
3720	3750	1	RMS	3720	-43.17	-40	Pass	31




35.23. Band Edge for SA(NTNV)(Subtest:23, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	1	RMS	3698.867	14.04	30	Pass	601
3700	3701	0.01	RMS	3700.018	-45.7	-13	Pass	601
3701	3710	1	RMS	3701.03	-37.09	-13	Pass	601
3710	3720	1	RMS	3719.583	-40.23	-25	Pass	601
3720	3750	1	RMS	3736.65	-57.19	-40	Pass	601



35.24. Band Edge for SA(NTNV)(Subtest:24, Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3660	3700	1	RMS	3663	-0.25	30	Pass	601
3700	3701	0.01	RMS	3700.592	-52.79	-13	Pass	601
3701	3710	1	RMS	3701.105	-36.09	-13	Pass	601
3710	3720	1	RMS	3710	-42.04	-25	Pass	11
3720	3750	1	RMS	3720	-43.32	-40	Pass	31



36. n66 15kHz


36.1. Band Edge for SA(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.828	-50.09	-13	Pass	401
1708	1709	1	RMS	1709	-44.93	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-22.53	-13	Pass	401
1710	1730	1	RMS	1710.35	15.59	30	Pass	401




36.2. Band Edge for SA(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.885	-37.42	-13	Pass	401
1708	1709	1	RMS	1708	-39.22	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-34.91	-13	Pass	401
1710	1730	1	RMS	1713.3	10.12	30	Pass	401




36.3. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-49.91	-13	Pass	401
1708	1709	1	RMS	1709	-45.77	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-22.33	-13	Pass	401
1710	1730	1	RMS	1710.4	14.76	30	Pass	401




36.4. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-34.56	-13	Pass	401
1708	1709	1	RMS	1709	-35.85	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-36.39	-13	Pass	401
1710	1730	1	RMS	1713.35	9.56	30	Pass	401




36.5. Band Edge for SA(NTNV)(Subtest:5, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	16	30	Pass	401
1780	1781	0.051	RMS	1780.005	-25.54	-13	Pass	401
1781	1782	1	RMS	1781	-46.18	-13	Pass	2
1782	1805	1	RMS	1782.173	-50.1	-13	Pass	401




36.6. Band Edge for SA(NTNV)(Subtest:6, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.75	9.77	30	Pass	401
1780	1781	0.051	RMS	1780.005	-35.12	-13	Pass	401
1781	1782	1	RMS	1782	-35.43	-13	Pass	2
1782	1805	1	RMS	1782	-33.41	-13	Pass	401




36.7. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.7	15.33	30	Pass	401
1780	1781	0.051	RMS	1780.008	-24.9	-13	Pass	401
1781	1782	1	RMS	1781	-46.86	-13	Pass	2
1782	1805	1	RMS	1782.058	-50.12	-13	Pass	401




36.8. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.45	9.24	30	Pass	401
1780	1781	0.051	RMS	1780.005	-36.31	-13	Pass	401
1781	1782	1	RMS	1781	-31.49	-13	Pass	2
1782	1805	1	RMS	1782.058	-30.8	-13	Pass	401




36.9. Band Edge for SA(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-49.83	-13	Pass	401
1708	1709	1	RMS	1709	-45.22	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-21.49	-13	Pass	401
1710	1730	1	RMS	1710.5	15.58	30	Pass	401




36.10. Band Edge for SA(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1704.033	-41.52	-13	Pass	401
1708	1709	1	RMS	1709	-41.84	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-39.91	-13	Pass	401
1710	1730	1	RMS	1720.75	5.35	30	Pass	401




36.11. Band Edge for SA(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-49.91	-13	Pass	401
1708	1709	1	RMS	1709	-45.97	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-22.1	-13	Pass	401
1710	1730	1	RMS	1710.45	14.43	30	Pass	401




36.12. Band Edge for SA(NTNV)(Subtest:4, Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-37.02	-13	Pass	401
1708	1709	1	RMS	1709	-38.7	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-39.22	-13	Pass	401
1710	1730	1	RMS	1722.8	4.86	30	Pass	401




36.13. Band Edge for SA(NTNV)(Subtest:5, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	15.91	30	Pass	401
1780	1781	0.15	RMS	1780.003	-25.17	-13	Pass	401
1781	1782	1	RMS	1781	-46.65	-13	Pass	2
1782	1805	1	RMS	1782.058	-50.29	-13	Pass	401




36.14. Band Edge for SA(NTNV)(Subtest:6, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1775.8	5.32	30	Pass	401
1780	1781	0.15	RMS	1780.005	-45.95	-13	Pass	401
1781	1782	1	RMS	1781	-41.72	-13	Pass	2
1782	1805	1	RMS	1785.335	-41.54	-13	Pass	401




36.15. Band Edge for SA(NTNV)(Subtest:7, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	15.26	30	Pass	401
1780	1781	0.15	RMS	1780.008	-25.36	-13	Pass	401
1781	1782	1	RMS	1781	-47.3	-13	Pass	2
1782	1805	1	RMS	1782.115	-50.64	-13	Pass	401




36.16. Band Edge for SA(NTNV)(Subtest:8, Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778	4.73	30	Pass	401
1780	1781	0.15	RMS	1780.398	-42.91	-13	Pass	401
1781	1782	1	RMS	1781	-37.99	-13	Pass	2
1782	1805	1	RMS	1782.173	-36.89	-13	Pass	401




36.17. Band Edge for SA(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.943	-50.29	-13	Pass	401
1708	1709	1	RMS	1709	-46.4	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-22.97	-13	Pass	401
1710	1730	1	RMS	1710.6	15.94	30	Pass	401




36.18. Band Edge for SA(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-40.69	-13	Pass	401
1708	1709	1	RMS	1709	-40.88	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-40.19	-13	Pass	401
1710	1730	1	RMS	1723.85	3.54	30	Pass	401




36.19. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-50.38	-13	Pass	401
1708	1709	1	RMS	1709	-46.97	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-23.31	-13	Pass	401
1710	1730	1	RMS	1710.55	14.32	30	Pass	401




36.20. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.828	-37.74	-13	Pass	401
1708	1709	1	RMS	1709	-39.41	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-41.56	-13	Pass	401
1710	1730	1	RMS	1724.8	3.64	30	Pass	401




36.21. Band Edge for SA(NTNV)(Subtest:5, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	15.88	30	Pass	401
1780	1781	0.2	RMS	1780.005	-26.15	-13	Pass	401
1781	1782	1	RMS	1781	-47.4	-13	Pass	2
1782	1805	1	RMS	1782	-50.25	-13	Pass	401




36.22. Band Edge for SA(NTNV)(Subtest:6, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1774.15	3.55	30	Pass	401
1780	1781	0.2	RMS	1780.045	-44.68	-13	Pass	401
1781	1782	1	RMS	1781	-40.58	-13	Pass	2
1782	1805	1	RMS	1782	-38.88	-13	Pass	401




36.23. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	14.63	30	Pass	401
1780	1781	0.2	RMS	1780.005	-26.8	-13	Pass	401
1781	1782	1	RMS	1781	-48.01	-13	Pass	2
1782	1805	1	RMS	1782	-50.41	-13	Pass	401



36.24. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1774.5	3.57	30	Pass	401
1780	1781	0.2	RMS	1780.055	-43.08	-13	Pass	401
1781	1782	1	RMS	1781	-38.96	-13	Pass	2
1782	1805	1	RMS	1782	-37.12	-13	Pass	401



37. n71 15kHz


37.1. Band Edge for SA(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-56.05	-13	Pass	401
662	663	0.051	RMS	662.998	-22.51	-13	Pass	401
663	683	0.1	RMS	663.25	11.11	30	Pass	401




37.2. Band Edge for SA(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	660.8	-36.57	-13	Pass	401
662	663	0.051	RMS	662.998	-32.6	-13	Pass	401
663	683	0.1	RMS	666.95	0.39	30	Pass	401




37.3. Band Edge for SA(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.82	-57.9	-13	Pass	401
662	663	0.051	RMS	662.995	-26.11	-13	Pass	401
663	683	0.1	RMS	663.3	12.11	30	Pass	401




37.4. Band Edge for SA(NTNV)(Subtest:4, Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.7	-37.89	-13	Pass	401
662	663	0.051	RMS	662.978	-36.03	-13	Pass	401
663	683	0.1	RMS	666.1	-1.39	30	Pass	401




37.5. Band Edge for SA(NTNV)(Subtest:5, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.7	12.11	30	Pass	401
698	699	0.051	RMS	698.008	-24.35	-13	Pass	401
699	723	0.1	RMS	699.72	-53.58	-13	Pass	401




37.6. Band Edge for SA(NTNV)(Subtest:6, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.25	-0.69	30	Pass	401
698	699	0.051	RMS	698.005	-35.49	-13	Pass	401
699	723	0.1	RMS	700.08	-40.01	-13	Pass	401




37.7. Band Edge for SA(NTNV)(Subtest:7, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.7	11.34	30	Pass	401
698	699	0.051	RMS	698.005	-24.18	-13	Pass	401
699	723	0.1	RMS	699.9	-55.86	-13	Pass	401




37.8. Band Edge for SA(NTNV)(Subtest:8, Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	695.6	-1.4	30	Pass	401
698	699	0.051	RMS	698.005	-36.5	-13	Pass	401
699	723	0.1	RMS	699	-39.68	-13	Pass	401




37.9. Band Edge for SA(NTNV)(Subtest:1, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.82	-57.53	-13	Pass	401
662	663	0.1	RMS	662.995	-21.74	-13	Pass	401
663	683	0.1	RMS	663.4	10.15	30	Pass	401




37.10. Band Edge for SA(NTNV)(Subtest:2, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.4	-40.18	-13	Pass	401
662	663	0.1	RMS	662.998	-35.69	-13	Pass	401
663	683	0.1	RMS	667.05	-2.87	30	Pass	401




37.11. Band Edge for SA(NTNV)(Subtest:3, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-56.62	-13	Pass	401
662	663	0.1	RMS	662.995	-25.44	-13	Pass	401
663	683	0.1	RMS	663.45	11.97	30	Pass	401




37.12. Band Edge for SA(NTNV)(Subtest:4, Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.76	-39.57	-13	Pass	401
662	663	0.1	RMS	662.998	-35.58	-13	Pass	401
663	683	0.1	RMS	667.8	-4.03	30	Pass	401




37.13. Band Edge for SA(NTNV)(Subtest:5, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.6	11.35	30	Pass	401
698	699	0.1	RMS	698.008	-23.07	-13	Pass	401
699	723	0.1	RMS	699.06	-56.44	-13	Pass	401




37.14. Band Edge for SA(NTNV)(Subtest:6, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	690.2	-3.17	30	Pass	401
698	699	0.1	RMS	698.015	-41.08	-13	Pass	401
699	723	0.1	RMS	699.12	-42.23	-13	Pass	401




37.15. Band Edge for SA(NTNV)(Subtest:7, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.65	10.96	30	Pass	401
698	699	0.1	RMS	698.008	-21.79	-13	Pass	401
699	723	0.1	RMS	699.12	-56.44	-13	Pass	401




37.16. Band Edge for SA(NTNV)(Subtest:8, Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	691.15	-3.72	30	Pass	401
698	699	0.1	RMS	698.845	-42.82	-13	Pass	401
699	723	0.1	RMS	699.12	-42.27	-13	Pass	401




37.17. Band Edge for SA(NTNV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.88	-58.99	-13	Pass	401
662	663	0.2	RMS	662.998	-23.62	-13	Pass	401
663	683	0.1	RMS	663.55	12.35	30	Pass	401




37.18. Band Edge for SA(NTNV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	662	-44.76	-13	Pass	401
662	663	0.2	RMS	662.998	-37.82	-13	Pass	401
663	683	0.1	RMS	670.05	-5.68	30	Pass	401




37.19. Band Edge for SA(NTNV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.94	-58.63	-13	Pass	401
662	663	0.2	RMS	662.995	-27.71	-13	Pass	401
663	683	0.1	RMS	663.55	9.72	30	Pass	401




37.20. Band Edge for SA(NTNV)(Subtest:4, Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
638	662	0.1	RMS	661.76	-43.37	-13	Pass	401
662	663	0.2	RMS	662.988	-38.67	-13	Pass	401
663	683	0.1	RMS	671.3	-6.51	30	Pass	401




37.21. Band Edge for SA(NTNV)(Subtest:5, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	12.68	30	Pass	401
698	699	0.2	RMS	698.005	-26.56	-13	Pass	401
699	723	0.1	RMS	699	-57.26	-13	Pass	401




37.22. Band Edge for SA(NTNV)(Subtest:6, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	685.05	-5.92	30	Pass	401
698	699	0.2	RMS	698.158	-43.43	-13	Pass	401
699	723	0.1	RMS	699.6	-49.69	-13	Pass	401




37.23. Band Edge for SA(NTNV)(Subtest:7, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	697.45	11.23	30	Pass	401
698	699	0.2	RMS	698.005	-25.95	-13	Pass	401
699	723	0.1	RMS	699	-57.16	-13	Pass	401



37.24. Band Edge for SA(NTNV)(Subtest:8, Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	685	-6.47	30	Pass	401
698	699	0.2	RMS	698.008	-42.46	-13	Pass	401
699	723	0.1	RMS	699.48	-46.35	-13	Pass	401



38. n77 30kHz(3450-3550)


38.1. Band Edge for SA(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-42.24	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-36.86	-13	Pass	601
3449	3450	0.2	RMS	3449.998	-22.35	-13	Pass	601
3450	3550	1	RMS	3451	19.48	30	Pass	601




38.2. Band Edge for SA(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.5	-31.82	-13	Pass	601
3445	3449	0.62	RMS	3449	-32.85	-13	Pass	601
3449	3450	0.2	RMS	3450	-33.23	-13	Pass	601
3450	3550	1	RMS	3455	8.95	30	Pass	601




38.3. Band Edge for SA(NTNV)(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3345.167	-42.24	-13	Pass	601
3445	3449	0.62	RMS	3448.627	-35.15	-13	Pass	601
3449	3450	0.2	RMS	3450	-22.91	-13	Pass	601
3450	3550	1	RMS	3451	19.49	30	Pass	601




38.4. Band Edge for SA(NTNV)(Subtest:4, Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.667	-20.81	-13	Pass	601
3445	3449	0.62	RMS	3448.233	-18.49	-13	Pass	601
3449	3450	0.2	RMS	3449.732	-21.8	-13	Pass	601
3450	3550	1	RMS	3452.667	8.84	30	Pass	601




38.5. Band Edge for SA(NTNV)(Subtest:5, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3548.833	18.56	30	Pass	601
3550	3551	0.2	RMS	3550	-24.35	-13	Pass	601
3551	3555	0.62	RMS	3551.013	-37.83	-13	Pass	601
3555	3655	1	RMS	3625	-39.79	-13	Pass	601




38.6. Band Edge for SA(NTNV)(Subtest:6, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3543	7.89	30	Pass	601
3550	3551	0.2	RMS	3550.008	-23.13	-13	Pass	601
3551	3555	0.62	RMS	3551.027	-21.14	-13	Pass	601
3555	3655	1	RMS	3558.333	-19.55	-13	Pass	601




38.7. Band Edge for SA(NTNV)(Subtest:7, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.67	30	Pass	601
3550	3551	0.2	RMS	3550.008	-22.83	-13	Pass	601
3551	3555	0.62	RMS	3551	-32.53	-13	Pass	601
3555	3655	1	RMS	3555.333	-38.1	-13	Pass	601




38.8. Band Edge for SA(NTNV)(Subtest:8, Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3544	7.65	30	Pass	601
3550	3551	0.2	RMS	3550	-21.07	-13	Pass	601
3551	3555	0.62	RMS	3551.007	-16.89	-13	Pass	601
3555	3655	1	RMS	3555	-17.13	-13	Pass	601




38.9. Band Edge for SA(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3348.167	-42.27	-13	Pass	601
3445	3449	0.62	RMS	3448.32	-36.53	-13	Pass	601
3449	3450	0.2	RMS	3449.997	-22.78	-13	Pass	601
3450	3550	1	RMS	3450.833	19.08	30	Pass	601




38.10. Band Edge for SA(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3423	-34.77	-13	Pass	601
3445	3449	0.62	RMS	3448.893	-36.21	-13	Pass	601
3449	3450	0.2	RMS	3449.993	-40.45	-13	Pass	601
3450	3550	1	RMS	3471.667	3.81	30	Pass	601




38.11. Band Edge for SA(NTNV)(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3346.333	-42.25	-13	Pass	601
3445	3449	0.62	RMS	3448.747	-35.87	-13	Pass	601
3449	3450	0.2	RMS	3450	-23.46	-13	Pass	601
3450	3550	1	RMS	3451.167	18.9	30	Pass	601




38.12. Band Edge for SA(NTNV)(Subtest:4, Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-22.36	-13	Pass	601
3445	3449	0.62	RMS	3448.993	-22.55	-13	Pass	601
3449	3450	0.2	RMS	3449.972	-26.67	-13	Pass	601
3450	3550	1	RMS	3483	3.3	30	Pass	601




38.13. Band Edge for SA(NTNV)(Subtest:5, Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.54	30	Pass	601
3550	3551	0.2	RMS	3550.003	-25.08	-13	Pass	601
3551	3555	0.62	RMS	3551.653	-37.56	-13	Pass	601
3555	3655	1	RMS	3619.167	-39.78	-13	Pass	601




38.14. Band Edge for SA(NTNV)(Subtest:6, Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3511.667	3.68	30	Pass	601
3550	3551	0.2	RMS	3550.002	-39.12	-13	Pass	601
3551	3555	0.62	RMS	3551.967	-37.44	-13	Pass	601
3555	3655	1	RMS	3576.5	-36.08	-13	Pass	601




38.15. Band Edge for SA(NTNV)(Subtest:7, Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.46	30	Pass	601
3550	3551	0.2	RMS	3550	-23.7	-13	Pass	601
3551	3555	0.62	RMS	3551.027	-33.46	-13	Pass	601
3555	3655	1	RMS	3555	-38.53	-13	Pass	601




38.16. Band Edge for SA(NTNV)(Subtest:8, Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3515.167	2.86	30	Pass	601
3550	3551	0.2	RMS	3550.915	-25.51	-13	Pass	601
3551	3555	0.62	RMS	3551.1	-21.17	-13	Pass	601
3555	3655	1	RMS	3555	-19.75	-13	Pass	601




38.17. Band Edge for SA(NTNV)(Subtest:1, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3353.333	-42.16	-13	Pass	601
3445	3449	0.62	RMS	3448.293	-36.61	-13	Pass	601
3449	3450	0.2	RMS	3449.997	-23.4	-13	Pass	601
3450	3550	1	RMS	3451.167	18.94	30	Pass	601




38.18. Band Edge for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-34.14	-13	Pass	601
3445	3449	0.62	RMS	3445.007	-36.04	-13	Pass	601
3449	3450	0.2	RMS	3449.943	-39.91	-13	Pass	601
3450	3550	1	RMS	3480.5	1.73	30	Pass	601




38.19. Band Edge for SA(NTNV)(Subtest:3, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3352.833	-42.17	-13	Pass	601
3445	3449	0.62	RMS	3448.687	-35.82	-13	Pass	601
3449	3450	0.2	RMS	3450	-24.24	-13	Pass	601
3450	3550	1	RMS	3451	19.21	30	Pass	601




38.20. Band Edge for SA(NTNV)(Subtest:4, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3444.833	-21.86	-13	Pass	601
3445	3449	0.62	RMS	3445.053	-23.84	-13	Pass	601
3449	3450	0.2	RMS	3449.933	-28.95	-13	Pass	601
3450	3550	1	RMS	3490.5	0.95	30	Pass	601




38.21. Band Edge for SA(NTNV)(Subtest:5, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.58	30	Pass	601
3550	3551	0.2	RMS	3550.003	-25.14	-13	Pass	601
3551	3555	0.62	RMS	3551.653	-37.57	-13	Pass	601
3555	3655	1	RMS	3611.833	-39.79	-13	Pass	601



38.22. Band Edge for SA(NTNV)(Subtest:6, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3508.833	-0.15	30	Pass	601
3550	3551	0.2	RMS	3550.05	-41.09	-13	Pass	601
3551	3555	0.62	RMS	3554.007	-37	-13	Pass	601
3555	3655	1	RMS	3555.167	-34.95	-13	Pass	601



38.23. Band Edge for SA(NTNV)(Subtest:7, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	18.43	30	Pass	601
3550	3551	0.2	RMS	3550	-23.65	-13	Pass	601
3551	3555	0.62	RMS	3551.047	-33.48	-13	Pass	601
3555	3655	1	RMS	3555.167	-38.65	-13	Pass	601

