


RSE-H&H NR_DC_66A_n30A 20MHz(CH132322)+5MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1193.700	-67.01	-6.83	-40.0	-27.01	51.00	Horizontal	Vertical	Pass
2158.700	-54.49	-3.41	-40.0	-14.49	156.00	Horizontal	Vertical	N/A
2310.400	-55.60	-1.70	-40.0	-15.60	160.00	Horizontal	Vertical	N/A
4950.750	-59.50	3.30	-40.0	-19.50	123.00	Horizontal	Vertical	Pass
7858.500	-45.46	17.01	-40.0	-5.46	257.00	Horizontal	Vertical	Pass
16825.500	-46.29	17.61	-40.0	-6.29	251.00	Horizontal	Vertical	Pass

74.2 NR_DC_66A_n30A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n30A 20MHz(CH132322)+10MHz(CH462000)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
380.849	-78.40	-18.06	-40.0	-38.40	157.00	Vertical	Vertical	Pass
1202.700	-67.32	-6.47	-40.0	-27.32	110.00	Vertical	Vertical	Pass
2153.500	-45.56	-3.73	-40.0	-5.56	315.00	Vertical	Vertical	N/A
2310.800	-53.09	-1.70	-40.0	-13.09	93.00	Vertical	Vertical	N/A
7985.250	-45.38	17.17	-40.0	-5.38	313.00	Vertical	Vertical	Pass
16368.312	-46.43	17.01	-40.0	-6.43	156.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n30A 20MHz(CH132322)+10MHz(CH462000)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
1197.500	-66.54	-6.48	-40.0	-26.54	87.00	Horizontal	Vertical	Pass
2151.700	-53.57	-3.80	-40.0	-13.57	158.00	Horizontal	Vertical	N/A
2310.600	-56.67	-1.70	-40.0	-16.67	162.00	Horizontal	Vertical	N/A
4947.750	-59.77	3.31	-40.0	-19.77	194.00	Horizontal	Vertical	Pass
7116.750	-45.99	15.65	-40.0	-5.99	179.00	Horizontal	Vertical	Pass
15443.625	-46.38	16.54	-40.0	-6.38	360.00	Horizontal	Vertical	Pass

75 NR_DC_2A_n77A(3545-3550MHz)

75.1 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.765	-66.91	-17.08	-13.0	-53.91	360.00	Vertical	Horizontal	Pass
375.078	-64.63	-9.88	-13.0	-51.63	360.00	Vertical	Horizontal	Pass
1854.300	-47.96	3.96	-13.0	-34.96	79.00	Vertical	Horizontal	Pass
3501.750	-38.43	13.33	-13.0	-25.43	216.00	Vertical	Horizontal	Pass
7122.000	-38.23	15.44	-13.0	-25.23	182.00	Vertical	Horizontal	Pass
11874.813	-42.17	11.72	-13.0	-29.17	210.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.623	-66.35	-17.50	-13.0	-53.35	350.00	Horizontal	Horizontal	Pass
370.906	-63.83	-9.94	-13.0	-50.83	141.00	Horizontal	Horizontal	Pass
1830.300	-48.69	3.45	-13.0	-35.69	163.00	Horizontal	Horizontal	Pass
3967.750	-40.43	14.76	-13.0	-27.43	350.00	Horizontal	Horizontal	Pass
7152.750	-38.21	15.38	-13.0	-25.21	217.00	Horizontal	Horizontal	Pass
12660.463	-42.56	12.08	-13.0	-29.56	360.00	Horizontal	Horizontal	Pass

75.2 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+60MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.126	-66.22	-16.35	-13.0	-53.22	274.00	Vertical	Horizontal	Pass
375.078	-65.74	-9.88	-13.0	-52.74	325.00	Vertical	Horizontal	Pass
1568.400	-50.56	0.95	-13.0	-37.56	168.00	Vertical	Horizontal	Pass
3505.250	-38.76	13.35	-13.0	-25.76	173.00	Vertical	Horizontal	Pass
7253.000	-37.64	16.00	-13.0	-24.64	360.00	Vertical	Horizontal	Pass
17655.075	-40.39	15.34	-13.0	-27.39	95.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-66.60	-16.67	-13.0	-53.60	49.00	Horizontal	Horizontal	Pass
372.750	-63.93	-9.92	-13.0	-50.93	124.00	Horizontal	Horizontal	Pass
1617.900	-50.12	1.30	-13.0	-37.12	326.00	Horizontal	Horizontal	Pass
3371.000	-40.88	13.52	-13.0	-27.88	204.00	Horizontal	Horizontal	Pass
7859.250	-37.31	17.02	-13.0	-24.31	360.00	Horizontal	Horizontal	Pass
13400.475	-41.88	13.13	-13.0	-28.88	154.00	Horizontal	Horizontal	Pass


75.3 NR_DC_2A_n77A(3545-3550MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+100MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-63.14	-17.03	-13.0	-50.14	269.00	Vertical	Horizontal	Pass
376.047	-65.58	-9.86	-13.0	-52.58	360.00	Vertical	Horizontal	Pass
1402.600	-50.37	1.48	-13.0	-37.37	64.00	Vertical	Horizontal	Pass
3475.250	-35.96	13.48	-13.0	-22.96	99.00	Vertical	Horizontal	Pass
5797.250	-33.12	19.75	-13.0	-20.12	196.00	Vertical	Horizontal	Pass
13395.488	-42.56	13.02	-13.0	-29.56	167.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3545-3550MHz) 20MHz(CH18900)+100MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.157	-64.65	-17.50	-13.0	-51.65	360.00	Horizontal	Horizontal	Pass
365.766	-63.04	-10.11	-13.0	-50.04	141.00	Horizontal	Horizontal	Pass
1832.600	-49.27	3.51	-13.0	-36.27	359.00	Horizontal	Horizontal	Pass
3521.250	-40.70	13.45	-13.0	-27.70	6.00	Horizontal	Horizontal	Pass
5777.000	-33.81	19.89	-13.0	-20.81	2.00	Horizontal	Horizontal	Pass
11956.513	-42.99	11.66	-13.0	-29.99	0.00	Horizontal	Horizontal	Pass

76 NR_DC_66A_n77A(3545-3550MHz)

76.1 NR_DC_66A_n77A(3545-3550MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.148	-65.43	-16.68	-13.0	-52.43	144.00	Vertical	Horizontal	Pass
370.906	-65.76	-9.94	-13.0	-52.76	360.00	Vertical	Horizontal	Pass
1283.200	-50.57	0.52	-13.0	-37.57	232.00	Vertical	Horizontal	Pass
2136.900	-39.25	4.31	-13.0	-26.25	199.00	Vertical	Horizontal	Pass
3502.750	-37.37	13.34	-13.0	-24.37	20.00	Vertical	Horizontal	Pass
13381.838	-42.61	13.22	-13.0	-29.61	53.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.697	-64.18	-17.65	-13.0	-51.18	21.00	Horizontal	Horizontal	Pass
374.981	-64.46	-9.89	-13.0	-51.46	123.00	Horizontal	Horizontal	Pass
1347.900	-50.75	-0.04	-13.0	-37.75	0.00	Horizontal	Horizontal	Pass
2138.300	-41.67	4.28	-13.0	-28.67	312.00	Horizontal	Horizontal	N/A
4778.250	-37.02	17.60	-13.0	-24.02	154.00	Horizontal	Horizontal	Pass
12830.850	-43.11	12.11	-13.0	-30.11	360.00	Horizontal	Horizontal	Pass

76.2 NR_DC_66A_n77A(3545-3550M) 20MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+60MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.846	-66.31	-16.52	-13.0	-53.31	232.00	Vertical	Horizontal	Pass
374.738	-65.45	-9.89	-13.0	-52.45	2.00	Vertical	Horizontal	Pass
1180.600	-50.78	1.38	-13.0	-37.78	176.00	Vertical	Horizontal	Pass
2152.200	-39.11	4.21	-13.0	-26.11	212.00	Vertical	Horizontal	Pass
3490.500	-38.12	13.38	-13.0	-25.12	29.00	Vertical	Horizontal	Pass
13398.638	-41.69	13.09	-13.0	-28.69	293.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
131.025	-65.18	-17.72	-13.0	-52.18	360.00	Horizontal	Horizontal	Pass
369.791	-64.42	-9.97	-13.0	-51.42	141.00	Horizontal	Horizontal	Pass
1201.500	-51.63	1.62	-13.0	-38.63	192.00	Horizontal	Horizontal	Pass
2142.900	-39.66	4.15	-13.0	-26.66	312.00	Horizontal	Horizontal	N/A
5074.250	-35.62	17.72	-13.0	-22.62	163.00	Horizontal	Horizontal	Pass
12678.038	-42.33	12.25	-13.0	-29.33	104.00	Horizontal	Horizontal	Pass

76.3 NR_DC_66A_n77A(3545-3550MHz) 20MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+100MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.070	-63.39	-16.59	-13.0	-50.39	258.00	Vertical	Horizontal	Pass
376.193	-65.75	-9.85	-13.0	-52.75	321.00	Vertical	Horizontal	Pass
1194.200	-51.57	1.23	-13.0	-38.57	358.00	Vertical	Horizontal	Pass
2142.700	-36.60	4.16	-13.0	-23.60	209.00	Vertical	Horizontal	N/A
3476.000	-37.45	13.47	-13.0	-24.45	12.00	Vertical	Horizontal	N/A
17919.676	-41.84	15.49	-13.0	-28.84	121.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3545-3550MHz) 20MHz(CH132322)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.030	-65.20	-17.54	-13.0	-52.20	10.00	Horizontal	Horizontal	Pass
376.096	-63.63	-9.85	-13.0	-50.63	113.00	Horizontal	Horizontal	Pass
1206.900	-51.34	1.20	-13.0	-38.34	294.00	Horizontal	Horizontal	Pass
2149.900	-40.98	4.14	-13.0	-27.98	304.00	Horizontal	Horizontal	N/A
7876.250	-37.56	16.82	-13.0	-24.56	175.00	Horizontal	Horizontal	Pass
17854.050	-40.84	15.18	-13.0	-27.84	187.00	Horizontal	Horizontal	Pass

77 NR_DC_12A_n77A(3545-3550MHz)

77.1 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.374	-84.54	-12.24	-13.0	-71.54	76.00	Vertical	Horizontal	Pass
106.145	-86.15	-15.00	-13.0	-73.15	322.00	Vertical	Horizontal	Pass
1493.600	-54.57	-2.86	-13.0	-41.57	279.00	Vertical	Horizontal	Pass
3503.250	-37.43	13.34	-13.0	-24.43	18.00	Vertical	Horizontal	N/A
5796.750	-33.96	19.74	-13.0	-20.96	269.00	Vertical	Horizontal	Pass
11907.588	-41.90	11.78	-13.0	-28.90	156.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.811	-84.27	-12.30	-13.0	-71.27	10.00	Horizontal	Horizontal	Pass
742.028	-65.12	5.38	-13.0	-52.12	127.00	Horizontal	Horizontal	Pass
1200.500	-54.11	-1.74	-13.0	-41.11	100.00	Horizontal	Horizontal	Pass
3486.500	-40.75	13.41	-13.0	-27.75	0.00	Horizontal	Horizontal	N/A
5798.500	-34.21	19.78	-13.0	-21.21	166.00	Horizontal	Horizontal	Pass
17977.950	-41.54	15.08	-13.0	-28.54	44.00	Horizontal	Horizontal	Pass

77.2 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
40.573	-85.05	-13.19	-13.0	-72.05	238.00	Vertical	Horizontal	Pass
725.005	-64.81	4.87	-13.0	-51.81	44.00	Vertical	Horizontal	Pass
1219.500	-55.02	-2.70	-13.0	-42.02	327.00	Vertical	Horizontal	Pass
3500.000	-39.60	13.32	-13.0	-26.60	278.00	Vertical	Horizontal	N/A
7239.750	-37.35	16.27	-13.0	-24.35	326.00	Vertical	Horizontal	Pass
17895.526	-41.37	15.74	-13.0	-28.37	110.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+60MHz(CH633334)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.072	-84.41	-12.43	-13.0	-71.41	60.00	Horizontal	Horizontal	Pass
736.548	-64.73	5.31	-13.0	-51.73	338.00	Horizontal	Horizontal	Pass
1200.500	-54.95	-1.74	-13.0	-41.95	246.00	Horizontal	Horizontal	Pass
3472.750	-41.73	13.49	-13.0	-28.73	350.00	Horizontal	Horizontal	Pass
5797.750	-32.94	19.76	-13.0	-19.94	344.00	Horizontal	Horizontal	Pass
17934.113	-40.90	15.31	-13.0	-27.90	346.00	Horizontal	Horizontal	Pass

77.3 NR_DC_12A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.114	-84.34	-12.21	-13.0	-71.34	97.00	Vertical	Horizontal	Pass
736.596	-64.81	5.32	-13.0	-51.81	305.00	Vertical	Horizontal	Pass
1206.700	-54.54	-2.04	-13.0	-41.54	62.00	Vertical	Horizontal	Pass
3475.750	-37.72	13.47	-13.0	-24.72	107.00	Vertical	Horizontal	N/A
7853.500	-37.45	16.91	-13.0	-24.45	219.00	Vertical	Horizontal	Pass
17906.024	-41.23	15.51	-13.0	-28.23	294.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3545-3550MHz) 10MHz(CH23095)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.053	-83.97	-12.32	-13.0	-70.97	242.00	Horizontal	Horizontal	Pass
744.502	-64.96	5.26	-13.0	-51.96	252.00	Horizontal	Horizontal	Pass
2277.500	-51.62	-0.28	-13.0	-38.62	278.00	Horizontal	Horizontal	Pass
5033.750	-36.80	17.78	-13.0	-23.80	218.00	Horizontal	Horizontal	Pass
9303.400	-44.39	10.17	-13.0	-31.39	20.00	Horizontal	Horizontal	Pass
17985.825	-41.09	14.70	-13.0	-28.09	359.00	Horizontal	Horizontal	Pass

78 NR_DC_14A_n77A(3545-3550MHz)

78.1 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+20MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.682	-62.07	-14.92	-13.0	-49.07	252.00	Vertical	Horizontal	Pass
379.006	-65.90	-6.89	-13.0	-52.90	332.00	Vertical	Horizontal	Pass
758.858	-38.04	4.28	-13.0	-25.04	144.00	Vertical	Horizontal	N/A
3500.750	-37.37	13.32	-13.0	-24.37	273.00	Vertical	Horizontal	N/A
7893.000	-36.91	16.72	-13.0	-23.91	96.00	Vertical	Horizontal	Pass
17887.912	-40.49	15.49	-13.0	-27.49	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
139.707	-67.25	-16.31	-13.0	-54.25	167.00	Horizontal	Horizontal	Pass
371.052	-63.31	-7.11	-13.0	-50.31	140.00	Horizontal	Horizontal	Pass
758.664	-46.09	4.30	-13.0	-33.09	14.00	Horizontal	Horizontal	N/A
3190.250	-41.44	11.36	-13.0	-28.44	0.00	Horizontal	Horizontal	Pass
12685.875	-41.44	12.17	-13.0	-28.44	360.00	Horizontal	Horizontal	Pass
17897.886	-41.20	15.75	-13.0	-28.20	97.00	Horizontal	Horizontal	Pass

78.2 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.372	-63.64	-15.06	-13.0	-50.64	286.00	Vertical	Horizontal	Pass
373.817	-64.24	-7.03	-13.0	-51.24	325.00	Vertical	Horizontal	Pass
763.805	-38.86	3.93	-13.0	-25.86	136.00	Vertical	Horizontal	N/A
3506.500	-39.25	13.36	-13.0	-26.25	0.00	Vertical	Horizontal	N/A
5969.250	-33.82	19.75	-13.0	-20.82	338.00	Vertical	Horizontal	Pass
17896.051	-41.60	15.79	-13.0	-28.60	187.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
130.346	-67.74	-16.04	-13.0	-54.74	0.00	Horizontal	Horizontal	Pass
368.821	-64.26	-7.20	-13.0	-51.26	140.00	Horizontal	Horizontal	Pass
759.391	-44.70	4.20	-13.0	-31.70	28.00	Horizontal	Horizontal	N/A
4241.750	-40.11	14.92	-13.0	-27.11	161.00	Horizontal	Horizontal	Pass
7800.500	-37.34	16.29	-13.0	-24.34	111.00	Horizontal	Horizontal	Pass
17645.625	-41.41	15.18	-13.0	-28.41	219.00	Horizontal	Horizontal	Pass

78.3 NR_DC_14A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.116	-64.55	-15.52	-13.0	-51.55	253.00	Vertical	Horizontal	Pass
375.029	-65.03	-6.99	-13.0	-52.03	335.00	Vertical	Horizontal	Pass
759.537	-39.11	4.17	-13.0	-26.11	164.00	Vertical	Horizontal	N/A
3477.000	-35.92	13.47	-13.0	-22.92	0.00	Vertical	Horizontal	Pass
7640.500	-37.85	15.80	-13.0	-24.85	114.00	Vertical	Horizontal	Pass
17860.874	-41.04	15.49	-13.0	-28.04	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3545-3550MHz) 10MHz(CH23330)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.940	-66.97	-15.98	-13.0	-53.97	44.00	Horizontal	Horizontal	Pass
374.010	-63.83	-7.04	-13.0	-50.83	275.00	Horizontal	Horizontal	Pass
759.198	-46.31	4.24	-13.0	-33.31	26.00	Horizontal	Horizontal	N/A
3385.000	-41.11	13.47	-13.0	-28.11	312.00	Horizontal	Horizontal	Pass
7865.750	-36.62	17.09	-13.0	-23.62	290.00	Horizontal	Horizontal	Pass
17971.386	-40.72	15.37	-13.0	-27.72	354.00	Horizontal	Horizontal	Pass

79 NR_DC_13A_n77A(3545-3550MHz)

79.1 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.093	-64.56	-15.24	-13.0	-51.56	321.00	Vertical	Horizontal	Pass
372.992	-64.78	-7.05	-13.0	-51.78	354.00	Vertical	Horizontal	Pass
751.777	-37.87	4.11	-13.0	-24.87	144.00	Vertical	Horizontal	N/A
3503.250	-37.11	13.34	-13.0	-24.11	179.00	Vertical	Horizontal	N/A
7872.000	-36.89	16.98	-13.0	-23.89	0.00	Vertical	Horizontal	Pass
17894.738	-41.14	15.67	-13.0	-28.14	359.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+20MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.787	-65.06	-15.97	-13.0	-52.06	355.00	Horizontal	Horizontal	Pass
375.078	-63.96	-6.99	-13.0	-50.96	272.00	Horizontal	Horizontal	Pass
748.091	-43.48	3.80	-13.0	-30.48	33.00	Horizontal	Horizontal	N/A
1634.500	-54.75	-2.75	-13.0	-41.75	7.00	Horizontal	Horizontal	Pass
5061.500	-36.40	17.72	-13.0	-23.40	0.00	Horizontal	Horizontal	Pass
17898.676	-41.81	15.68	-13.0	-28.81	141.00	Horizontal	Horizontal	Pass

79.2 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.730	-63.23	-14.92	-13.0	-50.23	283.00	Vertical	Horizontal	Pass
377.017	-64.41	-6.94	-13.0	-51.41	333.00	Vertical	Horizontal	Pass
754.396	-38.59	4.54	-13.0	-25.59	128.00	Vertical	Horizontal	N/A
3506.000	-38.84	13.36	-13.0	-25.84	179.00	Vertical	Horizontal	N/A
7632.250	-37.53	15.95	-13.0	-24.53	129.00	Vertical	Horizontal	Pass
17859.564	-41.28	15.46	-13.0	-28.28	240.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.090	-64.83	-15.97	-13.0	-51.83	0.00	Horizontal	Horizontal	Pass
375.999	-63.93	-6.96	-13.0	-50.93	116.00	Horizontal	Horizontal	Pass
747.752	-43.24	3.81	-13.0	-30.24	19.00	Horizontal	Horizontal	Pass
5720.000	-35.03	19.06	-13.0	-22.03	0.00	Horizontal	Horizontal	Pass
11874.099	-43.20	11.70	-13.0	-30.20	346.00	Horizontal	Horizontal	Pass
17937.787	-41.71	15.24	-13.0	-28.71	274.00	Horizontal	Horizontal	Pass

79.3 NR_DC_13A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.973	-62.25	-14.89	-13.0	-49.25	251.00	Vertical	Horizontal	Pass
372.944	-65.04	-7.05	-13.0	-52.04	336.00	Vertical	Horizontal	Pass
747.073	-38.28	3.84	-13.0	-25.28	141.00	Vertical	Horizontal	N/A
3476.750	-36.38	13.47	-13.0	-23.38	11.00	Vertical	Horizontal	N/A
7890.750	-36.65	16.69	-13.0	-23.65	0.00	Vertical	Horizontal	Pass
17872.687	-41.29	15.67	-13.0	-28.29	66.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3545-3550MHz) 10MHz(CH23230)+100MHz(CH633334)

RSE(5G NSA FCC_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
124.817	-66.10	-15.99	-13.0	-53.10	13.00	Horizontal	Horizontal	Pass
379.054	-64.36	-6.89	-13.0	-51.36	120.00	Horizontal	Horizontal	Pass
749.255	-44.07	3.83	-13.0	-31.07	36.00	Horizontal	Horizontal	N/A
3475.750	-40.94	13.47	-13.0	-27.94	131.00	Horizontal	Horizontal	N/A
7640.250	-37.44	15.81	-13.0	-24.44	256.00	Horizontal	Horizontal	Pass
17928.073	-41.61	15.43	-13.0	-28.61	154.00	Horizontal	Horizontal	Pass

80 NR_DC_5A_n77A(3545-3550MHz)

80.1 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+20MHz(CH633334)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.694	-52.32	5.50	-13.0	-39.32	37.00	Vertical	Horizontal	N/A
884.861	-37.01	6.84	-13.0	-24.01	151.00	Vertical	Horizontal	N/A
1398.700	-53.72	-2.39	-13.0	-40.72	354.00	Vertical	Horizontal	Pass
3503.000	-36.38	13.34	-13.0	-23.38	17.00	Vertical	Horizontal	Pass
5984.000	-33.98	20.28	-13.0	-20.98	2.00	Vertical	Horizontal	Pass
11913.525	-41.11	11.52	-13.0	-28.11	336.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+20MHz(CH633334)

RSE(5G NSA FCC_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.977	-63.14	-15.36	-13.0	-50.14	159.00	Horizontal	Horizontal	Pass
833.742	-56.85	5.50	-13.0	-43.85	113.00	Horizontal	Horizontal	N/A
880.254	-43.77	6.98	-13.0	-30.77	204.00	Horizontal	Horizontal	N/A
3404.750	-41.30	13.44	-13.0	-28.30	346.00	Horizontal	Horizontal	Pass
7988.500	-37.69	17.16	-13.0	-24.69	200.00	Horizontal	Horizontal	Pass
17869.011	-40.65	15.74	-13.0	-27.65	274.00	Horizontal	Horizontal	Pass

80.2 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+60MHz(CH633334)


RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
833.500	-52.80	5.49	-13.0	-39.80	28.00	Vertical	Horizontal	N/A
882.582	-37.33	6.84	-13.0	-24.33	120.00	Vertical	Horizontal	N/A
1495.800	-54.31	-2.78	-13.0	-41.31	163.00	Vertical	Horizontal	Pass
3503.500	-39.80	13.34	-13.0	-26.80	56.00	Vertical	Horizontal	Pass
5752.750	-30.66	19.18	-13.0	-17.66	252.00	Vertical	Horizontal	Pass
7620.500	-37.17	15.71	-13.0	-24.17	9.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+60MHz(CH633334)

RSE(5G NSA FCC)_NSA 2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
125.545	-67.14	-15.97	-13.0	-54.14	360.00	Horizontal	Horizontal	Pass
833.548	-56.48	5.49	-13.0	-43.48	359.00	Horizontal	Horizontal	N/A
880.254	-42.92	6.98	-13.0	-29.92	203.00	Horizontal	Horizontal	N/A
3568.000	-41.86	13.57	-13.0	-28.86	194.00	Horizontal	Horizontal	Pass
7674.250	-37.21	15.98	-13.0	-24.21	166.00	Horizontal	Horizontal	Pass
17885.026	-40.39	15.41	-13.0	-27.39	195.00	Horizontal	Horizontal	Pass

80.3 NR_DC_5A_n77A(3545-3550MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+100MHz(CH633334)


RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.820	-66.33	-15.20	-13.0	-53.33	208.00	Vertical	Horizontal	Pass
833.694	-52.80	5.50	-13.0	-39.80	15.00	Vertical	Horizontal	N/A
883.406	-37.29	6.81	-13.0	-24.29	130.00	Vertical	Horizontal	N/A
3475.750	-36.90	13.47	-13.0	-23.90	2.00	Vertical	Horizontal	Pass
7856.750	-37.56	17.00	-13.0	-24.56	360.00	Vertical	Horizontal	Pass
13494.450	-41.97	13.15	-13.0	-28.97	195.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3545-3550MHz) 10MHz(CH20525)+100MHz(CH633334)

RSE(5G NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
128.891	-65.58	-16.01	-13.0	-52.58	31.00	Horizontal	Horizontal	Pass
833.500	-57.06	5.49	-13.0	-44.06	129.00	Horizontal	Horizontal	N/A
883.358	-43.11	6.81	-13.0	-30.11	205.00	Horizontal	Horizontal	N/A
3543.250	-41.08	13.58	-13.0	-28.08	133.00	Horizontal	Horizontal	Pass
7958.500	-37.55	17.55	-13.0	-24.55	245.00	Horizontal	Horizontal	Pass
17886.599	-41.52	15.47	-13.0	-28.52	293.00	Horizontal	Horizontal	Pass

81 NR_DC_2A_n77A(3700-3980MHz)

81.1 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+20MHz(CH656000)


RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-70.86	-17.03	-13.0	-57.86	4.00	Vertical	Horizontal	Pass
383.177	-62.15	-9.40	-13.0	-49.15	348.00	Vertical	Horizontal	Pass
1958.300	-43.19	4.11	-13.0	-30.19	191.00	Vertical	Horizontal	N/A
3746.500	-40.45	13.47	-13.0	-27.45	189.00	Vertical	Horizontal	N/A
7915.500	-29.83	25.77	-13.0	-16.83	184.00	Vertical	Horizontal	Pass
18096.001	-34.68	23.58	-13.0	-21.68	275.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.474	-66.78	-17.10	-13.0	-53.78	285.00	Horizontal	Horizontal	Pass
373.283	-64.45	-9.90	-13.0	-51.45	174.00	Horizontal	Horizontal	Pass
1292.700	-49.85	1.76	-13.0	-36.85	171.00	Horizontal	Horizontal	Pass
1963.700	-38.79	4.61	-13.0	-25.79	220.00	Horizontal	Horizontal	N/A
3747.000	-40.82	13.47	-13.0	-27.82	260.00	Horizontal	Horizontal	Pass
18169.563	-35.07	23.37	-13.0	-22.07	291.00	Horizontal	Horizontal	Pass

81.2 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.717	-68.66	-17.08	-13.0	-55.66	0.00	Vertical	Horizontal	Pass
373.041	-63.16	-9.91	-13.0	-50.16	339.00	Vertical	Horizontal	Pass
1957.700	-41.13	4.11	-13.0	-28.13	169.00	Vertical	Horizontal	N/A
3736.000	-39.88	13.52	-13.0	-26.88	192.00	Vertical	Horizontal	N/A
7283.000	-30.39	24.07	-13.0	-17.39	276.00	Vertical	Horizontal	Pass
18091.188	-35.23	23.75	-13.0	-22.23	208.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.656	-66.28	-16.96	-13.0	-53.28	148.00	Horizontal	Horizontal	Pass
374.205	-63.55	-9.89	-13.0	-50.55	179.00	Horizontal	Horizontal	Pass
1957.600	-38.66	4.10	-13.0	-25.66	55.00	Horizontal	Horizontal	N/A
3735.750	-40.29	13.52	-13.0	-27.29	273.00	Horizontal	Horizontal	N/A
7951.000	-30.67	26.24	-13.0	-17.67	203.00	Horizontal	Horizontal	Pass
18094.625	-35.23	23.69	-13.0	-22.23	4.00	Horizontal	Horizontal	Pass

81.3 NR_DC_2A_n77A(3700-3980MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.702	-71.35	-17.54	-13.0	-58.35	279.00	Vertical	Horizontal	Pass
378.230	-63.17	-9.79	-13.0	-50.17	360.00	Vertical	Horizontal	Pass
1967.700	-42.48	5.38	-13.0	-29.48	189.00	Vertical	Horizontal	Pass
5751.750	-31.84	19.12	-13.0	-18.84	217.00	Vertical	Horizontal	Pass
11162.787	-39.47	16.95	-13.0	-26.47	359.00	Vertical	Horizontal	Pass
18173.688	-35.60	23.46	-13.0	-22.60	178.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3700-3980MHz) 20MHz(CH18900)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
123.945	-68.26	-17.43	-13.0	-55.26	0.00	Horizontal	Horizontal	Pass
377.260	-62.95	-9.81	-13.0	-49.95	176.00	Horizontal	Horizontal	Pass
1957.900	-38.63	4.11	-13.0	-25.63	279.00	Horizontal	Horizontal	N/A
4204.500	-40.71	15.19	-13.0	-27.71	5.00	Horizontal	Horizontal	Pass
9303.638	-38.88	16.98	-13.0	-25.88	360.00	Horizontal	Horizontal	Pass
18176.438	-35.29	23.51	-13.0	-22.29	254.00	Horizontal	Horizontal	Pass

82 NR_DC_66A_n77A(3700-3980MHz)

82.1 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.975	-70.71	-17.60	-13.0	-57.71	54.00	Vertical	Horizontal	Pass
379.637	-62.85	-9.75	-13.0	-49.85	352.00	Vertical	Horizontal	Pass
2148.400	-39.38	4.53	-13.0	-26.38	191.00	Vertical	Horizontal	N/A
3831.250	-39.24	15.26	-13.0	-26.24	38.00	Vertical	Horizontal	N/A
7973.000	-30.89	25.99	-13.0	-17.89	1.00	Vertical	Horizontal	Pass
18112.500	-35.53	23.86	-13.0	-22.53	193.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.266	-67.35	-17.58	-13.0	-54.35	279.00	Horizontal	Horizontal	Pass
377.309	-63.27	-9.81	-13.0	-50.27	173.00	Horizontal	Horizontal	Pass
2148.700	-38.81	4.53	-13.0	-25.81	174.00	Horizontal	Horizontal	N/A
4085.250	-40.48	16.16	-13.0	-27.48	112.00	Horizontal	Horizontal	Pass
7874.750	-30.94	26.20	-13.0	-17.94	330.00	Horizontal	Horizontal	Pass
18093.251	-35.84	23.77	-13.0	-22.84	12.00	Horizontal	Horizontal	Pass

82.2 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.01	-17.24	-13.0	-54.01	360.00	Vertical	Horizontal	Pass
383.226	-63.03	-9.40	-13.0	-50.03	360.00	Vertical	Horizontal	Pass
2148.700	-40.01	4.53	-13.0	-27.01	146.00	Vertical	Horizontal	N/A
7957.000	-30.03	26.39	-13.0	-17.03	295.00	Vertical	Horizontal	Pass
12762.375	-37.91	19.02	-13.0	-24.91	333.00	Vertical	Horizontal	Pass
18168.875	-35.21	23.39	-13.0	-22.21	225.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.994	-66.04	-17.52	-13.0	-53.04	305.00	Horizontal	Horizontal	Pass
373.089	-63.54	-9.91	-13.0	-50.54	182.00	Horizontal	Horizontal	Pass
2151.100	-37.61	4.62	-13.0	-24.61	284.00	Horizontal	Horizontal	N/A
7377.250	-31.55	24.41	-13.0	-18.55	124.00	Horizontal	Horizontal	Pass
11349.701	-40.12	17.20	-13.0	-27.12	64.00	Horizontal	Horizontal	Pass
18126.250	-35.86	23.84	-13.0	-22.86	325.00	Horizontal	Horizontal	Pass

82.3 NR_DC_66A_n77A(3700-3980MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.056	-71.61	-17.06	-13.0	-58.61	0.00	Vertical	Horizontal	Pass
378.230	-63.43	-9.79	-13.0	-50.43	352.00	Vertical	Horizontal	Pass
2148.000	-41.61	4.52	-13.0	-28.61	147.00	Vertical	Horizontal	N/A
3791.000	-37.49	14.97	-13.0	-24.49	119.00	Vertical	Horizontal	Pass
7311.250	-30.39	24.09	-13.0	-17.39	132.00	Vertical	Horizontal	Pass
18141.374	-36.28	23.54	-13.0	-23.28	109.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n77A(3700-3980MHz) 20MHz(CH132322)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-66.40	-16.77	-13.0	-53.40	272.00	Horizontal	Horizontal	Pass
371.876	-63.25	-9.92	-13.0	-50.25	171.00	Horizontal	Horizontal	Pass
1724.800	-47.88	3.19	-13.0	-34.88	0.00	Horizontal	Horizontal	N/A
2142.800	-38.28	4.48	-13.0	-25.28	290.00	Horizontal	Horizontal	N/A
7230.750	-30.32	24.71	-13.0	-17.32	248.00	Horizontal	Horizontal	Pass
18091.188	-35.65	23.75	-13.0	-22.65	357.00	Horizontal	Horizontal	Pass

83 NR_DC_12A_n77A(3700-3980MHz)

83.1 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+20MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.453	-84.68	-12.20	-13.0	-71.68	50.00	Vertical	Horizontal	Pass
739.991	-65.40	5.48	-13.0	-52.40	77.00	Vertical	Horizontal	Pass
1207.000	-55.19	-2.06	-13.0	-42.19	289.00	Vertical	Horizontal	Pass
3835.250	-38.73	15.28	-13.0	-25.73	12.00	Vertical	Horizontal	N/A
7897.250	-31.22	25.37	-13.0	-18.22	152.00	Vertical	Horizontal	Pass
18148.250	-35.64	23.81	-13.0	-22.64	357.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA 66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.926	-87.43	-15.90	-13.0	-74.43	94.00	Horizontal	Horizontal	Pass
876.956	-62.73	6.56	-13.0	-49.73	209.00	Horizontal	Horizontal	Pass
3836.250	-39.32	15.28	-13.0	-26.32	285.00	Horizontal	Horizontal	N/A
7193.000	-30.83	23.98	-13.0	-17.83	133.00	Horizontal	Horizontal	Pass
9306.724	-40.22	16.94	-13.0	-27.22	315.00	Horizontal	Horizontal	Pass
18137.250	-35.42	23.64	-13.0	-22.42	360.00	Horizontal	Horizontal	Pass

83.2 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.356	-84.46	-12.20	-13.0	-71.46	285.00	Vertical	Horizontal	Pass
738.828	-64.58	5.42	-13.0	-51.58	0.00	Vertical	Horizontal	Pass
1215.400	-55.21	-2.54	-13.0	-42.21	1.00	Vertical	Horizontal	Pass
4775.000	-38.24	17.65	-13.0	-25.24	0.00	Vertical	Horizontal	Pass
6844.750	-31.22	23.69	-13.0	-18.22	304.00	Vertical	Horizontal	Pass
18173.688	-35.19	23.46	-13.0	-22.19	4.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.035	-85.40	-12.19	-13.0	-72.40	214.00	Horizontal	Horizontal	Pass
1195.900	-55.04	-1.85	-13.0	-42.04	175.00	Horizontal	Horizontal	Pass
3191.500	-43.57	11.62	-13.0	-30.57	360.00	Horizontal	Horizontal	Pass
7251.500	-31.26	24.37	-13.0	-18.26	99.00	Horizontal	Horizontal	Pass
12871.000	-37.37	18.46	-13.0	-24.37	360.00	Horizontal	Horizontal	Pass
18129.687	-36.58	23.87	-13.0	-23.58	309.00	Horizontal	Horizontal	Pass

83.3 NR_DC_12A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
42.852	-84.76	-12.27	-13.0	-71.76	134.00	Vertical	Horizontal	Pass
746.878	-64.18	5.15	-13.0	-51.18	126.00	Vertical	Horizontal	Pass
1519.900	-55.32	-2.88	-13.0	-42.32	267.00	Vertical	Horizontal	Pass
4212.250	-39.99	16.70	-13.0	-26.99	4.00	Vertical	Horizontal	Pass
7351.750	-30.69	24.68	-13.0	-17.69	316.00	Vertical	Horizontal	Pass
18120.749	-36.59	24.08	-13.0	-23.59	116.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n77A(3700-3980MHz) 10MHz(CH23095)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.259	-85.23	-12.20	-13.0	-72.23	0.00	Horizontal	Horizontal	Pass
712.395	-64.77	4.44	-13.0	-51.77	73.00	Horizontal	Horizontal	Pass
1216.600	-54.35	-2.60	-13.0	-41.35	220.00	Horizontal	Horizontal	Pass
4809.250	-38.54	17.45	-13.0	-25.54	93.00	Horizontal	Horizontal	Pass
9272.526	-39.47	16.99	-13.0	-26.47	209.00	Horizontal	Horizontal	Pass
18118.001	-35.87	23.96	-13.0	-22.87	123.00	Horizontal	Horizontal	Pass

84 NR_DC_14A_n77A(3700-3980MHz)

84.1 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.855	-69.01	-15.62	-13.0	-56.01	22.00	Vertical	Horizontal	Pass
375.659	-62.32	-6.97	-13.0	-49.32	336.00	Vertical	Horizontal	Pass
765.260	-41.51	4.02	-13.0	-28.51	148.00	Vertical	Horizontal	N/A
3836.000	-37.60	15.28	-13.0	-24.60	28.00	Vertical	Horizontal	N/A
7871.250	-30.87	26.42	-13.0	-17.87	144.00	Vertical	Horizontal	Pass
18124.876	-35.01	24.05	-13.0	-22.01	328.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.361	-66.55	-14.85	-13.0	-53.55	124.00	Horizontal	Horizontal	Pass
378.375	-64.76	-6.91	-13.0	-51.76	160.00	Horizontal	Horizontal	Pass
761.914	-43.95	3.89	-13.0	-30.95	120.00	Horizontal	Horizontal	N/A
4086.750	-39.26	16.16	-13.0	-26.26	360.00	Horizontal	Horizontal	Pass
7942.500	-28.54	26.12	-13.0	-15.54	4.00	Horizontal	Horizontal	Pass
18091.874	-33.67	23.78	-13.0	-20.67	56.00	Horizontal	Horizontal	Pass

84.2 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel


RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.444	-70.09	-15.35	-13.0	-57.09	346.00	Vertical	Horizontal	Pass
382.207	-62.21	-6.64	-13.0	-49.21	346.00	Vertical	Horizontal	Pass
759.489	-40.41	4.18	-13.0	-27.41	142.00	Vertical	Horizontal	N/A
797.270	-58.51	4.59	-13.0	-45.51	118.00	Vertical	Horizontal	N/A
3826.000	-40.25	15.24	-13.0	-27.25	208.00	Vertical	Horizontal	N/A
18183.313	-36.31	23.46	-13.0	-23.31	1.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+60MHz(CH656000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.079	-67.17	-15.69	-13.0	-54.17	302.00	Horizontal	Horizontal	Pass
374.156	-63.60	-7.03	-13.0	-50.60	155.00	Horizontal	Horizontal	Pass
759.779	-44.93	4.11	-13.0	-31.93	325.00	Horizontal	Horizontal	N/A
3833.750	-38.91	15.27	-13.0	-25.91	277.00	Horizontal	Horizontal	N/A
7921.500	-29.05	25.98	-13.0	-16.05	5.00	Horizontal	Horizontal	Pass
19417.375	-33.11	21.40	-13.0	-20.11	234.00	Horizontal	Horizontal	Pass

84.3 NR_DC_14A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.077	-70.41	-14.56	-13.0	-57.41	295.00	Vertical	Horizontal	Pass
385.699	-62.91	-6.25	-13.0	-49.91	0.00	Vertical	Horizontal	Pass
765.066	-41.69	4.01	-13.0	-28.69	147.00	Vertical	Horizontal	N/A
796.494	-59.78	4.55	-13.0	-46.78	123.00	Vertical	Horizontal	N/A
7965.750	-31.32	26.26	-13.0	-18.32	216.00	Vertical	Horizontal	Pass
18144.813	-36.62	23.76	-13.0	-23.62	110.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_14A_n77A(3700-3980MHz) 10MHz(CH23330)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.079	-65.71	-15.69	-13.0	-52.71	276.00	Horizontal	Horizontal	Pass
372.313	-61.82	-7.05	-13.0	-48.82	170.00	Horizontal	Horizontal	Pass
760.701	-45.27	4.00	-13.0	-32.27	121.00	Horizontal	Horizontal	N/A
3830.250	-38.76	15.26	-13.0	-25.76	342.00	Horizontal	Horizontal	N/A
7915.250	-28.85	25.96	-13.0	-15.85	336.00	Horizontal	Horizontal	Pass
17889.749	-33.41	23.35	-13.0	-20.41	213.00	Horizontal	Horizontal	Pass

85 NR_DC_13A_n77A(3700-3980MHz)

85.1 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.553	-71.10	-15.47	-13.0	-58.10	360.00	Vertical	Horizontal	Pass
373.234	-61.87	-7.04	-13.0	-48.87	360.00	Vertical	Horizontal	Pass
752.698	-39.85	4.30	-13.0	-26.85	144.00	Vertical	Horizontal	N/A
3738.000	-32.98	12.65	-13.0	-19.98	201.00	Vertical	Horizontal	Pass
7981.250	-29.14	25.96	-13.0	-16.14	160.00	Vertical	Horizontal	Pass
18144.125	-33.28	23.70	-13.0	-20.28	1.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.892	-67.53	-15.45	-13.0	-54.53	309.00	Horizontal	Horizontal	Pass
374.010	-63.10	-7.04	-13.0	-50.10	156.00	Horizontal	Horizontal	Pass
751.195	-43.93	4.01	-13.0	-30.93	131.00	Horizontal	Horizontal	N/A
3830.750	-38.42	15.26	-13.0	-25.42	38.00	Horizontal	Horizontal	Pass
7985.500	-29.22	25.88	-13.0	-16.22	269.00	Horizontal	Horizontal	Pass
19460.688	-32.72	21.29	-13.0	-19.72	51.00	Horizontal	Horizontal	Pass

85.2 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.391	-64.90	-14.96	-13.0	-51.90	280.00	Horizontal	Horizontal	Pass
374.496	-62.46	-7.01	-13.0	-49.46	160.00	Horizontal	Horizontal	Pass
750.953	-44.34	3.97	-13.0	-31.34	118.00	Horizontal	Horizontal	N/A
3851.000	-39.45	15.35	-13.0	-26.45	1.00	Horizontal	Horizontal	Pass
7854.250	-28.88	25.57	-13.0	-15.88	360.00	Horizontal	Horizontal	Pass
18096.001	-32.64	23.58	-13.0	-19.64	335.00	Horizontal	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.072	-70.12	-15.96	-13.0	-57.12	0.00	Vertical	Horizontal	Pass
377.405	-61.98	-6.93	-13.0	-48.98	353.00	Vertical	Horizontal	Pass
747.412	-40.54	3.83	-13.0	-27.54	149.00	Vertical	Horizontal	N/A
3830.750	-37.60	15.26	-13.0	-24.60	208.00	Vertical	Horizontal	N/A
7911.000	-28.95	25.80	-13.0	-15.95	159.00	Vertical	Horizontal	Pass
19463.438	-32.95	21.50	-13.0	-19.95	302.00	Vertical	Horizontal	Pass

85.3 NR_DC_13A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel


RSE-V&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.945	-67.45	-15.88	-13.0	-54.45	18.00	Vertical	Horizontal	Pass
383.274	-62.65	-6.52	-13.0	-49.65	355.00	Vertical	Horizontal	Pass
754.638	-39.38	4.56	-13.0	-26.38	151.00	Vertical	Horizontal	N/A
3790.750	-37.20	14.97	-13.0	-24.20	187.00	Vertical	Horizontal	Pass
7912.750	-28.84	25.88	-13.0	-15.84	242.00	Vertical	Horizontal	Pass
18439.062	-33.28	22.40	-13.0	-20.28	261.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_13A_n77A(3700-3980MHz) 10MHz(CH23230)+100MHz(CH656000)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.213	-66.24	-15.51	-13.0	-53.24	332.00	Horizontal	Horizontal	Pass
371.828	-63.25	-7.06	-13.0	-50.25	183.00	Horizontal	Horizontal	Pass
755.269	-43.48	4.60	-13.0	-30.48	121.00	Horizontal	Horizontal	N/A
5179.500	-35.65	17.12	-13.0	-22.65	0.00	Horizontal	Horizontal	Pass
7948.500	-28.15	26.15	-13.0	-15.15	311.00	Horizontal	Horizontal	Pass
18188.812	-33.52	23.01	-13.0	-20.52	170.00	Horizontal	Horizontal	Pass

86 NR_DC_5A_n77A(3700-3980MHz)

86.1 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+20MHz(CH656000)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
160.999	-70.34	-14.58	-13.0	-57.34	234.00	Vertical	Horizontal	Pass
382.886	-61.69	-6.47	-13.0	-48.69	352.00	Vertical	Horizontal	Pass
833.305	-50.90	5.48	-13.0	-37.90	133.00	Vertical	Horizontal	N/A
883.406	-42.24	6.81	-13.0	-29.24	159.00	Vertical	Horizontal	N/A
7939.750	-28.98	26.12	-13.0	-15.98	0.00	Vertical	Horizontal	Pass
18027.938	-32.83	22.58	-13.0	-19.83	86.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+20MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
126.321	-68.77	-15.96	-13.0	-55.77	2.00	Horizontal	Horizontal	Pass
833.451	-53.29	5.48	-13.0	-40.29	125.00	Horizontal	Horizontal	N/A
877.877	-39.42	7.10	-13.0	-26.42	137.00	Horizontal	Horizontal	N/A
4255.500	-38.39	17.31	-13.0	-25.39	240.00	Horizontal	Horizontal	Pass
7959.250	-29.14	26.42	-13.0	-16.14	23.00	Horizontal	Horizontal	Pass
18131.063	-33.05	23.80	-13.0	-20.05	360.00	Horizontal	Horizontal	Pass

86.2 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+60MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.128	-68.15	-15.70	-13.0	-55.15	15.00	Vertical	Horizontal	Pass
385.699	-62.44	-6.20	-13.0	-49.44	357.00	Vertical	Horizontal	Pass
833.694	-50.13	5.50	-13.0	-37.13	120.00	Vertical	Horizontal	N/A
884.861	-42.49	6.84	-13.0	-29.49	152.00	Vertical	Horizontal	N/A
3831.250	-37.56	15.26	-13.0	-24.56	12.00	Vertical	Horizontal	Pass
17870.500	-33.51	23.49	-13.0	-20.51	227.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+60MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.850	-66.66	-15.29	-13.0	-53.66	89.00	Horizontal	Horizontal	Pass
833.742	-54.47	5.50	-13.0	-41.47	116.00	Horizontal	Horizontal	N/A
878.265	-41.31	7.07	-13.0	-28.31	128.00	Horizontal	Horizontal	N/A
3826.000	-37.86	15.24	-13.0	-24.86	282.00	Horizontal	Horizontal	N/A
7863.750	-28.64	26.02	-13.0	-15.64	0.00	Horizontal	Horizontal	Pass
18054.750	-33.67	23.01	-13.0	-20.67	3.00	Horizontal	Horizontal	Pass

86.3 NR_DC_5A_n77A(3700-3980MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+100MHz(CH656000)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.541	-67.82	-15.38	-13.0	-54.82	0.00	Vertical	Horizontal	Pass
383.322	-63.30	-6.43	-13.0	-50.30	355.00	Vertical	Horizontal	Pass
833.354	-51.09	5.48	-13.0	-38.09	166.00	Vertical	Horizontal	N/A
883.309	-42.72	6.82	-13.0	-29.72	166.00	Vertical	Horizontal	N/A
3706.000	-37.16	12.45	-13.0	-24.16	188.00	Vertical	Horizontal	Pass
18084.999	-33.10	23.64	-13.0	-20.10	0.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_5A_n77A(3700-3980MHz) 10MHz(CH20525)+100MHz(CH656000)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.686	-65.58	-15.37	-13.0	-52.58	283.00	Horizontal	Horizontal	Pass
833.742	-53.83	5.50	-13.0	-40.83	127.00	Horizontal	Horizontal	N/A
833.358	-41.15	6.81	-13.0	-28.15	139.00	Horizontal	Horizontal	N/A
5184.250	-35.58	17.08	-13.0	-22.58	360.00	Horizontal	Horizontal	Pass
9302.450	-37.52	16.96	-13.0	-24.52	345.00	Horizontal	Horizontal	Pass
19163.687	-33.52	21.39	-13.0	-20.52	190.00	Horizontal	Horizontal	Pass

87 NR_DC_66A_n71A

87.1 NR_DC_66A_n71A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+5MHz(CH136100)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.975	-70.71	-17.60	-13.0	-57.71	54.00	Vertical	Horizontal	Pass
379.637	-62.85	-9.75	-13.0	-49.85	352.00	Vertical	Horizontal	Pass
2148.400	-39.38	4.53	-13.0	-26.38	191.00	Vertical	Horizontal	N/A
3831.250	-39.24	15.26	-13.0	-26.24	38.00	Vertical	Horizontal	N/A
7973.000	-30.89	25.99	-13.0	-17.89	1.00	Vertical	Horizontal	Pass
18112.500	-35.53	23.86	-13.0	-22.53	193.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+5MHz(CH136100)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.266	-67.35	-17.58	-13.0	-54.35	279.00	Horizontal	Horizontal	Pass
377.309	-63.27	-9.81	-13.0	-50.27	173.00	Horizontal	Horizontal	Pass
2148.700	-38.81	4.53	-13.0	-25.81	174.00	Horizontal	Horizontal	N/A
4085.250	-40.48	16.16	-13.0	-27.48	112.00	Horizontal	Horizontal	Pass
7874.750	-30.94	26.20	-13.0	-17.94	330.00	Horizontal	Horizontal	Pass
18093.251	-35.84	23.77	-13.0	-22.84	12.00	Horizontal	Horizontal	Pass

87.2 NR_DC_66A_n71A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+15MHz(CH136100)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.825	-67.01	-17.24	-13.0	-54.01	360.00	Vertical	Horizontal	Pass
383.226	-63.03	-9.40	-13.0	-50.03	360.00	Vertical	Horizontal	Pass
2148.700	-40.01	4.53	-13.0	-27.01	146.00	Vertical	Horizontal	N/A
7957.000	-30.03	26.39	-13.0	-17.03	295.00	Vertical	Horizontal	Pass
12762.375	-37.91	19.02	-13.0	-24.91	333.00	Vertical	Horizontal	Pass
18168.875	-35.21	23.39	-13.0	-22.21	225.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+15MHz(CH136100)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.994	-66.04	-17.52	-13.0	-53.04	305.00	Horizontal	Horizontal	Pass
373.089	-63.54	-9.91	-13.0	-50.54	182.00	Horizontal	Horizontal	Pass
2151.100	-37.61	4.62	-13.0	-24.61	284.00	Horizontal	Horizontal	N/A
7377.250	-31.55	24.41	-13.0	-18.55	124.00	Horizontal	Horizontal	Pass
11349.701	-40.12	17.20	-13.0	-27.12	64.00	Horizontal	Horizontal	Pass
18126.250	-35.86	23.84	-13.0	-22.86	325.00	Horizontal	Horizontal	Pass

87.3 NR_DC_66A_n71A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n71A 20MHz(CH132322)+20MHz(CH136100)


RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.056	-71.61	-17.06	-13.0	-58.61	0.00	Vertical	Horizontal	Pass
378.230	-63.43	-9.79	-13.0	-50.43	352.00	Vertical	Horizontal	Pass
2148.000	-41.61	4.52	-13.0	-28.61	147.00	Vertical	Horizontal	N/A
3791.000	-37.49	14.97	-13.0	-24.49	119.00	Vertical	Horizontal	Pass
7311.250	-30.39	24.09	-13.0	-17.39	132.00	Vertical	Horizontal	Pass
18141.374	-36.28	23.54	-13.0	-23.28	109.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n71A 20MHz(CH132322)+20MHz(CH136100)

RSE(5G NSA FCC)_NSA_66A_n71A 1710-1780&2110-2200_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.324	-66.40	-16.77	-13.0	-53.40	272.00	Horizontal	Horizontal	Pass
371.876	-63.25	-9.92	-13.0	-50.25	171.00	Horizontal	Horizontal	Pass
1724.800	-47.88	3.19	-13.0	-34.88	0.00	Horizontal	Horizontal	N/A
2142.800	-38.28	4.48	-13.0	-25.28	290.00	Horizontal	Horizontal	N/A
7230.750	-30.32	24.71	-13.0	-17.32	248.00	Horizontal	Horizontal	Pass
18091.188	-35.65	23.75	-13.0	-22.65	357.00	Horizontal	Horizontal	Pass

88 NR_DC_2A_n71A

88.1 NR_DC_2A_n71A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+5MHz(CH136100)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.822	-70.54	-15.89	-13.0	-57.54	86.00	Vertical	Horizontal	Pass
383.080	-62.57	-6.01	-13.0	-49.57	360.00	Vertical	Horizontal	Pass
632.612	-29.44	2.88	-13.0	-16.44	354.00	Vertical	Horizontal	Pass
1963.400	-31.79	4.55	-13.0	-18.79	60.00	Vertical	Horizontal	Pass
6738.000	-39.52	15.07	-13.0	-26.52	298.00	Vertical	Horizontal	Pass
12749.525	-36.35	19.01	-13.0	-23.35	194.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+5MHz(CH136100)

RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.878	-68.55	-15.69	-13.0	-55.55	324.00	Horizontal	Horizontal	Pass
633.049	-40.52	2.90	-13.0	-27.52	63.00	Horizontal	Horizontal	Pass
1951.600	-29.32	4.34	-13.0	-16.32	282.00	Horizontal	Horizontal	Pass
5809.750	-38.22	12.35	-13.0	-25.22	112.00	Horizontal	Horizontal	Pass
9301.500	-37.66	16.94	-13.0	-24.66	296.00	Horizontal	Horizontal	Pass
18111.812	-32.63	23.78	-13.0	-19.63	3.00	Horizontal	Horizontal	Pass

88.2 NR_DC_2A_n71A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+15MHz(CH136100)


RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.072	-67.59	-15.68	-13.0	-54.59	0.00	Vertical	Horizontal	Pass
381.140	-62.23	-6.22	-13.0	-49.23	359.00	Vertical	Horizontal	Pass
630.090	-32.42	3.18	-13.0	-19.42	332.00	Vertical	Horizontal	Pass
1957.700	-29.26	4.11	-13.0	-16.26	280.00	Vertical	Horizontal	Pass
7154.500	-37.88	15.36	-13.0	-24.88	0.00	Vertical	Horizontal	Pass
17891.125	-33.67	23.49	-13.0	-20.67	226.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+15MHz(CH136100)


RSE(5G NSA FCC)_NSA 2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.423	-68.83	-15.80	-13.0	-55.83	117.00	Horizontal	Horizontal	Pass
636.929	-44.03	2.92	-13.0	-31.03	59.00	Horizontal	Horizontal	Pass
1954.400	-27.60	4.22	-13.0	-14.60	293.00	Horizontal	Horizontal	Pass
4781.250	-44.98	10.70	-13.0	-31.98	20.00	Horizontal	Horizontal	Pass
9330.475	-37.65	16.89	-13.0	-24.65	299.00	Horizontal	Horizontal	Pass
18122.125	-33.45	24.00	-13.0	-20.45	161.00	Horizontal	Horizontal	Pass

88.3 NR_DC_2A_n71A 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n71A 20MHz(CH18900)+20MHz(CH136100)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.019	-66.39	-15.30	-13.0	-53.39	31.00	Vertical	Horizontal	Pass
627.762	-34.74	3.37	-13.0	-21.74	338.00	Vertical	Horizontal	Pass
675.583	-49.82	5.29	-13.0	-36.82	17.00	Vertical	Horizontal	Pass
1957.700	-29.37	4.11	-13.0	-16.37	257.00	Vertical	Horizontal	Pass
7143.250	-38.30	15.39	-13.0	-25.30	66.00	Vertical	Horizontal	Pass
15043.500	-35.78	19.74	-13.0	-22.78	25.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n71A 20MHz(CH18900)+20MHz(CH136100)

RSE(5G NSA FCC)_NSA_2A_n71A 1850-1910&1930-1990_663-698&617-652 30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
122.684	-67.43	-15.62	-13.0	-54.43	350.00	Horizontal	Horizontal	Pass
640.809	-46.68	2.32	-13.0	-33.68	64.00	Horizontal	Horizontal	Pass
706.769	-53.39	4.49	-13.0	-40.39	14.00	Horizontal	Horizontal	Pass
1951.600	-28.90	4.34	-13.0	-15.90	298.00	Horizontal	Horizontal	Pass
5749.250	-41.00	12.01	-13.0	-28.00	33.00	Horizontal	Horizontal	Pass
15082.000	-36.13	19.81	-13.0	-23.13	27.00	Horizontal	Horizontal	Pass

89 NR_DC_2A_n41A

89.1 NR_DC_2A_n41A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+20MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.617	-71.60	-17.72	-25.0	-46.60	106.00	Vertical	Vertical	Pass
389.288	-67.49	-8.77	-25.0	-42.49	169.00	Vertical	Vertical	Pass
1957.500	-35.88	3.53	-25.0	-10.88	288.00	Vertical	Vertical	N/A
2589.000	-41.76	8.96	-25.0	-16.76	78.00	Vertical	Vertical	N/A
7916.750	-45.41	16.99	-25.0	-20.41	164.00	Vertical	Vertical	Pass
18101.150	-40.47	23.57	-25.0	-15.47	357.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+20MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.964	-69.70	-17.44	-25.0	-44.70	146.00	Horizontal	Vertical	Pass
370.761	-68.87	-9.94	-25.0	-43.87	166.00	Horizontal	Vertical	Pass
1958.000	-48.42	3.54	-25.0	-23.42	271.00	Horizontal	Vertical	N/A
2588.600	-44.73	8.96	-25.0	-19.73	230.00	Horizontal	Vertical	N/A
9302.450	-45.19	16.96	-25.0	-20.19	288.00	Horizontal	Vertical	Pass
18099.450	-40.89	23.65	-25.0	-15.89	360.00	Horizontal	Vertical	Pass

89.2 NR_DC_2A_n41A 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+60MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
156.246	-71.88	-16.67	-25.0	-46.88	101.00	Vertical	Vertical	Pass
379.879	-68.42	-9.75	-25.0	-43.42	180.00	Vertical	Vertical	Pass
1957.300	-34.89	3.52	-25.0	-9.89	332.00	Vertical	Vertical	N/A
2558.700	-30.62	8.42	-25.0	-5.62	80.00	Vertical	Vertical	N/A
7866.500	-44.67	17.11	-25.0	-19.67	264.00	Vertical	Vertical	Pass
18095.624	-40.22	23.61	-25.0	-15.22	81.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+60MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-69.75	-17.19	-25.0	-44.75	306.00	Horizontal	Vertical	Pass
374.738	-69.48	-9.89	-25.0	-44.48	156.00	Horizontal	Vertical	Pass
1958.600	-48.96	3.56	-25.0	-23.96	249.00	Horizontal	Vertical	N/A
2560.400	-34.12	8.92	-25.0	-9.12	151.00	Horizontal	Vertical	N/A
7863.750	-45.01	17.07	-25.0	-20.01	334.00	Horizontal	Vertical	Pass
18091.375	-40.89	23.76	-25.0	-15.89	304.00	Horizontal	Vertical	Pass

89.3 NR_DC_2A_n41A 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n41A 20MHz(CH18900)+100MHz(CH518598)


RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-70.46	-16.99	-25.0	-45.46	339.00	Vertical	Vertical	Pass
396.320	-67.67	-8.40	-25.0	-42.67	171.00	Vertical	Vertical	Pass
1957.400	-35.91	3.53	-25.0	-10.91	1.00	Vertical	Vertical	N/A
2556.000	-26.19	7.89	-25.0	-1.19	80.00	Vertical	Vertical	N/A
3498.500	-52.79	5.74	-25.0	-27.79	61.00	Vertical	Vertical	Pass
18091.375	-41.07	23.76	-25.0	-16.07	331.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n41A 20MHz(CH18900)+100MHz(CH518598)

RSE(5G NSA FCC)_NSA_2A_n41A(Mid)_1850-1920&2570-2620_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.012	-68.91	-17.44	-25.0	-43.91	138.00	Horizontal	Vertical	Pass
374.884	-69.56	-9.89	-25.0	-44.56	3.00	Horizontal	Vertical	Pass
1766.800	-38.44	1.19	-25.0	-13.44	134.00	Horizontal	Vertical	Pass
2555.400	-29.63	7.79	-25.0	-4.63	155.00	Horizontal	Vertical	Pass
7161.750	-45.83	15.28	-25.0	-20.83	315.00	Horizontal	Vertical	Pass
18033.574	-40.76	22.86	-25.0	-15.76	144.00	Horizontal	Vertical	Pass

90 NR_DC_12A_n25A

90.1 NR_DC_12A_n25A 10MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+5MHz(CH376500)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
233.991	-85.07	-10.18	-13.0	-72.07	120.00	Vertical	Horizontal	Pass
1411.700	-50.88	0.49	-13.0	-37.88	246.00	Vertical	Horizontal	Pass
1960.700	-36.02	2.94	-13.0	-23.02	178.00	Vertical	Horizontal	N/A
3764.250	-50.39	6.97	-13.0	-37.39	124.00	Vertical	Horizontal	Pass
7261.500	-45.11	15.65	-13.0	-32.11	320.00	Vertical	Horizontal	Pass
18137.938	-41.55	23.61	-13.0	-28.55	359.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
48.624	-87.41	-12.70	-13.0	-74.41	186.00	Horizontal	Horizontal	Pass
234.185	-83.12	-10.16	-13.0	-70.12	278.00	Horizontal	Horizontal	Pass
1411.400	-55.31	0.49	-13.0	-42.31	158.00	Horizontal	Horizontal	Pass
1962.800	-34.52	3.18	-13.0	-21.52	259.00	Horizontal	Horizontal	N/A
3764.250	-54.18	6.97	-13.0	-41.18	274.00	Horizontal	Horizontal	Pass
19994.188	-41.31	23.79	-13.0	-28.31	0.00	Horizontal	Horizontal	Pass

90.2 NR_DC_12A_n25A 10MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+15MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
236.077	-83.78	-10.02	-13.0	-70.78	350.00	Vertical	Horizontal	Pass
747.897	-67.87	5.10	-13.0	-54.87	168.00	Vertical	Horizontal	N/A
1414.100	-51.09	0.51	-13.0	-38.09	259.00	Vertical	Horizontal	Pass
1957.600	-39.72	2.87	-13.0	-26.72	348.00	Vertical	Horizontal	N/A
3762.000	-53.98	6.98	-13.0	-40.98	259.00	Vertical	Horizontal	Pass
17871.874	-41.36	23.58	-13.0	-28.36	170.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
43.337	-86.57	-12.26	-13.0	-73.57	99.00	Horizontal	Horizontal	Pass
1412.100	-55.54	0.50	-13.0	-42.54	155.00	Horizontal	Horizontal	Pass
1770.700	-31.00	0.62	-13.0	-18.00	268.00	Horizontal	Horizontal	Pass
1957.500	-37.99	2.87	-13.0	-24.99	260.00	Horizontal	Horizontal	N/A
7895.750	-44.82	16.78	-13.0	-31.82	71.00	Horizontal	Horizontal	Pass
19376.812	-41.28	21.01	-13.0	-28.28	0.00	Horizontal	Horizontal	Pass

90.3 NR_DC_12A_n25A 10MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n25A 10MHz(CH23095)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.266	-87.17	-12.47	-13.0	-74.17	359.00	Vertical	Horizontal	Pass
741.398	-67.12	5.41	-13.0	-54.12	175.00	Vertical	Horizontal	N/A
1415.200	-50.59	0.49	-13.0	-37.59	240.00	Vertical	Horizontal	Pass
1956.600	-41.35	2.88	-13.0	-28.35	99.00	Vertical	Horizontal	N/A
7171.250	-45.51	15.54	-13.0	-32.51	0.00	Vertical	Horizontal	Pass
17891.125	-41.58	23.49	-13.0	-28.58	37.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_12A_n25A 10MHz(CH23095)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.617	-87.30	-12.27	-13.0	-74.30	18.00	Horizontal	Horizontal	Pass
517.134	-73.86	-1.80	-13.0	-60.86	292.00	Horizontal	Horizontal	Pass
1411.200	-55.68	0.48	-13.0	-42.68	163.00	Horizontal	Horizontal	Pass
1960.400	-38.97	2.93	-13.0	-25.97	258.00	Horizontal	Horizontal	N/A
7949.500	-44.46	17.31	-13.0	-31.46	313.00	Horizontal	Horizontal	Pass
18400.563	-41.14	23.29	-13.0	-28.14	62.00	Horizontal	Horizontal	Pass

91 NR_DC_66A_n25A

91.1 NR_DC_66A_n25A 20MHz(LTE)+5MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+5MHz(CH376500)


RSE(5G NSA FCC)_NSA 12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
140.434	-71.21	-17.86	-13.0	-58.21	54.00	Vertical	Horizontal	Pass
405.487	-69.86	-7.98	-13.0	-56.86	32.00	Vertical	Horizontal	Pass
1960.900	-35.53	3.69	-13.0	-22.53	58.00	Vertical	Horizontal	N/A
2153.000	-41.01	4.27	-13.0	-28.01	333.00	Vertical	Horizontal	N/A
3765.250	-50.28	6.97	-13.0	-37.28	264.00	Vertical	Horizontal	Pass
17893.876	-41.27	23.49	-13.0	-28.27	298.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.792	-72.05	-17.75	-13.0	-59.05	152.00	Horizontal	Horizontal	Pass
443.366	-69.21	-7.62	-13.0	-56.21	245.00	Horizontal	Horizontal	Pass
1960.900	-34.38	3.69	-13.0	-21.38	102.00	Horizontal	Horizontal	N/A
2142.500	-51.45	3.99	-13.0	-38.45	141.00	Horizontal	Horizontal	N/A
3764.750	-53.48	6.97	-13.0	-40.48	307.00	Horizontal	Horizontal	Pass
17895.938	-41.69	23.56	-13.0	-28.69	316.00	Horizontal	Horizontal	Pass

91.2 NR_DC_66A_n25A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+15MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.024	-72.60	-17.60	-13.0	-59.60	26.00	Vertical	Horizontal	Pass
406.942	-70.72	-7.94	-13.0	-57.72	43.00	Vertical	Horizontal	Pass
1961.800	-40.07	3.81	-13.0	-27.07	347.00	Vertical	Horizontal	N/A
2142.700	-40.98	3.98	-13.0	-27.98	246.00	Vertical	Horizontal	N/A
3765.000	-54.38	6.97	-13.0	-41.38	286.00	Vertical	Horizontal	Pass
18872.875	-41.23	21.88	-13.0	-28.23	332.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
150.668	-72.20	-17.08	-13.0	-59.20	157.00	Horizontal	Horizontal	Pass
444.724	-68.37	-7.52	-13.0	-55.37	253.00	Horizontal	Horizontal	Pass
1956.500	-37.79	3.53	-13.0	-24.79	258.00	Horizontal	Horizontal	N/A
2140.000	-52.43	4.12	-13.0	-39.43	138.00	Horizontal	Horizontal	N/A
7853.000	-44.41	16.90	-13.0	-31.41	256.00	Horizontal	Horizontal	Pass
19458.626	-40.56	21.54	-13.0	-27.56	79.00	Horizontal	Horizontal	Pass

91.3 NR_DC_66A_n25A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n25A 20MHz(CH132322)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.636	-73.91	-17.62	-13.0	-60.91	0.00	Vertical	Horizontal	Pass
404.614	-70.19	-8.00	-13.0	-57.19	164.00	Vertical	Horizontal	Pass
1956.700	-39.93	3.53	-13.0	-26.93	346.00	Vertical	Horizontal	N/A
2142.700	-40.09	3.98	-13.0	-27.09	243.00	Vertical	Horizontal	N/A
9295.563	-44.72	16.86	-13.0	-31.72	275.00	Vertical	Horizontal	Pass
17858.126	-41.43	23.30	-13.0	-28.43	156.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_66A_n25A 20MHz(CH132322)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
158.088	-72.11	-16.47	-13.0	-59.11	182.00	Horizontal	Horizontal	Pass
445.936	-66.31	-7.42	-13.0	-53.31	252.00	Horizontal	Horizontal	Pass
1958.700	-38.76	3.59	-13.0	-25.76	257.00	Horizontal	Horizontal	N/A
2148.800	-51.31	4.07	-13.0	-38.31	143.00	Horizontal	Horizontal	N/A
7862.500	-43.92	17.07	-13.0	-30.92	360.00	Horizontal	Horizontal	Pass
17891.125	-41.21	23.49	-13.0	-28.21	144.00	Horizontal	Horizontal	Pass

92 NR_DC_48A_n25A

92.1 NR_DC_48A_n25A 20MHz(LTE)+5MHz(NR), Middle Channel


RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+5MHz(CH376500)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.654	-71.69	-17.55	-13.0	-58.69	284.00	Vertical	Horizontal	Pass
399.570	-69.76	-8.23	-13.0	-56.76	154.00	Vertical	Horizontal	Pass
1961.800	-35.70	3.06	-13.0	-22.70	101.00	Vertical	Horizontal	N/A
3578.750	-48.46	13.80	-13.0	-35.46	247.00	Vertical	Horizontal	Pass
9309.575	-45.20	16.84	-13.0	-32.20	255.00	Vertical	Horizontal	Pass
17897.312	-40.72	23.58	-13.0	-27.72	273.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+5MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.462	-69.44	-16.99	-13.0	-56.44	159.00	Horizontal	Horizontal	Pass
446.954	-67.05	-7.40	-13.0	-54.05	253.00	Horizontal	Horizontal	Pass
1886.300	-40.73	3.10	-13.0	-27.73	360.00	Horizontal	Horizontal	N/A
1961.300	-33.98	3.01	-13.0	-20.98	259.00	Horizontal	Horizontal	N/A
5181.500	-36.89	17.19	-13.0	-23.89	0.00	Horizontal	Horizontal	Pass
18300.187	-41.39	23.48	-13.0	-28.39	36.00	Horizontal	Horizontal	Pass

92.2 NR_DC_48A_n25A 20MHz(LTE)+15MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+15MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.751	-71.54	-17.54	-13.0	-58.54	22.00	Vertical	Horizontal	Pass
395.399	-70.68	-8.44	-13.0	-57.68	170.00	Vertical	Horizontal	Pass
1959.100	-39.23	2.90	-13.0	-26.23	344.00	Vertical	Horizontal	N/A
3579.250	-48.32	13.80	-13.0	-35.32	171.00	Vertical	Horizontal	Pass
7981.250	-35.82	26.15	-13.0	-22.82	199.00	Vertical	Horizontal	Pass
18462.437	-41.09	21.97	-13.0	-28.09	62.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+15MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&83300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
120.743	-71.75	-17.32	-13.0	-58.75	209.00	Horizontal	Horizontal	Pass
447.585	-69.58	-7.37	-13.0	-56.58	241.00	Horizontal	Horizontal	Pass
1897.900	-43.67	3.07	-13.0	-30.67	285.00	Horizontal	Horizontal	N/A
1959.400	-37.50	2.91	-13.0	-24.50	261.00	Horizontal	Horizontal	N/A
3576.500	-47.44	13.81	-13.0	-34.44	237.00	Horizontal	Horizontal	Pass
7911.750	-36.05	25.80	-13.0	-23.05	271.00	Horizontal	Horizontal	Pass
18866.688	-41.07	21.70	-13.0	-28.07	239.00	Horizontal	Horizontal	Pass

92.3 NR_DC_48A_n25A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_48A_n25A 20MHz(CH55990)+20MHz(CH376500)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.090	-70.62	-17.52	-13.0	-57.62	360.00	Vertical	Horizontal	Pass
450.786	-71.68	-7.19	-13.0	-58.68	237.00	Vertical	Horizontal	Pass
1956.900	-40.67	2.88	-13.0	-27.67	349.00	Vertical	Horizontal	N/A
3164.750	-49.45	13.05	-13.0	-36.45	94.00	Vertical	Horizontal	Pass
7864.750	-35.65	26.01	-13.0	-22.65	217.00	Vertical	Horizontal	Pass
18401.249	-41.40	23.28	-13.0	-28.40	206.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_48A_n25A 20MHz(CH55990)+20MHz(CH376500)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&83300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
119.385	-71.98	-17.20	-13.0	-58.98	234.00	Horizontal	Horizontal	Pass
347.190	-68.89	-9.92	-13.0	-55.89	208.00	Horizontal	Horizontal	Pass
1959.100	-39.08	2.90	-13.0	-26.08	258.00	Horizontal	Horizontal	N/A
3160.250	-48.89	13.50	-13.0	-35.89	152.00	Horizontal	Horizontal	Pass
7923.750	-35.79	25.81	-13.0	-22.79	200.00	Horizontal	Horizontal	Pass
17889.063	-41.12	23.28	-13.0	-28.12	104.00	Horizontal	Horizontal	Pass

93 NR_DC_2A_n48A

93.1 NR_DC_2A_n48A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+10MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.848	-76.62	-25.53	-40.0	-36.62	0.00	Vertical	Vertical	Pass
341.224	-77.83	-18.21	-40.0	-37.83	150.00	Vertical	Vertical	Pass
1886.200	-57.70	-4.90	-40.0	-17.70	139.00	Vertical	Vertical	N/A
1957.800	-44.92	-5.13	-40.0	-4.92	4.00	Vertical	Vertical	N/A
9302.925	-46.07	16.14	-40.0	-6.07	328.00	Vertical	Vertical	Pass
16345.625	-46.38	17.34	-40.0	-6.38	102.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+10MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.529	-81.16	-24.86	-40.0	-41.16	48.00	Horizontal	Vertical	Pass
370.761	-78.01	-17.94	-40.0	-38.01	314.00	Horizontal	Vertical	Pass
1959.300	-57.66	-5.09	-40.0	-17.66	228.00	Horizontal	Vertical	N/A
4980.500	-59.98	2.50	-40.0	-19.98	112.00	Horizontal	Vertical	Pass
9296.987	-46.66	16.08	-40.0	-6.66	156.00	Horizontal	Vertical	Pass
15879.500	-45.91	16.65	-40.0	-5.91	97.00	Horizontal	Vertical	Pass

93.2 NR_DC_2A_n48A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+20MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.557	-79.08	-25.56	-40.0	-39.08	0.00	Vertical	Vertical	Pass
445.500	-77.87	-15.46	-40.0	-37.87	143.00	Vertical	Vertical	Pass
1957.500	-45.52	-5.13	-40.0	-5.52	284.00	Vertical	Vertical	N/A
3318.000	-61.33	-4.09	-40.0	-21.33	282.00	Vertical	Vertical	Pass
9320.738	-46.36	15.91	-40.0	-6.36	321.00	Vertical	Vertical	Pass
16894.250	-46.47	18.01	-40.0	-6.47	360.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+20MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.606	-77.03	-25.55	-40.0	-37.03	128.00	Horizontal	Vertical	Pass
374.884	-77.97	-17.89	-40.0	-37.97	160.00	Horizontal	Vertical	Pass
1967.700	-57.67	-3.82	-40.0	-17.67	227.00	Horizontal	Vertical	N/A
3598.750	-64.05	-1.27	-40.0	-24.05	228.00	Horizontal	Vertical	Pass
9322.637	-46.64	15.96	-40.0	-6.64	0.00	Horizontal	Vertical	Pass
16894.250	-46.08	18.01	-40.0	-6.08	100.00	Horizontal	Vertical	Pass

93.3 NR_DC_2A_n48A 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n48A 20MHz(CH18900)+40MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
145.672	-77.81	-25.48	-40.0	-37.81	360.00	Vertical	Vertical	Pass
338.023	-77.65	-18.30	-40.0	-37.65	160.00	Vertical	Vertical	Pass
1957.100	-46.61	-5.13	-40.0	-6.61	239.00	Vertical	Vertical	N/A
3581.750	-63.76	-1.21	-40.0	-23.76	360.00	Vertical	Vertical	Pass
9323.350	-46.73	15.99	-40.0	-6.73	140.00	Vertical	Vertical	Pass
16844.750	-45.93	17.64	-40.0	-5.93	255.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_2A_n48A 20MHz(CH18900)+40MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.612	-79.11	-25.34	-40.0	-39.11	95.00	Horizontal	Vertical	Pass
374.641	-77.87	-17.89	-40.0	-37.87	333.00	Horizontal	Vertical	Pass
1957.700	-56.97	-5.13	-40.0	-16.97	306.00	Horizontal	Vertical	N/A
3580.250	-63.67	-1.21	-40.0	-23.67	89.00	Horizontal	Vertical	Pass
9329.526	-46.42	16.06	-40.0	-6.42	360.00	Horizontal	Vertical	Pass
16318.812	-46.18	17.05	-40.0	-6.18	291.00	Horizontal	Vertical	Pass

94 NR_DC_66A_n48A

94.1 NR_DC_66A_n48A 20MHz(LTE)+10MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+10MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
153.626	-78.88	-24.86	-40.0	-38.88	53.00	Vertical	Vertical	Pass
342.000	-78.46	-18.19	-40.0	-38.46	149.00	Vertical	Vertical	Pass
2158.800	-53.23	-4.29	-40.0	-13.23	295.00	Vertical	Vertical	Pass
3594.500	-63.97	-1.26	-40.0	-23.97	319.00	Vertical	Vertical	Pass
9307.437	-46.64	16.11	-40.0	-6.64	310.00	Vertical	Vertical	Pass
16529.188	-46.59	16.98	-40.0	-6.59	67.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+10MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
144.218	-78.18	-25.58	-40.0	-38.18	111.00	Horizontal	Vertical	Pass
375.078	-78.06	-17.88	-40.0	-38.06	319.00	Horizontal	Vertical	Pass
2137.100	-61.24	-4.43	-40.0	-21.24	254.00	Horizontal	Vertical	N/A
3579.000	-63.79	-1.20	-40.0	-23.79	178.00	Horizontal	Vertical	Pass
9296.037	-46.46	16.05	-40.0	-6.46	7.00	Horizontal	Vertical	Pass
16332.562	-46.14	17.32	-40.0	-6.14	246.00	Horizontal	Vertical	Pass

94.2 NR_DC_66A_n48A 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+20MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.647	-77.68	-25.76	-40.0	-37.68	1.00	Vertical	Vertical	Pass
445.645	-76.19	-15.45	-40.0	-36.19	144.00	Vertical	Vertical	Pass
2138.400	-52.32	-4.51	-40.0	-12.32	264.00	Vertical	Vertical	N/A
3595.250	-63.59	-1.26	-40.0	-23.59	184.00	Vertical	Vertical	Pass
9326.437	-46.66	15.95	-40.0	-6.66	286.00	Vertical	Vertical	Pass
15308.188	-46.56	16.67	-40.0	-6.56	205.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+20MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
149.310	-78.87	-25.19	-40.0	-38.87	80.00	Horizontal	Vertical	Pass
374.447	-77.50	-17.89	-40.0	-37.50	352.00	Horizontal	Vertical	Pass
2139.900	-61.40	-4.61	-40.0	-21.40	253.00	Horizontal	Vertical	N/A
3578.000	-63.32	-1.20	-40.0	-23.32	356.00	Horizontal	Vertical	Pass
9315.512	-46.51	15.89	-40.0	-6.51	277.00	Horizontal	Vertical	Pass
16857.813	-45.76	17.80	-40.0	-5.76	0.00	Horizontal	Vertical	Pass

94.3 NR_DC_66A_n48A 20MHz(LTE)+40MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n48A 20MHz(CH132322)+40MHz(CH641666)


RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.830	-80.16	-25.61	-40.0	-40.16	239.00	Vertical	Vertical	Pass
375.999	-78.01	-17.86	-40.0	-38.01	166.00	Vertical	Vertical	Pass
2136.300	-52.34	-4.39	-40.0	-12.34	264.00	Vertical	Vertical	N/A
3578.750	-63.38	-1.20	-40.0	-23.38	0.00	Vertical	Vertical	Pass
9296.987	-46.73	16.08	-40.0	-6.73	153.00	Vertical	Vertical	Pass
15350.125	-46.42	16.84	-40.0	-6.42	15.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n48A 20MHz(CH132322)+40MHz(CH641666)

RSE(5G NSA FCC)_NSA_2A_n48A_1850-1910&1930-1990&3550-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
151.589	-79.84	-25.03	-40.0	-39.84	118.00	Horizontal	Vertical	Pass
375.805	-77.97	-17.86	-40.0	-37.97	315.00	Horizontal	Vertical	Pass
2143.300	-61.30	-4.65	-40.0	-21.30	256.00	Horizontal	Vertical	N/A
3578.250	-63.60	-1.20	-40.0	-23.60	270.00	Horizontal	Vertical	Pass
9305.538	-46.10	16.15	-40.0	-6.10	360.00	Horizontal	Vertical	Pass
16899.063	-46.28	17.94	-40.0	-6.28	360.00	Horizontal	Vertical	Pass

95 NR_DC_2A_n77A(3450-3650MHz)

95.1 NR_DC_2A_n77A(3450-3650MHz) 20MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+20MHz(CH636666)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
135.342	-72.65	-17.76	-30.0	-42.65	98.00	Vertical	Horizontal	Pass
380.994	-70.81	-9.63	-30.0	-40.81	163.00	Vertical	Horizontal	Pass
1952.000	-39.04	4.33	-30.0	-9.04	157.00	Vertical	Horizontal	Pass
3547.750	-41.37	13.60	-30.0	-11.37	64.00	Vertical	Horizontal	Pass
7870.000	-45.01	17.07	-30.0	-15.01	85.00	Vertical	Horizontal	Pass
18124.100	-41.03	24.04	-30.0	-11.03	152.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+20MHz(CH636666)

RSE(SG NSA FCC_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
152.414	-71.18	-16.99	-30.0	-41.18	117.00	Horizontal	Horizontal	Pass
349.082	-70.76	-9.84	-30.0	-40.76	360.00	Horizontal	Horizontal	Pass
1956.900	-45.11	4.11	-30.0	-15.11	316.00	Horizontal	Horizontal	Pass
3548.250	-45.72	13.61	-30.0	-15.72	59.00	Horizontal	Horizontal	Pass
7915.000	-45.52	16.96	-30.0	-15.52	250.00	Horizontal	Horizontal	Pass
18090.099	-40.71	23.68	-30.0	-10.71	3.00	Horizontal	Horizontal	Pass

95.2 NR_DC_2A_n77A(3450-3650MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+60MHz(CH636666)


RSE(SG NSA FCC_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
142.520	-70.92	-17.73	-30.0	-40.92	103.00	Vertical	Horizontal	Pass
375.757	-70.44	-9.86	-30.0	-40.44	154.00	Vertical	Horizontal	Pass
1957.600	-38.70	4.10	-30.0	-8.70	44.00	Vertical	Horizontal	Pass
3543.250	-41.93	13.58	-30.0	-11.93	360.00	Vertical	Horizontal	Pass
9247.825	-45.86	16.50	-30.0	-15.86	181.00	Vertical	Horizontal	Pass
17894.738	-41.09	23.46	-30.0	-11.09	15.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+60MHz(CH636666)

RSE(SG NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.259	-69.91	-17.79	-30.0	-39.91	131.00	Horizontal	Horizontal	Pass
347.190	-70.01	-9.92	-30.0	-40.01	360.00	Horizontal	Horizontal	Pass
1956.900	-46.46	4.11	-30.0	-16.46	292.00	Horizontal	Horizontal	Pass
3546.500	-48.14	13.59	-30.0	-18.14	122.00	Horizontal	Horizontal	Pass
9299.363	-45.90	17.00	-30.0	-15.90	91.00	Horizontal	Horizontal	Pass
18092.225	-40.69	23.80	-30.0	-10.69	86.00	Horizontal	Horizontal	Pass

95.3 NR_DC_2A_n77A(3450-3650MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+100MHz(CH636666)


RSE(SG NSA FCC)_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
143.102	-74.59	-17.65	-30.0	-44.59	105.00	Vertical	Horizontal	Pass
380.073	-70.02	-9.74	-30.0	-40.02	170.00	Vertical	Horizontal	Pass
1953.500	-38.73	4.27	-30.0	-8.73	151.00	Vertical	Horizontal	Pass
3547.000	-42.47	13.60	-30.0	-12.47	5.00	Vertical	Horizontal	Pass
9304.825	-45.80	16.99	-30.0	-15.80	188.00	Vertical	Horizontal	Pass
18100.300	-40.81	23.62	-30.0	-10.81	1.00	Vertical	Horizontal	Pass

RSE-H&H NR_DC_2A_n77A(3450-3650MHz) 20MHz(CH18900)+100MHz(CH636666)

RSE(SG NSA FCC_NSA_2A_n77A(Mid)_1850-1920&3650-3700_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.322	-71.88	-17.35	-30.0	-41.88	108.00	Horizontal	Horizontal	Pass
396.320	-69.71	-8.40	-30.0	-39.71	149.00	Horizontal	Horizontal	Pass
1957.600	-45.10	4.10	-30.0	-15.10	203.00	Horizontal	Horizontal	Pass
3547.500	-46.46	13.60	-30.0	-16.46	110.00	Horizontal	Horizontal	Pass
9297.225	-45.72	16.91	-30.0	-15.72	0.00	Horizontal	Horizontal	Pass
18098.600	-40.98	23.65	-30.0	-10.98	259.00	Horizontal	Horizontal	Pass

96 NR_DC_66A_n77A(3450-3650MHz)

96.1 NR_DC_66A_n77A(3450-3650MHz) 20MHz(LTE)+20MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+20MHz(CH636666)


RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
141.792	-73.62	-17.75	-30.0	-43.62	353.00	Vertical	Vertical	Pass
390.355	-70.89	-8.69	-30.0	-40.89	154.00	Vertical	Vertical	Pass
2148.900	-38.11	4.54	-30.0	-8.11	160.00	Vertical	Vertical	N/A
3546.000	-40.82	13.59	-30.0	-10.82	125.00	Vertical	Vertical	N/A
7965.750	-45.36	17.43	-30.0	-15.36	0.00	Vertical	Vertical	Pass
17933.750	-41.05	22.97	-30.0	-11.05	16.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+20MHz(CH636666)

RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
155.566	-70.43	-16.75	-30.0	-40.43	140.00	Horizontal	Vertical	Pass
381.916	-70.37	-9.52	-30.0	-40.37	167.00	Horizontal	Vertical	Pass
2136.600	-47.57	4.83	-30.0	-17.57	233.00	Horizontal	Vertical	N/A
3547.000	-44.97	13.60	-30.0	-14.97	86.00	Horizontal	Vertical	N/A
7982.750	-45.37	17.19	-30.0	-15.37	86.00	Horizontal	Vertical	Pass
18130.375	-40.50	23.82	-30.0	-10.50	320.00	Horizontal	Vertical	Pass

96.2 NR_DC_66A_n77A(3450-3650MHz) 20MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+60MHz(CH636666)


RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
157.749	-72.07	-16.53	-30.0	-42.07	269.00	Vertical	Vertical	Pass
392.246	-71.47	-8.59	-30.0	-41.47	152.00	Vertical	Vertical	Pass
2142.500	-38.93	4.50	-30.0	-8.93	271.00	Vertical	Vertical	N/A
3543.250	-40.21	13.58	-30.0	-10.21	121.00	Vertical	Vertical	N/A
7985.250	-45.47	17.17	-30.0	-15.47	207.00	Vertical	Vertical	Pass
18094.625	-41.21	23.69	-30.0	-11.21	157.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+60MHz(CH636666)

RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
148.437	-71.64	-17.27	-30.0	-41.64	134.00	Horizontal	Vertical	Pass
402.383	-70.20	-8.11	-30.0	-40.20	271.00	Horizontal	Vertical	Pass
2140.800	-47.07	4.56	-30.0	-17.07	238.00	Horizontal	Vertical	N/A
3543.500	-46.52	13.58	-30.0	-16.52	161.00	Horizontal	Vertical	N/A
7858.750	-45.70	17.02	-30.0	-15.70	5.00	Horizontal	Vertical	Pass
18052.688	-40.93	23.10	-30.0	-10.93	166.00	Horizontal	Vertical	Pass

96.3 NR_DC_66A_n77A(3450-3650MHz) 20MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+100MHz(CH636666)


RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
137.767	-71.52	-17.78	-30.0	-41.52	106.00	Vertical	Vertical	Pass
465.966	-72.61	-6.68	-30.0	-42.61	159.00	Vertical	Vertical	Pass
2151.000	-38.04	4.61	-30.0	-8.04	161.00	Vertical	Vertical	N/A
3543.250	-42.43	13.58	-30.0	-12.43	131.00	Vertical	Vertical	N/A
7987.250	-45.38	17.19	-30.0	-15.38	338.00	Vertical	Vertical	Pass
19050.250	-40.78	20.51	-30.0	-10.78	329.00	Vertical	Vertical	Pass

RSE-H&H NR_DC_66A_n77A(3450-3650MHz) 20MHz(CH132322)+100MHz(CH636666)

RSE(5G NSA FCC)_NSA_66A_n77A_1710-1785&2110-2200&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
137.476	-71.54	-17.78	-30.0	-41.54	119.00	Horizontal	Vertical	Pass
395.496	-69.94	-8.44	-30.0	-39.94	263.00	Horizontal	Vertical	Pass
2140.600	-47.49	4.56	-30.0	-17.49	238.00	Horizontal	Vertical	N/A
3546.000	-47.08	13.59	-30.0	-17.08	72.00	Horizontal	Vertical	N/A
7958.250	-45.46	17.55	-30.0	-15.46	241.00	Horizontal	Vertical	Pass
18142.751	-40.68	23.59	-30.0	-10.68	82.00	Horizontal	Vertical	Pass

97 NR_DC_12A_n77A(3450-3650MHz)

97.1 NR_DC_12A_n77A(3450-3650MHz) 10MHz(LTE)+20MHz(NR), Middle Channel


RSE-V&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+20MHz(CH636666)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.393	-86.15	-12.35	-30.0	-56.15	204.00	Horizontal	Vertical	Pass
257.659	-83.53	-9.69	-30.0	-53.53	129.00	Horizontal	Vertical	Pass
1191.900	-62.53	-2.06	-30.0	-32.53	1.00	Horizontal	Vertical	Pass
3547.250	-45.88	13.60	-30.0	-15.88	131.00	Horizontal	Vertical	N/A
5994.500	-42.67	20.26	-30.0	-12.67	0.00	Horizontal	Vertical	Pass
18118.687	-41.14	23.97	-30.0	-11.14	337.00	Horizontal	Vertical	Pass

RSE-H&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+20MHz(CH636666)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.307	-87.31	-12.20	-30.0	-57.31	127.00	Horizontal	Horizontal	Pass
1005.000	-63.36	-2.00	-30.0	-33.36	0.00	Horizontal	Horizontal	Pass
3548.000	-44.90	13.60	-30.0	-14.90	73.00	Horizontal	Horizontal	N/A
5995.250	-42.75	20.24	-30.0	-12.75	271.00	Horizontal	Horizontal	Pass
9332.375	-45.48	16.81	-30.0	-15.48	252.00	Horizontal	Horizontal	Pass
18143.437	-40.74	23.64	-30.0	-10.74	333.00	Horizontal	Horizontal	Pass

97.2 NR_DC_12A_n77A(3450-3650MHz) 10MHz(LTE)+60MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+60MHz(CH636666)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
45.326	-87.41	-12.24	-30.0	-57.41	48.00	Horizontal	Vertical	Pass
113.759	-89.36	-15.25	-30.0	-59.36	8.00	Horizontal	Vertical	Pass
1199.300	-62.46	-1.75	-30.0	-32.46	260.00	Horizontal	Vertical	Pass
3547.750	-45.87	13.60	-30.0	-15.87	313.00	Horizontal	Vertical	N/A
7203.500	-45.48	16.40	-30.0	-15.48	355.00	Horizontal	Vertical	Pass
18093.937	-40.69	23.74	-30.0	-10.69	345.00	Horizontal	Vertical	Pass

RSE-H&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+60MHz(CH636666)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
46.781	-86.05	-12.40	-30.0	-56.05	299.00	Horizontal	Horizontal	Pass
996.654	-63.05	7.98	-30.0	-33.05	80.00	Horizontal	Horizontal	Pass
2235.600	-60.38	-0.08	-30.0	-30.38	355.00	Horizontal	Horizontal	Pass
3548.500	-45.76	13.61	-30.0	-15.76	88.00	Horizontal	Horizontal	N/A
7860.250	-45.20	17.01	-30.0	-15.20	357.00	Horizontal	Horizontal	Pass
18053.376	-40.84	23.06	-30.0	-10.84	0.00	Horizontal	Horizontal	Pass

97.3 NR_DC_12A_n77A(3450-3650MHz) 10MHz(LTE)+100MHz(NR), Middle Channel

RSE-V&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+100MHz(CH636666)


RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
47.703	-87.83	-12.57	-30.0	-57.83	360.00	Horizontal	Vertical	Pass
1197.900	-62.43	-1.77	-30.0	-32.43	68.00	Horizontal	Vertical	Pass
3542.500	-47.45	13.57	-30.0	-17.45	65.00	Horizontal	Vertical	N/A
5988.000	-42.73	20.35	-30.0	-12.73	242.00	Horizontal	Vertical	Pass
9303.400	-45.55	16.97	-30.0	-15.55	57.00	Horizontal	Vertical	Pass
18087.750	-40.81	23.56	-30.0	-10.81	320.00	Horizontal	Vertical	Pass

RSE-H&H NR_DC_12A_n77A(3450-3650MHz) 10MHz(CH23095)+100MHz(CH636666)

RSE(5G NSA FCC)_NSA_12A_n77A_699-716&729-746&3300-4200_30MHz-27GHz



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
44.114	-87.55	-12.21	-30.0	-57.55	0.00	Horizontal	Horizontal	Pass
239.860	-84.09	-9.66	-30.0	-54.09	290.00	Horizontal	Horizontal	Pass
1197.400	-62.46	-1.78	-30.0	-32.46	360.00	Horizontal	Horizontal	Pass
3543.000	-46.15	13.57	-30.0	-16.15	89.00	Horizontal	Horizontal	N/A
7961.750	-44.50	17.51	-30.0	-14.50	25.00	Horizontal	Horizontal	Pass
18111.126	-41.08	23.73	-30.0	-11.08	39.00	Horizontal	Horizontal	Pass