

Product Similarity Declaration

Product name: Face Recognition Door Phone

Model name: i68, i68L

FCC ID: 2APPZ-I68

We (Fanvil Technology Co., LTD.) hereby state that all the models are electrical identical including the same software parameter and hardware design, same mechanical structure and design (including product enclosure, materials, etc.), the appearance, function, and model names of the product are different.

Signature:



Name: Mengjiao Hu

Title: Certified Engineer

Date: Jan. 02, 2025



深圳方位通信科技有限公司
Fanvil Technology Co., LTD.

Label	function	Basic specification	i68	i68L	remark
1	CPU		RV1109	RV1109	
2	LTP viewing screen	MIPI interface, 8-inch TP/LCD module, resolution 800*1280	√	√	Plate identity
3	camera	MIPI interface, SmartSens SC200AI, 2MP, binocular (RGB+IR)	√	√	
4	Net interface	*1, 10/100Mbps	√	√	
5	WiFi	*1	×	×	
6	Bluetooth	*1	√	√	
7	Anti-disassembly switch	*1	√	√	
8	megaphone	*2, 4R/2W	√	√	
9	RTC	*1	√	√	
10	USB	*1	×	√	
11	RS-485	*1	×	√	
12	NFC	High/Low frequency: 125KHz +13.56MHz, ID/IC reader card	√	√	
13	Wigan in	*1, supports WG26/34	√	√	
14	Wigand out	*1, supports WG26/34	√	√	
15	Short-circuit input	*2	√	√	
16	Short-circuit output	*1	√	√	

17	Power source	12V/2A	√	√	
18	POE	at标准	√	×	

